An Introduction to knitr

Yihui Xie

January 20, 2013

The **knitr** package (Xie, 2013) is an alternative tool to Sweave based on a different design with more features. This document is not the real vignette, but only serves as a placeholder to guide you to the real manuals of this package. You can find them in the package website: http://yihui.name/knitr¹, and remember to read the help pages of functions in this package.

Anyway, here is a code chunk that shows you can compile vignettes with **knitr** as well by using a proper Makefile (see http://yihui.name/knitr/demo/vignette/):

```
rnorm(5)
## [1] -1.0632 -2.2572 0.3611 -0.5012 -0.1678
df = data.frame(y = rnorm(100), x = 1:100)
summary(lm(y ~ x, data = df))
##
## Call:
## lm(formula = y ~ x, data = df)
##
## Residuals:
      Min
              1Q Median
                                     Max
## -1.8304 -0.6666 0.0362 0.6368 2.3002
## Coefficients:
     Estimate Std. Error t value Pr(>|t|)
## (Intercept) 0.29772 0.19711 1.51 0.13
                         0.00339 -1.59
## x
              -0.00540
##
## Residual standard error: 0.978 on 98 degrees of freedom
## Multiple R-squared: 0.0252, Adjusted R-squared: 0.0153
## F-statistic: 2.53 on 1 and 98 DF, p-value: 0.115
```

References

Xie Y (2013). knitr: A general-purpose package for dynamic report generation in R. R package version 1.0, URL http://yihui.name/knitr/.

¹e.g. the main manual: https://bitbucket.org/stat/knitr/downloads/knitr-manual.pdf and the graphics manual: https://bitbucket.org/stat/knitr/downloads/knitr-graphics.pdf