Math 246 Unit 7: Exception handling in Python

Brenton LeMesurier, October 22, 2015

Aside. How to use these notebooks

Either run this code example below in the notebook, or copy them into to IPython comman window (within Spyder or stand-alone.)

Introduction

Ideally, when write a computer program for a mathematical task, we will plan in advance for every possibility, and design an algorithm to handle all of them. For example, anticipating the possibility of division by zero and avoiding it is a common issue in making a program **robust**.

However this is not always feasible; in particular while still developing a program, there might be situations that you have not yet anticipated, and so it can be useful to write a program that will detect problems that occur while the program is running, and handle them in a reasonable way.

We start by considering a very basic code for our favorite example, solving quadratic equations.

But first, a reminder of the title-author-date info. that should go at the top of every file!

```
In [ ]:
```

```
'''Handling exceptions when solving (quadratic) equations.
Author: Brenton LeMesurier <lemesurierb@cofc.edu>
Date: October 22, 2015
```

Now, version 0, which works fine for a case like (a, b, c) = (2, -10, 8), but can fail in many ways if the "wrong" input is given.

Try it repeatedly, with some "destructive testing": seek input choices that will cause various problems.

```
In [ ]:
```

Let me know what problems you found; we will work as a class to detect and handle all of them.

Some messages I get ended with these lines, whose meaning we will soon explore:

- ZeroDivisionError: float division by zero
- ValueError: math domain error
- ValueError: could not convert string to float: 'one'
- SyntaxError: invalid syntax

Catching any "exceptional" situation and handling it specially

Here is a minimal way to catch all problems, and at least apologize for failing to solve the equation:

```
In []:

'''Version 1: detect any exception, and apologise.'''

from math import sqrt

print("Let's solve a quadratic equation a*x**2 + b*x + c = 0")

try:
    a = float(input("a = "))
    b = float(input("b = "))
    c = float(input("c = "))
    discriminant = b**2 - 4*a*c
    root_of_discriminant = sqrt(discriminant)
    roots = ( (-b - root_of_discriminant)/(2*a), (-b + root_of_discriminant)/(2*a))
    print("The roots are %g and %g" % roots)
```

This try/except structure does two things:

print("Something went wrong; sorry!")

except:

- it first tries to run the code in the (indented) block introduced by the colon after the statement try
- if anything goes wrong (in Python jargon, if any **exception** occurs) it gives up on that try block and runs the code in the block under the statement except.

Catching and displaying the exception error message

One thing has been lost though: the messages like "float division by zero" as seen above, which say what sort of exception occured.

We can regain some of that, by having except statement save that message into a variable:

```
In [ ]:
'''Version 2: detect any exception, display its message, and apologise.'''
from math import sqrt
print ("Let's solve a quadratic equation a*x**2 + b*x + c = 0.")
try:
    a = float(input("a = "))
    b = float(input("b = "))
    c = float(input("c = "))
    discriminant = b**2 - 4*a*c
    root of discriminant = sqrt(discriminant)
    roots = ((-b - root of discriminant)/(2*a), (-b + root of discriminant)/(2*a)
*a))
    print("The roots are %q and %q" % roots)
except Exception as what just happened:
    print("Something went wrong; sorry!")
    print("The exception message is: ", what just happened)
Another improvement would be to tell the user what went wrong, and give an opportunity to try again.
In fact I recommend that almost any program with interactive input, especially one still being developed, use
```

a "try, try again" loop like this:

```
In [ ]:
```

```
'''Version 3: detect any exception, display its message, and repeat until we suc
ceed.'''
from math import sqrt
print("Let's solve a quadratic equation a*x**2 + b*x + c = 0.")
are we done yet = False
while not are we done yet:
    try:
        a = float(input("a = "))
        b = float(input("b = "))
        c = float(input("c = "))
        discriminant = b**2 - 4*a*c
        root of discriminant = sqrt(discriminant)
        roots = ( (-b - root_of_discriminant)/(2*a), (-b + root_of_discriminant
)/(2*a))
        print("Success!")
        print("The roots are %g and %g" % roots)
        are we done yet = True # so we can exit the while loop
    except Exception as what just happened:
        print("Something went wrong; sorry!")
        print("The error message is: ", what just happened)
        print("Please try again.")
print('\nThank you; please come again soon!')
```

This version detects every possible exception and handles them all in the same way, whether it be a problem in arithmetic (like the dreaded division by zero) or the user making a typing error in the input of the coefficients. Try answering "one" when asked for a coefficient!

Handling specific exception types

Python divides exceptions into many types, and the statement except can be given the name of an exception type, so that it then handles just that type of exception.

For example, in the case of division be zero, where we originally got a message

```
ZeroDivisionError: float division by zero
```

we can catch that particular exception and handle it specially:

```
In [ ]:
```

```
'''Version 4: As above, but with special handing for division by zero.'''
from math import sqrt
print("Let's solve a quadratic equation a*x**2 + b*x + c = 0.")
are we done yet = False
while not are we done yet:
   try:
        a = float(input("a = "))
        b = float(input("b = "))
        c = float(input("c = "))
        discriminant = b**2 - 4*a*c
        root of discriminant = sqrt(discriminant)
        roots = ((-b - root of discriminant)/(2*a), (-b + root of discriminant)
)/(2*a))
        print("Success!")
        print("The roots are %g and %g" % roots)
        are we done yet = True # so we can exit the while loop
    except ZeroDivisionError as message: # Note the "CamelCase": capitalization
of each word
        print("Division by zero; the first coefficient cannot be zero!")
        print("Please try again.")
print('\nThank you; please come again soon!')
```

Handling multiple exception types

However, this still crashes with other errors, lke typos in the input. To detect several types of exception, and handle each in an appropriate way, there can be a list of except statements, each with a block of code to run when that exception is detected. The type Exception was already seen above; it is just the totally generic case.

```
In [ ]:
'''Version 5: As above for division by zero, but also catching other exceptions.
from math import sqrt
print("Let's solve a quadratic equation a*x**2 + b*x + c = 0.")
are_we_done_yet = False
while not are we done yet:
    try:
        a = float(input("a = "))
        b = float(input("b = "))
        c = float(input("c = "))
        discriminant = b**2 - 4*a*c
        root of discriminant = sqrt(discriminant)
        roots = ( (-b - root of discriminant)/(2*a), (-b + root_of_discriminant
)/(2*a))
        print("Success!")
        print("The roots are %g and %g" % roots)
        are we done yet = True # so we can exit the while loop
    except ZeroDivisionError as message:
        print("ZeroDivisionError, message: ", message)
        print("The first coefficient cannot be zero!")
        print("Please try again.")
    except Exception as message: # Any other exceptions
        print("Some exception that I have not planned for, with message:", messa
ge)
```

Experiment a bit, and you will see how these multiple except statements are used:

print("Please try again.")

print('\nThank you; please come again soon!')

- the first except clause that matches is used, and any later ones are ignored;
- only if none matches does the code go back to simply "crashing", as with version 0 above.

Summary: a while-try-except pattern for interactive programs

For programs with interactive input, a useful pattern for robustly handling errors or surprises in the input is a while-try-except pattern, with a form like:

```
try_again = True
while try_again:
    try:
        Get input
        Do stuff with it
        try_again = False
    except Exception as message:
        print("Exception", message, " occurred; please try again.")
        Maybe actually fix the problem, and if successful:
        try_again = False
```

One can refine this by adding except clauses for as many specific exception types as are relevant, with more specific handling for each.

Exercise 1. Add handling for multiple types of exception

Copy my latest version here into a file named Unit7_quadratic_solver.py and augment it with multiple except clauses to handle all exceptions that we can get to occur.

First, read about the possibilities, for example in Section 5 of the official <u>Python 3 Standard Library</u> <u>Reference Manual (https://docs.python.org/3/library/)</u>

at https://docs.python.org/3/library/exceptions.html or other sources that you can find.

Two exceptions of particular importance for us are ValueError and ArithmeticError, and sub-types of the latter like ZeroDivisionError. (Note the "CamelCase"; capitalization of each word in an exception name: it is essential to get this right, since Python is case-sensitive.)

Aside: If you find a source on Python exceptions that you prefer to that manual, please let us all know!

Exercise 2. Handling division by zero Newton's method

Newton's method can be implemented with a function as follows:

```
In [ ]:
```

```
def newton(f, Df, x0, error tolerance, maximum_steps):
    for step in range(maximum steps):
        x_new = x - f(x)/Df(x)
        error_estimate = abs(x new - x)
        x = x new
        if error estimate <= error tolerance:</pre>
            # We are finshed early
            return x, error_estimate
# Demonstration
from math import cos, sin
def f(x): return x - cos(x)
def Df(x): return 1 + sin(x)
root, estimated error = newton(f, Df, x0=0, error tolerance=1e-10, maximum steps
=100)
print('The solution is %.16g with estimated error of %.2g' % (root, estimated er
ror))
```

However, division by zero can occur with some choices of the function f and the inital value x0, due to Df(x) = 0 arising at some stage. So create a file newton.py based on the above, adding appropriate handling of this possibility. This can go beyond simply printing a message to actually trying to fix the problem and continue.