

# Cucumber Report

1/07/2025, 10:43:44 p. m.

Start : jul 01, 10:43:33.566 p. m.

End : jul 01, 10:43:43.107 p. m.

Duration : 9.541 s

Features

Scenarios

Steps

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 0  
FAILED - 1  
SKIPPED - 0

PASSED - 4  
FAILED - 1  
SKIPPED - 2



Feature		Scenario				Step			
Name	Duration	T	P	F	S	T	P	F	S
<u>Nuevo registro direccion</u>	9.541 s	1	0	1	0	7	4	1	2

<b>Tag</b>	<b>Scenario</b>				<b>Feature</b>			
<b>Name</b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>	<b><i>T</i></b>	<b><i>P</i></b>	<b><i>F</i></b>	<b><i>S</i></b>
@CreditCard	1	0	1	0	1	0	1	0
@EndToEnd	1	0	1	0	1	0	1	0
@04_CreditCardSuccessList	1	0	1	0	1	0	1	0





#	Feature Name	T	P	F	S	Duration
1	<u>Nuevo registro direccion</u>	1	0	1	0	9.541 s





#	Feature Name	Scenario Name	T	P	F	S	Duration
1	<u>Nuevo registro direccion</u>	<u>Agregar Tarjeta de Crédito</u>	7	4	1	2	9.538 s

## Nuevo registro direccion

<b>FAILED</b>	<b>DURATION - 9.541 s</b>	Scenarios Total - 1 Pass - 0 Fail - 1 Skip - 0		Steps Total - 7 Pass - 4 Fail - 1 Skip - 2	
/ 10:43:33.566 p. m. // 10:43:43.107 p. m. /					

## Agregar Tarjeta de Crédito

<div>FAILED</div> <div>DURATION - 9.538 s</div>		<div></div>	<div>Steps</div> <div>Total - 7</div> <div>Pass - 4</div> <div>Fail - 1</div> <div>Skip - 2</div>	<div></div>
/ 10:43:33.569 p. m. // 10:43:43.107 p. m. /				
Nuevo registro direccion				
@CreditCard @EndToEnd @04_CreditCardSuccessList				

#	Step / Hook Details	Status	Duration												
1	Dado que el usuario esta en la pagina de login	PASSED	0.546 s												
2	Cuando el usuario ingresa sus credenciales "pruebas@gmail.com" y "crusto2009"	PASSED	0.176 s												
3	Y hace click en el botón de Log in	PASSED	0.071 s												
4	Cuando el usuario accede a la sección de información de pago	PASSED	0.556 s												
5	Y agrega nuevas tarjetas de crédito con detalles válidos	FAILED	3.302 s												
	<table border="1"> <thead> <tr> <th>cardname</th><th>cardnumber</th><th>datemoth</th><th>dateyear</th></tr> </thead> <tbody> <tr> <td>Mastercard</td><td>5425233430109903</td><td>4</td><td>2080</td></tr> <tr> <td>Mastercard</td><td>5425233430109903</td><td>12</td><td>2090</td></tr> </tbody> </table> <p>java.lang.RuntimeException: Error: invalid session id: session deleted as the browser has closed the connection from disconnected: unable to send message to renderer (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [089a6afaa1003b49ebf65ac007cb123d, findElement {using=xpath, value= //*[contains(text(), 'Add new card')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca...}, fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55879/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true,</p>	cardname	cardnumber	datemoth	dateyear	Mastercard	5425233430109903	4	2080	Mastercard	5425233430109903	12	2090		
cardname	cardnumber	datemoth	dateyear												
Mastercard	5425233430109903	4	2080												
Mastercard	5425233430109903	12	2090												

#	Step / Hook Details	Status	Duration
	<p>webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 089a6afaa1003b49ebf65ac007cb123d</p> <p>at com.juice.factory.CreditCardPage.doAddCreditCard(CreditCardPage.java:73)</p> <p>at com.juice.steps.CreditCardSteps.agrega_nuevas_tarjeta_de_crédito_con_detalles_válidos(CreditCardSteps.java:43)</p> <p>at ?.agrega nuevas tarjetas de crédito con detalles válidos(file:///C:/Users/crish/IdeaProjects/SeleniumWebFinalProject/src/test/resources/features/account/creditcard.feature:25)</p> <p>Caused by: org.openqa.selenium.NoSuchSessionException: invalid session id: session deleted as the browser has closed the connection from disconnected: unable to send message to renderer (Session info: chrome=137.0.7151.122) Build info: version: '4.33.0', revision: '2c6aaad03a' System info: os.name: 'Windows 11', os.arch: 'amd64', os.version: '10.0', java.version: '23.0.2' Driver info: org.openqa.selenium.chrome.ChromeDriver Command: [089a6afaa1003b49ebf65ac007cb123d, findElement {using=xpath, value= //*[contains(text(), 'Add new card')]]] Capabilities {acceptInsecureCerts: false, browserName: chrome, browserVersion: 137.0.7151.122, chrome: {chromedriverVersion: 137.0.7151.119 (e0ac9d12dff..., userDataDir: C:\Users\crish\AppData\Loca..., fedcm:accounts: true, goog:chromeOptions: {debuggerAddress: localhost:55879}, networkConnectionEnabled: false, pageLoadStrategy: normal, platformName: windows, proxy: Proxy(), se:cdp: ws://localhost:55879/devtoo..., se:cdpVersion: 137.0.7151.122, setWindowRect: true, strictFileInteractability: false, timeouts: {implicit: 0, pageLoad: 300000, script: 30000}, unhandledPromptBehavior: dismiss and notify, webauthn:extension:credBlob: true, webauthn:extension:largeBlob: true, webauthn:extension:minPinLength: true, webauthn:extension:prf: true, webauthn:virtualAuthenticators: true} Session ID: 089a6afaa1003b49ebf65ac007cb123d</p> <p>at java.base/jdk.internal.reflect.DirectConstructorHandleAccessor.newInstance(DirectConstructorHandleAccessor.java:62)</p> <p>at java.base/java.lang.reflect.Constructor.newInstanceWithCaller(Constructor.java:501)</p> <p>at java.base/java.lang.reflect.Constructor.newInstance(Constructor.java:485)</p> <p>at org.openqa.selenium.remote.ErrorCodec.decode(ErrorCodec.java:167)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:138)</p> <p>at org.openqa.selenium.remote.codec.w3c.W3CHttpResponseCodec.decode(W3CHttpResponseCodec.java:50)</p> <p>at org.openqa.selenium.remote.HttpCommandExecutor.execute(HttpCommandExecutor.java:215)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.invokeExecute(DriverCommandExecutor.java:216)</p> <p>at org.openqa.selenium.remote.service.DriverCommandExecutor.execute(DriverCommandExecutor.java:174)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.execute(RemoteWebDriver.java:544)</p> <p>at org.openqa.selenium.remote.ElementLocation\$ElementFinder\$2.findElement(ElementLocation.java:165)</p> <p>at org.openqa.selenium.remote.ElementLocation.findElement(ElementLocation.java:59)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:367)</p> <p>at org.openqa.selenium.remote.RemoteWebDriver.findElement(RemoteWebDriver.java:361)</p> <p>at org.openqa.selenium.support.pagefactory.DefaultElementLocator.findElement(DefaultElementLocator.java:68)</p> <p>at org.openqa.selenium.support.pagefactory.internal.LocatingElementHandler.invoke(LocatingElementHandler.java:38)</p> <p>at jdk.proxy2/jdk.proxy2.\$Proxy27.isDisplayed(Unknown Source)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions.elementIfVisible(ExpectedConditions.java:304)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:290)</p> <p>at org.openqa.selenium.support.ui.ExpectedConditions\$10.apply(ExpectedConditions.java:287)</p> <p>at org.openqa.selenium.support.ui.FluentWait.until(FluentWait.java:203)</p> <p>at com.juice.utils.Base.isVisibleElement(Base.java:61)</p> <p>at com.juice.factory.CreditCardPage.doAddCreditCard(CreditCardPage.java:68)</p> <p>at com.juice.steps.CreditCardSteps.agrega_nuevas_tarjeta_de_crédito_con_detalles_válidos(CreditCardSteps.java:43)</p> <p>at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103)</p>		

#	Step / Hook Details	Status	Duration
	at java.base/java.lang.reflect.Method.invoke(Method.java:580) at io.cucumber.java.Invoker.doInvoke(Invoker.java:66) at io.cucumber.java.Invoker.invoke(Invoker.java:24) at io.cucumber.java.AbstractGlueDefinition.invokeMethod(AbstractGlueDefinition.java:47) at io.cucumber.java.JavaStepDefinition.execute(JavaStepDefinition.java:29) at io.cucumber.core.runner.CoreStepDefinition.execute(CoreStepDefinition.java:66) at io.cucumber.core.runner.PickleStepDefinitionMatch.runStep(PickleStepDefinitionMatch.java:63) at io.cucumber.core.runner.ExecutionMode\$1.execute(ExecutionMode.java:10) at io.cucumber.core.runner.TestStep.executeStep(TestStep.java:85) at io.cucumber.core.runner.TestStep.run(TestStep.java:57) at io.cucumber.core.runner.PickleStepTestStep.run(PickleStepTestStep.java:51) at io.cucumber.core.runner.TestCase.run(TestCase.java:84) at io.cucumber.core.runner.Runner.runPickle(Runner.java:75) at io.cucumber.testng.TestNGCucumberRunner.lambda\$runScenario\$1(TestNGCucumberRunner.java:132) at io.cucumber.core.runtime.CucumberExecutionContext.lambda\$runTestCase\$5(CucumberExecutionContext.java:129) at io.cucumber.core.runtime.RethrowingThrowableCollector.executeAndThrow(RethrowingThrowableCollector.java:23) at io.cucumber.core.runtime.CucumberExecutionContext.runTestCase(CucumberExecutionContext.java:129) at io.cucumber.testng.TestNGCucumberRunner.runScenario(TestNGCucumberRunner.java:129) at io.cucumber.testng.AbstractTestNGCucumberTests.runScenario(AbstractTestNGCucumberTests.java:35) at java.base/jdk.internal.reflect.DirectMethodHandleAccessor.invoke(DirectMethodHandleAccessor.java:103) at java.base/java.lang.reflect.Method.invoke(Method.java:580) at org.testng.internal.invokers.MethodInvocationHelper.invokeMethod(MethodInvocationHelper.java:135) at org.testng.internal.invokers.TestInvoker.invokeMethod(TestInvoker.java:673) at org.testng.internal.invokers.TestInvoker.invokeTestMethod(TestInvoker.java:220) at org.testng.internal.invokers.MethodRunner.runInSequence(MethodRunner.java:50) at org.testng.internal.invokers.TestInvoker\$MethodInvocationAgent.invoke(TestInvoker.java:945) at org.testng.internal.invokers.TestInvoker.invokeTestMethods(TestInvoker.java:193) at org.testng.internal.invokers.TestMethodWorker.invokeTestMethods(TestMethodWorker.java:146) at org.testng.internal.invokers.TestMethodWorker.run(TestMethodWorker.java:128) at java.base/java.util.ArrayList.forEach(ArrayList.java:1597) at org.testng.TestRunner.privateRun(TestRunner.java:808) at org.testng.TestRunner.run(TestRunner.java:603) at org.testng.SuiteRunner.runTest(SuiteRunner.java:429) at org.testng.SuiteRunner.runSequentially(SuiteRunner.java:423) at org.testng.SuiteRunner.privateRun(SuiteRunner.java:383) at org.testng.SuiteRunner.run(SuiteRunner.java:326) at org.testng.SuiteRunnerWorker.runSuite(SuiteRunnerWorker.java:52) at org.testng.SuiteRunnerWorker.run(SuiteRunnerWorker.java:95) at org.testng.TestNG.runSuitesSequentially(TestNG.java:1249) at org.testng.TestNG.runSuitesLocally(TestNG.java:1169) at org.testng.TestNG.runSuites(TestNG.java:1092)		



#	Step / Hook Details	Status	Duration
	at org.testng.TestNG.run(TestNG.java:1060) at com.intellij.rt.testng.IDEARemoteTestNG.run(IDEARemoteTestNG.java:65) at com.intellij.rt.testng.RemoteTestNGStarter.main(RemoteTestNGStarter.java:105) * Not displayable characters are replaced by '?'. Y guarda la nueva tarjeta		
6	Y guarda la nueva tarjeta	SKIPPED	0.000 s
7	Entonces el sistema debe mostrar un mensaje de confirmación y la tarjeta de crédito debe estar asociada a la cuenta del usuario	SKIPPED	0.000 s