


COMPLETE LEARNING SESSION

Tsunami and Coastal Hazard Management - Learner-v2 Refreshed

UPSC complete learning session | Foundation to advanced | Concepts, evidence, practice and answer writing



Original deterministic study visual; labels are explanatory, not textual quotations.

Source order: repository knowledge -> official current linkage -> clearly marked analysis. No fabricated PYQs or statistics.

CONTENTS / SESSION INDEX

Major learning parts and meaningful subtopics are listed in document order. Page numbers are generated from the final PDF layout; PDF bookmarks mirror the same hierarchy.

Tsunami and Coastal Hazard Management - Learner-v2 Complete Learning Session	6
SOURCE, PROGRESSION AND CURRENT-LINKAGE AUDIT	6
LIVE OFFICIAL-SOURCE ATTEMPT LOG	6
BASIC LEARNING SESSION	6
DEEP-REVIEW LEARNING CONTRACT	6
EVIDENCE, PYQ AND CURRENT-STATUS CONTROL	7
SESSION 1 - FOUNDATION - TSUNAMI GENERATION AND DISPLACEMENT MECHANISM	8
SESSION 2 - FOUNDATION - TSUNAMI TIDE AND STORM-SURGE DISTINCTIONS	10
SESSION 3 - FOUNDATION - SOURCE BATHYMETRY COAST AND CONSEQUENCE	12
SESSION 4 - CORE - DEEP-WATER TRAVEL SHOALING RUN-UP AND RETURN FLOW	13
SESSION 5 - CORE - SEISMIC DETECTION AND SEA-LEVEL CONFIRMATION	15
SESSION 6 - CORE - ITEWC INCOIS AND REGIONAL SERVICE ARCHITECTURE	16
SESSION 7 - CORE - BULLETIN STAGES THREAT CATEGORIES AND UNCERTAINTY	18
SESSION 8 - CORE - LOCAL WARNING EVACUATION AND ALL-CLEAR AUTHORITY	20
SESSION 9 - CORE - INUNDATION MAPPING AND COASTAL LAND USE	21
SESSION 10 - CORE - STRUCTURAL AND ECOSYSTEM-BASED COASTAL PROTECTION	23
SESSION 11 - CORE - PORTS HARBOURS UTILITIES AND CRITICAL FACILITIES	24
SESSION 12 - CORE - FISHERIES TOURISM AND TRANSIENT POPULATIONS	26
SESSION 13 - CORE SYNTHESIS - COMMUNITY PREPAREDNESS DRILLS AND TSUNAMI READY	28
SESSION 14 - CORE SYNTHESIS - FALSE-ALARM TRUST FEEDBACK AND READINESS DECAY	29
SESSION 15 - CORE SYNTHESIS - RECOVERY LIVELIHOODS AND WARNING-OUTCOME BOUNDARY	31
DISASTER MANAGEMENT DEEP-REVIEW CORE CONTROL	38
BASIC MCQS / REMEDIATION	38
Q1. Which statement correctly identifies Tsunami generation?	38
Q2. Which option preserves the risk or institutional boundary of Tsunami generation?	39
Q3. Which statement uses Tsunami generation without changing its hazard, mandate or status?	39
Q4. Which option avoids the standard UPSC close-option trap about Tsunami generation?	39
Q5. Which statement correctly identifies Tide and storm-surge boundary?	39
Q6. Which option preserves the risk or institutional boundary of Tide and storm-surge boundary?	40

Q7. Which statement uses Tide and storm-surge boundary without changing its hazard, mandate or status?	40
Q8. Which option avoids the standard UPSC close-option trap about Tide and storm-surge boundary?	40
Q9. Which statement correctly identifies Generation is not impact?	41
Q10. Which option preserves the risk or institutional boundary of Generation is not impact?	41
Q11. Which statement uses Generation is not impact without changing its hazard, mandate or status?	41
Q12. Which option avoids the standard UPSC close-option trap about Generation is not impact?	41
Q13. Which statement correctly identifies Shoaling and inundation?	42
Q14. Which option preserves the risk or institutional boundary of Shoaling and inundation?	42
Q15. Which statement uses Shoaling and inundation without changing its hazard, mandate or status?	42
Q16. Which option avoids the standard UPSC close-option trap about Shoaling and inundation?	43
Q17. Which statement correctly identifies Detection chain?	43
Q18. Which option preserves the risk or institutional boundary of Detection chain?	43
Q19. Which statement uses Detection chain without changing its hazard, mandate or status?	43
Q20. Which option avoids the standard UPSC close-option trap about Detection chain?	44
Q21. Which statement correctly identifies ITEWC?	44
Q22. Which option preserves the risk or institutional boundary of ITEWC?	44
Q23. Which statement uses ITEWC without changing its hazard, mandate or status?	44
Q24. Which option avoids the standard UPSC close-option trap about ITEWC?	45
Q25. Which statement correctly identifies Service-provider role?	45
Q26. Which option preserves the risk or institutional boundary of Service-provider role?	45
Q27. Which statement uses Service-provider role without changing its hazard, mandate or status?	45
Q28. Which option avoids the standard UPSC close-option trap about Service-provider role?	46
Q29. Which statement correctly identifies Forecast and warning?	46
Q30. Which option preserves the risk or institutional boundary of Forecast and warning?	46
Q31. Which statement uses Forecast and warning without changing its hazard, mandate or status?	46
Q32. Which option avoids the standard UPSC close-option trap about Forecast and warning?	47
Q33. Which statement correctly identifies Local all clear?	47
Q34. Which option preserves the risk or institutional boundary of Local all clear?	47
Q35. Which statement uses Local all clear without changing its hazard, mandate or status?	47
Q36. Which option avoids the standard UPSC close-option trap about Local all clear?	48
Q37. Which statement correctly identifies Inundation mapping?	48
Q38. Which option preserves the risk or institutional boundary of Inundation mapping?	48

Q39. Which statement uses Inundation mapping without changing its hazard, mandate or status?	48
Q40. Which option avoids the standard UPSC close-option trap about Inundation mapping?	49
Q41. Which statement correctly identifies Coastal regulation?	49
Q42. Which option preserves the risk or institutional boundary of Coastal regulation?	49
Q43. Which statement uses Coastal regulation without changing its hazard, mandate or status?	49
Q44. Which option avoids the standard UPSC close-option trap about Coastal regulation?	50
Q45. Which statement correctly identifies Evacuation chain?	50
Q46. Which option preserves the risk or institutional boundary of Evacuation chain?	50
Q47. Which statement uses Evacuation chain without changing its hazard, mandate or status?	51
Q48. Which option avoids the standard UPSC close-option trap about Evacuation chain?	51
Q49. Which statement correctly identifies Natural buffers?	51
Q50. Which option preserves the risk or institutional boundary of Natural buffers?	51
Q51. Which statement uses Natural buffers without changing its hazard, mandate or status?	52
Q52. Which option avoids the standard UPSC close-option trap about Natural buffers?	52
Q53. Which statement correctly identifies Ports and critical facilities?	52
Q54. Which option preserves the risk or institutional boundary of Ports and critical facilities?	53
Q55. Which statement uses Ports and critical facilities without changing its hazard, mandate or status?	53
Q56. Which option avoids the standard UPSC close-option trap about Ports and critical facilities?	53
Q57. Which statement correctly identifies Fisheries and tourism?	53
Q58. Which option preserves the risk or institutional boundary of Fisheries and tourism?	54
Q59. Which statement uses Fisheries and tourism without changing its hazard, mandate or status?	54
Q60. Which option avoids the standard UPSC close-option trap about Fisheries and tourism?	54
Q61. Which statement correctly identifies Community preparedness?	55
Q62. Which option preserves the risk or institutional boundary of Community preparedness?	55
Q63. Which statement uses Community preparedness without changing its hazard, mandate or status?	55
Q64. Which option avoids the standard UPSC close-option trap about Community preparedness?	55
Q65. Which statement correctly identifies Tsunami Ready boundary?	56
Q66. Which option preserves the risk or institutional boundary of Tsunami Ready boundary?	56
Q67. Which statement uses Tsunami Ready boundary without changing its hazard, mandate or status?	56
Q68. Which option avoids the standard UPSC close-option trap about Tsunami Ready boundary?	57
Q69. Which statement correctly identifies False alarms and uncertainty?	57
Q70. Which option preserves the risk or institutional boundary of False alarms and uncertainty?	57

Q71. Which statement uses False alarms and uncertainty without changing its hazard, mandate or status?	57
Q72. Which option avoids the standard UPSC close-option trap about False alarms and uncertainty?	58
Q73. Which statement correctly identifies Recovery and livelihoods?	58
Q74. Which option preserves the risk or institutional boundary of Recovery and livelihoods?	58
Q75. Which statement uses Recovery and livelihoods without changing its hazard, mandate or status?	59
Q76. Which option avoids the standard UPSC close-option trap about Recovery and livelihoods?	59
Q77. Which statement correctly identifies Warning-outcome firewall?	59
Q78. Which option preserves the risk or institutional boundary of Warning-outcome firewall?	59
Q79. Which statement uses Warning-outcome firewall without changing its hazard, mandate or status?	60
Q80. Which option avoids the standard UPSC close-option trap about Warning-outcome firewall?	60
PYQS AND ANSWER PRACTICE	60
AUDITED TOPIC-SPECIFIC PYQ OWNERSHIP	60
PYQ DEMAND CARD 1 - 2025 GS-I	60
PYQ DEMAND CARD 2 - 2023 GS-I	62
PYQ DEMAND CARD 3 - 2024 GS-III	64
ORIGINAL MAINS 1 - 10 MARKS	65
ORIGINAL MAINS 2 - 10 MARKS	68
ORIGINAL MAINS 3 - 15 MARKS	71
ORIGINAL MAINS 4 - 15 MARKS	74
ORIGINAL MAINS 5 - 20 MARKS	76
ORIGINAL MAINS 6 - 20 MARKS	81
OPTIONAL ADVANCED DEPTH - NOT REQUIRED FOR A CORE ANSWER	88
CONSOLIDATED REGISTER NOTES	91
Tsunami and Coastal Hazard Management: GENERATION TIDE SURGE SHOALING AND INUNDATION MAP	91
Tsunami and Coastal Hazard Management: ITEWC BULLETIN LOCAL-AUTHORITY AND EVACUATION FIREWALLS	92
Tsunami and Coastal Hazard Management: COASTAL BUFFERS PORTS LIVELIHOODS AND READINESS ANSWER SPINE	92
Tsunami and Coastal Hazard Management: CURRENT INCOIS NDMA AND WARNING-OUTCOME EVIDENCE BOUNDARY	93
COMPLETE TOPIC ASCII MASTER FLOW DIAGRAM	93

Tsunami and Coastal Hazard Management - Learner-v2

Complete Learning Session

Authoring-only generation: 2026-09-04. No PDF was rendered and no tracker or index was mutated.

SOURCE, PROGRESSION AND CURRENT-LINKAGE AUDIT

- **Generation date:** 2026-09-04.
- **Repository-first evidence:** the Basic owner is taught first and preserved in full; the Advanced owner is retained only in the optional final teaching block.
- **OCR evidence:** Repository Markdown was primary. OCR-searchable official UPSC papers were supplementary only for printed routed demands. No answer key, warning performance, notification effect, implementation outcome, casualty reduction or disaster metric was inferred.
- **Qdrant:** not used; repository Markdown and available OCR context were sufficient.
- **PYQ integrity:** The 2025 GS-I formation card and 2023 GS-I coastline card are verified cross-paper routes. The 2024 resilience card is a conservative application and does not displace Topic 01 ownership.
- **Live-link boundary:** Official attempts covered ITEWC procedures, INCOIS Tsunami Ready material, PIB/MoES institutional updates and NDMA guidance. Thin, blocked and transport-failed sources are logged; no universal lead time, inundation figure, recipient count, false-alarm rate or avoided-loss outcome was invented.
- **Fact/inference discipline:** no current-affairs item, PYQ wording, figure or quotation is invented.

LIVE OFFICIAL-SOURCE ATTEMPT LOG

The checks below were made on 2026-09-04. Substantive official text is used only for the proposition it supports; title-only, blocked or thin pages are recorded and supply no factual claim.

- <https://tsunami.incois.gov.in/TEWS/dsssop.jsp> - fetched 2026-09-04; the official ITEWC procedure confirmed staged bulletins, model and sea-level confirmation, threat categories and the local-authority all-clear boundary. Technical thresholds were not converted into a universal evacuation rule or a last-mile outcome.
- <https://tsunami.incois.gov.in/TEWS/tsunamiready.jsp> - fetched 2026-09-04; the official page identified the INCOIS, IOTWMS, IOTIC and UNESCO-IOC setting but was content-thin for the current community roster. No nationwide readiness claim was inferred.
- <https://pib.gov.in/PressReleasePage.aspx?PRID=2226879®=3&lang=1> - attempted 2026-09-04; the official PIB page returned HTTP 403. Official search metadata was used only to cross-check ITEWC's current institutional role and exercise context, not warning performance.
- <https://ndma.gov.in/Natural-Hazards/Tsunami> - attempted 2026-09-04; the official NDMA page failed at the transport layer. The module therefore retains only coastal-preparedness measures already audited in the canonical owners.

BASIC LEARNING SESSION

DEEP-REVIEW LEARNING CONTRACT

Control	Binding rule for this package
Syllabus boundary	Complete Disaster Management Basic/Core is easy-first and answer-complete before optional Advanced depth.
Risk boundary	Hazard, exposure, vulnerability, capacity, risk, disaster impact, resilience and recovery outcome remain distinct.
Cycle boundary	Prevention, mitigation, preparedness, response, relief, rehabilitation, recovery and Build Back Better are not conflated.
Law/status boundary	Enacted Act, amendment, notified rule, plan, guideline, scheme, alert, announcement, operationalisation and measured outcome retain exact status.
Institutional boundary	NDMA, NEC, NIDM, NDRF, SDMA, SEC, DDMA, civil administration, response forces and armed-forces support retain exact mandates and levels.
Warning boundary	Observation, forecast, watch, warning, dissemination, receipt, evacuation order, evacuation and safe return remain separate.
Finance/data boundary	Allocation, release, expenditure, capacity, deployment, relief norm, entitlement, event fact and analytical inference retain source/date/unit/status.
Practice contract	Every solved item has demand decoding, detailed examiner-grade model, executable timed/compression plan, marks rationale and answer-specific improvement.
PYQ contract	Official wording and keys are asserted only when verified; routed or reconstructed demands remain labelled.
Dual-flow contract	Graphical and ASCII masters independently reconstruct the same complete Basic-to-optional-Advanced evidence ledger.
Cross-ownership	Environment Topic 26 owns environmental/climate-law base; Internal Security owns hostile-threat operations; Disaster Management owns civilian risk governance and response.
Approval	This immutable successor remains approved: false pending explicit approval.

Canonical Basic/Core owner: upsc-ai-kit\knowledge\Disaster-Management\basic\06_Tsunami-and-Coastal-Hazard-Management.md **Substantive canonical provenance owner:** upsc-ai-kit\knowledge\Disaster-Management\learning-sessions\v2\subject-wide-syllabus\disaster-management-06_Learning-Session.md **Optional Advanced owner:** upsc-ai-kit\knowledge\Disaster-Management\advanced\06_Tsunami-and-Coastal-Hazard-Management.md **Official syllabus mapping:** upsc-ai-kit\knowledge\Disaster-Management\OFFICIAL-UPSC-SYLLABUS-MAPPING.md

EVIDENCE, PYQ AND CURRENT-STATUS CONTROL

- Every law, guideline, scheme, institution, alert, event, casualty, magnitude, rainfall, temperature, fund, target, date and policy claim retains source, date, unit, jurisdiction and status.
- Hazard occurrence is separated from disaster impact; structural from non-structural mitigation; response output from recovery and resilience outcome.
- Sendai priorities are separated from seven global targets and global from national indicators; climate adaptation, DRR and loss-and-damage boundaries remain explicit.
- Announcement is separated from operationalisation; allocation from release and expenditure; capacity from deployment; relief norm from legal entitlement.
- **Current-status note, rechecked 2026-09-06:** failed official fetches remain explicit and supply no invented fact.


Generation-local live/current sources:

- <https://tsunami.incois.gov.in/TEWS/dsssop.jsp> - fetched 2026-09-04; the official ITEWC procedure confirmed staged bulletins, model and sea-level confirmation, threat categories and the local-authority all-clear boundary. Technical thresholds were not converted into a universal evacuation rule or a last-mile outcome.

- <https://tsunami.incois.gov.in/TEWS/tsunamiready.jsp> - fetched 2026-09-04; the official page identified the INCOIS, IOTWMS, IOTIC and UNESCO-IOC setting but was content-thin for the current community roster. No nationwide readiness claim was inferred.
- <https://pib.gov.in/PressReleasePage.aspx?PRID=2226879®=3&lang=1> - attempted 2026-09-04; the official PIB page returned HTTP 403. Official search metadata was used only to cross-check ITEWC's current institutional role and exercise context, not warning performance.
- <https://ndma.gov.in/Natural-Hazards/Tsunami> - attempted 2026-09-04; the official NDMA page failed at the transport layer. The module therefore retains only coastal-preparedness measures already audited in the canonical owners.

Topic-routed verified PYQ owners:

- Repository PYQ routing ledgers control wording, year, marks and verification status.



Refreshed teaching navigation

Distinct embedded teaching-navigation image. The separate continuous Cārvāka-style flowchart package remains an independent at-a-glance artifact.

SESSION 1 - FOUNDATION - TSUNAMI GENERATION AND DISPLACEMENT MECHANISM

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement.

Technical definition: A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement.

MUST-WRITE KEYWORDS

- **FOUNDATION**
- **Tsunami generation**
- **displacement mechanism**
- **Mechanism chain**
- **Qualified use**
- **A tsunami**

How to use them: Frame the answer through FOUNDATION; define Tsunami generation, connect displacement mechanism with Mechanism chain to explain the mechanism, and use Qualified use for the decisive comparison or qualification.

VISUAL FIRST

TSUNAMI GENERATION AND DISPLACEMENT MECHANISM

01. Tsunami generation

|

v

02. Tide and storm-surge boundary

STATUS / CATEGORY FIREWALL -> Do not describe a tsunami as a tide or cyclone-driven storm surge.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement.

SIMPLE SYSTEM EXAMPLE

Read Tsunami generation and displacement mechanism as a sequence: identify Tsunami generation, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not describe a tsunami as a tide or cyclone-driven storm surge. This keeps Tsunami generation and Tide and storm-surge boundary in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events.
- A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement.

EXAMINER CAUTION

- Do not describe a tsunami as a tide or cyclone-driven storm surge.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Start with sudden displacement rather than a generic large-wave definition.

MINI RECAP

- **Mechanism chain:** Tsunami generation -> Tide and storm-surge boundary
- **Qualified use:** Start with sudden displacement rather than a generic large-wave definition.

CLOSING RECALL FLOW - FOUNDATION - TSUNAMI GENERATION AND DISPLACEMENT MECHANISM

START / CONCEPT: FOUNDATION - Tsunami generation and displacement mechanism

|

v

EXACT TERMS: FOUNDATION • Tsunami generation • displacement mechanism • Mechanism chain • Qualified use • A tsunami

|

v

MECHANISM / ARGUMENT: Mechanism chain: Tsunami generation - Tide and storm-surge boundary Qualified use: Start with sudden displacement rather than a generic large-wave definition.

|

v

CONSEQUENCE / CONTRAST: A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events.

|

v

UPSC TRAP / ANSWER-USE: Read Tsunami generation and displacement mechanism as a sequence: identify Tsunami generation, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

|

v

ANSWER-GRABBING FORMULATION: A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement.

SESSION 2 - FOUNDATION - TSUNAMI TIDE AND STORM-SURGE DISTINCTIONS

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Read Tsunami tide and storm-surge distinctions as a sequence: identify Generation is not impact, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

Technical definition: Mechanism chain: Generation is not impact Qualified use: Use the energy source to separate tsunami tide and storm surge.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read Tsunami tide and storm-surge distinctions as a sequence: identify Generation is not impact, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- **FOUNDATION**
- **Tsunami tide**
- **storm-surge distinctions**
- **Mechanism chain**
- **Qualified use**
- **Read Tsunami**

How to use them: Frame the answer through FOUNDATION; define Tsunami tide, connect storm-surge distinctions with Mechanism chain to explain the mechanism, and use Qualified use for the decisive comparison or qualification.

VISUAL FIRST

TSUNAMI TIDE AND STORM-SURGE DISTINCTIONS

01. Generation is not impact

STATUS / CATEGORY FIREWALL -> Do not assume every undersea earthquake generates a destructive tsunami.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast.

SIMPLE SYSTEM EXAMPLE

Read Tsunami tide and storm-surge distinctions as a sequence: identify Generation is not impact, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not assume every undersea earthquake generates a destructive tsunami. This keeps Generation is not impact in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast.

EXAMINER CAUTION

- Do not assume every undersea earthquake generates a destructive tsunami.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Use the energy source to separate tsunami tide and storm surge.

MINI RECAP

- **Mechanism chain:** Generation is not impact
- **Qualified use:** Use the energy source to separate tsunami tide and storm surge.

CLOSING RECALL FLOW - FOUNDATION - TSUNAMI TIDE AND STORM-SURGE DISTINCTIONS

START / CONCEPT: FOUNDATION - Tsunami tide and storm-surge distinctions

|

v

EXACT TERMS: FOUNDATION • Tsunami tide • storm-surge distinctions • Mechanism chain • Qualified use

• Read Tsunami

|

v

MECHANISM / ARGUMENT: Mechanism chain: Generation is not impact Qualified use: Use the energy source to separate tsunami tide and storm surge.

|

v

CONSEQUENCE / CONTRAST: An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast.

|

v

UPSC TRAP / ANSWER-USE: The decisive boundary is Do not assume every undersea earthquake generates a destructive tsunami.

|

v

ANSWER-GRABBING FORMULATION: Read Tsunami tide and storm-surge distinctions as a sequence: identify Generation is not impact, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

SESSION 3 - FOUNDATION - SOURCE BATHYMETRY COAST AND CONSEQUENCE

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Read Source bathymetry coast and consequence as a sequence: identify Shoaling and inundation, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

Technical definition: Mechanism chain: Shoaling and inundation Qualified use: Trace source mechanism through bathymetry and coastal form.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read Source bathymetry coast and consequence as a sequence: identify Shoaling and inundation, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- **FOUNDATION**
- **Source bathymetry coast**
- **consequence**
- **Mechanism chain**
- **Qualified use**
- **Tsunami**

How to use them: Frame the answer through FOUNDATION; define Source bathymetry coast, connect consequence with Mechanism chain to explain the mechanism, and use Qualified use for the decisive comparison or qualification.

VISUAL FIRST

SOURCE BATHYMETRY COAST AND CONSEQUENCE

01. Shoaling and inundation

STATUS / CATEGORY FIREWALL -> Do not collapse earthquake detection, tsunami confirmation, bulletin and local warning into one step.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed.

SIMPLE SYSTEM EXAMPLE

Read Source bathymetry coast and consequence as a sequence: identify Shoaling and inundation, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not collapse earthquake detection, tsunami confirmation, bulletin and local warning into one step. This keeps Shoaling and inundation in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed.

EXAMINER CAUTION

- Do not collapse earthquake detection, tsunami confirmation, bulletin and local warning into one step.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Trace source mechanism through bathymetry and coastal form.

MINI RECAP

- **Mechanism chain:** Shoaling and inundation
- **Qualified use:** Trace source mechanism through bathymetry and coastal form.

CLOSING RECALL FLOW - FOUNDATION - SOURCE BATHYMETRY COAST AND CONSEQUENCE

START / CONCEPT: FOUNDATION - Source bathymetry coast and consequence

|

v

EXACT TERMS: FOUNDATION • Source bathymetry coast • consequence • Mechanism chain • Qualified use •
Tsunami

|

v

MECHANISM / ARGUMENT: Mechanism chain: Shoaling and inundation Qualified use: Trace source
mechanism through bathymetry and coastal form.

|

v

CONSEQUENCE / CONTRAST: The decisive boundary is Do not collapse earthquake detection, tsunami
confirmation, bulletin and local warning into one step.

|

v

UPSC TRAP / ANSWER-USE: Do not collapse earthquake detection, tsunami confirmation, bulletin and
local warning into one step.

|

v

ANSWER-GRABBING FORMULATION: Read Source bathymetry coast and consequence as a sequence: identify
Shoaling and inundation, follow the named mechanism to its institutional response, and stop at the
last verified status rather than assuming the next stage.

SESSION 4 - CORE - DEEP-WATER TRAVEL SHOALING RUN-UP AND RETURN FLOW

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Read Deep-water travel shoaling run-up and return flow as a sequence: identify Detection chain, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

Technical definition: Mechanism chain: Detection chain Qualified use: Explain consequence without inventing universal speed or height figures.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read Deep-water travel shoaling run-up and return flow as a sequence: identify Detection chain, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- Deep-water travel shoaling run-up
- return flow
- Mechanism chain
- Qualified use
- Read Deep-water
- Detection

How to use them: Frame the answer through Deep-water travel shoaling run-up; define return flow, connect Mechanism chain with Qualified use to explain the mechanism, and use Read Deep-water for the decisive comparison or qualification.

VISUAL FIRST

DEEP-WATER TRAVEL SHOALING RUN-UP AND RETURN FLOW

01. Detection chain

STATUS / CATEGORY FIREWALL -> Do not invent a universal wave height, speed, inundation distance or warning lead time.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment.

SIMPLE SYSTEM EXAMPLE

Read Deep-water travel shoaling run-up and return flow as a sequence: identify Detection chain, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not invent a universal wave height, speed, inundation distance or warning lead time. This keeps Detection chain in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment.

EXAMINER CAUTION

- Do not invent a universal wave height, speed, inundation distance or warning lead time.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Explain consequence without inventing universal speed or height figures.

MINI RECAP

- **Mechanism chain:** Detection chain
- **Qualified use:** Explain consequence without inventing universal speed or height figures.

CLOSING RECALL FLOW - CORE - DEEP-WATER TRAVEL SHOALING RUN-UP AND RETURN FLOW

START / CONCEPT: CORE - Deep-water travel shoaling run-up and return flow

|

v

EXACT TERMS: Deep-water travel shoaling run-up · return flow · Mechanism chain · Qualified use ·
Read Deep-water · Detection

|

v

MECHANISM / ARGUMENT: Mechanism chain: Detection chain Qualified use: Explain consequence without
inventing universal speed or height figures.

|

v

CONSEQUENCE / CONTRAST: The decisive boundary is Do not invent a universal wave height, speed,
inundation distance or warning lead time.

|

v

UPSC TRAP / ANSWER-USE: Do not invent a universal wave height, speed, inundation distance or
warning lead time.

|

v

ANSWER-GRABBING FORMULATION: Read Deep-water travel shoaling run-up and return flow as a sequence:
identify Detection chain, follow the named mechanism to its institutional response, and stop at the
last verified status rather than assuming the next stage.

SESSION 5 - CORE - SEISMIC DETECTION AND SEA-LEVEL CONFIRMATION

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Read Seismic detection and sea-level confirmation as a sequence: identify ITEWC, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

Technical definition: Mechanism chain: ITEWC Qualified use: Separate earthquake parameters from observed sea-level confirmation.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read Seismic detection and sea-level confirmation as a sequence: identify ITEWC, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- Seismic detection
- sea-level confirmation
- Mechanism chain
- Qualified use
- Read Seismic
- ITEWC

How to use them: Frame the answer through Seismic detection; define sea-level confirmation, connect Mechanism chain with Qualified use to explain the mechanism, and use Read Seismic for the decisive comparison or qualification.

VISUAL FIRST

SEISMIC DETECTION AND SEA-LEVEL CONFIRMATION

01. ITEWC

STATUS / CATEGORY FIREWALL -> Do not treat a regional advisory as a local evacuation or all-clear order.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities.

SIMPLE SYSTEM EXAMPLE

Read Seismic detection and sea-level confirmation as a sequence: identify ITEWC, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not treat a regional advisory as a local evacuation or all-clear order. This keeps ITEWC in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities.

EXAMINER CAUTION

- Do not treat a regional advisory as a local evacuation or all-clear order.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Separate earthquake parameters from observed sea-level confirmation.

MINI RECAP

- **Mechanism chain:** ITEWC
- **Qualified use:** Separate earthquake parameters from observed sea-level confirmation.

CLOSING RECALL FLOW - CORE - SEISMIC DETECTION AND SEA-LEVEL CONFIRMATION

START / CONCEPT: CORE - Seismic detection and sea-level confirmation
|
v
EXACT TERMS: Seismic detection · sea-level confirmation · Mechanism chain · Qualified use · Read
Seismic · ITEWC
|
v
MECHANISM / ARGUMENT: Mechanism chain: ITEWC Qualified use: Separate earthquake parameters from
observed sea-level confirmation.
|
v
CONSEQUENCE / CONTRAST: The decisive boundary is Do not treat a regional advisory as a local
evacuation or all-clear order.
|
v
UPSC TRAP / ANSWER-USE: Do not treat a regional advisory as a local evacuation or all-clear order.
|
v
ANSWER-GRABBING FORMULATION: Read Seismic detection and sea-level confirmation as a sequence:
identify ITEWC, follow the named mechanism to its institutional response, and stop at the last
verified status rather than assuming the next stage.

SESSION 6 - CORE - ITEWC INCOIS AND REGIONAL SERVICE ARCHITECTURE

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Read ITEWC INCOIS and regional service architecture as a sequence: identify Service-provider role, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

Technical definition: Mechanism chain: Service-provider role - Forecast and warning Qualified use: Name ITEWC INCOIS and its regional service context precisely.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority.

MUST-WRITE KEYWORDS

- ITEWC INCOIS
- regional service architecture
- Mechanism chain
- Qualified use
- ITEWC
- UNESCO-IOC Indian Ocean Tsunami Warning

How to use them: Frame the answer through ITEWC INCOIS; define regional service architecture, connect Mechanism chain with Qualified use to explain the mechanism, and use ITEWC for the decisive comparison or qualification.

VISUAL FIRST

ITEWC INCOIS AND REGIONAL SERVICE ARCHITECTURE

01. Service-provider role

|

v

02. Forecast and warning

STATUS / CATEGORY FIREWALL -> Do not present one sea wall, mangrove belt or CRZ rule as sufficient everywhere.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact.

SIMPLE SYSTEM EXAMPLE

Read ITEWC INCOIS and regional service architecture as a sequence: identify Service-provider role, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not present one sea wall, mangrove belt or CRZ rule as sufficient everywhere. This keeps Service-provider role and Forecast and warning in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority.
- A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact.

EXAMINER CAUTION

- Do not present one sea wall, mangrove belt or CRZ rule as sufficient everywhere.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Name ITEWC INCOIS and its regional service context precisely.

MINI RECAP

- **Mechanism chain:** Service-provider role -> Forecast and warning
- **Qualified use:** Name ITEWC INCOIS and its regional service context precisely.

CLOSING RECALL FLOW - CORE - ITEWC INCOIS AND REGIONAL SERVICE ARCHITECTURE

START / CONCEPT: CORE - ITEWC INCOIS and regional service architecture

|

↓

EXACT TERMS: ITEWC INCOIS · regional service architecture · Mechanism chain · Qualified use · ITEWC
· UNESCO-IOC Indian Ocean Tsunami Warning

|

↓

MECHANISM / ARGUMENT: Read ITEWC INCOIS and regional service architecture as a sequence: identify Service-provider role, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

|

↓

CONSEQUENCE / CONTRAST: Mechanism chain: Service-provider role - Forecast and warning Qualified use:
Name ITEWC INCOIS and its regional service context precisely.

|

↓

UPSC TRAP / ANSWER-USE: A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact.

|

↓

ANSWER-GRABBING FORMULATION: ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority.

SESSION 7 - CORE - BULLETIN STAGES THREAT CATEGORIES AND UNCERTAINTY

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Read Bulletin stages threat categories and uncertainty as a sequence: identify Local all clear, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

Technical definition: Mechanism chain: Local all clear Qualified use: Treat each bulletin as a staged assessment with uncertainty.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read Bulletin stages threat categories and uncertainty as a sequence: identify Local all clear, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- Bulletin stages threat categories
- uncertainty
- Mechanism chain
- Qualified use
- ITEWC
- Read Bulletin

How to use them: Frame the answer through Bulletin stages threat categories; define uncertainty, connect Mechanism chain with Qualified use to explain the mechanism, and use ITEWC for the decisive comparison or qualification.

VISUAL FIRST

BULLETIN STAGES THREAT CATEGORIES AND UNCERTAINTY

01. Local all clear

STATUS / CATEGORY FIREWALL -> Do not omit ports, fisheries, tourists or hazardous coastal facilities.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities.

SIMPLE SYSTEM EXAMPLE

Read Bulletin stages threat categories and uncertainty as a sequence: identify Local all clear, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not omit ports, fisheries, tourists or hazardous coastal facilities. This keeps Local all clear in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities.

EXAMINER CAUTION

- Do not omit ports, fisheries, tourists or hazardous coastal facilities.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Treat each bulletin as a staged assessment with uncertainty.

MINI RECAP

- **Mechanism chain:** Local all clear
- **Qualified use:** Treat each bulletin as a staged assessment with uncertainty.

CLOSING RECALL FLOW - CORE - BULLETIN STAGES THREAT CATEGORIES AND UNCERTAINTY

START / CONCEPT: CORE - Bulletin stages threat categories and uncertainty

|

v

EXACT TERMS: Bulletin stages threat categories · uncertainty · Mechanism chain · Qualified use · ITEWC · Read Bulletin

|

v

MECHANISM / ARGUMENT: Mechanism chain: Local all clear Qualified use: Treat each bulletin as a staged assessment with uncertainty.

|

v

CONSEQUENCE / CONTRAST: ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities.

|

v

UPSC TRAP / ANSWER-USE: The decisive boundary is Do not omit ports, fisheries, tourists or hazardous coastal facilities.

|

v

ANSWER-GRABBING FORMULATION: Read Bulletin stages threat categories and uncertainty as a sequence: identify Local all clear, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

SESSION 8 - CORE - LOCAL WARNING EVACUATION AND ALL-CLEAR AUTHORITY

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness.

Technical definition: Read Local warning evacuation and all-clear authority as a sequence: identify Inundation mapping, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read Local warning evacuation and all-clear authority as a sequence: identify Inundation mapping, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- Local warning evacuation
- all-clear authority
- Mechanism chain
- Qualified use
- Coastal
- Read Local

How to use them: Frame the answer through Local warning evacuation; define all-clear authority, connect Mechanism chain with Qualified use to explain the mechanism, and use Coastal for the decisive comparison or qualification.

VISUAL FIRST

LOCAL WARNING EVACUATION AND ALL-CLEAR AUTHORITY

01. Inundation mapping

STATUS / CATEGORY FIREWALL -> Do not call Tsunami Ready a national certification.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness.

SIMPLE SYSTEM EXAMPLE

Read Local warning evacuation and all-clear authority as a sequence: identify Inundation mapping, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not call Tsunami Ready a national certification. This keeps Inundation mapping in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness.

EXAMINER CAUTION

- Do not call Tsunami Ready a national certification.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Assign evacuation and all-clear decisions to competent local authorities.

MINI RECAP

- **Mechanism chain:** Inundation mapping
- **Qualified use:** Assign evacuation and all-clear decisions to competent local authorities.

CLOSING RECALL FLOW - CORE - LOCAL WARNING EVACUATION AND ALL-CLEAR AUTHORITY

START / CONCEPT: CORE - Local warning evacuation and all-clear authority
|
v
EXACT TERMS: Local warning evacuation · all-clear authority · Mechanism chain · Qualified use ·
Coastal · Read Local
|
v
MECHANISM / ARGUMENT: Mechanism chain: Inundation mapping Qualified use: Assign evacuation and all-
clear decisions to competent local authorities.
|
v
CONSEQUENCE / CONTRAST: The decisive boundary is Do not call Tsunami Ready a national certification.
|
v
UPSC TRAP / ANSWER-USE: Do not call Tsunami Ready a national certification.
|
v
ANSWER-GRABBING FORMULATION: Read Local warning evacuation and all-clear authority as a sequence:
identify Inundation mapping, follow the named mechanism to its institutional response, and stop at
the last verified status rather than assuming the next stage.

SESSION 9 - CORE - INUNDATION MAPPING AND COASTAL LAND USE

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Read Inundation mapping and coastal land use as a sequence: identify Coastal regulation, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

Technical definition: Mechanism chain: Coastal regulation Qualified use: Connect mapping to routes refuge siting and development control.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read Inundation mapping and coastal land use as a sequence: identify Coastal regulation, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- Inundation mapping
- coastal land use
- Mechanism chain
- Qualified use
- CRZ
- Read Inundation

How to use them: Frame the answer through Inundation mapping; define coastal land use, connect Mechanism chain with Qualified use to explain the mechanism, and use CRZ for the decisive comparison or qualification.

VISUAL FIRST

INUNDATION MAPPING AND COASTAL LAND USE

01. Coastal regulation

STATUS / CATEGORY FIREWALL -> Do not treat precaution under uncertainty as institutional failure merely because impact is limited.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.

SIMPLE SYSTEM EXAMPLE

Read Inundation mapping and coastal land use as a sequence: identify Coastal regulation, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not treat precaution under uncertainty as institutional failure merely because impact is limited. This keeps Coastal regulation in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.

EXAMINER CAUTION

- Do not treat precaution under uncertainty as institutional failure merely because impact is limited.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Connect mapping to routes refuge siting and development control.

MINI RECAP

- **Mechanism chain:** Coastal regulation
- **Qualified use:** Connect mapping to routes refuge siting and development control.

CLOSING RECALL FLOW - CORE - INUNDATION MAPPING AND COASTAL LAND USE

START / CONCEPT: CORE - Inundation mapping and coastal land use

|

v

EXACT TERMS: Inundation mapping • coastal land use • Mechanism chain • Qualified use • CRZ • Read Inundation

|

v

MECHANISM / ARGUMENT: Mechanism chain: Coastal regulation Qualified use: Connect mapping to routes refuge siting and development control.

|

v

CONSEQUENCE / CONTRAST: CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.

|

v

UPSC TRAP / ANSWER-USE: The decisive boundary is Do not treat precaution under uncertainty as institutional failure merely because impact is limited.

|

v

ANSWER-GRABBING FORMULATION: Read Inundation mapping and coastal land use as a sequence: identify Coastal regulation, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

SESSION 10 - CORE - STRUCTURAL AND ECOSYSTEM-BASED COASTAL PROTECTION

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Read Structural and ecosystem-based coastal protection as a sequence: identify Evacuation chain, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

Technical definition: Mechanism chain: Evacuation chain Qualified use: Combine engineered protection with conserved natural buffers.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read Structural and ecosystem-based coastal protection as a sequence: identify Evacuation chain, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- Structural
- ecosystem-based coastal protection
- Mechanism chain
- Qualified use
- Preparedness
- Read Structural

How to use them: Frame the answer through Structural; define ecosystem-based coastal protection, connect Mechanism chain with Qualified use to explain the mechanism, and use Preparedness for the decisive comparison or qualification.

VISUAL FIRST

STRUCTURAL AND ECOSYSTEM-BASED COASTAL PROTECTION

01. Evacuation chain

STATUS / CATEGORY FIREWALL -> Do not infer last-mile safety or avoided loss from warning-system capability.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills.

SIMPLE SYSTEM EXAMPLE

Read Structural and ecosystem-based coastal protection as a sequence: identify Evacuation chain, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not infer last-mile safety or avoided loss from warning-system capability. This keeps Evacuation chain in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills.

EXAMINER CAUTION

- Do not infer last-mile safety or avoided loss from warning-system capability.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.

- **Mains:** Combine engineered protection with conserved natural buffers.

MINI RECAP

- **Mechanism chain:** Evacuation chain
- **Qualified use:** Combine engineered protection with conserved natural buffers.

CLOSING RECALL FLOW - CORE - STRUCTURAL AND ECOSYSTEM-BASED COASTAL PROTECTION

START / CONCEPT: CORE - Structural and ecosystem-based coastal protection

↓

EXACT TERMS: Structural · ecosystem-based coastal protection · Mechanism chain · Qualified use · Preparedness · Read Structural

↓

MECHANISM / ARGUMENT: Mechanism chain: Evacuation chain Qualified use: Combine engineered protection with conserved natural buffers.

↓

CONSEQUENCE / CONTRAST: The decisive boundary is Do not infer last-mile safety or avoided loss from warning-system capability.

↓

UPSC TRAP / ANSWER-USE: Do not infer last-mile safety or avoided loss from warning-system capability.

↓

ANSWER-GRABBING FORMULATION: Read Structural and ecosystem-based coastal protection as a sequence: identify Evacuation chain, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

SESSION 11 - CORE - PORTS HARBOURS UTILITIES AND CRITICAL FACILITIES

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Read Ports harbours utilities and critical facilities as a sequence: identify Natural buffers, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

Technical definition: Mechanism chain: Natural buffers - Ports and critical facilities Qualified use: Plan shutdown access redundancy and service restoration.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read Ports harbours utilities and critical facilities as a sequence: identify Natural buffers, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- **Ports harbours utilities**
- **critical facilities**
- **Mechanism chain**
- **Qualified use**
- **Mangroves**
- **Read Ports**

How to use them: Frame the answer through Ports harbours utilities; define critical facilities, connect Mechanism chain with Qualified use to explain the mechanism, and use Mangroves for the decisive comparison or qualification.

VISUAL FIRST

PORTS HARBOURS UTILITIES AND CRITICAL FACILITIES

01. Natural buffers

|
v

02. Ports and critical facilities

STATUS / CATEGORY FIREWALL -> Do not describe a tsunami as a tide or cyclone-driven storm surge.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure.

SIMPLE SYSTEM EXAMPLE

Read Ports harbours utilities and critical facilities as a sequence: identify Natural buffers, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not describe a tsunami as a tide or cyclone-driven storm surge. This keeps Natural buffers and Ports and critical facilities in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk.
- Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure.

EXAMINER CAUTION

- Do not describe a tsunami as a tide or cyclone-driven storm surge.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Plan shutdown access redundancy and service restoration.

MINI RECAP

- **Mechanism chain:** Natural buffers -> Ports and critical facilities
- **Qualified use:** Plan shutdown access redundancy and service restoration.

CLOSING RECALL FLOW - CORE - PORTS HARBOURS UTILITIES AND CRITICAL FACILITIES

START / CONCEPT: CORE - Ports harbours utilities and critical facilities

|

v

EXACT TERMS: Ports harbours utilities · critical facilities · Mechanism chain · Qualified use · Mangroves · Read Ports

|

v

MECHANISM / ARGUMENT: Mechanism chain: Natural buffers - Ports and critical facilities Qualified use: Plan shutdown access redundancy and service restoration.

|

v

CONSEQUENCE / CONTRAST: Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk.

|

v

UPSC TRAP / ANSWER-USE: The decisive boundary is Do not describe a tsunami as a tide or cyclone-driven storm surge.

|

v

ANSWER-GRABBING FORMULATION: Read Ports harbours utilities and critical facilities as a sequence: identify Natural buffers, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

SESSION 12 - CORE - FISHERIES TOURISM AND TRANSIENT POPULATIONS

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Read Fisheries tourism and transient populations as a sequence: identify Fisheries and tourism, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

Technical definition: Mechanism chain: Fisheries and tourism Qualified use: Tailor warnings and reopening to livelihood and visitor conditions.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read Fisheries tourism and transient populations as a sequence: identify Fisheries and tourism, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- Fisheries tourism
- transient populations
- Mechanism chain
- Qualified use
- Fishers
- Read Fisheries

How to use them: Frame the answer through Fisheries tourism; define transient populations, connect Mechanism chain with Qualified use to explain the mechanism, and use Fishers for the decisive comparison or qualification.

VISUAL FIRST

FISHERIES TOURISM AND TRANSIENT POPULATIONS

01. Fisheries and tourism

STATUS / CATEGORY FIREWALL -> Do not assume every undersea earthquake generates a destructive tsunami.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific.

SIMPLE SYSTEM EXAMPLE

Read Fisheries tourism and transient populations as a sequence: identify Fisheries and tourism, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not assume every undersea earthquake generates a destructive tsunami. This keeps Fisheries and tourism in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific.

EXAMINER CAUTION

- Do not assume every undersea earthquake generates a destructive tsunami.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Tailor warnings and reopening to livelihood and visitor conditions.

MINI RECAP

- **Mechanism chain:** Fisheries and tourism
- **Qualified use:** Tailor warnings and reopening to livelihood and visitor conditions.

CLOSING RECALL FLOW - CORE - FISHERIES TOURISM AND TRANSIENT POPULATIONS

START / CONCEPT: CORE - Fisheries tourism and transient populations

|

v

EXACT TERMS: Fisheries tourism · transient populations · Mechanism chain · Qualified use · Fishers
· Read Fisheries

|

v

MECHANISM / ARGUMENT: Mechanism chain: Fisheries and tourism Qualified use: Tailor warnings and reopening to livelihood and visitor conditions.

|

v

CONSEQUENCE / CONTRAST: The decisive boundary is Do not assume every undersea earthquake generates a destructive tsunami.

|

v

UPSC TRAP / ANSWER-USE: Do not assume every undersea earthquake generates a destructive tsunami.

|

v

ANSWER-GRABBING FORMULATION: Read Fisheries tourism and transient populations as a sequence: identify Fisheries and tourism, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

SESSION 13 - CORE SYNTHESIS - COMMUNITY PREPAREDNESS DRILLS AND TSUNAMI READY

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: The decisive boundary is Do not collapse earthquake detection, tsunami confirmation, bulletin and local warning into one step.

Technical definition: Read Community preparedness drills and Tsunami Ready as a sequence: identify Community preparedness, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read Community preparedness drills and Tsunami Ready as a sequence: identify Community preparedness, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- CORE SYNTHESIS
- Community preparedness drills
- Tsunami Ready
- Mechanism chain
- Qualified use
- Last-mile

How to use them: Frame the answer through CORE SYNTHESIS; define Community preparedness drills, connect Tsunami Ready with Mechanism chain to explain the mechanism, and use Qualified use for the decisive comparison or qualification.

VISUAL FIRST

COMMUNITY PREPAREDNESS DRILLS AND TSUNAMI READY

01. Community preparedness

STATUS / CATEGORY FIREWALL -> Do not collapse earthquake detection, tsunami confirmation, bulletin and local warning into one step.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone.

SIMPLE SYSTEM EXAMPLE

Read Community preparedness drills and Tsunami Ready as a sequence: identify Community preparedness, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not collapse earthquake detection, tsunami confirmation, bulletin and local warning into one step. This keeps Community preparedness in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone.

EXAMINER CAUTION

- Do not collapse earthquake detection, tsunami confirmation, bulletin and local warning into one step.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Use recognition as a maintained community process not a national label.

MINI RECAP

- **Mechanism chain:** Community preparedness
- **Qualified use:** Use recognition as a maintained community process not a national label.

CLOSING RECALL FLOW - CORE SYNTHESIS - COMMUNITY PREPAREDNESS DRILLS AND TSUNAMI READY

START / CONCEPT: CORE SYNTHESIS - Community preparedness drills and Tsunami Ready

|
v

EXACT TERMS: CORE SYNTHESIS · Community preparedness drills · Tsunami Ready · Mechanism chain · Qualified use · Last-mile

|
v

MECHANISM / ARGUMENT: Mechanism chain: Community preparedness Qualified use: Use recognition as a maintained community process not a national label.

|
v

CONSEQUENCE / CONTRAST: Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone.

|
v

UPSC TRAP / ANSWER-USE: The decisive boundary is Do not collapse earthquake detection, tsunami confirmation, bulletin and local warning into one step.

|
v

ANSWER-GRABBING FORMULATION: Read Community preparedness drills and Tsunami Ready as a sequence: identify Community preparedness, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

SESSION 14 - CORE SYNTHESIS - FALSE-ALARM TRUST FEEDBACK AND READINESS DECAY

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: Read False-alarm trust feedback and readiness decay as a sequence: identify Tsunami Ready boundary, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

Technical definition: Mechanism chain: Tsunami Ready boundary - False alarms and uncertainty Qualified use: Protect trust through transparent updates drills and feedback.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read False-alarm trust feedback and readiness decay as a sequence: identify Tsunami Ready boundary, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- **CORE SYNTHESIS**
- **False-alarm trust feedback**
- **readiness decay**
- **Mechanism chain**
- **Qualified use**
- **UNESCO-IOC Tsunami Ready**

How to use them: Frame the answer through CORE SYNTHESIS; define False-alarm trust feedback, connect readiness decay with Mechanism chain to explain the mechanism, and use Qualified use for the decisive comparison or qualification.

VISUAL FIRST

FALSE-ALARM TRUST FEEDBACK AND READINESS DECAY

01. Tsunami Ready boundary

|

v

02. False alarms and uncertainty

STATUS / CATEGORY FIREWALL -> Do not invent a universal wave height, speed, inundation distance or warning lead time.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty.

SIMPLE SYSTEM EXAMPLE

Read False-alarm trust feedback and readiness decay as a sequence: identify Tsunami Ready boundary, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not invent a universal wave height, speed, inundation distance or warning lead time. This keeps Tsunami Ready boundary and False alarms and uncertainty in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country.
- Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty.

EXAMINER CAUTION

- Do not invent a universal wave height, speed, inundation distance or warning lead time.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Protect trust through transparent updates drills and feedback.

MINI RECAP

- **Mechanism chain:** Tsunami Ready boundary -> False alarms and uncertainty
- **Qualified use:** Protect trust through transparent updates drills and feedback.

CLOSING RECALL FLOW - CORE SYNTHESIS - FALSE-ALARM TRUST FEEDBACK AND READINESS DECAY

START / CONCEPT: CORE SYNTHESIS - False-alarm trust feedback and readiness decay

|
v

EXACT TERMS: CORE SYNTHESIS · False-alarm trust feedback · readiness decay · Mechanism chain · Qualified use · UNESCO-IOC Tsunami Ready

|
v

MECHANISM / ARGUMENT: Mechanism chain: Tsunami Ready boundary - False alarms and uncertainty
Qualified use: Protect trust through transparent updates drills and feedback.

|
v

CONSEQUENCE / CONTRAST: Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty.

|
v

UPSC TRAP / ANSWER-USE: UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country.

|
v

ANSWER-GRABBING FORMULATION: Read False-alarm trust feedback and readiness decay as a sequence: identify Tsunami Ready boundary, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

SESSION 15 - CORE SYNTHESIS - RECOVERY LIVELIHOODS AND WARNING-OUTCOME BOUNDARY

DEFINITION / WHAT THIS IS CALLED

Plain-language definition: The decisive boundary is Do not treat a regional advisory as a local evacuation or all-clear order.

Technical definition: Read Recovery livelihoods and warning-outcome boundary as a sequence: identify Recovery and livelihoods, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

ANSWER-GRABBING OPENING - WRITE/ADAPT IN THE EXAM

Read Recovery livelihoods and warning-outcome boundary as a sequence: identify Recovery and livelihoods, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

MUST-WRITE KEYWORDS

- CORE SYNTHESIS
- Recovery livelihoods
- warning-outcome boundary
- Mechanism chain
- Qualified use
- Subject

How to use them: Frame the answer through CORE SYNTHESIS; define Recovery livelihoods, connect warning-outcome boundary with Mechanism chain to explain the mechanism, and use Qualified use for the decisive comparison or qualification.

VISUAL FIRST

RECOVERY LIVELIHOODS AND WARNING-OUTCOME BOUNDARY

01. Recovery and livelihoods

|
v

02. Warning-outcome firewall

STATUS / CATEGORY FIREWALL -> Do not treat a regional advisory as a local evacuation or all-clear order.

The rail fixes the institutional sequence and claim boundary before explanation.

CORE EXPLANATION

Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence.

SIMPLE SYSTEM EXAMPLE

Read Recovery livelihoods and warning-outcome boundary as a sequence: identify Recovery and livelihoods, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

TECHNICAL DISTINCTION

The decisive boundary is Do not treat a regional advisory as a local evacuation or all-clear order. This keeps Recovery and livelihoods and Warning-outcome firewall in the correct risk category, institutional mandate and evidence status.

NAMED EVIDENCE AND MECHANISM

- Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development.
- A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence.

EXAMINER CAUTION

- Do not treat a regional advisory as a local evacuation or all-clear order.

EXAM LINK

- **Prelims:** Keep hazard, forecast, warning, institution, law, plan, force, fund, scheme and outcome in their exact category.
- **Mains:** Conclude with safe action and resilient recovery rather than system inputs.


MINI RECAP

- **Mechanism chain:** Recovery and livelihoods -> Warning-outcome firewall
- **Qualified use:** Conclude with safe action and resilient recovery rather than system inputs.

COMPLETE BASIC OWNER EVIDENCE BANK

Subject: Disaster Management | **Tier:** Must-Do (foundation) | **GS Paper:** GS-III. **Core area:** Tsunami causation, risk assessment, the Indian Tsunami Early Warning System, structural mitigation, evacuation and coastal natural buffers. **Grounded in:** *VisionIAS Value Added Material Disaster Management*, PDF pp. 21-25 (causes, risk, NDMA measures, Indian warning system); 00_Master-Framework.md Section 5. **FACT:** = source-grounded | **ANALYSIS:** = analytical inference | **CURRENT:** = current anchor | **WRONG:** = boundary/trap. *Companion:* advanced/06_Tsunami-and-Coastal-Hazard-Management.md.

1. Visual foundation



Core proposition: FACT: VisionIAS defines a tsunami as "a series of large waves of extremely long wavelength and period usually generated by an undersea disturbance," most commonly earthquake-driven vertical seabed movement, but also triggerable by landslides, volcanic activity and meteorite impacts (PDF p. 23).

2. Essential definitions

Concept	Exam-ready meaning
FACT: Tsunami	Japanese for "harbour wave"; large waves of extremely long wavelength/period from an undersea disturbance near the coast or in the ocean (PDF p. 23).
FACT: Effect-determining factors	Characteristics of the generating seismic event; distance from origin/magnitude; and bathymetry (ocean depth configuration) (PDF p. 23).
FACT: Indian Tsunami Early Warning System	Established with the Department of Space, Department of Science and Technology and CSIR; a real-time network of seismic stations, Bottom Pressure Recorders and tide gauges, detecting tsunamigenic earthquakes in the Indian Ocean in under 10 minutes (PDF pp. 24-25). CURRENT: The Indian Tsunami Early Warning Centre (ITEWC) at INCOIS, Hyderabad, has been operational since 15 October 2007 ; it detects tsunamigenic earthquakes within about 10 minutes and disseminates advisories within about 20 minutes , serving India's coastal States/UTs and the regional IOTWMS service. ANALYSIS: Recipient-country counts differ across dated official descriptions; use the current INCOIS recipient roster rather than memorising a number (PIB, 4 February 2026).
CURRENT: UNESCO-IOC Tsunami Service Provider (TSP)	ITEWC operates as an approved Tsunami Service Provider under the UNESCO Intergovernmental Oceanographic Commission's Indian Ocean Tsunami Warning and Mitigation System (IOTWMS) - i.e. it issues advisories not only for India but for the regional framework. ANALYSIS: The exact date of initial formal TSP designation is not established by a dated first-party source; state the role, not a designation year.
CURRENT: "Tsunami Ready"	A UNESCO-IOC community-level performance recognition programme (not a national certification). India's first recognised communities were Venkatraipur (Ganjam) and Noliasahi (Jagatsinghpur) in Odisha , recognised on 7 August 2020 . ANALYSIS: Recognition attaches to named communities meeting defined indicators; do not describe an entire State as "fully Tsunami Ready" without a dated source saying so.
FACT: Bio-shield	A narrow, thickly planted strip of land along the coastline, developed as a coastal-zone disaster-management sanctuary with public-awareness spaces (PDF p. 24).
FACT: Coastal-zone regulation and tsunami hazard mapping	Tsunami-safe coastal development is governed by the CRZ Notification, 2019's category-specific controls (CRZ-I to CRZ-IV, each with distinct no-development/regulated-development zones), combined with tsunami inundation and hazard mapping - not a single universal distance/elevation rule applicable everywhere (PDF p. 24, updated per the current CRZ Notification, 2019).

3. Risk/problem mechanism

- Causation:** earthquakes generate tsunamis via vertical seabed movement; landslides (into/under water), volcanic activity and meteorite impacts are alternative triggers; Bay of Bengal/Arabian Sea sediment deposition from the Ganges/Indus makes landslide-triggered tsunamis a plausible regional scenario (PDF p. 23).
- India's exposure:** both East and West coastlines are vulnerable, with more than 2,200 km of heavily populated shoreline; in the last 300 years the Indian Ocean region recorded 13 tsunamis, 3 in the Andaman and Nicobar region, with the 26 December 2004 Indian Ocean Tsunami being the most destructive to hit India (PDF p. 23).

3. **Impact determinants:** the 2004 tsunami showed maximum damage in

low-lying coastal areas with high population density, while mangroves, forests, sand dunes and coastal cliffs provided the best natural barriers - heavy damage occurred where sand dunes were heavily mined (PDF p. 23).

4. Disaster-management cycle application

- FACT: **Risk assessment/preparedness:** NDMA recommends vulnerability/risk

mapping using coastal land-use maps and bathymetry, with the Indian Naval Hydrographic Department (INHD) regularly supplying bathymetry information for inundation maps; a 17-station Real Time Seismic Monitoring Network (RTSMN) was envisaged by IMD, with Bottom Pressure Recorders detecting open-ocean wave propagation (PDF pp. 23-24).

- FACT: **Structural mitigation:** cyclone shelters, submerged sand

barriers/dykes, sand dunes with sea-weed planting, mangrove/coastal- forest plantation, local knowledge centres (e.g. M.S. Swaminathan Foundation, Pondicherry), location-specific sea walls/coral reefs, breakwaters, bio-shields, and vulnerable-structure retrofitting identification (PDF p. 24).

- FACT: **Response:** community as first responder, with public-awareness

campaigns; SHGs/NGOs/CBOs involved in search and rescue; inflatable motorised boats, helicopters and search/rescue equipment required immediately post-event (PDF p. 24). The Indian Naval Hydrographic Department deployed seven survey ships during the 2004 tsunami to open sea lines of communication and re-chart bathymetry (PDF p. 24).

5. Institutions and policy tools

- FACT: **Indian Tsunami Early Warning System** - established with

Department of Space, DST and CSIR; seismic subsystem receives real- time data from IMD's national seismic network and international networks, detecting events in under 10 minutes (PDF p. 25).

- FACT: **Tsunami N2 model** - customised by the Integrated Coastal and

Marine Area Management (ICMAM) and INCOIS to predict surges for different earthquake scenarios and inundation extent, informing evacuation, settlement-avoidance and structural-design decisions (PDF p. 25).

- FACT: **Techno-legal regime:** coastal-zone development is regulated via

the **CRZ Notification, 2019's** category-specific controls (CRZ-I to CRZ-IV), combined with tsunami inundation/hazard mapping, plus MHA's model techno-legal framework for tsunami-safe zoning, planning, design and construction (PDF p. 24, updated per the current CRZ Notification, 2019).

6. India applications and examples

- FACT: The 26 December 2004 Indian Ocean Tsunami remains the source

document's central Indian case; the Naval Hydrographic Department's seven-survey-ship deployment illustrates the operational, multi- agency scale of a real tsunami response (PDF p. 24).

- ANALYSIS: **PYQ mapping:** the 2025 seawater-intrusion question ("Seawater

intrusion in the coastal aquifers is a major concern in India... What are the causes... and the remedial measures?") is an **adjacent-only** cross-link to Geography/coastal-water management, not a direct tsunami question - do not force-fit it as testing this topic; cite it only for its shared coastal-vulnerability context.

7. Must-Know Facts for Prelims

- FACT: India's Tsunami Early Warning System detects tsunamigenic

earthquakes in the Indian Ocean in under 10 minutes.

- FACT: The system was established with Department of Space, DST and CSIR.

- CURRENT: The **Indian Tsunami Early Warning Centre (ITEWC)** at INCOIS,

Hyderabad, has been operational since **15 October 2007**, detects tsunamigenic earthquakes in about **10 minutes**, disseminates advisories in about **20 minutes**, and serves India's coast through the regional IOTWMS service.

ANALYSIS: Use the current INCOIS recipient roster for a country count rather than memorising one (PIB, 4 February 2026).

- CURRENT: ITEWC is an approved **UNESCO-IOC Tsunami Service Provider** under the Indian Ocean Tsunami Warning and Mitigation System (IOTWMS).

- CURRENT: **Venkatraipur (Ganjam)** and **Noliasahi (Jagatsinghpur)** in **Odisha** were India's first UNESCO-IOC "**Tsunami Ready**"-recognised communities, recognised on **7 August 2020**.

- FACT: INCOIS and ICMAM jointly customised the Tsunami N2 model.

- FACT: The CRZ Notification, 2019's category-specific controls (CRZ-I to CRZ-IV), together with tsunami inundation/hazard mapping, govern tsunami-safe coastal zoning - not a single universal distance/ elevation rule.

- FACT: In the last 300 years, the Indian Ocean region recorded 13 tsunamis, 3 in the Andaman and Nicobar region (document-period figure).

8. WRONG: Traps and stale-claim cautions

- WRONG: Tsunamis are caused only by earthquakes. -> VisionIAS names landslides, volcanic activity and meteorite impacts as additional triggers (PDF p. 23).

- WRONG: Coastal defences (sea walls, embankments) are always the preferred mitigation. -> VisionIAS explicitly highlights natural barriers (mangroves, sand dunes, coastal cliffs) as having provided "the best natural barriers," with heavy damage occurring where sand dunes were mined (PDF p. 23) - ecosystem-based measures are not a secondary option to structural ones.

- WRONG: The 2,200 km shoreline and "13 tsunamis in 300 years" figures are current statistics requiring no further check. -> Treat as document- period figures reported from historical record; cite a current INCOIS/ GSI source for any precision-dependent claim.

- WRONG: 2025's seawater-intrusion PYQ is a direct tsunami/coastal-hazard question. -> It is an adjacent Geography/Environment cross-link only (README/Master Framework Section 7); do not present it as testing this topic directly.

- WRONG: "Tsunami Ready" is a national certification India has achieved. ->

It is a **UNESCO-IOC community-level recognition** awarded against defined preparedness indicators; India's first recognised communities were Venkatraipur and Noliasahi (Odisha) on 7 August 2020. Do not describe a State or the country as "fully Tsunami Ready" without a dated source using that wording.

- WRONG: Detection time and warning time are the same number. -> ITEWC

detects a tsunamigenic earthquake in roughly **10 minutes** but disseminates the advisory in roughly **20 minutes**; the gap is confirmation and authorisation, and quoting one figure for both collapses precisely the detection-versus-dissemination distinction topic 04 builds on.

9. CURRENT: Current official anchor

- CURRENT: **INCOIS/ITEWC's 24x7 tsunami-service** and its role as a UNESCO-IOC

regional/global tsunami service provider, checked as of the 18 July 2026 research cutoff, is the correct current anchor for tsunami- warning operational status - VisionIAS's RTSMN/monitoring-station descriptions are document-period and require this verification before being cited as current infrastructure counts.

11. Mains framework

1. **Name the specific trigger mechanism** (Section 3) - earthquake, landslide, volcanic, or meteorite - rather than assuming earthquake- only causation.

2. **Cite the warning chain's precise components and speed** (Section

2. - seismic network, BPRs, tide gauges, sub-10-minute detection.

3. **Balance structural and ecosystem-based measures explicitly**

(Section 4) - naming mangroves/bio-shields alongside sea walls/ embankments, following the source's own evidence on natural-barrier effectiveness.

4. **Cite the specific techno-legal instrument** (CRZ Notification 2019's

category-specific controls, MHA's model framework, tsunami hazard mapping) rather than a vague "regulation."

5. Close by relating tsunami preparedness to the resilience framework

(topic 01) and to community first-response capacity (topic 03).

12. Study links

- FACT: Advanced companion:

advanced/06_Tsunami-and-Coastal-Hazard-Management.md.

- FACT: 00_Master-Framework.md Section 5 - tsunami is classified under the geological hazard family alongside topics 05 and 10.

- ANALYSIS: **Downstream topics in this folder:** Topic 04 develops the detection-to-dissemination warning chain generally; topic 07 develops cyclone/storm-surge coastal preparedness; topic 15 develops the climate-linked coastal displacement dimension.

13. Core-only answer architecture - generation, warning and coast

Core firewall: this section independently supplies the disaster-management application for the **Geography-owned** 2025 GS-I formation/consequences route and for coastal-preparedness demands. It does not require an Advanced file or a 2025 seawater-intrusion detour.

13.1 Claim-to-evidence bank

Claim	Named evidence/example	Significance	Limitation/qualification
A tsunami is a displacement wave, not simply a large storm wave.	Vertical seabed displacement after an undersea earthquake; landslide and volcanic triggers are also possible.	It explains why trigger mechanism, bathymetry and coast shape govern consequences.	An undersea earthquake does not automatically produce a destructive tsunami.
Offshore movement and onshore impact are different stages.	Long waves travel through deep water; shallowing water slows and steepens them (shoaling), enabling run-up, inundation and damaging return flow.	This supplies the missing formation-to-consequence causal chain in a short answer.	Do not supply an unverified speed, height or inundation distance.
India has a named detection-to-action architecture.	ITEWC/INCOIS (operational since 15 October 2007), seismic network/BPR/tide gauges, about-10-minute detection and about-20-minute advisory; evacuation and community preparedness.	It ties technical warning to a response decision.	Use INCOIS's current roster for recipient-country counts; detection is not last-mile safety.
Coastal ecosystems and regulation reduce exposure but do not eliminate risk.	2004 Indian Ocean tsunami: VisionIAS records heavier damage where dunes were mined; CRZ 2019 category-specific controls, hazard mapping and bio-shields.	It supports an evidence-led structural-plus-ecosystem argument.	Do not call sea walls or mangroves sufficient everywhere, or turn the adjacent 2025 seawater-intrusion question into a tsunami PYQ.

13.2 Executable spines

- **10 marks - formation and consequences:** definition -> trigger and water displacement -> deep-ocean travel/shallow-water shoaling -> inundation/return-flow exposure -> one warning/evacuation line. Use the 2004 case only for a specified lesson, not a casualty recital.
- **15 marks - preparedness:** thesis: safety depends on the full chain, not ITEWC alone. Organise risk mapping/CRZ, detection/advisory, accessible coastal dissemination and evacuation drills, structural protection and dunes/mangroves; include one data/community limitation.
- **20 marks - evaluate coastal resilience:** compare rare, high-consequence tsunami readiness with recurrent cyclone risk; use Tsunami Ready recognition as a community-level indicator, not a national outcome; conclude with maintained drills, land-use discipline and mixed

ecosystem/engineered protection.

CLOSING RECALL FLOW - CORE SYNTHESIS - RECOVERY LIVELIHOODS AND WARNING-OUTCOME BOUNDARY

START / CONCEPT: CORE SYNTHESIS - Recovery livelihoods and warning-outcome boundary

|

v

EXACT TERMS: CORE SYNTHESIS · Recovery livelihoods · warning-outcome boundary · Mechanism chain · Qualified use · Subject

|

v

MECHANISM / ARGUMENT: Mechanism chain: Recovery and livelihoods - Warning-outcome firewall
Qualified use: Conclude with safe action and resilient recovery rather than system inputs.

|

v

CONSEQUENCE / CONTRAST: Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development.

|

v

UPSC TRAP / ANSWER-USE: The decisive boundary is Do not treat a regional advisory as a local evacuation or all-clear order.

|

v

ANSWER-GRABBING FORMULATION: Read Recovery livelihoods and warning-outcome boundary as a sequence: identify Recovery and livelihoods, follow the named mechanism to its institutional response, and stop at the last verified status rather than assuming the next stage.

DISASTER MANAGEMENT DEEP-REVIEW CORE CONTROL

- **Must remember:** Tsunami risk management links offshore detection, seismic and sea-level confirmation, modelling, INCOIS warning, coastal dissemination, signed evacuation routes, vertical or horizontal evacuation, shelters and safe return.
- **Close distinction:** Earthquake detection is not tsunami confirmation; advisory/watch/warning is not evacuation; coastal hazard is not coastal disaster; warning capability is not last-mile compliance or avoided loss.
- **Mechanism / status / evidence limit:** State the issuing agency, bulletin category, time, coastal reach and protective-action owner; distinguish ecosystem-based coastal buffering from engineered protection and emergency evacuation.

BASIC MCQS / REMEDIATION

Q1. Which statement correctly identifies Tsunami generation?

A. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. B. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. C. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. D. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast.

Answer: A. Explanation: A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q2. Which option preserves the risk or institutional boundary of Tsunami generation?

A. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. B. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. C. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. D. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment.

Answer: B. Explanation: A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q3. Which statement uses Tsunami generation without changing its hazard, mandate or status?

A. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. B. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. C. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. D. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment.

Answer: C. Explanation: A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q4. Which option avoids the standard UPSC close-option trap about Tsunami generation?

A. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. B. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. C. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. D. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events.

Answer: D. Explanation: A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q5. Which statement correctly identifies Tide and storm-surge boundary?

A. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. B. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. C. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. D. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast.

Answer: A. Explanation: A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q6. Which option preserves the risk or institutional boundary of Tide and storm-surge boundary?

A. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. B. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. C. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. D. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities.

Answer: B. Explanation: A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q7. Which statement uses Tide and storm-surge boundary without changing its hazard, mandate or status?

A. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. B. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. C. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. D. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities.

Answer: C. Explanation: A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q8. Which option avoids the standard UPSC close-option trap about Tide and storm-surge boundary?

A. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. B. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. C. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. D. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement.

Answer: D. Explanation: A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q9. Which statement correctly identifies Generation is not impact?

A. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. B. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. C. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. D. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed.

Answer: A. Explanation: An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q10. Which option preserves the risk or institutional boundary of Generation is not impact?

A. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. B. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. C. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. D. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority.

Answer: B. Explanation: An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q11. Which statement uses Generation is not impact without changing its hazard, mandate or status?

A. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. B. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. C. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. D. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities.

Answer: C. Explanation: An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q12. Which option avoids the standard UPSC close-option trap about Generation is not impact?

A. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. B. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. C. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. D. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast.

Answer: D. Explanation: An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves

affect a coast. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q13. Which statement correctly identifies Shoaling and inundation?

A. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. B. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. C. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. D. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority.

Answer: A. Explanation: Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q14. Which option preserves the risk or institutional boundary of Shoaling and inundation?

A. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. B. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. C. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. D. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities.

Answer: B. Explanation: Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q15. Which statement uses Shoaling and inundation without changing its hazard, mandate or status?

A. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. B. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. C. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. D. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities.

Answer: C. Explanation: Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q16. Which option avoids the standard UPSC close-option trap about Shoaling and inundation?

A. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. B. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. C. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. D. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed.

Answer: D. Explanation: Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q17. Which statement correctly identifies Detection chain?

A. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. B. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. C. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. D. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact.

Answer: A. Explanation: Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q18. Which option preserves the risk or institutional boundary of Detection chain?

A. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. B. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. C. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. D. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact.

Answer: B. Explanation: Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q19. Which statement uses Detection chain without changing its hazard, mandate or status?

A. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. B. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. C. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. D. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact.

Answer: C. Explanation: Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or

Q20. Which option avoids the standard UPSC close-option trap about Detection chain?

A. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. B. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. C. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. D. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment.

Answer: D. Explanation: Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q21. Which statement correctly identifies ITEWC?

A. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. B. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. C. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. D. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact.

Answer: A. Explanation: The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q22. Which option preserves the risk or institutional boundary of ITEWC?

A. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. B. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. C. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. D. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness.

Answer: B. Explanation: The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q23. Which statement uses ITEWC without changing its hazard, mandate or status?

A. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. B. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. C. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. D. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities.

Answer: C. Explanation: The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. The other options change the hazard or risk category, institutional owner, legal instrument,

warning stage, evidence rung or implementation status.

Q24. Which option avoids the standard UPSC close-option trap about ITEWC?

A. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. B. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. C. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. D. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities.

Answer: D. Explanation: The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q25. Which statement correctly identifies Service-provider role?

A. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. B. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. C. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. D. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact.

Answer: A. Explanation: ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q26. Which option preserves the risk or institutional boundary of Service-provider role?

A. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. B. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. C. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. D. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.

Answer: B. Explanation: ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q27. Which statement uses Service-provider role without changing its hazard, mandate or status?

A. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. B. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. C. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. D. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.

Answer: C. Explanation: ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local

evacuation authority. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q28. Which option avoids the standard UPSC close-option trap about Service-provider role?

A. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. B. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. C. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. D. ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority.

Answer: D. Explanation: ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q29. Which statement correctly identifies Forecast and warning?

A. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. B. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. C. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. D. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.

Answer: A. Explanation: A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q30. Which option preserves the risk or institutional boundary of Forecast and warning?

A. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. B. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. C. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. D. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness.

Answer: B. Explanation: A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q31. Which statement uses Forecast and warning without changing its hazard, mandate or status?

A. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. B. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. C. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. D. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.

Answer: C. Explanation: A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q32. Which option avoids the standard UPSC close-option trap about Forecast and warning?

A. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. B. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. C. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. D. A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact.

Answer: D. Explanation: A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q33. Which statement correctly identifies Local all clear?

A. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. B. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. C. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. D. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness.

Answer: A. Explanation: ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q34. Which option preserves the risk or institutional boundary of Local all clear?

A. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. B. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. C. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. D. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills.

Answer: B. Explanation: ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q35. Which statement uses Local all clear without changing its hazard, mandate or status?

A. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. B. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. C. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. D. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk.

Answer: C. Explanation: ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q36. Which option avoids the standard UPSC close-option trap about Local all clear?

A. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. B. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. C. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. D. ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities.

Answer: D. Explanation: ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q37. Which statement correctly identifies Inundation mapping?

A. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. B. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. C. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. D. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills.

Answer: A. Explanation: Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q38. Which option preserves the risk or institutional boundary of Inundation mapping?

A. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. B. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. C. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. D. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk.

Answer: B. Explanation: Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q39. Which statement uses Inundation mapping without changing its hazard, mandate or status?

A. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. B. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. C. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. D. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure.

Answer: C. Explanation: Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. The

other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q40. Which option avoids the standard UPSC close-option trap about Inundation mapping?

A. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. B. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. C. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. D. Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness.

Answer: D. Explanation: Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q41. Which statement correctly identifies Coastal regulation?

A. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. B. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. C. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. D. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure.

Answer: A. Explanation: CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q42. Which option preserves the risk or institutional boundary of Coastal regulation?

A. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. B. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. C. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. D. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific.

Answer: B. Explanation: CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q43. Which statement uses Coastal regulation without changing its hazard, mandate or status?

A. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. B. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. C. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. D. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone.

Answer: C. Explanation: CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. The other

options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q44. Which option avoids the standard UPSC close-option trap about Coastal regulation?

A. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. B. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. C. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. D. CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.

Answer: D. Explanation: CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q45. Which statement correctly identifies Evacuation chain?

A. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. B. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. C. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. D. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure.

Answer: A. Explanation: Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q46. Which option preserves the risk or institutional boundary of Evacuation chain?

A. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. B. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. C. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. D. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific.

Answer: B. Explanation: Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q47. Which statement uses Evacuation chain without changing its hazard, mandate or status?

A. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. B. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. C. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. D. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country.

Answer: C. Explanation: Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q48. Which option avoids the standard UPSC close-option trap about Evacuation chain?

A. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. B. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. C. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. D. Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills.

Answer: D. Explanation: Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q49. Which statement correctly identifies Natural buffers?

A. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. B. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. C. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. D. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure.

Answer: A. Explanation: Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q50. Which option preserves the risk or institutional boundary of Natural buffers?

A. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. B. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. C. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. D. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific.

Answer: B. Explanation: Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q51. Which statement uses Natural buffers without changing its hazard, mandate or status?

A. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. B. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. C. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. D. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country.

Answer: C. Explanation: Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q52. Which option avoids the standard UPSC close-option trap about Natural buffers?

A. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. B. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. C. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. D. Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk.

Answer: D. Explanation: Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q53. Which statement correctly identifies Ports and critical facilities?

A. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. B. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. C. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. D. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone.

Answer: A. Explanation: Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q54. Which option preserves the risk or institutional boundary of Ports and critical facilities?

A. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. B. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. C. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. D. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone.

Answer: B. Explanation: Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q55. Which statement uses Ports and critical facilities without changing its hazard, mandate or status?

A. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. B. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. C. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. D. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty.

Answer: C. Explanation: Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q56. Which option avoids the standard UPSC close-option trap about Ports and critical facilities?

A. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. B. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. C. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. D. Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure.

Answer: D. Explanation: Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q57. Which statement correctly identifies Fisheries and tourism?

A. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. B. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. C. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. D. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country.

Answer: A. Explanation: Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q58. Which option preserves the risk or institutional boundary of Fisheries and tourism?

A. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. B. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. C. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. D. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty.

Answer: B. Explanation: Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q59. Which statement uses Fisheries and tourism without changing its hazard, mandate or status?

A. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. B. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. C. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. D. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence.

Answer: C. Explanation: Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q60. Which option avoids the standard UPSC close-option trap about Fisheries and tourism?

A. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. B. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. C. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. D. Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific.

Answer: D. Explanation: Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q61. Which statement correctly identifies Community preparedness?

A. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. B. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. C. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. D. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty.

Answer: A. Explanation: Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q62. Which option preserves the risk or institutional boundary of Community preparedness?

A. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. B. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. C. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. D. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development.

Answer: B. Explanation: Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q63. Which statement uses Community preparedness without changing its hazard, mandate or status?

A. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. B. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. C. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. D. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events.

Answer: C. Explanation: Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q64. Which option avoids the standard UPSC close-option trap about Community preparedness?

A. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. B. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. C. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. D. Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone.

Answer: D. Explanation: Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q65. Which statement correctly identifies Tsunami Ready boundary?

A. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. B. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. C. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. D. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development.

Answer: A. Explanation: UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q66. Which option preserves the risk or institutional boundary of Tsunami Ready boundary?

A. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. B. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. C. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. D. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development.

Answer: B. Explanation: UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q67. Which statement uses Tsunami Ready boundary without changing its hazard, mandate or status?

A. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. B. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. C. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. D. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events.

Answer: C. Explanation: UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q68. Which option avoids the standard UPSC close-option trap about Tsunami Ready boundary?

A. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. B. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. C. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. D. UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country.

Answer: D. Explanation: UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q69. Which statement correctly identifies False alarms and uncertainty?

A. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. B. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. C. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. D. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence.

Answer: A. Explanation: Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q70. Which option preserves the risk or institutional boundary of False alarms and uncertainty?

A. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. B. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. C. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. D. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence.

Answer: B. Explanation: Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q71. Which statement uses False alarms and uncertainty without changing its hazard, mandate or status?

A. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. B. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. C. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. D. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a

coast.

Answer: C. Explanation: Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q72. Which option avoids the standard UPSC close-option trap about False alarms and uncertainty?

A. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. B. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. C. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. D. Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty.

Answer: D. Explanation: Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q73. Which statement correctly identifies Recovery and livelihoods?

A. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. B. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. C. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. D. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events.

Answer: A. Explanation: Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q74. Which option preserves the risk or institutional boundary of Recovery and livelihoods?

A. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. B. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. C. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. D. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events.

Answer: B. Explanation: Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q75. Which statement uses Recovery and livelihoods without changing its hazard, mandate or status?

A. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. B. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. C. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. D. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement.

Answer: C. Explanation: Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q76. Which option avoids the standard UPSC close-option trap about Recovery and livelihoods?

A. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. B. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. C. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. D. Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development.

Answer: D. Explanation: Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q77. Which statement correctly identifies Warning-outcome firewall?

A. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. B. A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. C. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. D. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement.

Answer: A. Explanation: A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q78. Which option preserves the risk or institutional boundary of Warning-outcome firewall?

A. A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. B. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. C. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. D. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed.

Answer: B. Explanation: A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q79. Which statement uses Warning-outcome firewall without changing its hazard, mandate or status?

A. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. B. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. C. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. D. An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast.

Answer: C. Explanation: A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

Q80. Which option avoids the standard UPSC close-option trap about Warning-outcome firewall?

A. Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. B. Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. C. The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. D. A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence.

Answer: D. Explanation: A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. The other options change the hazard or risk category, institutional owner, legal instrument, warning stage, evidence rung or implementation status.

PYQS AND ANSWER PRACTICE

AUDITED TOPIC-SPECIFIC PYQ OWNERSHIP

The 2025 GS-I formation card and 2023 GS-I coastline card are verified cross-paper routes. The 2024 resilience card is a conservative application and does not displace Topic 01 ownership.

PYQ DEMAND CARD 1 - 2025 GS-I

Demand: Explain tsunami formation and consequences.

Status: Verified cross-paper route: Explain · 10 marks · 150 words; Geography retains physical-process ownership and this card supplies the disaster-management application.

Model solution: Tsunami generation: A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. **Tide and storm-surge boundary:** A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. **Generation is not impact:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Shoaling and inundation:** Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. **Detection chain:** Seismic

analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Local all clear:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Evacuation chain:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Natural buffers:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. The solution therefore answers the routed demand without inventing an official model answer or an objective answer key.

Demand decoding: The directive **answer** requires a direct position on 'PYQ DEMAND CARD 1 - 2025 GS-I', each clause, risk mechanism, named Indian law/institution/event, dated status, implementation and qualification.

Detailed examiner-grade model answer:

Introduction and thesis: Tsunami generation: A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. **Tide and storm-surge boundary:** A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. **Generation is not impact:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Shoaling and inundation:** Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. **Detection chain:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Local all clear:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Evacuation chain:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Natural buffers:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. The solution therefore answers the routed demand without inventing an official model answer or an objective answer key.

Analytical body:

1. **Claim:** Demand: Explain tsunami formation and consequences. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
2. **Claim:** Status: Verified cross-paper route: Explain · 10 marks · 150 words; Geography retains physical-process ownership and this card supplies the disaster-management application. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.

Counter-position / limit: An Act, plan, guideline, scheme, forecast, warning, drill, team, sanctioned capacity, allocation or dispatch cannot alone establish implementation, evacuation, expenditure, reduced loss, equitable recovery or resilience; test mandate, process, status and evidence.

Qualified conclusion: Tsunami generation: A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. **Tide and storm-surge boundary:** A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. **Generation is not impact:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Shoaling and inundation:** Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging

return flow; no universal wave height, speed or inland distance should be assumed. **Detection chain:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Local all clear:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Evacuation chain:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Natural buffers:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. The solution therefore answers the routed demand without inventing an official model answer or an objective answer key.

Executable exam-length answer / compression plan: For 15 marks, spend one-sixth of the time decoding the directive and drawing hazard -> exposure/vulnerability/capacity -> risk/impact -> prevention/mitigation/preparedness -> response/recovery/BBB; write four to seven claim -> named evidence/example -> analysis -> qualification points; reserve the final minute for source, date, unit, status, mandate and event/inference checks.

Why this earns marks: The answer obeys the directive, uses India-centric evidence, and preserves risk terms, legal character, institutional mandate, warning/cycle stage, finance status, implementation and resilience distinctions.

How to improve this answer: For 'PYQ DEMAND CARD 1 - 2025 GS-I', replace the weakest generic point with one exact Indian mechanism, institution/guideline/event, dated source and unit, implementation bottleneck, local-capacity or inclusion safeguard and answer-specific qualification.

PYQ DEMAND CARD 2 - 2023 GS-I

Demand: Comment on the resource potential of India's coastline and highlight hazard preparedness.

Status: Verified cross-cutting route: Comment and highlight · 15 marks · 250 words; this card addresses only tsunami and coastal-preparedness dimensions.

Model solution: ITEWC: The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Inundation mapping:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Coastal regulation:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. **Evacuation chain:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Natural buffers:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Ports and critical facilities:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Fisheries and tourism:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Community preparedness:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Recovery and livelihoods:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. The solution therefore answers the routed demand without inventing an official model answer or an objective answer key.

Demand decoding: The directive **answer** requires a direct position on 'PYQ DEMAND CARD 2 - 2023 GS-I', each clause, risk mechanism, named Indian law/institution/event, dated status, implementation and qualification.

Detailed examiner-grade model answer:

Introduction and thesis: ITEWC: The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Inundation mapping:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Coastal regulation:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. **Evacuation chain:** Preparedness requires

recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Natural buffers:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Ports and critical facilities:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Fisheries and tourism:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Community preparedness:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Recovery and livelihoods:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. The solution therefore answers the routed demand without inventing an official model answer or an objective answer key.

Analytical body:

1. **Claim:** Demand: Comment on the resource potential of India's coastline and highlight hazard preparedness. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
2. **Claim:** Status: Verified cross-cutting route: Comment and highlight · 15 marks · 250 words; this card addresses only tsunami and coastal-preparedness dimensions. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.

Counter-position / limit: An Act, plan, guideline, scheme, forecast, warning, drill, team, sanctioned capacity, allocation or dispatch cannot alone establish implementation, evacuation, expenditure, reduced loss, equitable recovery or resilience; test mandate, process, status and evidence.

Qualified conclusion: ITEWC: The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Inundation mapping:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Coastal regulation:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. **Evacuation chain:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Natural buffers:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Ports and critical facilities:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Fisheries and tourism:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Community preparedness:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Recovery and livelihoods:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. The solution therefore answers the routed demand without inventing an official model answer or an objective answer key.

Executable exam-length answer / compression plan: For 15 marks, spend one-sixth of the time decoding the directive and drawing hazard -> exposure/vulnerability/capacity -> risk/impact -> prevention/mitigation/preparedness -> response/recovery/BBB; write four to seven claim -> named evidence/example -> analysis -> qualification points; reserve the final minute for source, date, unit, status, mandate and event/inference checks.

Why this earns marks: The answer obeys the directive, uses India-centric evidence, and preserves risk terms, legal character, institutional mandate, warning/cycle stage, finance status, implementation and resilience distinctions.

How to improve this answer: For 'PYQ DEMAND CARD 2 - 2023 GS-I', replace the weakest generic point with one exact Indian mechanism, institution/guideline/event, dated source and unit, implementation bottleneck, local-capacity or inclusion safeguard and answer-specific qualification.

PYQ DEMAND CARD 3 - 2024 GS-III

Demand: Describe the elements that determine disaster resilience.

Status: Verified direct ownership remains Topic 01; this conservative card routes warning, redundancy, community readiness, natural buffers and livelihood recovery as tsunami-resilience elements.

Model solution: Detection chain: Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **ITEWC:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Local all clear:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Evacuation chain:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Natural buffers:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Community preparedness:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Tsunami Ready boundary:** UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. **Recovery and livelihoods:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Warning-outcome firewall:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. The solution therefore answers the routed demand without inventing an official model answer or an objective answer key.

Demand decoding: The directive **answer** requires a direct position on 'PYQ DEMAND CARD 3 - 2024 GS-III', each clause, risk mechanism, named Indian law/institution/event, dated status, implementation and qualification.

Detailed examiner-grade model answer:

Introduction and thesis: Detection chain: Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **ITEWC:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Local all clear:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Evacuation chain:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Natural buffers:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Community preparedness:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Tsunami Ready boundary:** UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. **Recovery and livelihoods:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Warning-outcome firewall:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. The solution therefore answers the routed demand without inventing an official model answer or an objective answer key.

Analytical body:

1. **Claim:** Demand: Describe the elements that determine disaster resilience. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
2. **Claim:** Status: Verified direct ownership remains Topic 01; this conservative card routes warning, redundancy, community readiness, natural buffers and livelihood recovery as tsunami-resilience elements. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.

Counter-position / limit: An Act, plan, guideline, scheme, forecast, warning, drill, team, sanctioned capacity, allocation or dispatch cannot alone establish implementation, evacuation, expenditure, reduced loss, equitable recovery or resilience; test mandate, process, status and evidence.

Qualified conclusion: Detection chain: Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **ITEWC:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Local all clear:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Evacuation chain:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Natural buffers:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Community preparedness:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Tsunami Ready boundary:** UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. **Recovery and livelihoods:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Warning-outcome firewall:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. The solution therefore answers the routed demand without inventing an official model answer or an objective answer key.

Executable exam-length answer / compression plan: For 15 marks, spend one-sixth of the time decoding the directive and drawing hazard -> exposure/vulnerability/capacity -> risk/impact -> prevention/mitigation/preparedness -> response/recovery/BBB; write four to seven claim -> named evidence/example -> analysis -> qualification points; reserve the final minute for source, date, unit, status, mandate and event/inference checks.

Why this earns marks: The answer obeys the directive, uses India-centric evidence, and preserves risk terms, legal character, institutional mandate, warning/cycle stage, finance status, implementation and resilience distinctions.

How to improve this answer: For 'PYQ DEMAND CARD 3 - 2024 GS-III', replace the weakest generic point with one exact Indian mechanism, institution/guideline/event, dated source and unit, implementation bottleneck, local-capacity or inclusion safeguard and answer-specific qualification.

ORIGINAL MAINS 1 - 10 MARKS

Question: Distinguish tsunami generation from tides and cyclone storm surge. Answer in about 150 words.

Model thesis: Claim: Tsunami generation. **Named evidence/example:** A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Tide and storm-surge boundary. **Named evidence/example:** A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational

cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Generation is not impact. **Named evidence/example:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Shoaling and inundation. **Named evidence/example:** Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim -> named evidence -> analysis -> qualification:

- A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events.
- A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement.
- An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast.
- Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed.

Qualified conclusion: Claim: Tsunami generation. **Named evidence/example:** A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Tide and storm-surge boundary. **Named evidence/example:** A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Generation is not impact. **Named evidence/example:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Shoaling and inundation. **Named evidence/example:** Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Demand decoding: The directive **answer** requires a direct position on 'Distinguish tsunami generation from tides and cyclone storm surge. Answer in about 150 words.', each clause, risk mechanism, named Indian law/institution/event, dated status, implementation and qualification.

Detailed examiner-grade model answer:

Introduction and thesis: Claim: Tsunami generation. **Named evidence/example:** A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during

an undersea earthquake but also from landslides, volcanic activity or other displacement events. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Tide and storm-surge boundary. **Named evidence/example:** A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Generation is not impact. **Named evidence/example:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Shoaling and inundation. **Named evidence/example:** Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Analytical body:

1. **Claim:** A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
2. **Claim:** A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
3. **Claim:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
4. **Claim:** Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.

Counter-position / limit: An Act, plan, guideline, scheme, forecast, warning, drill, team, sanctioned capacity, allocation or dispatch cannot alone establish implementation, evacuation, expenditure, reduced loss, equitable recovery or resilience; test mandate, process, status and evidence.

Qualified conclusion: **Claim:** Tsunami generation. **Named evidence/example:** A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy

implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Tide and storm-surge boundary. **Named evidence/example:** A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Generation is not impact. **Named evidence/example:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Shoaling and inundation. **Named evidence/example:** Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Executable exam-length answer / compression plan: For 10 marks, spend one-sixth of the time decoding the directive and drawing hazard -> exposure/vulnerability/capacity -> risk/impact -> prevention/mitigation/preparedness -> response/recovery/BBB; write four to seven claim -> named evidence/example -> analysis -> qualification points; reserve the final minute for source, date, unit, status, mandate and event/inference checks.

Why this earns marks: The answer obeys the directive, uses India-centric evidence, and preserves risk terms, legal character, institutional mandate, warning/cycle stage, finance status, implementation and resilience distinctions.

How to improve this answer: For 'Distinguish tsunami generation from tides and cyclone storm surge. Answer in about 150 words.', replace the weakest generic point with one exact Indian mechanism, institution/guideline/event, dated source and unit, implementation bottleneck, local-capacity or inclusion safeguard and answer-specific qualification.

ORIGINAL MAINS 2 - 10 MARKS

Question: Explain the detection, forecast, warning and local all-clear chain for tsunamis. Answer in about 150 words.

Model thesis: **Claim:** Detection chain. **Named evidence/example:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** ITEWC. **Named evidence/example:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Service-provider role. **Named evidence/example:** ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Forecast and warning. **Named evidence/example:** A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Local all clear. **Named evidence/example:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and

verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim -> named evidence -> analysis -> qualification:

- Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment.
- The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities.
- ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority.
- A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact.
- ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities.

Qualified conclusion: Claim: Detection chain. **Named evidence/example:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** ITEWC. **Named evidence/example:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Service-provider role. **Named evidence/example:** ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Forecast and warning. **Named evidence/example:** A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Local all clear. **Named evidence/example:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Demand decoding: The directive **explain** requires a direct position on 'Explain the detection, forecast, warning and local all-clear chain for tsunamis. Answer in...', each clause, risk mechanism, named Indian law/institution/event, dated status, implementation and qualification.

Detailed examiner-grade model answer:

Introduction and thesis: Claim: Detection chain. **Named evidence/example:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** ITEWC. **Named evidence/example:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Service-provider role. **Named evidence/example:** ITEWC

functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication.

Qualification: The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Forecast and warning. **Named evidence/example:** A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Local all clear. **Named evidence/example:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Analytical body:

1. **Claim:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
2. **Claim:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
3. **Claim:** ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
4. **Claim:** A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
5. **Claim:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.

Counter-position / limit: An Act, plan, guideline, scheme, forecast, warning, drill, team, sanctioned capacity, allocation or dispatch cannot alone establish implementation, evacuation, expenditure, reduced loss, equitable recovery or resilience; test mandate, process, status and evidence.

Qualified conclusion: **Claim:** Detection chain. **Named evidence/example:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence

rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** ITEWC. **Named evidence/example:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Service-provider role. **Named evidence/example:** ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Forecast and warning. **Named evidence/example:** A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Local all clear. **Named evidence/example:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Executable exam-length answer / compression plan: For 10 marks, spend one-sixth of the time decoding the directive and drawing hazard -> exposure/vulnerability/capacity -> risk/impact -> prevention/mitigation/preparedness -> response/recovery/BBB; write four to seven claim -> named evidence/example -> analysis -> qualification points; reserve the final minute for source, date, unit, status, mandate and event/inference checks.

Why this earns marks: The answer obeys the directive, uses India-centric evidence, and preserves risk terms, legal character, institutional mandate, warning/cycle stage, finance status, implementation and resilience distinctions.

How to improve this answer: For 'Explain the detection, forecast, warning and local all-clear chain for tsunamis. Answer in...', replace the weakest generic point with one exact Indian mechanism, institution/guideline/event, dated source and unit, implementation bottleneck, local-capacity or inclusion safeguard and answer-specific qualification.

ORIGINAL MAINS 3 - 15 MARKS

Question: Analyse inundation mapping, coastal regulation, evacuation and natural buffers in tsunami preparedness. Answer in about 250 words.

Model thesis: **Claim:** Inundation mapping. **Named evidence/example:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Coastal regulation. **Named evidence/example:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Evacuation chain. **Named evidence/example:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Natural buffers. **Named evidence/example:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The

conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim -> named evidence -> analysis -> qualification:

- Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness.
- CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.
- Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills.
- Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk.

Qualified conclusion: **Claim:** Inundation mapping. **Named evidence/example:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Coastal regulation. **Named evidence/example:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.

Analysis: This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Evacuation chain. **Named evidence/example:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication.

Qualification: The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Natural buffers. **Named evidence/example:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Demand decoding: The directive **analyse** requires a direct position on 'Analyse inundation mapping, coastal regulation, evacuation and natural buffers in tsunami...', each clause, risk mechanism, named Indian law/institution/event, dated status, implementation and qualification.

Detailed examiner-grade model answer:

Introduction and thesis: **Claim:** Inundation mapping. **Named evidence/example:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Coastal regulation. **Named evidence/example:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.

Analysis: This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Evacuation chain. **Named evidence/example:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication.

Qualification: The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Natural buffers. **Named evidence/example:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their

protection is location-specific and they do not eliminate tsunami risk. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Analytical body:

1. **Claim:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
2. **Claim:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
3. **Claim:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
4. **Claim:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.

Counter-position / limit: An Act, plan, guideline, scheme, forecast, warning, drill, team, sanctioned capacity, allocation or dispatch cannot alone establish implementation, evacuation, expenditure, reduced loss, equitable recovery or resilience; test mandate, process, status and evidence.

Qualified conclusion: **Claim:** Inundation mapping. **Named evidence/example:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Coastal regulation. **Named evidence/example:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Evacuation chain. **Named evidence/example:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Natural buffers. **Named evidence/example:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Executable exam-length answer / compression plan: For 15 marks, spend one-sixth of the time decoding the directive and drawing hazard -> exposure/vulnerability/capacity -> risk/impact -> prevention/mitigation/preparedness -> response/recovery/BBB; write four to seven claim -> named evidence/example -> analysis -> qualification points; reserve the final minute for source, date, unit, status, mandate and event/inference checks.

Why this earns marks: The answer obeys the directive, uses India-centric evidence, and preserves risk terms, legal character, institutional mandate, warning/cycle stage, finance status, implementation and resilience distinctions.

How to improve this answer: For 'Analyse inundation mapping, coastal regulation, evacuation and natural buffers in tsunami...', replace the weakest generic point with one exact Indian mechanism, institution/guideline/event, dated source and unit, implementation bottleneck, local-capacity or inclusion safeguard and answer-specific qualification.

ORIGINAL MAINS 4 - 15 MARKS

Question: Examine tsunami preparedness for ports, fisheries, tourism and critical coastal services. Answer in about 250 words.

Model thesis: **Claim:** Ports and critical facilities. **Named evidence/example:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Fisheries and tourism. **Named evidence/example:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Community preparedness. **Named evidence/example:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Recovery and livelihoods. **Named evidence/example:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim -> named evidence -> analysis -> qualification:

- Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure.
- Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific.
- Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone.
- Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development.

Qualified conclusion: **Claim:** Ports and critical facilities. **Named evidence/example:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Fisheries and tourism. **Named evidence/example:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the

owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Community preparedness. **Named evidence/example:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Recovery and livelihoods. **Named evidence/example:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Demand decoding: The directive **examine** requires a direct position on 'Examine tsunami preparedness for ports, fisheries, tourism and critical coastal services....', each clause, risk mechanism, named Indian law/institution/event, dated status, implementation and qualification.

Detailed examiner-grade model answer:

Introduction and thesis: **Claim:** Ports and critical facilities. **Named evidence/example:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Fisheries and tourism. **Named evidence/example:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Community preparedness. **Named evidence/example:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Recovery and livelihoods. **Named evidence/example:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Analytical body:

1. **Claim:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
2. **Claim:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
3. **Claim:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event

owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.

4. **Claim:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.

Counter-position / limit: An Act, plan, guideline, scheme, forecast, warning, drill, team, sanctioned capacity, allocation or dispatch cannot alone establish implementation, evacuation, expenditure, reduced loss, equitable recovery or resilience; test mandate, process, status and evidence.

Qualified conclusion: Claim: Ports and critical facilities. **Named evidence/example:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Fisheries and tourism. **Named evidence/example:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Community preparedness. **Named evidence/example:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Recovery and livelihoods. **Named evidence/example:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Executable exam-length answer / compression plan: For 15 marks, spend one-sixth of the time decoding the directive and drawing hazard -> exposure/vulnerability/capacity -> risk/impact -> prevention/mitigation/preparedness -> response/recovery/BBB; write four to seven claim -> named evidence/example -> analysis -> qualification points; reserve the final minute for source, date, unit, status, mandate and event/inference checks.

Why this earns marks: The answer obeys the directive, uses India-centric evidence, and preserves risk terms, legal character, institutional mandate, warning/cycle stage, finance status, implementation and resilience distinctions.

How to improve this answer: For 'Examine tsunami preparedness for ports, fisheries, tourism and critical coastal services....', replace the weakest generic point with one exact Indian mechanism, institution/guideline/event, dated source and unit, implementation bottleneck, local-capacity or inclusion safeguard and answer-specific qualification.

ORIGINAL MAINS 5 - 20 MARKS

Question: Evaluate India's ITEWC-centred tsunami warning architecture while preserving uncertainty and last-mile boundaries. Answer in about 300 words.

Model thesis: Claim: Detection chain. **Named evidence/example:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** ITEWC. **Named evidence/example:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and

sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Service-provider role. **Named evidence/example:** ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Forecast and warning. **Named evidence/example:** A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Local all clear. **Named evidence/example:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Community preparedness. **Named evidence/example:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** False alarms and uncertainty. **Named evidence/example:** Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Warning-outcome firewall. **Named evidence/example:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim -> named evidence -> analysis -> qualification:

- Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment.
- The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities.
- ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority.
- A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact.
- ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities.
- Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone.
- Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty.
- A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence.

Qualified conclusion: Claim: Detection chain. **Named evidence/example:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** ITEWC. **Named evidence/example:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Service-provider role. **Named evidence/example:** ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Forecast and warning. **Named evidence/example:** A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Local all clear. **Named evidence/example:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Community preparedness. **Named evidence/example:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** False alarms and uncertainty. **Named evidence/example:** Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Warning-outcome firewall. **Named evidence/example:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Demand decoding: The directive **evaluate** requires a direct position on 'Evaluate India's ITEWC-centred tsunami warning architecture while preserving uncertainty and...', each clause, risk mechanism, named Indian law/institution/event, dated status, implementation and qualification.

Detailed examiner-grade model answer:

Introduction and thesis: Claim: Detection chain. **Named evidence/example:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** ITEWC. **Named evidence/example:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the

mandate-to-implementation-to-outcome boundary. **Claim:** Service-provider role. **Named evidence/example:** ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Forecast and warning. **Named evidence/example:** A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Local all clear. **Named evidence/example:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Community preparedness. **Named evidence/example:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** False alarms and uncertainty. **Named evidence/example:** Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Warning-outcome firewall. **Named evidence/example:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Analytical body:

1. **Claim:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
2. **Claim:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
3. **Claim:** ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
4. **Claim:** A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan

or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.

5. **Claim:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
6. **Claim:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
7. **Claim:** Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
8. **Claim:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.

Counter-position / limit: An Act, plan, guideline, scheme, forecast, warning, drill, team, sanctioned capacity, allocation or dispatch cannot alone establish implementation, evacuation, expenditure, reduced loss, equitable recovery or resilience; test mandate, process, status and evidence.

Qualified conclusion: **Claim:** Detection chain. **Named evidence/example:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** ITEWC. **Named evidence/example:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Service-provider role. **Named evidence/example:** ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Forecast and warning. **Named evidence/example:** A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Local all clear. **Named evidence/example:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with

competent local authorities. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Community preparedness. **Named evidence/example:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** False alarms and uncertainty. **Named evidence/example:** Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Warning-outcome firewall. **Named evidence/example:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Executable exam-length answer / compression plan: For 20 marks, spend one-sixth of the time decoding the directive and drawing hazard -> exposure/vulnerability/capacity -> risk/impact -> prevention/mitigation/preparedness -> response/recovery/BBB; write four to seven claim -> named evidence/example -> analysis -> qualification points; reserve the final minute for source, date, unit, status, mandate and event/inference checks.

Why this earns marks: The answer obeys the directive, uses India-centric evidence, and preserves risk terms, legal character, institutional mandate, warning/cycle stage, finance status, implementation and resilience distinctions.

How to improve this answer: For 'Evaluate India's ITEWC-centred tsunami warning architecture while preserving uncertainty and...', replace the weakest generic point with one exact Indian mechanism, institution/guideline/event, dated source and unit, implementation bottleneck, local-capacity or inclusion safeguard and answer-specific qualification.

ORIGINAL MAINS 6 - 20 MARKS

Question: Design a sustained coastal-resilience framework for a low-frequency high-consequence tsunami risk. Answer in about 300 words.

Model thesis: **Claim:** Generation is not impact. **Named evidence/example:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Inundation mapping. **Named evidence/example:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Coastal regulation. **Named evidence/example:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Evacuation chain. **Named evidence/example:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Natural buffers. **Named evidence/example:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts

and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Ports and critical facilities. **Named evidence/example:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Fisheries and tourism. **Named evidence/example:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Community preparedness. **Named evidence/example:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Tsunami Ready boundary. **Named evidence/example:** UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** False alarms and uncertainty. **Named evidence/example:** Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Recovery and livelihoods. **Named evidence/example:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Warning-outcome firewall. **Named evidence/example:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Claim -> named evidence -> analysis -> qualification:

- An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast.
- Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness.
- CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.
- Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills.
- Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk.
- Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure.

- Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific.
- Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone.
- UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country.
- Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty.
- Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development.
- A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence.

Qualified conclusion: Claim: Generation is not impact. **Named evidence/example:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Inundation mapping. **Named evidence/example:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Coastal regulation. **Named evidence/example:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Evacuation chain. **Named evidence/example:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Natural buffers. **Named evidence/example:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Ports and critical facilities. **Named evidence/example:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Fisheries and tourism. **Named evidence/example:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Community preparedness. **Named evidence/example:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Tsunami Ready

boundary. **Named evidence/example:** UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** False alarms and uncertainty. **Named evidence/example:** Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Recovery and livelihoods. **Named evidence/example:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Warning-outcome firewall. **Named evidence/example:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Demand decoding: The directive **answer** requires a direct position on 'Design a sustained coastal-resilience framework for a low-frequency high-consequence tsunami...', each clause, risk mechanism, named Indian law/institution/event, dated status, implementation and qualification.

Detailed examiner-grade model answer:

Introduction and thesis: **Claim:** Generation is not impact. **Named evidence/example:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Inundation mapping. **Named evidence/example:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Coastal regulation. **Named evidence/example:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Evacuation chain. **Named evidence/example:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Natural buffers. **Named evidence/example:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Ports and critical facilities. **Named evidence/example:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion

retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Fisheries and tourism. **Named evidence/example:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Community preparedness. **Named evidence/example:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Tsunami Ready boundary. **Named evidence/example:** UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** False alarms and uncertainty. **Named evidence/example:** Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Recovery and livelihoods. **Named evidence/example:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Warning-outcome firewall. **Named evidence/example:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Analytical body:

1. **Claim:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
2. **Claim:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
3. **Claim:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
4. **Claim:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Named evidence/example:**

Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source.

Analysis: Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.

5. **Claim:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
6. **Claim:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
7. **Claim:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
8. **Claim:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
9. **Claim:** UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
10. **Claim:** Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
11. **Claim:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate, uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.
12. **Claim:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. **Named evidence/example:** Identify the exact Indian law, institution, guideline, warning system, fund, plan or dated event owned by the source. **Analysis:** Connect hazard -> exposure/vulnerability/capacity -> disaster consequence -> competent prevention/response/recovery route. **Qualification:** State source/date/unit/status, mandate,

uncertainty, implementation gap, inclusion limit, event/inference boundary or residual risk.

Counter-position / limit: An Act, plan, guideline, scheme, forecast, warning, drill, team, sanctioned capacity, allocation or dispatch cannot alone establish implementation, evacuation, expenditure, reduced loss, equitable recovery or resilience; test mandate, process, status and evidence.

Qualified conclusion: Claim: Generation is not impact. **Named evidence/example:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Inundation mapping. **Named evidence/example:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Coastal regulation. **Named evidence/example:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Evacuation chain. **Named evidence/example:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Natural buffers. **Named evidence/example:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Ports and critical facilities. **Named evidence/example:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Fisheries and tourism. **Named evidence/example:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Community preparedness. **Named evidence/example:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Tsunami Ready boundary. **Named evidence/example:** UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** False alarms and uncertainty. **Named evidence/example:** Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Recovery

and livelihoods. **Named evidence/example:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary. **Claim:** Warning-outcome firewall. **Named evidence/example:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence. **Analysis:** This fixes the hazard, risk or protection category, institutional mandate and verified evidence rung before drawing the policy implication. **Qualification:** The conclusion retains the owner's date, institution, legal character and the mandate-to-implementation-to-outcome boundary.

Executable exam-length answer / compression plan: For 20 marks, spend one-sixth of the time decoding the directive and drawing hazard -> exposure/vulnerability/capacity -> risk/impact -> prevention/mitigation/preparedness -> response/recovery/BBB; write four to seven claim -> named evidence/example -> analysis -> qualification points; reserve the final minute for source, date, unit, status, mandate and event/inference checks.

Why this earns marks: The answer obeys the directive, uses India-centric evidence, and preserves risk terms, legal character, institutional mandate, warning/cycle stage, finance status, implementation and resilience distinctions.

How to improve this answer: For 'Design a sustained coastal-resilience framework for a low-frequency high-consequence tsunami...', replace the weakest generic point with one exact Indian mechanism, institution/guideline/event, dated source and unit, implementation bottleneck, local-capacity or inclusion safeguard and answer-specific qualification.

OPTIONAL ADVANCED DEPTH - NOT REQUIRED FOR A CORE ANSWER

Subject: Disaster Management | **Tier:** Advanced | **GS Paper:** GS-III. **Core area:** ITEWC's regional service role; tsunami-ready community design; coastal-zone development trade-offs; compound coastal hazards. **Grounded in:** *VisionIAS Value Added Material Disaster Management*, PDF pp. 21-25; 00_Master-Framework.md Sections 5, 7. **FACT:** = source-grounded | **ANALYSIS:** = inference/analysis | **CURRENT:** = current anchor | **WRONG:** = boundary/trap. *Companion:* basic/06_Tsunami-and-Coastal-Hazard-Management.md.

1. Advanced proposition

Thesis: ANALYSIS: Tsunami risk in India is a *low-frequency, high-consequence* hazard whose management strategy differs structurally from high-frequency hazards (cyclone, flood): because tsunamis are rare (13 events in 300 years per the source's historical record, PDF p. 23), sustained institutional readiness (monitoring, evacuation drills, structural retrofitting) is harder to maintain politically and financially than for annually recurring hazards, even though consequence severity can exceed them. **Boundary:** WRONG: this topic does not cover CRZ law or marine ecology in general (Environment/Geography's domain) beyond their direct use in tsunami/coastal DRR.

2. Risk-system analysis

```

LOW-FREQUENCY HAZARD
(rare seabed-displacement events)
|
v
READINESS-DECAY RISK
(monitored/evacuation-drill priority erodes between events,
absent institutional discipline)
|
v
HIGH-CONSEQUENCE REALISATION
(when it occurs, impact is catastrophic and
compounded by coastal population density)
|
v
POST-EVENT INSTITUTION-BUILDING SPIKE
(e.g. ITEWC created after 2004) followed by
gradual readiness decay until the next event

```

Analytical claim: ANALYSIS: The Indian Tsunami Early Warning System's own genesis - a direct institutional response to the 26 December 2004 disaster (PDF pp. 24-25) - illustrates a recurring disaster-governance pattern: major institution-building follows catastrophic low-frequency events rather than preceding them. An advanced answer should name this "readiness decay" risk explicitly as the reason low-frequency hazards need *institutionalised* (not merely announced) monitoring and drill schedules.

3. Legal/institutional depth

- FACT: **Multi-agency warning architecture:** the Indian Tsunami Early Warning System integrates the Department of Space, DST and CSIR (PDF p. 24), while the seismic subsystem draws on IMD's national seismic network and international seismic networks (PDF p. 25) - an advanced answer should note this as a genuinely inter-agency, not single- ministry, architecture, raising coordination questions similar to those flagged generically in topic 04.

- FACT: **Techno-legal regime is dual-purpose:** the **CRZ Notification, 2019's** category-specific controls (CRZ-I to CRZ-IV) combined with tsunami inundation/hazard mapping, and MHA's model techno-legal framework (PDF p. 24, updated per the current CRZ Notification, 2019), serve both tsunami-safety and general coastal-development regulation - meaning enforcement gaps in general CRZ compliance (a Geography/ Environment concern) directly undermine tsunami-specific safety, a genuine boundary-crossing dependency worth naming explicitly rather than ignoring.

4. Evidence and Indian applications

- FACT: **Natural-barrier evidence from the 2004 event:** VisionIAS records that "heavy damage was reported in areas where sand dunes were heavily mined" (PDF p. 23) - direct evidence that anthropogenic degradation of natural buffers (sand mining) measurably increased disaster losses, a concrete causal claim an advanced answer can cite rather than assert ecosystem-based mitigation's value abstractly.

- FACT: **Naval Hydrographic Department's dual civil-military role:** seven survey ships were deployed during the 2004 tsunami response for sea- lane clearance, medical aid and bathymetry re-charting (PDF p. 24) - an example of defence-asset repurposing for civilian disaster response, relevant to any question on inter-agency/civil-military coordination in disaster response (kept within Disaster Management's civilian-management scope, not Internal Security's operational scope).

5. Technology/data and warning limits

- ANALYSIS: **The bathymetry data gap is explicitly named as a limiting factor**: VisionIAS lists "lack of high resolution near-shore bathymetric and topographic data" as a limiting factor for inundation models (PDF p. 25) - meaning the warning system's *accuracy*, not only its speed, depends on a data-quality input that is itself incomplete; an advanced answer should distinguish detection speed (strong, <10 minutes) from inundation-modelling precision (weaker, data-limited).

- ANALYSIS: **Physical vulnerability of the sensing network itself:** unattended ocean observation platforms "being vandalized" (PDF p. 24) is a concrete, named threat to warning-system integrity - an advanced answer can use this to argue for redundant, tamper-resistant sensing infrastructure as a specific recommendation.

6. Vulnerability, equity and community lens

- ANALYSIS: VisionIAS names "inadequate community awareness on tsunami risk and vulnerability" and "lack of people's participation in strengthening disaster preparedness" as existing challenges (PDF p. 25) - an advanced answer should connect this directly to topic 03's community-based DRR framework, arguing that a technologically capable warning system (Section 2) still fails if community-level comprehension and evacuation capacity are not separately built and maintained between rare events.

7. Prevention/mitigation/response/recovery trade-offs

- ANALYSIS: **Structural versus ecosystem-based coastal defence is a genuine, evidence-supported trade-off**, not a purely aesthetic choice: sea walls and embankments offer more predictable, engineered protection but higher cost and potential ecological disruption; bio-shields/ mangroves/sand dunes offer lower cost and co-benefits (fisheries, carbon storage) but require decades to mature and are vulnerable to the same

mining/encroachment pressures that degraded them before 2004 (Section 4). An advanced answer should recommend a combined strategy rather than treating either as a complete solution alone.

8. Governance and implementation gaps

- **WRONG:** **The "warning system exists, therefore coastal safety is assured" fallacy.** VisionIAS's own "existing challenges" list (Section 5-6) shows detection capability, inundation-modelling data, community awareness and natural-barrier protection are four *separate* gaps that must each be closed; a strong warning system alone does not close the other three.

- **ANALYSIS: Traditional-knowledge documentation gap:** VisionIAS names "lack of documentation of traditional knowledge for tsunami risk management" (PDF p. 25) as an existing challenge - an under-cited point relevant to any question on indigenous/local knowledge integration into formal DRR systems.

9. Financing/monitoring/accountability

- **ANALYSIS:** VisionIAS does not detail tsunami-specific financing (structural bio-shield/sea-wall construction costs, warning-system maintenance budgets); any current claim requires a dated NDMA/INCOIS/Ministry of Earth Sciences source.

- **CURRENT:** Monitoring paleo-tsunami studies and documentation - flagged by VisionIAS as lacking (PDF p. 25) - should be checked against current GSI/INCOIS research output before claiming this gap remains unaddressed today.

10. CURRENT: Current official anchor and freshness protocol

- **CURRENT: INCOIS/ITEWC's official tsunami-service-provider status -** operational since **15 October 2007**, an approved UNESCO-IOC Tsunami Service Provider under IOTWMS, detecting in ~10 minutes and disseminating in ~20 minutes to India and the regional IOTWMS service (PIB, 4 February 2026) - is the correct current anchor for warning-system operational status, service-provider scope and any claim about monitoring-station counts. **ANALYSIS:** Recipient-country counts differ across dated official descriptions; use INCOIS's current roster rather than memorising a number.

- **CURRENT: UNESCO-IOC "Tsunami Ready"** is the correct anchor for community-preparedness claims: recognition is community-level and indicator-based, first awarded in India to **Venkatraipur** and **Noliasahi**, Odisha, on **7 August 2020**. **ANALYSIS:** Recognition is **periodically renewable**, which is precisely why it is the right instrument for this topic's readiness-decay problem (Section 2): it converts preparedness from a one-off investment into a recurring verification, addressing the low-frequency hazard's characteristic failure mode rather than merely documenting a moment of readiness.

- **WRONG:** Do not present VisionIAS's RTSMN/monitoring-station description or the "13 tsunamis in 300 years" figure as necessarily current without this verification.

12. Mains-ready framework

Central thesis: Tsunami risk management in India is best understood as a low-frequency, high-consequence governance problem in which technical detection capability (strong, sub-10-minute) outpaces inundation-modelling data quality, community-level readiness and natural- buffer protection - meaning sustained institutional discipline between rare events, not only technology, determines actual resilience.

1. **Name the low-frequency/readiness-decay dynamic** (Section 2) as the distinguishing analytical feature of this hazard.

2. **Distinguish detection speed from inundation-modelling precision** (Section 5) - both matter, and both have separate gaps.

3. **Cite the concrete 2004 evidence on natural-barrier value** (Section

4. to support ecosystem-based measures with data, not assertion.

4. **Name the specific existing-challenges gaps** (community awareness, traditional-knowledge documentation, bathymetric data) rather than a generic "more preparedness needed" statement.

5. Recommend a combined structural-plus-ecosystem-based strategy

(Section 7), not either alone.

6. **Close by linking tsunami preparedness to community-level resilience maintenance** (topic 03) as the corrective to readiness decay.

13. Study links

- FACT: Foundation companion:

basic/06_Tsunami-and-Coastal-Hazard-Management.md.

- FACT: 00_Master-Framework.md Sections 5 and 7 - the geological-hazard grouping and the Sendai-priority PYQ box reused across this folder.

- ANALYSIS: **Downstream topics in this folder:** Topic 04 develops the general detection-to-dissemination chain; topic 07 develops cyclone/storm- surge coastal preparedness in full; topic 15 develops the climate- linked coastal displacement/loss-and-damage dimension.

CONSOLIDATED REGISTER NOTES

Tsunami and Coastal Hazard Management: GENERATION TIDE SURGE SHOALING AND INUNDATION MAP

1. **Tsunami generation:** A tsunami is a series of long waves generated by sudden displacement of a large water volume, commonly from vertical seabed movement during an undersea earthquake but also from landslides, volcanic activity or other displacement events.
2. **Tide and storm-surge boundary:** A tsunami is not an astronomical tide and not a cyclone storm surge; tides follow gravitational cycles, storm surge is chiefly wind-and-pressure driven, and tsunami generation begins with sudden water displacement.
3. **Generation is not impact:** An undersea earthquake does not automatically create a destructive tsunami; source mechanism, depth, displacement, distance, bathymetry and coastal form influence whether and how waves affect a coast.
4. **Shoaling and inundation:** Tsunami waves change as they enter shallower water, producing run-up, inundation and damaging return flow; no universal wave height, speed or inland distance should be assumed.
5. **Detection chain:** Seismic analysis identifies earthquake parameters, while open-ocean and coastal sea-level observations help confirm wave generation and update the assessment.
6. **ITEWC:** The Indian Tsunami Early Warning Centre at INCOIS integrates earthquake analysis, pre-run model scenarios and sea-level observations to issue tsunami bulletins for Indian and regional service responsibilities.
7. **Service-provider role:** ITEWC functions within the UNESCO-IOC Indian Ocean Tsunami Warning and Mitigation System as a Tsunami Service Provider; regional advisory responsibility does not transfer local evacuation authority.
8. **Forecast and warning:** A tsunami assessment may progress from preliminary earthquake information to model-based threat categories and observation-informed updates; each bulletin is evidence at its own stage, not certainty about local impact.
9. **Local all clear:** ITEWC may issue threat-passed or final information, but local conditions can vary and the all-clear decision remains with competent local authorities.
10. **Inundation mapping:** Coastal topography, near-shore bathymetry, source scenarios, land use and exposed assets are combined in inundation or hazard maps for evacuation, siting and preparedness.
11. **Coastal regulation:** CRZ category-specific controls and tsunami hazard mapping support risk-sensitive coastal development; they do not create one universal setback or elevation rule for every coast.
12. **Evacuation chain:** Preparedness requires recognisable warnings, mapped routes, vertical or horizontal refuge options where appropriate, accessible transport, assembly points, accountability and repeated drills.
13. **Natural buffers:** Mangroves, coastal forests, dunes, reefs and other natural features can reduce some impacts and provide co-benefits, but their protection is location-specific and they do not eliminate tsunami risk.

14. **Ports and critical facilities:** Ports, harbours, coastal roads, power, communications, hospitals and fuel or hazardous-material facilities need shutdown, access, continuity and recovery plans tailored to tsunami and multi-hazard exposure.
15. **Fisheries and tourism:** Fishers, harbour workers, tourists and seasonal visitors may lack local risk knowledge or face livelihood pressure, so warnings, signage, route information and reopening decisions must be sector-specific.
16. **Community preparedness:** Last-mile safety depends on trusted local relay, natural-warning awareness, inclusive evacuation assistance, drills, family plans and community feedback, not warning-centre capability alone.
17. **Tsunami Ready boundary:** UNESCO-IOC Tsunami Ready is community-level, indicator-based recognition that requires maintained preparedness; recognition of named communities is not certification of an entire State or country.
18. **False alarms and uncertainty:** Precautionary action under uncertainty may produce apparent false alarms, but warning evaluation must consider available evidence, missed-event risk, public trust and transparent updating rather than demand impossible certainty.
19. **Recovery and livelihoods:** Recovery should restore ports, fisheries, tourism, housing, services and ecosystems while using safer siting and Build Back Better principles instead of recreating exposed coastal development.
20. **Warning-outcome firewall:** A sensor network, model run, bulletin, siren, map, drill or recognition proves an input or capability; receipt, evacuation, safe shelter, livelihood continuity and avoided loss require separate evidence.

Tsunami and Coastal Hazard Management: ITEWC BULLETIN LOCAL-AUTHORITY AND EVACUATION FIREWALLS

- Do not describe a tsunami as a tide or cyclone-driven storm surge.
- Do not assume every undersea earthquake generates a destructive tsunami.
- Do not collapse earthquake detection, tsunami confirmation, bulletin and local warning into one step.
- Do not invent a universal wave height, speed, inundation distance or warning lead time.
- Do not treat a regional advisory as a local evacuation or all-clear order.
- Do not present one sea wall, mangrove belt or CRZ rule as sufficient everywhere.
- Do not omit ports, fisheries, tourists or hazardous coastal facilities.
- Do not call Tsunami Ready a national certification.
- Do not treat precaution under uncertainty as institutional failure merely because impact is limited.
- Do not infer last-mile safety or avoided loss from warning-system capability.

Tsunami and Coastal Hazard Management: COASTAL BUFFERS PORTS LIVELIHOODS AND READINESS ANSWER SPINE

DEFINE TSUNAMI AS SUDDEN WATER-DISPLACEMENT WAVES

- > DISTINGUISH TIDE STORM SURGE AND NON-GENERATING EARTHQUAKES
- > TRACE SOURCE PATH SHOALING RUN-UP INUNDATION AND RETURN FLOW
- > MAP SEISMIC ANALYSIS MODEL SEA LEVEL BULLETIN AND LOCAL AUTHORITY
- > CONNECT INUNDATION MAPS TO ACCESSIBLE EVACUATION AND REFUGE
- > COMBINE REGULATION NATURAL BUFFERS PORTS FISHERIES AND TOURISM
- > MAINTAIN COMMUNITY READINESS AND VERIFY ACTION AND RECOVERY

Tsunami and Coastal Hazard Management: CURRENT INCOIS NDMA AND WARNING-OUTCOME EVIDENCE BOUNDARY

Official attempts covered ITEWC procedures, INCOIS Tsunami Ready material, PIB/MoES institutional updates and NDMA guidance. Thin, blocked and transport-failed sources are logged; no universal lead time, inundation figure, recipient count, false-alarm rate or avoided-loss outcome was invented.

COMPLETE TOPIC ASCII MASTER FLOW DIAGRAM

ASCII MASTER FLOW - PANEL 1/12: Tsunami generation chain

SUDDEN WATER DISPLACEMENT
EARTHQUAKE | LANDSLIDE | VOLCANIC ACTIVITY
LONG WAVES -> COASTAL TRANSFORMATION
RUN-UP + INUNDATION + RETURN FLOW

ASCII MASTER FLOW - PANEL 2/12: Coastal-hazard firewall

TSUNAMI -> sudden displacement
TIDE -> gravitational cycle
STORM SURGE -> cyclone wind + pressure
RULE -> different monitoring and response logic

ASCII MASTER FLOW - PANEL 3/12: Source-to-impact matrix

SOURCE -> mechanism depth displacement
PATH -> distance and ocean configuration
COAST -> bathymetry topography land use
OUTCOME -> exposure vulnerability and action

ASCII MASTER FLOW - PANEL 4/12: Detection-confirmation rail

1 SEISMIC EVENT ANALYSIS
2 PRE-RUN MODEL SCENARIO
3 SEA-LEVEL MONITORING
4 UPDATED BULLETIN / THREAT STATUS

ASCII MASTER FLOW - PANEL 5/12: ITEWC authority map

INCOIS / ITEWC -> analysis and advisory
IOTWMS / UNESCO-IOC -> regional framework
STATE / DISTRICT / LOCAL -> protective action
LOCAL AUTHORITY -> all clear

ASCII MASTER FLOW - PANEL 6/12: Warning-uncertainty ladder

PRELIMINARY INFORMATION
MODEL-BASED THREAT
OBSERVATION-INFORMED UPDATE
FINAL / THREAT PASSED -> local all-clear check

ASCII MASTER FLOW - PANEL 7/12: Inundation-to-evacuation map

HAZARD / INUNDATION MAP
-> ZONE + ROUTE + REFUGE + ASSEMBLY
-> ACCESSIBLE TRANSPORT + ACCOUNTABILITY
-> DRILL + FEEDBACK + REVISION

ASCII MASTER FLOW - PANEL 8/12: Coastal protection portfolio

ENGINEERED -> shelters walls breakwaters where justified
NATURAL -> dunes mangroves forests reefs
REGULATORY -> CRZ + risk-sensitive siting
RULE -> layered and location-specific

ASCII MASTER FLOW - PANEL 9/12: Coastal economy continuity

PORT / HARBOUR -> shutdown access reopening
FISHERIES -> boats landing centres markets
TOURISM -> visitor warning signage route
UTILITIES / HOSPITAL -> continuity and safe recovery

ASCII MASTER FLOW - PANEL 10/12: Tsunami Ready cycle

MAP RISK -> EDUCATE -> WARN
EVACUATION MAP + SIGNAGE -> DRILL
EVALUATE INDICATORS -> RENEW READINESS
COMMUNITY RECOGNITION -> NOT NATIONAL CERTIFICATION
MUST REMEMBER: Tsunami risk management links offshore detection, seismic and sea-level...
MUST REMEMBER: Tsunami risk management links offshore detection, seismic and sea-level...

ASCII MASTER FLOW - PANEL 11/12: Trust under uncertainty

THREAT POSSIBLE? -> ISSUE PRECAUTIONARY MESSAGE
NEW DATA? -> UPDATE / UPGRADE / DOWNGRADE
EXPLAIN REASON -> PRESERVE TRUST
LIMITED IMPACT -> NOT AUTOMATIC FALSE-ALARM FAILURE
CLOSE DISTINCTION: Earthquake detection is not tsunami confirmation;...
CLOSE DISTINCTION: Earthquake detection is not tsunami confirmation;...

ASCII MASTER FLOW - PANEL 12/12: Tsunami answer spine

DEFINE DISPLACEMENT -> TRACE SHOALING AND CONSEQUENCE
MAP DETECTION MODEL SEA LEVEL BULLETIN AND AUTHORITY
CONNECT MAP TO EVACUATION BUFFERS PORTS AND LIVELIHOODS
QUALIFY UNCERTAINTY READINESS RECOVERY AND OUTCOME
EVIDENCE LIMIT: MECHANISM / STATUS / CAUSATION: State the issuing agency, bulletin...
EVIDENCE LIMIT: MECHANISM / STATUS / CAUSATION: State the issuing agency, bulletin...