node_5796 node 6059 node_6031 {theNumber:\(\bar{\\$}\) <%=a0%>0:=Activation out <%=a0%> = whenThenElse; 0: {theNumber: Number out, theResult: Number in} 1: Number in 0: Activation out 0: Activation out 0: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} out 2: Number out 0: Activation out 0: Activation out 0: {theNumber: Number out, theResult: Number in} 1: Number in: theNumber 2: Number out: theResult /edge_5797 edge_5798 edge_6047 edge_6053 _edge_6060 edge_6040 edge_6061 1: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} in 0. Activation in 0: Activation in 0: {theNumber: Number in, theResult: Number out} 0: Number out 0: Number in 1: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} inode_5917 node_5977 node_5814 node 5792 apply\$to\$andget\$ node 5794 apply\$to\$andget\$ {theNumber:\$theResult:\$} theInterface.theResult=<%=a0%>; <%=a0%>=theInterface.theNumber; 0: Activation in 0: Activation in edge_6038 edge_6049 | edge_6042 0: {theNumber: Number in, theResult: Number out} 1: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} in 1: {{cond: Boolean, source: Activation} -> {a: Activation, b: Activation}} in 0: Number out 0: Number in 1: Number in 1: Number in edge_5979 edge_6045/ edge_6003 edge_5919 edge_6052 edge_6036 0: Activation in ⅔: Activation in 2/: Activation in node_5874 node 5969 node 5909 node_6057 node_6054 get\$frompreviousandset\$fornext {cond:\$source:\$} {cond:\\$source:\\$} <%=a0%> = isActive; <%=a0%> = boolNot; edge_6009 | edge_5980 edge_6034 $edge_6004$ 0: Activation in 0: ? 1: Number out 1: Boolean in 1: Boolean in 0: {Number -> Boolean} out 0: {Boolean -> Boolean} out 2: Activation in 2: Activation in 1: Number out X: Boolean in 1: Boolean in _edge_6056 \edge_6037 /edge_6058 edge_6011 edge_6007 edge_6032 edge_6046 3: Boolean out 3: Boolean out l': {Boolean -> Boolean} ip *9*: Activation in 1: {Number -> Boolean} in node_5859 apply\$to\$andget\$ 0: Activation in 2: Number in node_5935 0: Activation in node_5973 apply\$to\$andget\$ {a:\$b:\$} 0: ? 1: ? 0: Aetivation in \$=\$ 0: Activation in edge_6055 edge_5920 0: Activation in 1: {Number -> Boolean} in 1: {Boolean -> Boolean} in 1: ? 2: Number in 2: Boolean in 2: Number in 2: Number in 2: ? 2: Number in 3: Boolean out 3: Boolean out 2: Boolean in 2: Number in edge_5974/ _edge_6016 edge_6035 edge_6050 0: Activation in 3: Boolean out 2: Number out 1:{Number -> Boolean} in 2: Number out node_5843 apply\$to\$andget\$ 1: Number o<mark>ut</mark> 0: Activation in edge_6051 edge_5975 0: ? 1: {Number -> Boolean} in 1: Number out 2: Number in 2: Number out 3: Boolean out X: Number out 2: Number in edge_6027 edge_6039 1: Number out node_5827
get\$frompreviousandset\$fornext
0: Activation in
1: Number out node_5913 {a:\$b:\$} 0: ? 1: Number out 0: Activation in 1: Number out 2: Number in 2: Number in 1: Number out | edge_5915 edge_5828 edge_6044 2: Number out 2: Number out 1: Number out /edge_6022 1: Number out ∤: Number out

1: Number out 2: Number in

0: Number in