### Indeterminate Forms

Patrick Chen

Oct 10, 2024

Indeterminate forms are forms where substituting the limit variable will not give an answer.

#### **Indeterminate Fractions**

 $\frac{0}{0}$ 

 $\frac{\alpha}{\alpha}$ 

L'Hospital's rule is a rule that can be used if the numerator and denominator of a fraction are both zero or both infinite.

$$\lim_{x \to a} f(x) = 0 \text{ and } \lim_{x \to a} g(x) = 0$$
or
$$\lim_{x \to a} f(x) = \infty \text{ and } \lim_{x \to a} g(x) = \infty$$
then
$$\lim_{x \to a} \frac{f(x)}{g(x)} = \lim_{x \to a} \frac{f'(x)}{g'(x)}$$

#### Example 1

$$\lim_{x \to \infty} \frac{e^x}{x^2} = \frac{\infty}{\infty}$$

$$\stackrel{H}{=} \lim_{x \to \infty} \frac{e^x}{2x}$$

$$\stackrel{H}{=} \lim_{x \to \infty} \frac{e^x}{2} = \frac{\infty}{2} = \infty$$

## Indeterminate products

 $0\cdot\infty$ 

When a indeterminate product is found, it is often favorable to rewrite it as a fraction.

$$\frac{0}{(\frac{1}{\infty})} = \frac{0}{0}$$

### Example 2

$$\lim_{x \to 0^{+}} xe^{\frac{1}{x}} = 0 \cdot \infty$$

$$= \lim_{x \to 0^{+}} \frac{e^{\frac{1}{x}}}{\frac{1}{x}}$$

$$\stackrel{H}{=} \lim_{x \to 0^{+}} \frac{-\frac{1}{x^{2}}e^{\frac{1}{x}}}{-\frac{1}{x^{2}}}$$

$$= \lim_{x \to 0^{+}} e^{\frac{1}{x}}$$

$$= e^{\frac{1}{0}}$$

$$= e^{\infty}$$

$$= \infty$$

#### Example 3

$$\begin{split} & \lim_{x \to 0^+} x \ln x = 0 \cdot -\infty \\ & = \lim_{x \to 0^+} \frac{\ln x}{\frac{1}{x}} \\ & \stackrel{H}{=} \lim_{x \to 0^+} \frac{\frac{1}{x}}{-\frac{1}{x^2}} \\ & = \lim_{x \to 0^+} (-x) \\ & = 0 \end{split}$$

# **Indeterminate Powers**

$$0^0$$
  $\infty^0$   $1^\infty$ 

Indeterminate powers can be converted into products by applying a logarithm.

$$\lim_{x \to n} a^b = e^{\left(\lim_{x \to n} b \cdot \ln a\right)}$$

#### Example 4

$$L = \lim_{x \to 0^{+}} (1 + \sin 4x)^{\cot x} = 1^{\infty}$$

$$\ln L = \lim_{x \to 0^{+}} \cot x \ln(1 + \sin 4x) = \infty \cdot 0$$

$$\ln L = \lim_{x \to 0^{+}} \frac{\ln(1 + \sin 4x)}{\tan x}$$

$$\ln L \stackrel{H}{=} \lim_{x \to 0^{+}} \frac{\left(\frac{4\cos 4x}{1 + \sin 4x}\right)}{1 + \tan^{2} x}$$

$$\ln L = \frac{\left(\frac{4\cos 0}{1 + \sin 0}\right)}{1 + \tan^{2} 0}$$

$$\ln L = \frac{4}{1}$$

$$\ln L = 4$$

$$L = e^{4}$$