

```

1  (*
2      CS 51 Problem Set
3      Reaction-Diffusion Cellular Automaton
4
5      *****
6      WARNING: If you have photosensitive epilepsy, you should avoid
7      viewing the reaction-diffusion cellular automaton. It exhibits
8      rapidly flashing visual patterns.
9      *****
10 *)
11
12 module G = Graphics ;;
13
14 (* Automaton parameters *)
15 let cGRID_SIZE = 100 ;;      (* width and height of grid in cells *)
16 let cSPARSITY = 5 ;;         (* inverse of proportion of cells initially live *)
17
18 (* Rendering parameters *)
19 let cCOLOR_LEGEND = G.rgb 173 106 108 ;; (* color for textual legend *)
20 let cSIDE = 8 ;;             (* width and height of cells in pixels *)
21 let cRENDER_FREQUENCY = 1    (* how frequently grid is rendered (in ticks) *) ;;
22 let cFONT = Some "-adobe-times-bold-r-normal--34-240-100-100-p-177-iso8859-9"
23
24 type rd_state = float
25
26 (* offset index off -- Returns the `index` offset by `off` allowing
27    for wraparound. *)
28 let rec offset (index : int) (off : int) : int =
29     if index + off < 0 then
30         cGRID_SIZE - (offset ~-index ~-off)
31     else
32         (index + off) mod cGRID_SIZE ;;
33
34 (* rd_update grid i j -- Returns the updated value for cell at `i, j`
35    in the grid based on some simple reaction diffusion rules. *)
36 let rd_update (grid : rd_state array array) (i : int) (j : int) =
37     let neighbors = ref 0. in
38     for i' = ~-1 to ~+1 do
39         for j' = ~-1 to ~+1 do
40             let i_ind = offset i i' in
41             let j_ind = offset j j' in
42             neighbors := !neighbors +. grid.(i_ind).(j_ind)
43         done
44     done;

```

```

45   let norm = !neighbors /. 8. in
46   let reacted = norm -. 12.
47       *. (norm -. 0.1)
48       *. (norm -. 0.5)
49       *. (norm -. 0.9) in
50   let clipped = min 1. (max 0. reacted) in
51   clipped ;;
52
53   (* rd_random_state () -- Returns a random cell state. *)
54   let rd_random_state () =
55       Random.float 1.
56
57   module RDSpec : (Cellular.AUT_SPEC
58       with type state = rd_state) =
59       struct
60         type state = rd_state
61         let name : string = "Turing's RD"
62         let initial : state = 0.1
63         let grid_size : int = cGRID_SIZE
64         let random_state = rd_random_state
65         let update = rd_update
66         let cell_color (cell : state) : G.color =
67             let col = (int_of_float (cell *. 255.)) in
68             if not ( 0 <= col && col < 256 ) then
69                 (Printf.printf "%f -> %d\n" cell col;
70                 raise (Invalid_argument "color out of range"))
71             else
72                 G.rgb col col col
73         let side_size : int = cSIDE
74         let legend_color : G.color = cCOLOR_LEGEND
75         let font : string option = cFONT
76         let render_frequency : int = cRENDER_FREQUENCY
77       end ;;
78
79   module Aut = Cellular.Automaton (RDSpec) ;;
80
81   (*.....
82   Running the automaton and displaying the results
83   *)
84
85   (* main seed -- Runs the automaton using the provided random 'seed'
86       (for replicability), displaying updates to the graphics window. *)
87   let main seed =
88
89       Random.init seed;      (* initialize randomness *)
90       Aut.graphics_init ();  (* ... and graphics window *)

```

```

91
92     let initial_grid = Aut.random_grid () in
93     Aut.run_grid initial_grid ;;
94
95     (* Run the automaton with user-supplied seed *)
96     let _ =
97         if Array.length Sys.argv <= 1 then
98             Printf.printf "Usage: %s <seed>\n  where <seed> is integer seed\n"
99                 Sys.argv.(0)
100         else
101             main (int_of_string Sys.argv.(1)) ;;
102

```