

## List Mutation

The two most common mutation operations for lists are item assignment and the `append` method.

```
>>> s = [1, 3, 4]
>>> t = s # A second name for the same list
>>> t[0] = 2 # this changes the first element of the list to 2, affecting both s and t
>>> s
[2, 3, 4]
>>> s.append(5) # this adds 5 to the end of the list, affecting both s and t
>>> t
[2, 3, 4, 5]
```

There are many other list mutation methods:

- `append(elem)`: Add `elem` to the end of the list. Return `None`.
- `extend(s)`: Add all elements of iterable `s` to the end of the list. Return `None`.
- `insert(i, elem)`: Insert `elem` at index `i`. If `i` is greater than or equal to the length of the list, then `elem` is inserted at the end. This does not replace any existing elements, but only adds the new element `elem`. Return `None`.
- `remove(elem)`: Remove the first occurrence of `elem` in list. Return `None`. Errors if `elem` is not in the list.
- `pop(i)`: Remove and return the element at index `i`.
- `pop()`: Remove and return the last element.

### Q1: Nested Lists

The mathematical constant  $e$  is 2.718281828...

Draw an environment diagram to determine what is printed by the following code.

See the web version of this resource for the environment diagram.

If you have questions, ask them instead of just looking up the answer! First ask your group, and then the course staff.

**Q2: Apply in Place**

Implement `apply_in_place`, which takes a one-argument function `fn` and a list `s`. It modifies `s` so that each element is the result of applying `fn` to that element. It returns `None`.

```
def apply_in_place(fn, s):  
    """Replace each element x of s with fn(x).  
  
    >>> original_list = [5, -1, 2, 0]  
    >>> apply_in_place(lambda x: x * x, original_list)  
    >>> original_list  
    [25, 1, 4, 0]  
    """  
    """  
    """ YOUR CODE HERE """
```

One approach is to use `for i in range(...)` to iterate over the indices (positions) of `s`.

# Immutable Lists

## Q3: Reverse (iteratively)

Write a function `reverse_iter` that takes a list and returns a new list that is the reverse of the original. Use iteration! Do not use `lst[::-1]`, `lst.reverse()`, or `reversed(lst)`!

```
def reverse_iter(lst):
    """Returns the reverse of the given list.

    >>> reverse_iter([1, 2, 3, 4])
    [4, 3, 2, 1]
    >>> import inspect, re
    >>> cleaned = re.sub(r"#.*\n", '', re.sub(r'"{3}[\s\S]*?"{3}', '', inspect.getsource(
reverse_iter)))
    >>> print("Do not use lst[::-1], lst.reverse(), or reversed(lst)!" if any([r in
cleaned for r in ["::", ".reverse", "reversed"]]) else None
    """
    """ YOUR CODE HERE """
```

## Tree Recursion with Lists

To solve this problem, all you need are list literals (e.g., `[1, 2, 3]`), item selection (e.g., `s[0]`), list addition (e.g., `[1] + [2, 3]`), `len` (e.g., `len(s)`), and slicing (e.g., `s[1:]`). Use those!

The most important thing to remember about lists is that a non-empty list `s` can be split into its first element `s[0]` and the rest of the list `s[1:]`.

```
>>> s = [2, 3, 6, 4]
>>> s[0]
2
>>> s[1:]
[3, 6, 4]
```

### Q4: Max Product

Implement `max_product`, which takes a list of numbers and returns the maximum product that can be formed by multiplying together non-consecutive elements of the list. Assume that all numbers in the input list are greater than or equal to 1.

```
def max_product(s):
    """Return the maximum product of non-consecutive elements of s.

    >>> max_product([10, 3, 1, 9, 2])    # 10 * 9
    90
    >>> max_product([5, 10, 5, 10, 5])   # 5 * 5 * 5
    125
    >>> max_product([])                  # The product of no numbers is 1
    1
    """
    """*** YOUR CODE HERE ***"""
```

First try multiplying the first element by the `max_product` of everything after the first two elements (skipping the second element because it is consecutive with the first), then try skipping the first element and finding the `max_product` of the rest. To find which of these options is better, use `max`.

A great way to get help is to talk to the course staff!

## Document the Occasion

Please all fill out the [attendance form](#) (one submission per person per week).