

INFORMATION THEORY

Master of Logic, Master AI, Master CS, University of Amsterdam, 2020

TEACHER: Christian Schaffner

TAs: Maximilian Siemers, Mehrdad Tahmasbi, Sebastian Zur

Practice problem set 1

This week's exercises deal with basic probabilities. You do not have to hand in these exercises, they are for practicing only. During the work session, start with solving the exercises you may be presenting. Work out a full solution on paper/computer and get it approved by the teacher. Make sure that all your team members really understand the solution. Also think about the following questions: What is the point of the exercise? What kind of problems will students encounter when solving this problem? What kind of questions could be asked on Friday? Problems marked with a ★ are generally a bit harder. If you have questions about any of the exercises, please post them in the [discussion forum on Canvas](#), and try to help each other. We will also keep an eye on the forum.

Problem 1: Two dice

Consider an experiment where we throw two fair six-sided dice: a red one and a blue one.

- (a) What is the probability space (Ω, \mathcal{F}, P) for this experiment? What would be the probability space if the dice were both red (i.e. indistinguishable)?
- (b) Let X be the random variable that describes the sum of the two outcomes. Describe its range \mathcal{X} and distribution P_X . What is $P_X(7) = P(X = 7)$?
- (c) Let Y be the random variable that describes the *parity* of the sum, i.e. $\mathcal{Y} = \{\text{even}, \text{odd}\}$. What is $P_{X|Y}(7|\text{odd})$? And $P_{X|Y}(7|\text{even})$?
- (d) Verify that for an arbitrary random variable X , $(\mathcal{X}, \mathcal{P}(\mathcal{X}), P_X)$ is a probability space.

Problem 2: Inverse probabilities (birthday paradox)

What is the probability that two (or more) students in this exercise class have the same birthday? (Assume everybody was born in the same year.)

Problem 3: Events

Let \mathcal{A}, \mathcal{B} be events (subsets of some sample space Ω). Prove the following identities:

- (a) $P[\overline{\mathcal{A}}] = 1 - P[\mathcal{A}]$
- (b) $P[\mathcal{A} \cup \mathcal{B}] = P[\mathcal{A}] + P[\mathcal{B}] - P[\mathcal{A}, \mathcal{B}]$
- (c) $P[\mathcal{A}] = P[\mathcal{A}, \mathcal{B}] + P[\mathcal{A}, \overline{\mathcal{B}}]$

Problem 4: Proof by induction

- (a) Prove by induction on n that for all $n \in \mathbb{N}_+$,

$$\sum_{i=1}^n i = \frac{n(n+1)}{2}.$$

- (b) **Union bound** Prove the union bound for a finite number of events, which states that for arbitrary events $\mathcal{A}_1, \mathcal{A}_2, \dots, \mathcal{A}_n$,

$$P\left(\bigcup_{i=1}^n \mathcal{A}_i\right) \leq \sum_{i=1}^n P(\mathcal{A}_i).$$

- ★ Can you find an exact formula for $P(\bigcup_{i=1}^n \mathcal{A}_i)$?

Problem 5: Probability urn

There are 4 white and 5 black balls in a urn. In the first round, 2 balls are simultaneously drawn. If these two balls have different colors, 3 white balls are added to the urn, if they have the same color, 3 black balls are added. The two balls drawn in the first round are discarded. In a second round, one more ball is drawn. What is the probability that this last ball is white?

Problem 6: Teams and slots

Suppose we have 10 teams labeled T_1, \dots, T_{10} . Suppose they are ordered by placing their names in a hat and drawing the names out one at a time, successively placing them into slots numbered 1 to 10.

- (a) How many ways can it happen that all the odd numbered teams are in the odd numbered slots and all the even numbered teams are in the even numbered slots?
- (b) What is the probability that all even numbered teams end up in even numbered slots?