
CSCI 104L Lecture 2: Recursion

Analyzing recursive functions

```
Exercise 1. How can you analyze something like this?
void recurse (int *A, int size) {
  if (size \ll 1) return;
  //do \ stuff \ (taking \ O(1) \ time)
  recurse (first half of A, size /2);
  recurse (second half of A, size /2);
Exercise 2. Find a recurrence relation, and analyze the runtime:
int binarySearch(int t, int *b, int lo, int hi) {
    if (hi < lo) return -1; //nothing to search, it's not in the array.
    else {
         int mid = (hi+lo)/2; //the middle of the array, rounded down.
         if (t = b [mid]) return mid; //found it!
         else if (t < b[mid]) return binarySearch(t, b, lo, mid-1); //search left.
         else return binarySearch(t, b, mid+1, hi); //search right.
    }
}
Exercise 3. Find a recurrence relation, and analyze the runtime for foo(0, n-1, 0):
int *a;
void foo(int left, int right, int digit) {
  for (int i = left; i \le right; i++) a[i] += digit;
  if (right > left) {
    foo(left, (left+right)/2, 0);
    foo ((left+right)/2+1, right, 1);
}
Exercise 4. Analyze the runtime for the following recurrence relation:
f(n) = 2f(\frac{n}{2}) + \Theta(n\log n)
```

Exercise 5. You have an n dollar debt. Every day, you can either pay 1 or 3 dollars towards that debt. How many different ways are there to pay off your debt?



XKCD # 140 **Delicious**: I'm currently in the I Have Cheese phase of this cycle.

Recursive Definitions

You can define other things recursively, not just functions.

- A string of lower-case letters is either: (1) the empty string, or (2) a letter 'a'-'z' followed by a string of lower-case letters.
- A non-negative integer is either: (1) the number 0, or (2) n+1, where n is a non-negative integer.
- A palindrome is either: (1) the empty string, or (2) a single letter 'a'-'z', or (3) a string xPx, where x is a single letter 'a'-'z', and P is a palindrome.
- A simple algebraic expression is either:
 - 1. A number.
 - 2. A variable.
 - 3. (A+B), where A and B are simple algebraic expressions.
 - 4. (A*B), where A and B are simple algebraic expressions.