

MAKAHIKI AND SGSEAM: A SERIOUS GAME FRAMEWORK FOR
SUSTAINABILITY AND STAKEHOLDER EXPERIENCE ASSESSMENT METHOD

A DISSERTATION SUBMITTED TO THE GRADUATE DIVISION OF THE
UNIVERSITY OF HAWAI'I IN PARTIAL FULFILLMENT
OF THE REQUIREMENTS FOR THE DEGREE OF

DOCTOR OF PHILOSOPHY

IN

COMPUTER SCIENCE

AUGUST 2014

By
Yongwen Xu

Dissertation Committee:

Philip M. Johnson, Chairperson
David Chin
Scott Robertson
Lipyeow Lim
Daniel Port

©Copyright 2014

by

Yongwen Xu

◇ To
my wife
Wen and our son
Christopher: Thanks for
all the love, support, and pa-
tience you have shown me
while I worked on my
Ph.D. It is most
deeply appre-
ciated.

◇

Acknowledgments

This research project could not have been completed without the help of a number of people. My deeply thanks go to Prof. Philip Johnson, who has been my most respectful advisor and mentor for my four fruitful years in the Collaborative Software Development Lab.

I'd also like to thank past and present members of CSDL in chronological order: Robert Brewer, George Lee, Michelle Katchuck, Carleton Moore and Jordan Takayama. Special thanks go to George Lee, who developed the initial version of Makahiki. The Makahiki research project would not have happened without your long hours and hard work.

I would like to thank my committee members Prof. David Chin, Prof. Scott Robertson, Prof. Lipyeow Lim, and Prof. Daniel Port for taking the time to read and evaluate this dissertation.

This research is supported in part by grant IIS-1017126 from the National Science Foundation and the funding from the Center for Renewable Energy and Island Sustainability (REIS).

Abstract

Sustainability education and conservation have become an international imperative due to the rising cost of energy, increasing scarcity of natural resource and irresponsible environmental practices. Over the past decade, running energy and water challenges has become a focal point for sustainability efforts at both university and industry campuses. For example, there are more than 160 college residence hall energy competitions taking place or being planned for the 2010–2011 academic year in North America [20] to engaging students in sustainability issues. Designers of such challenges typically have three choices for information technology: (a) build their own custom in-house solution (as was done at Oberlin College in 2006 [37]); (b) out-source to a commercial provider (as was done at the University of British Columbia in 2011); or (c) use a minimal tech solution such as a web page and manual posting of data and results (as was done at Harvard in 2012).

None of these choices are ideal: the custom in-house solution requires sophisticated design and implementation skills; out-sourcing can be financially expensive and impedes evolution; and the minimal tech solution does not fully leverage the possibilities of advanced information technology.

To provide a better alternative to these three choices, I have led an effort over the past year to design and implement an open source serious game engine for sustainability called Makahiki. Makahiki implements an extensible framework with a variety of common services for developing sustainability games including authentication; game mechanics such as leaderboards, points, and badges; a variety of built-in games and content focused in sustainability, a responsive user interface, cloud-based deployment, and the ability to customize to the needs of individual organizations.

Makahiki lowers the overhead to those who would build a custom in-house solution by providing pre-built components. It can lower the financial cost to those who would out-source by providing an open source alternative. Finally, it provides an opportunity for those who would choose a minimal tech solution to instead provide more sophisticated information technology.

To provide initial evidence regarding the ability of the Makahiki Framework to support sustainability games in different environments, we ran challenges at three organizations in Fall 2012: The University of Hawaii, Hawaii Pacific University, and the East-West Center. While these experiences provided anecdotal evidence for the usefulness of Makahiki, we realized that a more rigorous evaluation of the framework would yield better quality insight into its current quality and requirements for future enhancement.

Upon review of the literature, we found little research or experience with formal framework assessment. To address this, I have embarked on research to design an assessment mechanism for serious game frameworks, called Serious Game Stakeholder Experience Assessment Method (SGSEAM). SGSEAM is designed to provide detailed insight into the strengths and weaknesses of a serious game framework through a stakeholder perspective based approach. In my research, I applied SGSEAM to Makahiki in order to gain better insight into its strengths and weaknesses as a serious game framework.

However, the design of SGSEAM creates another research question: what are the strengths and weaknesses of this assessment method? To answer that question, I applied SGSEAM to another serious game development environment, BuildingOS[29] by Lucid Design Group, to understand the strengths and weaknesses of SGSEAM.

The contributions of my research thus includes: the Makahiki framework for serious games for sustainability; the SGSEAM assessment method, the insights into serious game framework design generated through application of SGSEAM to both Makahiki and another serious game framework, and the insights into framework assessment design in general resulting from the above. I hope this research will be of interest to researchers and practitioners across several disciplines: software engineering, game designers, and sustainability researchers.

Table of Contents

Acknowledgments	iv
Abstract	v
List of Tables	x
List of Figures	xi
1 Introduction	1
1.1 Sustainability Education and Behavior Change	1
1.2 Collegiate dormitory sustainability competition	2
1.3 Serious games and Gamification	2
1.4 Serious game assessment	3
1.5 Research Description	3
1.5.1 Makahiki	4
1.5.2 SGSEAM	4
1.5.3 Evaluation	5
1.6 Outline	5
2 Related Work	6
2.1 Serious Game	6
2.2 Gamification	7
2.3 Serious Games for Sustainability	14
2.4 Serious Game Frameworks	15
2.5 Serious Game Framework Assessment	18
3 Makahiki System Design	19
3.1 Configurable Game Elements	19
3.1.1 Smart Grid Game	19
3.1.2 Power Meter	22
3.1.3 Daily Energy Goal Game	23
3.1.4 Raffle Game	24
3.1.5 Social and Referral Bonuses Game Mechanics	25
3.1.6 Quest Game Mechanics	26
3.1.7 Badge Game Mechanics	26
3.2 Real-time Analytics	27
3.3 Configurable resource	29
3.4 Responsive mobile support	29
3.5 Cloud deployment support	30
4 SGSEAM Design	32
4.1 Overview of SGSEAM	32

4.2	Assessment Methodology	33
4.3	Stakeholder Experience Assessment	34
4.3.1	Player Assessment	36
4.3.1.1	Pre-Post effectiveness study	36
4.3.1.2	Self-reported usability metrics	36
4.3.1.3	Engagement metrics	37
4.3.2	System Admin Assessment	38
4.3.2.1	Post-hoc system admin interview	38
4.3.2.2	In-lab installation study	39
4.3.3	Game Designer Assessment	39
4.3.3.1	Post-hoc game designer interview	39
4.3.3.2	In-lab game design study	40
4.3.3.3	Game design log data analysis	40
4.3.4	Game Manager Assessment	40
4.3.4.1	Post-hoc game manager interview	41
4.3.4.2	In-lab game management study	41
4.3.4.3	Game management log data analysis	41
4.3.5	Game Developer Assessment	41
4.3.5.1	Post-hoc game developer interview	41
4.3.5.2	In-lab game development study	42
5	SGSEAM Evaluation	43
5.1	Makahiki Assessment Overview	43
5.1.1	Real-world Makahiki Instances Case Studies	43
5.1.2	In-lab Makahiki Experiment Case Studies	44
5.2	Makahiki Assessment	44
5.2.1	Player assessment	44
5.2.2	System admin assessment	45
5.2.3	Game designer assessment	47
5.2.4	Game manager assessment	48
5.2.5	Developer assessment	49
5.2.6	Preliminary Results	49
5.3	Lucid Design Dashboard assessment case study	50
5.3.1	Step 1: Identify Stakeholders	51
5.3.2	Step 2: Identify Tasks	51
5.3.3	Step 3: Determine assessment approaches	52
5.3.3.1	Player assessment	53
5.3.3.2	System admin assessment	54
5.3.3.3	Game designer assessment	54
5.3.3.4	Game manager assessment	55
5.3.3.5	Game developer assessment	55
6	Conclusion	57
6.1	Contributions	57
6.2	Future Directions	58
A	Qualitative Feedback Questions	59
A.1	Player effectiveness	59

A.2	Game Designer efficiency	60
A.3	Game Manager efficiency	60
A.4	System admin efficiency	61
A.5	Developer efficiency	61
B	Google Forms for In-lab Evaluation Experiments	62
B.1	System admin Assessment	62
B.1.1	Makahiki Local Installation Log	62
B.1.2	Makahiki Local Installation Log	68
B.2	Game designer Assessment	72
B.2.1	Makahiki Configuration and Management Log	72
C	Makahiki Assessment Report	81
C.1	Makahiki Player Assessment	82
C.2	Makahiki System Admin Assessment	83
C.3	Makahiki Game Designer Assessment	85
C.4	Makahiki Developer Assessment	86
D	In-Game Questionnaire	88
D.1	Promotion and Events	89
D.2	Prizes	91
D.3	Adoption	91
D.4	Website	93
D.5	Gamification	94
D.6	General Feedback	97
	Bibliography	99

List of Tables

<u>Table</u>	<u>Page</u>
4.1 Overview of SGSEAM	35

List of Figures

<u>Figure</u>	<u>Page</u>
2.1 Foldit is solving a serious problem	7
2.2 Nike+ makes fitness run	8
2.3 RibbonHero Helps to Learn Office	9
2.4 Examples of Gameful Design in Every Day Life	9
2.5 Ancient Games Shown in British Museum	10
2.6 Player Types	12
2.7 Gamification is about extrinsic rewards (source: Anderson [1])	12
2.8 Serious Game and Gamification (source: Deterding [13])	13
2.9 Oberlin Energy Competition	14
2.10 Power House (source: Reeves [41])	15
2.11 RecycleBank - Gaming for Good	16
2.12 Building Dashboard (source: Lucid [29])	17
2.13 Stanford Energy Services Platform (source: Stanford [2])	17
3.1 Architecture of Makahiki	20
3.2 <i>Smart Grid Game widget</i>	21
3.3 <i>Power Meter widget</i>	23
3.4 <i>Daily Energy Goal Game widget</i>	24
3.5 <i>Raffle Game widget</i>	25
3.6 Badge widget	27
3.7 Game analytic widgets: User Stats and Energy Goal Status	28
3.8 Configurable resource	29
3.9 Responsive design supports both desktop and mobile	30
3.10 Heroku cloud deployment	31
5.1 Makahiki Developer assessment Form	46
5.2 Status of Makahiki assessment	50
C.1 Makahiki Engagement Metrics	83
C.2 Average time (minutes) for installation steps (n=8)	84
C.3 Makahiki Installation Analysis (n=8)	84
C.4 Average time (minutes) for design tasks (n=8)	86
C.5 Makahiki Game Design Analysis, (n=8)	86

Chapter 1

Introduction

1.1 Sustainability Education and Behavior Change

The rising cost, increasing scarcity, and environmental impact of fossil fuels as an energy source makes a transition to cleaner, renewable energy sources an international imperative. One barrier to this transition is the relatively inexpensive cost of current energy, which makes financial incentives less effective. Another barrier is the success that electrical utilities have had in making energy ubiquitous, reliable, and easy to access, thus enabling widespread ignorance in the general population about basic energy principles and trade-offs. In Hawaii, the need for transition is especially acute, as the state leads the US both in the price of energy (over \$0.30/kWh) and reliance on fossil fuels as an energy source (over 90% from oil and coal).

Moving away from petroleum is a technological, political, and social paradigm shift, requiring citizens to think differently about energy policies, methods of generation, and their own consumption than they have in the past. Unfortunately, unlike other civic and community issues, energy has been almost completely absent from the educational system. To give a sense for this invisibility, public schools in the United States generally teach about the structure and importance of our political system (via classes like “social studies”), nutrition and health (through “health”), and even sports (through “physical education”). But there is no tradition of teaching “energy” as a core subject area for an educated citizenry, even though energy appears to be one of the most important emergent issues of the 21st century.

On the other hand, changing people’s behavior with respect to energy holds significant promise in reducing energy use. Darby’s survey of energy consumption research found that identical homes could differ in energy use by a factor of two or more [11]. Data from a military housing community on Oahu show energy usage for similar homes can differ by a factor of 4 [36].

1.2 Collegiate dormitory sustainability competition

Over the past decade, running energy and water challenges have become a focal point for sustainability efforts at university and industry campuses, to facilitate and incentivize energy and water reduction. Designers of those competitions have had three choices for information technology: (a) build their own custom in-house solution; (b) out-source to a commercial provider; or (c) use a minimal tech solution such as a web page and manual posting of data and results.

Petersen et al. describe their experiences deploying a real-time feedback system in an Oberlin College dorm energy competition in 2005 that includes 22 dormitories over a 2-week period [37]. Web pages were used to provide feedback to students. They found a 32% reduction in electricity use across all dormitories. However, in a post-competition survey, respondents indicated that some behaviors, such as turning off hallway lights at night and unplugging vending machines were not sustainable outside the competition period. Overall, there has been little analysis on energy usage after competitions finish, or how positive behavior changes could be sustained.

The Building Dashboard [29], developed by Lucid Design Group, is used to support Oberlin's dorm energy competition, as well as the Campus Conservation Nationals, a nationwide electricity and water use reduction competition on college campuses [30]. The Building Dashboard enables viewing, comparing and sharing building energy and water use information on the web in compelling visual interface, but the cost of the system creates the barrier for wider adoptions. In addition, the building dashboard solutions focus on providing energy information as a passive media. There is little interaction between participants and the system.

1.3 Serious games and Gamification

Another emergent issue is the explosive spread of game techniques, not only in its traditional form of entertainment, but across the entire cultural spectrum. Games have been shown with great potential as successful interactive media that provide engaging interfaces in various serious contexts [32, 40]. Priebatsch attempts to build a game layer on top of the world with his location-based service startup [38]. The adoption of game techniques to non-traditional areas such as finance, sales, and education has become such a phenomenon that the Gartner Group included "gamification" [13] on its 2011 Hype List.

Reeves et al. described the design of Power House, an energy game that connects home smart meters to an online multiple player game with the goal to improve home energy behavior [41].

In the game, the real world energy data are transformed into a “more palatable and relevant form of feedback”, and players may be incentivized by the in-game rewards to complete more energy-friendly real-world behaviors.

ROI Research and Recyclebank launched the Green Your Home Challenge as a case study of employing gamification techniques online to encourage residential green behavioral changes offline [17]. Working with Google Analytics, the results show a 71% increase in unique visitors and 97% of participants surveyed said that the challenge increased their knowledge about how to help the environment.

1.4 Serious game assessment

One fundamental question in evaluating a serious game or a gamified application is the extent to which the game or application achieves its “serious” purpose. This is quite different from traditional entertainment games. There is an increasing focus on the evaluation methodology in the field of serious games [31] [19]. These approaches focus on evaluation of a single game, as opposed to a game *framework*. One of the benefits of using a game framework is that, if correctly designed, it will provide useful and reusable “building blocks” with which to develop a variety of serious games. Yet how are we to know if a serious game framework has been “correctly designed”?

There exists some assessment tools such as GEQ (Game Engagement Questionnaire)[7], QUIS (Questionnaire for User Interaction Satisfaction)[18]. We found no prior work concerning comprehensive assessment for the particular needs of a serious game framework.

1.5 Research Description

The overall research question that will be investigated is: What forms of information technology infrastructure can support effective and efficient development of serious games for sustainability?

In order to address this research question, I started with two development tasks:

- Develop example IT infrastructure for development of serious games for sustainability.
- Develop an assessment method that provides evidence of the strengths and weaknesses of the IT infrastructure for the development of serious games for sustainability.

1.5.1 Makahiki

We developed an innovative serious game framework for sustainability called Makahiki, as an example IT infrastructure for the development of sustainability challenges. Makahiki explores one section of the design space where virtual world game mechanics are employed to affect real world sustainability behaviors. The ultimate goal of the Makahiki project is not just to affect behaviors during the course of the game, but also to produce long lasting, sustained change in behaviors and outlooks by participants.

Makahiki has a unique feature set intended to foster more rapid innovation and development. These features include: (1) an open source license and development model which makes the technology available without charge and facilitates collaborative development and improvement; (2) support for an “ecosystem” of extensible, interrelated, customizable games and activities; (3) real-time game analytics for research and evaluation; (4) pedagogically organized and extensible learning activities; (5) a responsive user interface supporting mobile, tablet, and laptop displays; and (6) support for deployment to the cloud as an inexpensive option for hosting the competition.

The Makahiki framework had been successfully used in 2012 by three organizations, namely, University of Hawaii at Manoa, Hawaii Pacific University, EastWest Center of University of Hawaii, to implement individually tailored sustainability challenges focusing on energy and water conservation.

1.5.2 SGSEAM

In order to assess the effectiveness and efficiency of IT infrastructure for serious games for sustainability, I designed an assessment method called Serious Game Stakeholder Experience Assessment Method (SGSEAM). In a nutshell, SGSEAM (pronounced “sig-seam”) identifies the most important stakeholders of a serious game framework and provides a method for gaining insight into the strengths and shortcomings of the framework with respect to each stakeholders’ needs. We consider SGSEAM as an assessment method instead of an evaluation method. The main purpose of an evaluation is to “determine the quality of a program by formulating a judgement” [21]. An assessment, on the other hand, is nonjudgmental. SGSEAM does not try to judge a framework according to a standard, instead, it is used to identify the major strengths and shortcomings of a framework so that the community could benefit from the assessment by learning from the strengths and improving the shortcomings.

1.5.3 Evaluation

I applied SGSEAM to Makahiki, as well as another serious game framework, Lucid BuildingOS[29], to gather evidences of the effectiveness and efficiency of Makahiki and BuildingOS, and to gain insight into the strengths and weakness of SGSEAM.

1.6 Outline

The dissertation is organized into the following chapters:

- **Chapter 2** looks at related research, including serious game, gamification, serious game framework, and framework assessment.
- **Chapter 3** describes the design and implementation of the Makahiki system.
- **Chapter 4** describes the serious game framework assessment method SGSEAM.
- **Chapter 5** lists our research questions and explains the plan to evaluate them.
- **Chapter 6** concludes the dissertation with a list of contributions and future directions.
- **Appendix A** contains the questionnaire to be administered to various roles in the evaluation.
- **Appendix B** contains the google forms to be used in the in-lab evaluation experiments.
- **Appendix C** contains an report from the results of the application of SGSEAM to the Makahiki framework.

Chapter 2

Related Work

This chapter examines related research in this area. The related work on serious games and the recent development of gamification is discussed in Section 2.1 and Section 2.2. Section 2.3 looks at the applications of “serious game” in the sustainability context. Finally, Section 2.4 and 2.5 examines the serious game framework and its assessment.

2.1 Serious Game

A Serious game is a complete game designed for a primary purpose other than pure entertainment [50]. It includes categories such as educational games and advergames (advertising), political games, and training game (also known as game-learning). Zyda [56] defines serious game is “a mental contest, played with a computer in accordance with specific rules that uses entertainment to further government or corporate training, education, health, etc”.

One example is Fold.it, which made headlines [23] by using game play to help solve problems that computers cannot solve very well, in this case, online gamers were able to do what biochemists have been trying to do for a decade: decipher the structure of a protein that is key to the way HIV multiplies.

Serious Alternative Reality Game (ARG) is one type of serious game that blends the real and virtual worlds activities in the serious gaming context. Jane McGonigal designed the award winning serious ARG games “World Without Oil” [15] and “Evoke” [51] with the goal to empower people to come up with creative solutions to our most urgent real-world problems. ARGs have also been used to support learning. Connolly et al. discuss the development of an educational ARG to motivate secondary school students across Europe to learn foreign languages [9]. The results of the pilot run of the game in 2009 indicated that 92% of students felt the game motivated students to




Figure 2.1. Foldit is solving a serious problem

learn a second language. One of problems the team identified is the limitation of Moodle platform the game is based on.

The report of the ARGOSI project provides insights to the use of ARGs in game based learning and the challenges in the field of higher education [49]. The pilot was run at the University of Bolton with the aim to provide an engaging alternative to traditional methods of introducing students to university life. The overall up-take of the game was fairly low with 173 players and 23 (13%) of whom were active. The project identifies a number of questions surrounding educational ARGs, such as motivation, relationship to curriculum, marketing and timing. The report suggests that a complete ARG model may not be appropriate for wholesale learning, but there is certainly potential in using game elements.

2.2 Gamification

“Gamification”, as defined in [13], is “the use of game design elements in non-game contexts”. There are many examples of applications that effectively employ game design elements. We will only briefly examine a few here for the purpose of better understanding the gamification concept and how it is utilized across a wide range of everyday life.

Nike+ [35] is a social running game-like application that employs game mechanics to encourage runners - both casual and hardcore - to compete and improve their fitness, with the goal to solve the main problem of most fitness programs: motivation. Nike+ makes it easy for runners to

upload their exercise data to its web site, and start challenging themselves and their friends. They can also get supports from their friends through the web site. The game makes running and exercise fun.



Figure 2.2. Nike+ makes fitness run


RibbonHero [42] is a game that helps users discover new Microsoft Office features in a fun and motivating way. The goal is to have users build familiarity and expose them to the Office UI, so that they understand what kind of features are available. According to the creator of the game, Office “has a lot of powerful features that users might not know but can be really useful”. The game gives users a chance to learn those features in a fun and engaging way, rather than reading the software manuals or watching the typically dry IT training videos.

The “SmartGauge” dashboard for Ford’s hybrid cars, where a digital plant is responding to how energy-efficient the users driving behavior is [22]. The design gives drivers a game like interaction that for them, the game to grow more lush and beautiful leaves, a visual reward, by driving efficiently, desired behavior.

Another example is the “Piano Staircase” created by Volkswagen Sweden and ad agency DDB, installed in a metro station in Stockholm [46]. The design is to make the staircase next to the escalator look and respond like a piano keyboard, so that every step on the stair will generate different piano sounds every time a commuter walked on it. Observation indicates that 66 percent more people chose the staircase over the escalator, a good example of a “Fun Theory” design for persuading and encouraging energy-efficient behavior.




(a) Quest to earn points



(b) Completing a task

Figure 2.3. RibbonHero Helps to Learn Office



(a) Efficiency Leaves



(b) Piano Stair vs. Escalator

Figure 2.4. Examples of Gameful Design in Every Day Life

Why game? Results of a study published in the May 1998 issue of *Nature* [25] demonstrated that video game players experienced regular releases of dopamine during game play. Dopamine is a neurotransmitter that signals pleasure rewards for food, sex and addictive drugs, such as cocaine. This and subsequent studies have proven that playing games stimulates pleasure centers in the brain. People are hard-wired to enjoy games.

In the British Museum's department of Greek and Roman antiquities, there is an exhibition section about ancient games. The description of the exhibition states that "We know very little about how most ancient games were played. Their rules were probably too familiar for people to take the trouble of writing them down". A favorite subject of Greek vase-painters was Ajax and Achilles playing a kind of board game called backgammon as illustrated in Figure 2.5. It is noteworthy that both Ajax and Achilles have the full armor on while playing the game. According to Arthur A. Krentz, Plato's "Republic" described the connection between play and education of both adult and children. He points out that, the term "paideia" (in Greek, means education/culture), "paidia" (means play/game/pastime/sport), and "paides" (means children), have the same root. The three terms often show up in the same context. "The central aim of pedagogy (paidagogia) is to encourage learning as a form of play (paidia), which is the most persuasive and effective approach to learning" [26].



Figure 2.5. Ancient Games Shown in British Museum

In modern day, World of Warcraft (WoW) is a massively multiplayer online role-playing game (MMORPG) with 11.1 million subscribers, currently the world's most popular MMORPG.

More than 50 billion hours have been spent in playing the game since the start of this game in 2004. The players created 250,000 articles in the WoW-Wiki, the second largest wiki behind Wikipedia. On average each WoW-player spends from 17 to 21 hours per week playing WoW.

Nick Yee pointed out that the shared experience, the collaborative nature of most activities makes MMORPG unique. “It’s the people that are addictive, not the game”. “Most importantly, it is the reward of being socialized into a community of gamers and acquiring a reputation within it” [55]. He claimed that “WoW truly is a virtual Skinner box”, smoothly increasing reward and difficulty and reinforcing player commitment along the way [54].

In her popular and inspiring TED talk “Gaming can make a better world” [33] and in her book “Reality is Broken” [32], researcher and game designer Jane McGonigal illustrated why good games make us better, and how they can help us change the world. She notes that currently more than 3 billion hours a week is spent in playing video game by our society, for good reasons. She says that the average gamer plays 10,000 hours of games by age 21. That’s about the same number of hours that students spent in high school and middle school. There are 500 million gamers today, playing on all sorts of platforms from the iPhone to the game consoles. Instead of the common conception that gaming is a waste of time, she argues that “playing games is the single most productive thing we can do with our time” and is the solution to the “Broken Reality”.

In order to understand why people play games, Richard Bartle identified four player personality types by studying players of the Multi-User Dungeon (MUD) game in 1960s [3]. The four types are based on the 2 underlying axes:

1. Achievers: driven by in-game goals, usually some form of points gathering - whether experience points, levels, or money.
2. Explorers: driven to find out as much as they can about the virtual construct - including mapping its geography and understanding the game mechanics.
3. Socializers: use the virtual construct to converse and role-play with their fellow gamers.
4. Killers: use the virtual construct to cause distress on other players, and gain satisfaction from inflicting anxiety and pain on others.

Bartle’s player type model has been the basic for understanding the player motivation. Dan Dixon presented the limitation and misuse of Bartle’s model in general games and gamification contexts [14]. Amy Jo Kim applied the model in her gamification approach by overlaying social actions from the game on top of the player types [24], as shown in Figure 2.8.

There are many debates and criticism over whether gamification itself is inherently good or bad. Many considered the current efforts of gamification focus on extrinsic motivators (such as

current gamification is about extrinsic reward, with points, badges, and levels, gameful design is about intrinsic reward, with positive emotion, relationships, meaning and accomplishment.

Nicole Lazzaro argued that the use of extrinsic rewards will decrease the motivation to use your products and services once you remove that reward [27]. Vockell resonated that in education psychology, extrinsic motivators may lead to short-range activity increase but reduction in long-range interest in a topic. While intrinsic motivators motivate people best when they are working toward personally meaningful goals [48].

Michael Wu argues that extrinsic rewards can jumpstart intrinsic motivation [52]. He claimed that gamification just has to work long enough for some other processes to take over as the primary driver of value. Subsequently, it becomes a secondary reinforcement system.

As we discussed before, gamification's main driving force is motivation. Serious games also try to solve the motivation problem and influence people's behavior. Deterding illustrates the distinctions between gamification, serious games and other related concepts, As shown in Figure 2.15 [13].




Figure 2.8. Serious Game and Gamification (source: Deterding [13])

According to Deterding, a) Gamification is about game. It is different than playful interaction, playful design. b) Gamification uses game elements. It is not the complete game such as a serious game. c) Gamification applies to non-game context. Similar to serious game, it uses game for other purposed than game's normal expected use for entertainment. d) Gamification focuses on design. It is not game-based technology or practice of wider game ecology.

The difference between Gamification and Serious game is not very clear. Both are trying to solve a problem with game thinking. Some reference serious game such as Foldit as a victo-

rious example of gamification in science [4]. Sebastian Deterding’s definition [13] illustrates that gamification are total different than serious game.

2.3 Serious Games for Sustainability

Energy competitions or challenges have been introduced to college dormitories and residential homes as ways to facilitate and incentivize energy reduction. Petersen et al. describe their experiences deploying a real-time feedback system in an Oberlin College dorm energy competition in 2005 that includes 22 dormitories over a 2-week period [37]. Web pages were used to provide feedback to students. They found a 32% reduction in electricity use across all dormitories. However, in a post-competition survey, respondents indicated that some behaviors, such as turning off hallway lights at night and unplugging vending machines were not sustainable outside the competition period. Overall, there has been little analysis on energy usage after competitions finish, or how positive behavior changes could be sustained.




Figure 2.9. Oberlin Energy Competition

Reeves et al. described the design of Power House, an energy game that connects home smart meters to an online multiple player game with the goal to improve home energy behavior [41]. In the game, the real world energy data are transformed into a “more palatable and relevant form

of feedback”, and players may be incentivized by the in-game rewards to complete more energy-friendly real-world behaviors.



Figure 2.10. Power House (source: Reeves [41])

RecycleBank [39] introduced a series of “Green Challenges” that used gaming techniques online to motivate participants to learn about green living and to take small green actions to live more sustainable lives offline. According to their report [17], 49,000 individuals participated in the “Green Your Home Challenges”. Partnered with Google Analytics and ROI research, they found that:

- Gamification can increase awareness of positive environmental actions. 97% of participants surveyed said the game increase their knowledge of environment.
- Games can drive individuals to take positive social and environmental actions. Most participants surveyed indicated they are very or extremely likely to take green actions as a result of participating in the challenge.
- Games are an effective and appealing educational tool. 86% participants agreed online games and contest can be a good way to inform and educate them personally.

2.4 Serious Game Frameworks

Game frameworks (also known as game engines) are “comprised of a collection of different tools, utilities, and interfaces that hide the low-level details of the various tasks that make up a



(a) Green Your Home Challenge

What green actions do you take?	Pre	Post	% +
I turn off the lights	18%	26%	44%
I use CFL/Eco bulbs	28%	38%	36%
I conserve water/energy	34%	45%	32%
I buy local produce	0%	14%	----
I wash clothes in cold water	0%	7%	----

(b) Game Change Behavior

Figure 2.11. RecycleBank - Gaming for Good

game” [43]. One of the benefits of using a serious game framework is that, if correctly designed, it will provide useful and reusable “building blocks” with which to develop a variety of serious games. These building blocks enable the serious game developer to focus more time and thought on content and results instead of on infrastructure.

The examples of game engine includes:

- FPS: Unreal (rendering, physics, AI)
- Mobile: Papaya
- Healthcare: OpenLabyrinth
- Educational storytelling: Fabula

The Building Dashboard [29], developed by Lucid Design Group, is used to support Oberlin’s dorm energy competition, as well as the Campus Conservation Nationals, a nationwide electricity and water use reduction competition on college campuses [30]. The Building Dashboard enables viewing, comparing and sharing building energy and water use information on the web in compelling visual interface, but the cost of the system creates the barrier for wider adoptions. In ad-

dition, the building dashboard solutions focus on providing energy information as a passive media. Besides a scoreboard, There is little interaction between participants and the system.



Figure 2.12. Building Dashboard (source: Lucid [29])

The Stanford Energy Services Platform [2] provides services to benefit the creations of energy efficiency program and research. The services include data storage, recommendation system, user registration and participation assignment, surveys and analytics. It had been utilized to support the implementation of several Stanford's energy saving projects. such as Power House, Power Down, Energy Calculator.




Figure 2.13. Stanford Energy Services Platform (source: Stanford [2])

2.5 Serious Game Framework Assessment

One fundamental question in evaluating a serious game is the extent to which the game achieves its “serious” purpose. This is quite different from traditional entertainment games, in which evaluation focuses on usability or playability [44]. In the field of serious games, there is an increasing focus on the methodology of game evaluation [31]. De Freitas and Oliver describe a four dimensional framework [12] for evaluating an educational game, consisting of: the context, the pedagogy, the representation, and the learner (or player). Hartevelde proposes an alternative approach called “Triadic Game Evaluation” [19], consisting of three perspectives: Reality, Meaning, and Play.

The above approaches focus on evaluation of a single game, as opposed to a game *framework*. Game frameworks (also known as game engines) are “comprised of a collection of different tools, utilities, and interfaces that hide the low-level details of the various tasks that make up a game” [43]. One of the benefits of using a serious game framework is that, if correctly designed, it will provide useful and reusable “building blocks” with which to develop a variety of serious games. These building blocks enable the serious game developer to focus more time and thought on content and results instead of on infrastructure. Yet how are we to know if a serious game framework has been “correctly designed”?

There exists some assessment tools such as GEQ (Game Engagement Questionnaire)[7], QUIS (Questionnaire for User Interaction Satisfaction)[18]. We found no prior work concerning comprehensive assessment for the particular needs of a serious game framework.

Chapter 3

Makahiki System Design

Makahiki represents research intended to create synergy between the need to create knowledge and engagement regarding energy and the ability of so-called “serious game” techniques and energy feedback to create participation and engagement [13, 11, 16, 37]. In Makahiki, online game mechanics are employed with the goal of affecting real-world energy behaviors [6]. The ultimate goal is not just to affect energy behaviors during the course of the game, but also to produce long lasting, sustained change in energy behaviors and outlooks by participants. Figure 3.1 illustrates the architecture of Makahiki.

Makahiki consists of a configurable game engine that can be customized to the needs of different organizations. It includes a library of pre-built game “widgets” that implement a variety of game mechanics. Using the widgets, an organization can create a custom energy challenge in which players can compete individually and/or in teams to earn the most points by reducing their energy consumption as well as by learning about energy concepts in general. The next sections present some of the most important widgets in Makahiki.

3.1 Configurable Game Elements

3.1.1 Smart Grid Game

The Smart Grid Game widget shown in Figure 3.2, is the primary place players go to learn about sustainability issues and earn points. Actions are organized into a grid of squares (hence the name “Smart Grid”) and organized by category columns. The game supports levels so that a large number of actions can be presented in a sequence of smaller grids. Each grid contains four different types of actions: activities, commitments, events, and excursions.




Figure 3.1. Architecture of Makahiki




Figure 3.2. *Smart Grid Game* widget

Activities are the most basic actions available in the Smart Grid. In order to get points for an activity, a player will have to provide a response to the administrators. These responses can be a short textual answer or an uploaded picture. Administrators access a special section of the web application to approve or deny submissions. If a submission is approved, the player will receive points, as well as website notification about the approval. If a submission is rejected, the player will be sent a website notification informing them that their submission was not approved, and a textual description by the administrator of why it was rejected. The player can change and resubmit their response and still earn the full point value for that activity.

Commitments are pledges that the player will do something related to energy or sustainability for a period of five days. Examples include: reducing shower time, taking the stairs, and turning off the lights when leaving a room. Although these commitments are not verifiable, they are public and visible to other players in the same team and worth fewer points than activities. Fur-

thermore, a player is limited to five active commitments at any given time. After the five day period is up, the player can then declare that they completed the commitment and immediately earn their points. They can then sign up for another commitment, including the one they just completed.

Events and excursions are tied to real world activities. Events are held locally while excursions require transportation. Seating is limited, so players are asked to sign up for events or excursions they wish to attend. Players that do so are provided with a 2 point signup bonus. Players can also set up a reminder that is sent to their email and/or their mobile phone before the event takes place. At the event, an administrator will hand out attendance codes printed on slips of paper that can be entered on the website. These attendance codes are generated by Makahiki and can only be used once. To discourage players from signing up and not attending, a 2 point penalty is applied to players who do not submit an attendance code. If the player submits an attendance code for the event after receiving this penalty, the penalty is reversed.

Not all of the actions and levels in the Smart Grid Game are necessarily available at the start of the game. We provide a set of predicates that can be used to determine if an action or level is locked or unlocked for a player. These predicates include: completed a certain number of actions within a category, completed all actions within a category, completed a certain action, and unlocking of an action or level after a certain date.

These predicates are implemented using a limited subset of Python and can be changed within the administrative interface. Challenge designers can use logical operators to combine any of these functions in order to organize the players' path through the Smart Grid Game.

3.1.2 Power Meter

A fundamental requirement for enabling more active participation by consumers in the smart grid is feedback regarding their energy usage. One of the most simple mechanisms provided by Makahiki for this purpose is the Power Meter widget, illustrated in Figure 3.3.

The Power Meter widget provides basic feedback on energy consumption via a display of the team's power consumption, updated every few seconds. The visualization can be normalized using baseline values so that when the needle is pointing straight up, the power consumption is the average for that team during that specific hour of that specific day of the week. Thus, if the needle leans left toward the green side, the team's power consumption at that moment in time is below average, while if the needle leans right toward the red side, the team's power consumption at that moment in time is above average.




Figure 3.3. *Power Meter widget*

The Power Meter widget obtains its values by querying the WattDepot system for the latest power data consumed by the associated team. The use of WattDepot, rather than directly querying the meter(s), simplifies the widget design significantly. First, the physical meters can vary significantly in the protocol implemented to obtain current power consumption. These protocol variations are handled by the WattDepot sensors, so this widget can simply query the WattDepot server using a single HTTP request that is independent of the physical meter characteristics. Second, the power consumed by a team might be measured by one or multiple meters. Again, the WattDepot source aggregation capability means that this physical difference can be abstracted away by WattDepot, enabling the widget to obtain the aggregate power for the team through a single HTTP request.

The Power Meter widget is a useful, though simple mechanism for energy feedback that uses the WattDepot+Makahiki stack. The next section presents a more sophisticated mechanism called the Daily Energy Goal Game.

3.1.3 Daily Energy Goal Game

The Daily Energy Goal Game widget provides a way for players to earn points by reducing their current energy consumption from a baseline. This baseline can be calculated using historical data or dynamically throughout the competition. Both the baseline data and the current consumption

is typically provided by API calls from Makahiki to an underlying WattDepot server. Figure 3.4 illustrates this widget.




Figure 3.4. *Daily Energy Goal Game widget*

The goal for each team is typically a percent reduction from their baseline usage. When a player goes to the energy page of Makahiki, they can view their team's current progress toward their daily energy goal. Near the end of the day, Makahiki checks the energy data from Wattdepot to see if a floor reached their goal. If the floor did reach their goal, each member of the floor that is participating in the game receives points. The energy goal game provides a link between the energy conservation competition and the point competition.

The Daily Energy Goal display shows both their current progress and their goal so far. We have noticed that our participants use more energy at night rather than during the day. Thus, it is easy to be under their actual energy goal for most of the day and then jump over the goal at the very end. Displaying their progress toward the goal so far provides a pace for players to follow.

3.1.4 Raffle Game

The Raffle Game widget provides a way to incentivize participation from all individuals, even those who are not in the running for a top prize. For every 25 points a player earns, they receive

one virtual raffle ticket. Players can dynamically allocate their tickets to any raffle prizes they are interested in at any time, up to the end of the raffle. Figure 3.5 shows an example of the Raffle Game.

Round 2 Raffle Game					
Your total raffle tickets: 5 Allocated right now: 2 Available: 3					
Prize	Value	Your tickets	Total tickets	Current odds	Change ticket allocation
Recycled bike	\$200.00	1	2	50.0%	+1 -1
UH t-shirt (1)	\$28.00	1	1	100.0%	+1 -1
Outback card	\$25.00	0	0	0.0%	+1 -1
Smart strip (2)	\$25.00	0	0	0.0%	+1 -1
Smart strip (1)	\$25.00	0	0	0.0%	+1 -1
Down to Earth card	\$25.00	0	0	0.0%	+1 -1

Figure 3.5. *Raffle Game widget*

Each round of the competition has its own set of raffle prizes and any unused raffle tickets carry over to the next round. Raffle tickets are independent from a player's score, and allocating a raffle ticket does not affect their rank. The system provides random selection of the winner of each raffle item at the end of a round.

3.1.5 Social and Referral Bonuses Game Mechanics

The Social and Referral Bonus widgets are the game mechanics that help encourage participation by providing additional points to players who participate in activities with other players, and facilitate the entry of new players into an energy challenge.

The social bonus is an configurable option when an action is created in the Smart Grid Game. Players earn extra points if they perform the action with another player. Examples of actions

with a social bonus include attending an event, recording a song related to energy, or measuring a shower water flow rate. When a player submits a response for an action with a social bonus, the player can provide the email address of the person who jointly completed the action. Once the other player completes the action, the social bonus is awarded. Social bonuses are not bi-directional; if the second player doesn't provide the first player's email address, only the first player will get the social bonus.

Players are led through a setup process when logging into Makahiki for the first time. One of the steps in this process is the referral bonus. If a player was referred by another player in the system, they can use this step to input their email address. Once the new player earns a certain number of points in the competition, both players are awarded a referral bonus of a configurable number of points. Typically, going through the setup process gives you 25 points, so setting a point threshold of 30 points encourages the new player to at least complete one additional action in order to get the referral bonus.

3.1.6 Quest Game Mechanics

One challenge we faced when designing Makahiki was providing adequate help to the player. The game needed to be intuitive, even if a new player is not familiar with energy challenges. Unlike many web applications, such as email, Makahiki players generally do not know in advance what specific actions they wish to accomplish. In an effort to provide a player with guidance through Makahiki after the setup process, we implemented the Quest Engine. Quests are used to guide the player through the various workflows of the site, such as completing a action, signing up for an event, or allocating a raffle ticket. These quests can be created using the administrative interface. Quests use a set of predicates to determine unlock and completion conditions. These predicates include: participating in a action or type of action, completing an action or type of action, having a certain number of points (in a round or overall), completing a certain number of actions in a category or of a given type, being awarded a badge, and adding a picture to their profile.

3.1.7 Badge Game Mechanics

Makahiki provides the popular badge game mechanics that could be used to motivate and engage players to interact with the game in different ways. The badge mechanics is implemented in a customizable way which game designers could create as many badges as they like. The badge









My Badges	
Badge	Achievement
 Novice	Finish any five actions successfully.
 Three Peater	Visited the site 3 days in a row.
 Six Peater	Have visited the site six days in a row.
 Nine Peater	Have visited the site nine days in a row.
 Super Committed	Have committed to five commitments simultaneously.
 Level 1 Master	Have completed all Level 1 non-event/excursion actions.
 Level 2 Master	Have completed all Level 2 non-event/excursion actions.
 Super Social	Have received the social bonus five times.
See Badge Catalog	

Figure 3.6. Badge widget

could be triggered by certain award condition, which is defined by the flexible predicative system in Makahiki. Figure 3.6 shows an example of the badges available in the Makahiki system:

3.2 Real-time Analytics

Makahiki is designed to support energy challenges involving hundreds or thousands of users lasting weeks or months. In these circumstances, effective use of the technology requires the ability to understand the state of the game, such as: Who is using it? What are they doing? What is the player response to activities, commitments, excursions, and events? Such state information is important for planning purposes, such as assessing the transportation needs for an upcoming excursion by seeing how many players signed up. It can also be used for making in-game changes to




Figure 3.7. Game analytic widgets: User Stats and Energy Goal Status

game design, such as changing the point values associated with activities to encourage or discourage participation. It can also help identify breakdowns in game play, such as significant numbers of unallocated raffle tickets indicating that users do not understand the nature of that game mechanic.

To address these needs and others, Makahiki includes a variety of widgets that work together to provide high level overview of game play state to the administrators of a challenge. Figure 3.7 shows an example of two game analytic widgets.

The top widget, User Stats, shows trends in the total number of players, the total number of new users, and the total number of players visiting the site each day. The bottom widget provides information on the ability of teams to achieve their daily energy goal each day and over time.

3.3 Configurable resource

In Makahiki, different resources can be tracked and configured. The admin interface is built in to support the configuration of different resources. Makahiki supports three kinds of resources: energy, water, waste, which have different attributes. Some resource data can be obtained automatically from smart meters, while some resource data has to be input manually. In the case of manually data entry, the time of manual entry can be configured as well. Figure 3.8 shows the Makahiki admin interface to configure the resources.

Select resource setting to change

Home > Resource_mgr > Resource settings

Action: Go 0 of 3 selected

<input type="checkbox"/> Name	Unit	Winning order
<input type="checkbox"/> energy	kWh	Ascending
<input type="checkbox"/> water	gal	Ascending
<input type="checkbox"/> waste	ton	Descending

Change water goal setting

Home > Resource_goal > Water goal settings > WaterGoalSetting object

Team:

The team which this goal is related to.

Goal percent reduction:

The goal percentage of reduction.

Goal points:

The amount of points to award for completing a goal.

Baseline method:

The method of calculating the baseline.

Data storage:

The storage service of the usage data.

☒ Manual entry

Manually enter the data?

Manual entry time: Now

The time for manual data entry.

(a) Supported resource types

(b) Manual resource

Figure 3.8. Configurable resource

3.4 Responsive mobile support

We believe that mobile support is essential for this kind of sustainability challenge, especially for the new generation players. Makahiki implemented the responsive web design technology to support multiple devices, to enhance the players experience. Figure3.9 shows the responsive interface in Makahiki that supports both desktop view and mobile view with the same code base.





Figure 3.9. Responsive design supports both desktop and mobile

3.5 Cloud deployment support

Another feature we implement in Makahiki is the ability to deploy to the Cloud platform. Cloud computing has the advantage of simplify IT administration by eliminating the need of acquiring the hardware, installing software etc, thus lower the cost of the software deployment. Figure 3.10 shows a screen shot of the Dashboard showing the 2012 East West center Kukui challenge deployed in the Heroku, one of the cloud platform provider. The monthly cost for the IT infrastructure in this instance is fairly affordable.

heroku dashboard

[Apps](#)
[Add-ons](#)
[Documentation](#)
[Support](#)


kukulcup-ewc

Open Application

Resources

Activity

Collaborators

Settings

Dynos

celeryd

0


\$0.00

web

1


\$0.00

Add-ons




Heroku Postgres Basic :: Ivory

\$9.00




Heroku Postgres Dev :: Orange

Free




Heroku Scheduler Standard

Free




Memcache 5MBs

Free




New Relic Standard

Free



PG Backups Auto - One Month Retention

Free



Papertail Chokled

Free

+

Get Add-ons

Apply Changes

Est. monthly cost

\$9.00

Figure 3.10. Heroku cloud deployment

Chapter 4

SGSEAM Design

This chapter describes the design of my proposed Serious Game Stakeholder Experience Assessment Method (SGSEAM). It starts with the overview of SGSEAM, followed by the discussion of assessment methodology, and the details of the proposed assessment method.

4.1 Overview of SGSEAM

The goal of SGSEAM is to identify (a) major strengths of a serious game framework, which aids the community by indicating features of the framework to emulate, and (b) major shortcomings of the framework, which aids the community by indicating features to avoid. The target audiences of SGSEAM are the developers of the serious game framework.

The approach that SGSEAM uses is to assess the experiences of various important stakeholders when they interact with the serious game framework. In the full life cycle of a serious game framework there are a great variety of potential stakeholders, including:

- **Players:** those who participate in the game produced by the framework.
- **System admins:** those who install and maintain the technological game infrastructure.
- **Game designers:** those who design the content and game mechanics. They include content experts, instructional designers, etc.
- **Game managers:** those who manage the game during the period of game play.
- **Game Developers:** those who use the game framework to customize, extend and enhance their games.

- **Researchers:** those who are conducting research using the game framework.
- **Spectators:** those who do not participate in the game play but are interested in the game and the results of game play.
- **Community partners:** those who partner with the game organizers to help run the game (such as coordinating real-world events as part of the game, providing support for energy data collection if the serious game requires energy data, etc)
- **Funding organizations:** the organizations who provide funding for the game or game framework.

The scope of SGSEAM is to assess serious game frameworks as software infrastructure. While the overall success of a serious game depends on the individual success of all of these stakeholders, SGSEAM only assess the experiences of the players, system admins, game designers, game managers, and game developers, which are closely related to software infrastructure.

The following sections describe the methodology used in SGSEAM, followed by the detailed description of assessment methods for each identified stakeholder.

4.2 Assessment Methodology

Creswell [10] categorizes research methods into three approaches: quantitative, qualitative, and mixed methods, according to what knowledge claims are being made and how knowledge is acquired. Quantitative method reflects a post-positivist paradigm where hypotheses are specified *a priori* and tested by experimental design. Qualitative method reflects a constructivist or participatory paradigm where knowledge would be acquired by observation and open-ended design. SGSEAM employs the mixed methods approach which based on pragmatic knowledge claims and assumption that collecting diverse types of data provides better understanding of the research problem: assessing the strengths and shortcomings of a serious game framework.

In SGSEAM, the concurrent triangulation strategy described in Creswell's mixed method approach is used. Data collection and analysis involves both quantitative information (instrument and analytical data recorded by the system such as website logs, interaction database, etc), as well as qualitative information (interviews and questionnaire responses).

4.3 Stakeholder Experience Assessment

SGSEAM follows closely with the "Goal-Question-Metric" (GQM) approach [8] in software engineering research. GQM defines a software measurement model on three levels: a goal of the measurement, a set of questions to assess the goal, and a set of metrics associated with each question. There are many metrics related to user experiences [47], SGSEAM focus on the metrics that is useful to provide insights about the strengths and weaknesses of a serious game framework.

In SGSEAM, the assessment goals are the experiences of the identified stakeholders. For each stakeholder, a set of questions is used to assess the strengths and shortcomings from the stakeholder's perspective. For each question, a set of alternative assessment approaches is proposed.

The following describes the three steps in using SGSEAM to assess a serious game framework:

- ***Step 1: Identify all the potential stakeholders of the framework and categorize them as SGSEAM stakeholders.***

For each stakeholder, identify the population, the name and contact if possible. For example, the player stakeholder could be identified as the users interact with the game interface, perform certain tasks given by the interface, or winning the prize. It is important to be able to contact the stakeholders in some way, either via email or phone, to get the feedback from their experiences with the framework.

- ***Step 2: For each stakeholder, identify the important tasks which interact with the framework.***

For example, the players interact with the game interface; the system admins install, backup, monitor the software system; the game designers create the content for the game and design what game mechanics to used; the game managers manage the game during the game period; and the game developers develop enhancement, customization using the framework.

- ***Step 3: Determine the appropriate assessment approaches for each stakeholder.***

The appropriate assessment approaches should be determined according to the resource available. Sometimes it is impossible or really hard to implement a certain approach. The more approaches applied, the higher confidence of the assessment can be achieved. The following sections describe in detailed the different approaches for each stakeholder. Each assessment approach describes what data to collect, how to collect the data and how to analyze the data to

obtain insights about the strengths and weaknesses of the framework from each stakeholder's perspective.

Table 4.1 provides the different approaches of the assessment method for each stakeholder:

Stakeholder	Assessment Goal	Assessment approaches
Players	To what extent does the framework affect players? To what extent does the framework engage players?	Pre-Post effectiveness study, Self-reported usability metrics, Engagement metrics
System admins	How easy is it to install and maintain the system?	Post-hoc system admin interview, In-lab installation study
Game designer	How easy is it to design a game?	Post-hoc game designer interview, In-lab game design study, Game design log data analysis
Game managers	How easy is it to manage a game?	Post-hoc game manager interview, In-lab game management study, Game management log data analysis
Game Developers	How easy is it to enhancing the system?	Post-hoc game developer interview, In-lab game development study

Table 4.1. Overview of SGSEAM

There are usually multiple assessment approaches for a specific question. The approaches listed above can be generally categorized into in-vivo and in-vitro assessments. The in-vivo approaches, such as pre-post test, in-game surveys and interviews, assess the real world instance of the game. The in-vitro approaches use in-lab experiments in a simulated environment. Different assessment approaches will have different levels of rigor or validity. For example, the in-lab experiments (in-vitro) can enlist several subjects to perform the same pre-defined tasks and collect comparable data in a more controlled setting, while in-game surveys or interviews in the in-vivo

approach typically collect data from different settings but the data reflect the real world interaction between the stakeholders and the framework.

The details of the individual assessment approach for each stakeholder are described in the following sections. These approaches for each stakeholder can be additive. The more approaches applied, the higher confidence of the assessment for the stakeholder.

4.3.1 Player Assessment

The goal of player assessment is to determine the effectiveness of the game framework from player's perspective. It is essential that a game produced by a serious game framework could achieve its intended "serious" purpose. The intended purposes of serious games are always subject specific. For example, the desired effect of a serious game for energy education and conservation is to increase players' energy literacy and reduce their energy consumption during (and, hopefully, after) the game. A serious game for language learning would have a very different desired effect.

4.3.1.1 Pre-Post effectiveness study

Users of SGSEAM could use domain-specific questions to assess the desired effects of their serious game. For example, the following question could be used to assess a serious game for sustainability education: To what extent does the game increase player's literacy in sustainability?

One approach to assess the question of the effectiveness is a quasi-experimental pre-post study. A set of survey questionnaires can be presented to a random selection of the players before the game (pre-test). After the game ends, the same survey (post-test) is presented to the players who responded the pre-test survey. These two sets of survey response data are compared to understand if the game has had an impact on the survey subjects. The extent of the changes reflected in the survey result could indicate the degree of effectiveness of the serious game for this subject.

Other measurements, for example, the energy consumption data in an energy challenge serious game, could be collected before and after the game to determine the extent of changes that may be caused by the participation in this serious game.

4.3.1.2 Self-reported usability metrics

Another approach for assessing the players' experience is to interview players about their self-reported experience with the game. The interview could be administered via a face-to-face conversation or through an online survey. We found that the online survey is more cost effective than

face-to-face conversation. In additions, the online survey could be potentially implemented as part of an activity inside the game, as in the case of the Kukui Cup serious game.[5]. Some of the sample interview questions are included in the followings:

Open-ended questions:

- What did you like most about the website/game?
- What did you found confusing?
- What issues did you have while using the site/game?
- What was the thing you liked the least about the site/game?
- What can we do to improve the site/game?

Close-ended questions with Likert scale from "Strong disagree" to "Strongly agree":

- It was easy to find what I was looking for on the website
- The website was responsive
- The website provided adequate help in teaching me how to play
- I understood how to play
- this is something my friends should participate in

4.3.1.3 Engagement metrics

Player engagement is an important measure for understanding the effectiveness of a serious game. By investigating the degree of engagement, we can determine to what extent individuals are participating in the game, as well as to what extent the community population is participating in the game. On the other hand, engagement has a subtle relationship to the overall effectiveness of a serious game. It is possible for the game to be played by only a subset of the target population, but have an impact on those not playing by virtue of their contacts with players. Gaining better insight into this diffusion effect could be an interesting research area.

To obtain engagement data, SGSEAM analyzes the following measures based upon system log data provided by the framework:

- participation rate
- number of players per day
- play time of a player per day
- submissions of all player per day

- social interaction of all player per day
- website errors per day

The participation rate measures the percentage of users who used the game based on the total eligible players. In the serious game context, it indicates the level of involvement or awareness of the serious matters. The number of players and play time per day measure how frequently the players interact with the game. The submissions per day measures the rate of serious game specific activities (online or real world) that players completed, while the social interaction per day measures the rate of social interactions happened in the game between the players. At last, the website errors per day measures the rate of errors encountered by the players while using the game website. In general, with the opposite of website error measurement, the higher value these measurements are, the higher engagement level the game has.

4.3.2 System Admin Assessment

System administrators are responsible for installing and maintaining the software infrastructure for the game. Their tasks include the framework and dependency installation, maintain the database, backups, and so forth.

4.3.2.1 Post-hoc system admin interview

One approach to assess the question of how easy it is to install and maintain the system is a post-hoc interview. The actual system admin(s) are asked about their experience after their installation in the production system. The interview includes the following questions:

- How much time did you require to install the system and the dependencies?
- How much time did you require to maintain the system?
- What problems did you encounter?
- Did you find it difficult to admin the system? What was difficult?

After the interview data is acquired, the assessor will perform qualitative data analysis, which involves transcribing (if the interview data is in audio format), categorizing and coding the description of reported problems or difficulties.

4.3.2.2 In-lab installation study

Another approach to assess the question is to use an in-lab experimental study. A group of system admins will be asked to install the system, record the time spent and problem encountered as they complete each step. The qualitative data (i.e., the descriptive problems reported by the participants of the study) will need to be categorized and coded. The assessor will triangulate the reported time data and the problem categories to identify the area of strength (less time spent) and weakness (problems and difficulties).

The level of confidence of the above two assessment approaches varies. The experimental study approach is more rigor because of the generality achieved from the larger population of participants under study. The data collected during the step by step experimental study is more accurate than the one collected in the post-hoc interview.

4.3.3 Game Designer Assessment

A game designer uses the serious game framework to design and create a serious game. A serious game framework always provides certain tools or interfaces to game designers with the hope that these will simplify the design of a game. Such tools might involve configuring global settings for the game, such as how long will the game run, who are the players, and how to design individual game elements.

SGSEAM assesses the game designer stakeholder by addressing the following two questions: (a) How much time is required to design an instance of a serious game using the framework? and (b) How many, and how problematic are the errors that designers encounter during the design process?

There are three approaches for game designer assessment:

4.3.3.1 Post-hoc game designer interview

One approach is to interview the actual game designer(s) after they had completed the design in a production system. The following questions will be asked:

- How much time did you spend to complete each design task?
- What problems did you encounter?
- Did you find it difficult to configure? What was difficult?

- Did you find it difficult to design a specific game? Which one, and what was difficult?

The interview data will be transcribed (if audio recording), categorized and coded to identify the strengths and weaknesses.

4.3.3.2 In-lab game design study

Another approach is an in-lab experimental study, where a group of participants is asked to use the system to perform a same set of design tasks. The time spent and problems encountered are recorded for each task. The assessor will triangulate the reported time data and the problem categories to identify the strengths and weaknesses.

4.3.3.3 Game design log data analysis

A third approach is to collect the system log data related to the game designing tasks. When available, the time spent and error encountered can be queried from the system logs. Although these system generated data might be easier to gather in some systems, it might not provide the same depths or insights than the other two approaches where the experiences are provided by the participants directly. On the other hand, these system data can be supplemental to the other approaches. They could be correlated with the data gathered from the other assessment approaches to increase the confidence of the assessment.

4.3.4 Game Manager Assessment

A game manager uses the serious game framework to manage the serious game that the game designers created. It is possible that a game manager is also the game designer. Serious game frameworks normally provide certain interfaces for the managers to manage the game. This may involve managing player submissions, monitoring the game state, entering manual resource data, notifying winners of the game, etc.

SGSEAM assesses the game manager stakeholder with the following questions: (a) How much time is required to manage an instance of a serious game using the framework? and (b) How many, and how problematic are the errors that managers encounter during the design process?

Similar to the assessment of game designer experience, SGSEAM proposes three approaches.

4.3.4.1 Post-hoc game manager interview

The post-hoc interview approach gather data from the game manger(s) by asking the following questions:

- How much time did you spend to complete each managing task?
- What problems did you encounter?
- Did you find it difficult to manage? What was difficult?

4.3.4.2 In-lab game management study

The experimental study approach gather data from a group of participants about the time spent and problems encountered for each task of managing the serious game.

4.3.4.3 Game management log data analysis

The log data analysis collects system log data related to the game managing tasks. The time spent and error encountered can be deducted from the system log and reveals strengths and weaknesses of the game managing interface.

4.3.5 Game Developer Assessment

The game developer stakeholder is different from the game designer stakeholder, in that the game designer stakeholder tailors the framework without requiring any software development, while the game developer stakeholder enhances, corrects, and extends the system by manipulating code.

To investigate how easy it is to understand, extend, and debug a serious game framework from a developer's perspective, SGSEAM assesses how much time it takes to develop an enhancement to the game framework, and how many errors are encountered during the process.

4.3.5.1 Post-hoc game developer interview

This assessment approach is accomplished by interviewing the actual developer(s) to answer the following questions:

- How much time did you spend developing a customization using the game framework?

- What problem(s) did you encounter?
- Did you find it difficult to understand, extend and debug the system? What was difficult?

4.3.5.2 In-lab game development study

The experimental study assessment approach asks a group of developers to develop a same set of enhancements to the system, and ask them to record the time spent to develop and problems encountered during the development.

Similarly, the descriptive data will be categorized and coded. The time data will be correlated to the problem data to identify the areas of strength and weakness.

Chapter 5

SGSEAM Evaluation

This chapter describes the experimental design for two assessment tasks: (1) applying the SGSEAM described in [Chapter 4](#) to the Makahiki system described in [Chapter 3](#), (2) applying the SGSEAM to a second IT infrastructure for serious games for sustainability. The goals of these assessments are: (a) obtain insights about the strength and weakness of the Makahiki serious game framework we designed and implemented, (b) obtain insights about the strength and weakness of the second serious game framework, (c) obtain insights about the strength and weakness of SGSEAM.

5.1 Makahiki Assessment Overview

The design of assessment of Makahiki using SGSEAM involve: (1) case studies of Makahiki instances in real-world, namely the three Kukui Cup serious games deployed in University of Hawaii at Manoa, Hawaii Pacific University, and East West Center of Hawaii. (2) in-lab experiment of assessing Makahiki system by the students taking the serious game development course in the University of Hawaii at Manoa.

5.1.1 Real-world Makahiki Instances Case Studies

Using the Makahiki as the IT infrastructure, the first and second Kukui Cup Energy challenges at the University of Hawaii were held in 2011 and 2012 for over 1,000 first year students living in the residence halls. Hawaii Pacific University (HPU) held a Kukui Cup Energy challenge in Fall 2012 for about 200 students. An international organization called the East-West Center (EWC) held a Kukui Cup Energy and Water challenge for the international residents living in the residence halls without smart meters, so the resource consumption data had to be entered by the game managers manually.

The successful creation of serious game challenges by three different organizations provides evidence that the Makahiki serious game engine can be tailored to the differing needs of separate organizations. First, UH uses smart meters by Electro-Industries Inc., while HPU uses smart meters by EGauge Inc., and EWC collected their energy data manually. Second, while UH and HPU challenges involved only energy consumption data, the EWC challenge involved both energy and water consumption data (which was also collected manually). Third, the IT infrastructure at UH and HPU provided authentication services using CAS and LDAP, while EWC used the built-in Django authentication. Fourth, the user interface was customized to “brand” each challenge with the logo, thematic elements, and the education contents of the sponsoring organizations.

5.1.2 In-lab Makahiki Experiment Case Studies

In Spring 2012, Professor Philip Johnson at the Information and Computer Science Department of University of Hawaii used Makahiki to teach a course in serious game development. The students were seniors or graduate students majoring in computer science related fields. During the course, the students installed Makahiki, designed a serious game instance with Makahiki, and developed an enhancement to the Makahiki system.

These students participated in the assessment experiments of Makahiki, in the aspects of system admin efficiency, game designer efficiency and developer efficiency. The participation is voluntary. This is considered as an in-lab experiment since they are evaluating Makahiki in a class setting and using Makahiki in the development environments.

5.2 Makahiki Assessment

This section describes in details the application of SGSEAM to assess Makahiki using the settings described above.

5.2.1 Player assessment

I plan to apply the SGSEAM player assessment mechanism to the 2011 real-world Kukui Cup instance at the University of Hawaii at Manoa to study the player’s experience with the Makahiki framework. There are over 1000 eligible players for this instances. They are the first year college student living in four similar structured resident halls in close vicinity. The challenge lasted for 3 weeks. Makahiki system recorded detailed logging data from every interaction between the players and the website.

To assess the effectiveness of the framework for designing games that improve player literacy in sustainability, we conducted two energy literacy surveys, one before the challenge (pre-game) and one after the challenge (post-game). SurveyGizmo is used to create the surveys which consists of the set of sustainability literacy and behavior questionnaires. The response from the two surveys are analyzed to provide insights about the player's literacy and behavior change.

To assess the effectiveness of the framework for designing games that produce positive change in sustainability behaviors, we recorded and analyzed energy consumption data before, during and after the challenge. Before the challenge, an energy usage baseline was established. The energy consumption data is examined to understand any usage pattern or reduction during and after the challenge.

To assess the usability of the game produced by the Makahiki framework, we conducted the in-game usability survey. The survey asked the questions about the players' experience about the user interface of the game. The response from the survey is analyzed to provide insights about the game usability.

In addition to the surveys and energy data measurement, the following engagement metrics will be calculated based on the log data to assess the engagement level of the instance:

- active participation rate
- number of players per day
- average session time
- submissions per day
- level of social engagement
- website errors

5.2.2 System admin assessment

There are two approaches described in SGSEAM to assess the game designer's experience: One is the experimental case study that uses the in-lab experiments, another is the interview of the system admin of a real world instance.

In the in-lab experiments, the students in the ICS691 Spring 2013 class were tasked with installing the Makahiki system into their local computers as well as the cloud environment. In order to understand how much time it takes to install the Makahiki and what problems might be

encountered, I design a Google form which details the steps of installing Makahiki both locally and in the cloud, and for each step, I ask the students to record the time they spent and the problems they encountered.

Figure 5.1 illustrates a partial google form used for Makahiki system admin assessment.

Appendix B includes the complete google form.

Makahiki Local Installation Log

Please follow the steps outlined in this form to install Makahiki locally (including Virtualbox Linux Guest) and log the time you spent for each step.

Please choose the closest value from the list that best matches the time you spent during the installation.

Thank you!

* Required

2.1.1.1.1.2. Install Python *

Complete the "Install Python" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/latest/installation-makahiki-unix.html#install-python>), record the time you spent for this section only:

Record any problem(s) you encountered when installing Python:

2.1.1.1.1.3. Install C Compiler *

Complete the "Install C Compiler" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/latest/installation-makahiki-unix.html#install-c-compiler>), record the time you spent for this section only:

Record any problem(s) you encountered when installing C compiler:

Figure 5.1. Makahiki Developer assessment Form

The students were also asked to provide feedback about their installation experiences in the form of blog post. In the blog post, I ask them to discuss the following topics:

- What is the most difficult step during installation?
- What problems did you encounter during the installation?
- Have you install any database, web server or similar server products prior to this assignment?
Are those installations for development or production purpose?

- If you have experience installing other servers before, How does your prior experience of installing other servers compare to the installation of Makahiki?
- What could be improved about the Makahiki installation process?
- Compare your experience of installing Makahiki in Heroku with installing it locally,

The qualitative data collected from the google form response and the blog post from the students will be analyzed to gain insights into how easy it is to install Makahiki, and what contributes to the efficiency of the installation.

In order to gain insights on the experience of a real world system admin who uses the Makahiki, I plan to perform interviews to the system admins of the 2013 Hawaii Pacific University (HPU) challenges.

I will analyze qualitative data collected from the interviews and email changes. The data include:

- time taken to install the Makahiki
- time taken to maintain the Makahiki, such as backup, monitoring
- problems encountered

5.2.3 Game designer assessment

There are also two approaches described in SGSEAM to assess the game designer's experience: One is the experimental case study that uses the in-lab experiments, another is the interview of the game designer of a real world instance.

The students in the in-lab experiments were tasked to design a Kukui Cup like serious game using Makahiki. I designed another google form to ask students to follow the designing steps and record their time and problem encountered during their designing process. [Appendix B](#) has the complete google form for the steps the students need to follow.

The students were asked to provide feedback about their installation experiences in the form of blog post to discuss the following topics:

- What is the most difficult step during Challenge Design?
- What problems did you encounter while designed the challenge?
- What problems did you encounter while managing the challenge?

- What could be improved for the Makahiki Challenge Design process?
- What could be improved for the Makahiki Challenge Management process?

I plan to perform interviews to the real world game designers of the 2013 Hawaii Pacific University challenges. We will ask him about his game designing experiences using the Makahiki admin interface.

I will analyze both the qualitative data collected from the interviews and email changes with the game designers, and the quantitative collected from the admin interface log data. The qualitative data includes:

- How much time did you spend to configure the challenge global settings?
- how much time did you spend to setup the player data?
- how much time did you spend to design the individual games?
- What problem did you encountered?
- Did you find it difficult to configure? what is difficult?
- Did you find it difficult to design a specific game? which one, what is difficult?
- What did you like the least when using the system?

The quantitative data includes:

- time taken to configure the challenge with regarding to different designing tasks
- problems encountered in the log file

5.2.4 Game manager assessment

I plan to perform interviews to the real world game managers of the 2013 Hawaii Pacific University challenges to study the experience of the game management using Makahiki.

I will analyze both the qualitative data collected from the interviews and email changes with the game managers, and the quantitative collected from the admin interface log data. The qualitative data includes:

- How much time did you spend to approving the action submissions?

- How much time did you spend to monitoring the game status?
- How much time did you spend to notifying prize winners?
- What problem did you encountered?
- Did you find it difficult to manage? what is difficult?
- What did you like the least when using the system?

The quantitative data include:

- time taken to manage the challenge with regarding to different managing tasks
- problems encountered in the log file

5.2.5 Developer assessment

The students in the in-lab experiment are tasked with developing an enhancement to the Makahiki instance. This involves setting up the development environment, following the tutorial to create the "Hello world" widget using Makahiki, and finally, develop the enhancement which extends the functionality of the Makahiki system.

The students are asked to submit their development source code to the public source code repository (Github) and write a blog post to discuss their efforts to complete the development activity.

I will review their source code to compare their code to the reference implementation, analyze the blog post from the students, as well as any email correspondence from students discussing problems during the development.

5.2.6 Preliminary Results

At the time of the writing of this proposal, I had completed some of the assessments of Makahiki using SGSEAM. The following **Figure 5.2** provides the overview of the status of completed work and the proposed work for applying SGSEAM to Makahiki.

Appendix C describes the results of the completed assessments of applying SGSEAM to Makahiki.

Stakeholder	Assessment	Completed	Proposed work
Players	Pre Post effective- ness study	UH KC 2011 Fall	
Players	Self-reported usability metrics		UH KC 2014
	Engagement met- rics		UH KC 2014
System admins	In-lab installation study	ICS691 2013 Spring	
	Post-hoc system admin interview		HPU KC 2013 Fall
Game designers	In-lab game design study	ICS691 2013 Spring	
	Post-hoc game de- signer interview		HPU KC 2013 Fall
Game managers	In-lab game man- agement study	ICS691 2013 Spring	
	Post-hoc game manager interview		HPU KC 2013 Fall
Developers	In-lab game devel- opment study	ICS691 2013 Spring	
	Post-hoc game de- veloper interview		UH 2014 Spring

Figure 5.2. Status of Makahiki assessment

5.3 Lucid Design Dashboard assessment case study

This section describes the proposed approach to assess the Lucid BuildingOS and BuildingDashboard using the Serious Game Stakeholder Experience Assessment Method (SGSEAM). Lucid BuildingOS and BuildingDashboard provides the software framework to create energy competitions that engage the building occupants to become active participants in energy management [29]. The goal of SGSEAM assessment is to identify the major strengths and shortcomings of the

framework from the perspectives of user experiences of major stakeholders. The benefits of this assessment are for the developers of the framework to learn from the findings of the assessment and identify any actionable improvements.

5.3.1 Step 1: Identify Stakeholders

Identify the person(s) that use Lucid BuildingOS and BuildingDashboard system and categorize them into SGSEAM stakeholders.

- **Player:** residents living in the buildings which are participated in the competition
- **System admins:** IT staffs who are responsible for setting up and maintain the software infrastructure for the competition.
- **Game Designers:** Competition organizers who design/configure the competition to achieve the sustainability goal. They may include content experts, instructional designers, etc.
- **Game Managers:** Competition organizers who is responsible for running the competition They may include Residential Life staff, Sustainability Coordinator
- **Game Developers:** Software developers who use the game framework to customize, extend and enhance their games.

It is desirable to identify the stakeholder persons from different competitions using the same version of the software. For example, many schools will participate in the Campus Conservation National (CCN) 2014. They will use the BuildingOS and BuildingDashboard to create their own competitions. We could select stakeholders from several competitions and use SGSEAM to assess the experiences from them. The more data we collect, the more insights we get.

5.3.2 Step 2: Identify Tasks

For each stakeholder, identify the tasks that interact with the building OS and building dashboard.

Player: Interact with the building dashboard interface including:

- go to the homepage of the competition website
- actively look up information about the consumptions of one or several buildings
- actively look up standings, prizes

- actively participate in the commitments
- actively participate in the social sharing

System admin: Set up and maintain the software infrastructure:

- install the software
- configuring connectivity with building smart meters if available
- backup the data
- monitor the performance
- scaling the system
- patching

Game designer: Design the competition:

- Before the competition: use BuildingOS interface to configure and design the competition:
 - decide competition period
 - set up participant building information (occupancy, energy related LEED certification, manual or automated meters)
 - decide baseline period
- During the competition: monitor competition state, looking up scoreboard info and analytics

Game manager: Manage the competition:

- enter the data manually in the case of manual meters (at least twice weekly)
- manage real world activities, such as events, marketing, handing out prizes
- monitor competition state, looking up scoreboard info and analytics

Game Developer: Use the game framework to customize, extend and enhance their games:

- use API to get data in and/or out of the system
- customize the interface
- extend the system to support new meters
- enhancement

5.3.3 Step 3: Determine assessment approaches

Determine the appropriate assessment approaches for each stakeholder and carry out the assessment.

5.3.3.1 Player assessment

1. pre-post study: One of the goals of the competition is (but not limited to) energy consumption reduction. To assess the effectiveness of this goal, we will need to determine the metrics that may be measured before and after the competition to determine the effect of the competition.

Lucid Dashboard calculates percentage of reduction of energy consumption for each participated building, based on the baseline usage of the previous two weeks. We could use this metrics at the end of the competition to assess this aspect of the effectiveness of the competition with the respective to the players.

2. self-reported metrics: We could conduct a player survey during or after the competition. A number of players (minimum of 20) could be randomly selected to participate in this survey. The survey could be administrated online via tools such as survey monkey. We could design the survey questionnaire as the following:

Open-ended questions:

- What did you like most about the website?
- What did you found confusing?
- What issues did you have while using the site?
- What was the thing you liked the least about the site?
- What can we do to improve the site?

Close-ended questions with Likert scale from "Strong disagree" to "Strongly agree":

- It was easy to find what I was looking for on the website
- The website was responsive
- I understood how to play
- this is something my friends should participate in

Once the survey is created online, the survey administrator could send it out via emails to the selected players with the link to the online survey and the instruction to fill out the survey online. The survey result will be analyzed to understand the player's experience with the competition interface.

3. engagement metrics: This approach will gather the website usage data, which requires detailed logging of user interaction within the website. These logging includes http web server logs

and/or user action logs which identify every user click on the web page. By using this website usage data, we could calculate the following metrics:

- number of players per day
- play time of a player per day
- commitment submissions of all player per day
- social interaction of all player per day
- website errors per day

Distribution of the above metrics across of the period of the competition could provide insights on the extent of engagement in different time of the competition. For example, it may be typical that the first few days of the competition may have higher engagement metrics because of the launch. Another example of engagement metrics spur could be an announcement of an interesting real-world event.

5.3.3.2 System admin assessment

Due to the cost of recruiting testing subjects and set up the experiments, in-lab experiment assessment may not be appropriate in our case. Instead, we recommend to system admin interview approach. Once we identify the contact info of the system admin of the system, the interview could be administrated by using an online questionnaire form followed by an optional phone interview if needed. We could design the interview with the following questionnaire:

- How much time did you spend to install the system and the dependencies?
- How much time did you spend to configure the meters?
- How much time did you spend to maintain the system such as backup, patching, monitoring?
- Did you need to scale the system? if Yes, how much time did you spend?
- What problems did you encounter?
- Did you find it difficult to admin the system? What was difficult?
- Do you agree for us to call you for a short phone interview if we have more questions regarding your experience with the system?

5.3.3.3 Game designer assessment

Similar to system admin assessment, we choose interview approach for game designer assessment. The interview could be administrated by using an online questionnaire form followed by an optional phone interview if needed. Several game designers of different competitions could

be contacted for this interview. The more data we collect, the more insights we get. The interview could be designed with the following questionnaire:

- How much time did you spend to set up the buildings including meters?
- How much time did you spend to setup the competition (competition periods, baseline period, participants)?
- How much time did you spend to setup the homepage by deciding which widgets to include?
- How much time did you spend to monitor analytical data to understand the state of the game
- What problems did you encounter?
- Did you find it difficult to use the interface? What was difficult?
- Do you agree for us to call you for a short phone interview if we have more questions regarding your experience with the system?

5.3.3.4 Game manager assessment

Similar to game designer assessment, we choose interview approach for game manager assessment. The interview could be administrated by using an online questionnaire form followed by an optional phone interview if needed. Several game managers of different competitions could be contacted for this interview. The more data we collect, the more insights we get. The interview could be designed with the following questionnaire:

- How much time did you spend to enter the meter data manually for the baseline period?
- How much time did you spend to enter the meter data manually for the competition period?
- What problems did you encounter?
- How much time did you spend to monitor analytical data to understand the state of the game
- Did you find it difficult to manage? What was difficult?

5.3.3.5 Game developer assessment

BuildingOS and Dashboard may have APIs for developing apps to tie into the framework. We could use the API to develop an extension or customization of the system, for example, create a new widget to be available in the home page, or support the automated energy data collection from a new type of meter.

We could ask developer(s) to implement such enhancement or customization, using the APIs provided by the framework. The developers could be Lucid internal developers or some one

outside of Lucid. After the developers completes the task, we will interview the developers to assess his experience for this development task. The interview could be designed with the following questionnaire:

- How much time did you spend developing the customization using the game framework?
- What problem(s) did you encounter?
- Did you find it difficult to understand, extend and debug the system? What was difficult?

Chapter 6

Conclusion

This research investigates the information technology infrastructure that can support effective and efficient development of serious games for sustainability. The research includes the development of an innovative serious game framework for sustainability that combining education and behavior change, and an assessment method accessing the effectiveness and efficiency of the IT infrastructure for serious games for sustainability with regarding the most important stakeholder's perspective.

6.1 Contributions

The contributions of this research are:

- Makahiki: open source information technology for development of serious games for sustainability.
- SGSEAM: an assessment method for assessing serious game framework.
- Evidence regarding the effectiveness and efficiency of Makahiki as a framework for development of serious games for sustainability.
- Evidence regarding the effectiveness and efficiency of a second system (BuildingOS) as a framework for development of serious games for sustainability.
- Insights into the strengths and weaknesses of the assessment method.

6.2 Future Directions

There are a variety of directions that can be pursued once this research is complete, such as:

- Evaluate the other stakeholders experiences
- Build a community to expand content and game library for Makahiki
- Scale and expand Makahiki to support other geographical and cultural different locations.

Appendix A

Qualitative Feedback Questions

This appendix lists the questions that assess stakeholders' experiences with the IT infrastructure for serious games for sustainability. The questions are separated into sections based on the stakeholder's role.

A.1 Player effectiveness

The following questionnaires are administrated to the players who participated in the game:

1. Do you find the game engaging to play?

Text field for answer.

2. What did you like **most** about the website?

Text field for answer.

3. What did you like **least** about the website?

Text field for answer.

4. Did you change you behavior during the game? if so, how?

Text field for answer.

A.2 Game Designer efficiency

The following questions are asked during the interviews to the game designers:

5. Did you find it difficult to design the smartgrid game, or other games? if so, how?

Text field for answer.

6. What problem did you encounter in design and configuring the game?

Text field for answer.

7. What do you like the least of the system?

Text field for answer.

A.3 Game Manager efficiency

The following questions are asked during the interviews to the game managers:

8. What problem did you encounter in managing the game?

Text field for answer.

9. How often and what info do you look at the status page?

Text field for answer.

10. Is it easy to approve the game action submissions?

Text field for answer.

11. What do you like the least of the system?

Text field for answer.

A.4 System admin efficiency

The following questions are asked during the interviews to the system admins:

- 12.** What problem did you encounter in installing and maintaining the system?

Text field for answer.

- 13.** What were your greatest challenges in setting up the system?

Text field for answer.

- 14.** Did you have to shutdown the system for maintenance? if so, for what reason, and for how long?

Text field for answer.

- 15.** What do you like the least of the system?

Text field for answer.

A.5 Developer efficiency

The following questions are asked during the interviews to the developers:

- 16.** How long did it take you to develop a new game / enhancement?

Text field for answer.

- 17.** What is the most difficult part of learning the system?

Text field for answer.

- 18.** What is the most difficult part of developing a new game?

Text field for answer.

- 19.** What is the most difficult part of developing the enhancement to the system features?

Text field for answer.

- 20.** what are the problems you encountered during env setup, develop, testing

Text field for answer.

Appendix B

Google Forms for In-lab Evaluation Experiments

This appendix lists the google forms that are used by the students voluntarily participated in the in-lab assessment experiments for system admin and game designer experiences.

B.1 System admin Assessment

There are two forms to assess the system admin efficiency.

B.1.1 Makahiki Local Installation Log

Please follow the steps outlined in this form to install Makahiki locally (including Virtualbox Linux Guest) and log the time you spent for each step. Please choose the closest value from the list that best matches the time you spent during the installation.

Thank you!

* Required

2.1.1.1.2. Install Python *

Complete the "Install Python" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/latest/makahiki-unix.html#install-python>), record the time you spent for this section only:

- 0 minute (come with the OS install)
- 5 minutes

- 10 minutes
- 30 minutes
- 1+ hour

Record any problem(s) you encountered when installing Python:

2.1.1.1.3. Install C Compiler *

Complete the "Install C Compiler" section in Makahiki Local Installation Manual(<http://makahiki.readthedocs.org/en/latest/makahiki-unix.html#install-c-compiler>), record the time you spent for this section only:

- 0 minute (come with the OS install)
- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem(s) you encountered when installing C compiler:

2.1.1.1.4. Install Git *

Complete the "Install Git" section in Makahiki Local Installation Manual(<http://makahiki.readthedocs.org/en/latest/makahiki-unix.html#install-git>), record the time you spent for this section only:

- 0 minute (come with the OS install)
- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem(s) you encountered when installing Git:

2.1.1.1.5. Install Pip *

Complete the "Install Pip" section in Makahiki Local Installation Manual(<http://makahiki.readthedocs.org/en/latest/installation-makahiki-unix.html#install-pip>), record the time you spent for this section only:

- 0 minute (Already installed from previous assignments)
- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem(s) you encountered when installing Pip:

2.1.1.1.6. Install Virtual Environment Wrapper *

Complete the "Install Virtual Environment Wrapper" section in Makahiki Local Installation Manual(<http://makahiki.readthedocs.org/en/latest/installation-makahiki-unix.html#install-virtual-environment-wrapper>), record the time you spent for this section only:

- 0 minute (Already installed from previous assignments)
- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record the problem you encountered when installing virtual environment wrapper:

2.1.1.1.7. Install Python Imaging Library *

Complete the "Install Python Imaging Library" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/latest/installation-makahiki-unix.html#install-python-imaging-library>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem(s) you encountered when installing Python imaging library:

2.1.1.1.1.8. Install PostgreSQL *

Complete the "Install PostgreSQL" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/makahiki-unix.html#install-postgresql>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem(s) you encountered when installing PostgreSQL:

2.1.1.1.1.9. Install Memcache *

Complete the "Install Memcache" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/makahiki-unix.html#install-memcache>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem(s) you encountered when installing Memcache:

2.1.1.1.10. Download the Makahiki source *

Complete the "Download Makahiki source" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/latest/makahiki-unix.html#download-the-makahiki-source>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record the problem you encountered when download the Makahiki source:

2.1.1.1.11. Workon Makahiki *

Complete the "Workon Makahiki" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/latest/makahiki-unix.html#workon-makahiki>), record the time you spent for this section only::

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem(s) you encountered when activating Makahiki virtual environment:

2.1.1.1.12. Install required packages *

Complete the "Install required packages" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/latest/makahiki-unix.html#install-required-packages>), record the time you spent for this section only:

- 5 minutes
- 10 minutes

- 30 minutes
- 1+ hour

Record any problem(s) you encountered when Installing required packages:

2.1.1.1.13. Setup environment variables *

Complete the "Setup environment variables" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/latest/makahiki-unix.html#setup-environment-variables>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record the problem you encountered when setting up environment variables:

2.1.1.1.14. Initialize Makahiki *

Complete the "Initialize Makahiki" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/latest/makahiki-unix.html#initialize-makahiki>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem(s) you encountered when initializing Makahiki:

2.1.1.1.15. Start the server *

Complete the "Start the server" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/latest/makahiki-unix.html#start-the-server>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered when starting the server:

2.1.1.1.16. Verify that Makahiki is running *

Complete the "Verify that Makahiki is running" section in Makahiki Local Installation Manual (<http://makahiki.readthedocs.org/en/latest/installation-makahiki-unix.html#verify-that-makahiki-is-running>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered when verifying that Makahiki is running:

Your UH email: *

B.1.2 Makahiki Local Installation Log

Please follow the steps outlined in this form to install Makahiki on Heroku and log the time you spent for each step. Please choose the closest value from the list that best matches the time you spent during the installation.

Thank you !

* Required

2.1.1.2.1. Install Heroku *

Complete the "Install Heroku" section in Makahiki Heroku Installation Manual (<http://makahiki.readthedocs.org/en/latest/installation-makahiki-heroku.html#install-heroku>), record the time you spent for this section only:

- 0 minute (Already installed from previous assignments)
- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem(s) you encountered when installing Heroku:

2.1.1.2.2. Add your SSH keys to Heroku *

Complete the "Add your SSH keys to Heroku" section in Makahiki Heroku Installation Manual (<http://makahiki.readthedocs.org/en/latest/installation-makahiki-heroku.html#add-your-ssh-keys-to-heroku>), record the time you spent for this section only:

- 0 minute (Already installed from previous assignments)
- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered when adding your SSH keys to Heroku:

2.1.1.2.3. Verifying your Heroku account *

Complete the "Verifying your Heroku account" section in Makahiki Heroku Installation Manual (<http://makahiki.readthedocs.org/en/latest/installation-makahiki-heroku.html#verifying-your-heroku-account>), record the time you spent for this section only:

- 0 minute (Already installed from previous assignments)

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered when verifying your Heroku account:

2.1.1.2.4. Setup Amazon S3 *

Complete the "Setup Amazon S3" section in Makahiki Heroku Installation Manual (<http://makahiki.readthedocs.org/en/latest/makahiki-heroku.html#setup-amazon-s3>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered when setting up S3:

2.1.1.2.5. Setup environment variables *

Complete the "Setup environment variables" section in Makahiki Heroku Installation Manual (<http://makahiki.readthedocs.org/en/latest/makahiki-heroku.html#setup-environment-variables>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered when setting up environment variables:

2.1.1.2.6. Download the Makahiki source *

Complete the "Download the Makahiki source" section in the Makahiki Heroku Installation Manual (<http://makahiki.readthedocs.org/en/latest/installation-makahiki-heroku.html#download-the-makahiki-source>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered when download the Makahiki source:

2.1.1.2.7. Initialize Makahiki *

Complete the "Initialize Makahiki" section in the Makahiki Heroku Installation Manual (<http://makahiki.readthedocs.org/en/latest/installation-makahiki-heroku.html#initialize-makahiki>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered when initializing Makahiki:

2.1.1.2.8. Start the server *

Complete the "Start the server" section in the Makahiki Heroku Installation Manual (<http://makahiki.readthedocs.org/en/latest/installation-makahiki-heroku.html#start-the-server>), record the time you spent for this section only:

- 5 minutes
- 10 minutes

- 30 minutes
- 1+ hour

Record any problem you encountered when starting the server:

2.1.1.2.9. Verify that Makahiki is running *

Complete the "Verify Makahiki is running" section in the Makahiki Heroku Installation Manual (<http://makahiki.readthedocs.org/en/latest/installation-makahiki-heroku.html#verify-that-makahiki-is-running>), record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered when verifying that Makahiki is running:

Your UH email: *

B.2 Game designer Assessment

There is one form to assess the game designer efficiency.

B.2.1 Makahiki Configuration and Management Log

Please follow the steps outlined in this form to configure and manage Makahiki, and log the time you spent and problems encountered for each step. Record the time you actually spent doing the tasks by choosing the closest value from the list that best matches the time you spent. The Makahiki manual referenced below may use the local instance 127.0.0.1 as the example. For this assignment, you should use the Makahiki instance you deployed in Heroku instead of your local instance.

Thank you !

* Required

0. Update your Heroku Makahiki instance *

Read the "Updating your Makahiki instance" section in Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/makahiki-heroku.html#updating-your-makahiki-instance>). Follow the instructions to update your Heroku instance with any changes from the Makahiki Git repository. Record the time you spent for this step only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem(s) you encountered in this step:

1. Getting to the challenge design page *

Read the "Getting to the challenge design page" section in Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/design.html#getting-to-the-challenge-design-page>). Then go to the challenge design setting page of your Heroku instance. Record the time you spent for this step only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem(s) you encountered in this step:

2. Design the global settings *

Read the "Design the global settings" section in Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/challenge-design-name-settings.html>). In your Heroku instance, change the "Name" of the challenge and the

”Logo” fields to ones of your choosing. Test that your change is in effect by checking the Logo image and label at the top of any page. Record the time you spent for this step only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

3. Design the teams *

Read the ”Design the teams” section in Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/challenge-design-teams-settings.html>). In your Heroku instance, add a new team called ”Lehua-C” with the same group membership as the other teams in the default instance. Record the time you spent for this step only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

4. Set up users *

Read the ”Set up users” section in Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/challenge-design-players-settings.html>). Add two new users of your choosing to the team ”Lehua-C”. Make sure you assign the players to their team by going to the user’s profile link. Test your changes by logging in as one of the new players, and verifying that the player is on the right team. Record the time you spent for this step only:

- 5 minutes

- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

5. Specify the games to appear in your challenge *

Read the "Specify the games to appear in your challenge" section in Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/design-game-admin-enable-disable.html>). Disable the "Water Game", and leave the other games enabled. You should see that the "Drop Down" page disappears from the top navigation bar. Record the time you spent for this step only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

6. Learn about how to design the resource goal games *

Read the "Design the Resource Goal Games" section in the Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/design-game-admin-resource-game.html>). Record any questions or confusion that arises from reading this section:

6.1. Configure the Energy Goal Game for your new team *

Change the energy goal setting for the team "Lehua-C" to use manual data, and specify a time for the manual data input time. Test your changes by logging in as a player of Lehua-C, then go to "Go Low" page. You should see the calendar view of the daily energy goal game instead of the stop light visualization. Record the time you spent for this step only:

- 5 minutes

- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

7. Learn about how to design Smart Grid Games *

Read the "Design the Smart Grid Game" section in the Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/design-game-admin-smartgrid-game.html>). Record any questions or confusion that arises from reading this section:

7.0. Design on paper *

The default installation defines a Smart Grid Game (SGG) with 3 levels. For this task, design a new Level 4 that extends the existing SGG. Level 4 will have a total of four actions: 3 new actions (Activity, Event, Commitment) that you create yourself, and one old action that you choose from the existing library of actions in the default installation. Design Level 4 with a 2x2 grid layout, including 2 categories of your choice. For this step, you will only design your Level 4 on a piece of paper or a spreadsheet, as described in Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/challenge-design-game-admin-smartgrid-game.html#designing-your-smart-grid-game>). Specify the unlock conditions for each action to achieve some kind of unlocking sequence("path"), such as depending on the completion of other actions. Record the time you spent in this step:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

7.1. Create a Level *

Add a new level "Level 4", with priority higher than Level 3, and some unlock condition depending on some actions from Level 2. Record the time you spent for this step only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

7.2 Create a new Activity action *

Create a new activity action with your own content. Make the content meaningful. Fill in the required fields. You will also specify the level (should be level 4), category (your choice), as well as the unlock condition field, which determines the action "path" of your SGG design as described in step 7.0. Record the time you spent for this step only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

7.3 Create a new Event action *

Create a new event action with your own content. Make the content meaningful. Fill in the required fields. You will also specify the level field (should be level 4), category field (your choice), as well as the unlock condition field, which determines the action "path" of your SGG design as described in step 7.0. Record the time you spent for this step only:

- 5 minutes
- 10 minutes
- 30 minutes

- 1+ hour

Record any problem you encountered in this step:

7.4 Create a new Commitment action *

Create a commitment action with your own content. Make the content meaningful. Fill in only the required fields. You will also specify the level field (should be level 4), category field (your choice), as well as the unlock condition field, which determines the action "path" of your SGG design as described in step 7.0. Record the time you spent for this step only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

7.5 Finalize the grid *

At this point, you should have created 3 new actions and put them in Level 4 of your SGG. For this step, find the final action to complete your 2x2 grid.. Go to the admin interface, find an action in the action library, and modify the level, category and unlock condition field according to your SGG design. Play-test your grid by logging in as normal player, go to the "Get Nutz" page, unlock Level 4 and all actions in Level 4. Record the time you spent for this step only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

8. Design the Top Score Game *

Read the "Design the Top Score Game" section in the Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/challenge-game-admin-topscore-game.html>), create a new topscore prize of your choice. Test your changes by going to the "Prizes" page to see your newly created prize. Record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

9. Design the Raffle Game *

Read the "Design the Raffle Game" section in the Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/challenge-game-admin-raffle-game.html>). Create a new raffle prize of your choice. Test your changes by going to the "Prizes" page to see your newly created raffle prize and you can add raffle ticket to it. Record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

10. Design the Badge Game Mechanics *

Read the "Design the Badge Game Mechanics" section in the Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/challenge-game-admin-badge.html>). Create a new badge with an award trigger type of "smartgrid". Specify some kind of awarding condition depending on the smartgrid operations. Verify that your

badge shows up in the badge catalog page and you can be awarded the new badge by doing the specified smartgrid action. Record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record any problem you encountered in this step:

11. Manage Action submissions *

Read the "Manage Action submissions" section in the Makahiki Manual (<http://makahiki.readthedocs.org/en/latest/ex/manage-smartgrid-game.html#manage-action-submissions>). Approve some actions submitted by you during your playtesting. Record the time you spent for this section only:

- 5 minutes
- 10 minutes
- 30 minutes
- 1+ hour

Record how many actions you approved, and record any problem you encountered in this step:

Your UH email: *

Appendix C

Makahiki Assessment Report

This appendix reports the results of the application of SGSEAM to the Makahiki framework.

We have used Makahiki to create four different Kukui Cup Energy Challenges. Kukui Cup Energy challenges were held at the University of Hawaii (UH) in 2011 and 2012 for over 1,000 first year students living in the residence halls. Hawaii Pacific University (HPU) held a Kukui Cup Energy challenge in Fall 2012 for about 200 students. An international organization called the East-West Center (EWC) held a Kukui Cup Energy and Water challenge for approximately 600 international residents living in their residence halls. Since the halls did not have internet-enabled meters, resource consumption data had to be entered by the game managers manually.

The successful creation of serious game challenges by three different organizations provides evidence that Makahiki can be successfully tailored to the needs of different organizations. First, UH and HPU used different metering infrastructure, and EWC collected their resource data manually. Second, while UH and HPU challenges involved only energy consumption data, the EWC challenge involved both energy and water consumption data. Third, the IT infrastructure at UH and HPU provided authentication services using CAS (Central Authentication Service) and LDAP, while EWC used the built-in Django authentication. Fourth, the user interface was customized to “brand” each challenge with the logo, thematic elements, and the education contents of the sponsoring organizations.

Besides the real world usage of Makahiki in the series of Kukui Cup challenges, we performed in-lab assessment experiments in 2013. Makahiki was used in a serious game development course in Spring semester of 2013 at the Information and Computer Sciences Department of the University

of Hawaii at Manoa. There were a total of 8 students who participated in the experiments. The participants were either senior undergraduates or graduate students majoring in Computer Science. During the course, the students installed Makahiki, configured and designed a serious game instance with Makahiki, and finally developed an enhancement to the Makahiki framework. We asked the students taking the course to voluntarily participate in the assessment experiments of Makahiki, using SGSEAM.

C.1 Makahiki Player Assessment

We applied SGSEAM to assess player effectiveness during the 2011 Kukui Cup Challenge at the University of Hawaii at Manoa, a serious game implemented using the Makahiki framework. There were over 1000 eligible players for this challenge, who were mostly first year college students living in the resident halls. The challenge lasted for 3 weeks. Makahiki recorded detailed logging data from every interaction between the players and the website.

To assess the effectiveness of the framework for designing games that improve player literacy in sustainability, we conducted two energy literacy surveys, one before the challenge (pre-game) and one after the challenge (post-game). 24 players completed both surveys. Out of the total 19 energy literacy questions, the average number of questions answered correctly is 7.54 before the challenge, and 8.96 after the challenge. This result indicates an 18% improvement on the energy literacy. We also surveyed non-players as a control condition, and found that their literacy did not change, indicating that the improvement in player literacy was indeed due to the game.

To assess the effectiveness of the framework for designing games that produce positive change in sustainability behaviors, we recorded and analyzed energy consumption data before, during and after the challenge. Before the challenge, an energy usage baseline was established. During the challenge, compared to the baseline, 12 out of the total 20 teams reduced their energy consumption, with the highest reduction of 16.1%. However, 3 teams actually increased their energy consumption, with the highest increase of 11.7%. Overall, the average reduction of the 20 teams was very low—approximately 2%.

To assess player engagement of the game, we calculated a variety of engagement metrics. The results are shown in **Figure C.1**:

Measurement	MIN	AVG	MAX
Participation rate	13%	37%	74%
Number of players per day	43	85	147
Play time per day	1 min	27.7 mins	8.5 hours
submissions per day	32	266	1110
social interactions per day	51	208	468
website errors per day	0	0.6	4

Figure C.1. Makahiki Engagement Metrics

The participation rate of this challenge is 37%, which is good compared to other sustainability challenges. Over the course of the challenge, an average player spent about 27.7 minutes per day on the website. One player spent 8.5 hours on one day. There were an average of 266 activity submissions and 208 social interactions between players per day.

In summary, SGSEAM indicates that Makahiki can be successful in achieving player engagement and literacy improvement. SGSEAM could not provide evidence of positive change in behavior.

C.2 Makahiki System Admin Assessment

System admin assessment was done using an in-lab experiment. Students in a serious game class were tasked with installing the Makahiki system into their local computers. In order to understand how much time it takes to install Makahiki and what problems might be encountered, we designed a Google Form explaining the steps required to install Makahiki. We asked the students to record the time they spent completing each step and the problems they encountered. We also asked the students to provide feedback about their installation experiences in the form of blog posts. [53] describes in detailed the Google Form that is used in this assessment.

The results from the Google Form responses show that the average total time to successfully install Makahiki was 1.4 hours, with a maximum time of 2 hours and the minimum time of 0.9 hour. **Figure C.2** shows the average time for each installation step.




Figure C.2. Average time (minutes) for installation steps (n=8)

We coded and categorized the descriptive problems reported by the students in both the Google Form and their blog posts. **Figure C.3** shows the result of the analysis from the feedback of the 8 students that participated in the experiment.

Problem encountered	Number of participants
Cannot find configuration file to edit during database installation	4
Documentation of install script is confusing about creation of the DB user	2
More parts of installation could be covered by install script	2

Figure C.3. Makahiki Installation Analysis (n=8)

From the above analysis, we identified that the “Install and configure database” step has the longest average time. It is also has the most participant reported problems. This reflects the issues encountered by students during the configuration process. This assessment determines the areas for future improvement are (1) to improve documentation on DB installation, and (2) to improve the install script to automate more installation tasks.

In summary, SGSEAM identified database installation as a weak point in installation. Otherwise, SGSEAM indicates generally positive results regarding Makahiki with respect to installation.

C.3 Makahiki Game Designer Assessment

We also used the in-lab experiment to assess the game designer experience of Makahiki. One of the class assignments for the students in the experiment was to design a serious game using the Makahiki framework. We asked the students to follow specific design steps and record the time required and any problems encountered during their design process, using a Google Form similar to the one used for the system admin assessment. In addition, students were asked to provide feedback about their design experiences in the form of blog posts. [53] describes in detailed the Google Form that is used in this assessment.

The game designer assessment was generalized into 7 tasks corresponding to distinct types of administrative tasks and game design planning. The time for each task is calculated from the Google Form results. The most time consuming task is "Smart Grid Game Design", which took average 107.9 minutes (56% of total time) to complete, while the least time consuming tasks is "Raffle Game Design", which took average 7.9 minutes (7% of total time) to complete.

Figure C.4 shows the average time for each design tasks:

We aggregated the problems reported in the feedback of the 7 students that participated in the experiment. Figure C.5 shows the result of the analysis:

In summary, SGSEAM revealed two shortcomings with Makahiki configuration: "Smart Grid Game Design" and "Configure Challenge Settings". Issues encountered in "Smart Grid Game Design" included 1) difficulty and lack of documentation on the predicate system used to define dependencies between game activities, and 2) difficulty in generating event attendance codes for game activities. Issues encountered in "Configure Challenge Settings" included 1) a bug in the processing of Ajax queries caused by consecutive clicks on the same interface button, and 2) a bug that prevented users with username containing capital letters from logging in.




Figure C.4. Average time (minutes) for design tasks (n=8)

Problem encountered	Number of participants
Difficulty in understanding predicate system and unlock condition	7
A bug that prevented users with usernames containing capital letters from logging in	2
A bug in the processing of Ajax queries	1
Difficulty in generating event attendance codes for game activities	1

Figure C.5. Makahiki Game Design Analysis, (n=8)

C.4 Makahiki Developer Assessment

We assessed developer experience using an in-lab experiment. One of the class assignments for the students in the experiment was to develop an enhancement to Makahiki. This involved setting up a development environment, following the tutorial to create a “Hello world” widget using Makahiki, and finally, developing an enhancement to extend the functionality of Makahiki.

The students were asked to submit their development source code to the public source code repository (GitHub) and write a blog post to discuss their efforts to complete the development activity.

All 8 students reported that the first task of creating the simple “Hello world” widget was easy, while the enhancement development was hard. Only one student successfully completed all 5 required features, while the rest successfully completed 1 or 2 features. The main problem students reported was the lack of documentation for the development libraries. One student stated in his blog that he decided to choose Makahiki framework to develop his own serious game because of Makahiki’s features and possibility of reducing development effort by using the framework.

In summary, SGSEAM reveals significant problems with developer efficiency. Analysis is still ongoing regarding the specific causes of problems and how best to address them.

Appendix D

In-Game Questionnaire

This appendix details the contents of the questionnaire made available to participants via the in-game questionnaire during the Overall Round of the challenge.

When participants filled out the questionnaire via the SurveyGizmo [\[45\]](#) website, the questions were broken into pages. Each page provided participants the ability to move forward to the next page in the questionnaire, but not back to previous pages. The topic of the pages of the survey were:

1. Informed consent via email address
2. Promotion and Events
3. Prizes
4. Adoption
5. Website
6. Gamification
7. General feedback on Kukui Cup
8. Open feedback on questionnaire
9. Thank you page

Questions that allowed multiple answer selections (i.e., checkboxes) are shown as “☐”. Questions that allowed only a single selection from a list of options (i.e., radio buttons) are shown as “☐”. Questions that provided a text field for open answers do not have any special notation.

The questions were prefaced with the following instructions: “The goal of this survey is to learn about your experiences during the Kukui Cup. Please answer honestly, we want to know how you really feel.”

D.1 Promotion and Events

Figuring out the best way to promote the challenge and events to residents was one of our major concerns. The goal of this section was to elicit feedback on how to improve our promotion efforts.

1. Did the banners in the tower lobbies stimulate your curiosity about the Kukui Cup?

- ☐ Yes
- ☐ No
- ☐ Don't remember seeing banners

2. Did the banner in the Hale Aloha cafeteria during week 1 help you remember about events?

- ☐ Yes
- ☐ No
- ☐ Don't remember seeing a banner

3. For the workshops and excursions that you attended, how did you like them? You can leave blank any events that haven't taken place by the time you fill out this survey.

[Each event was ranked on the following Likert-type scale:]

- 1. Liked a lot
- 2. Liked

3. OK
4. Boring
5. Very Boring
6. Didn't attend

Event list:

- Kickoff party
- Play Outside the Cafe (any)
- Energy scavenger hunt
- Recycled fashion design
- Flashmob planning
- Kahuku wind farm
- Student Organic Farm Training (SOFT)
- Pedalpalooza
- Round 1 awards party
- Your sustainable future workshop
- Energy efficient eating
- Movie night
- Reppun farm (off-the-grid living)
- Kokua Market excursion
- Round 2 awards party
- High energy art and music
- Energy efficient chillaxation

- Beach cleanup excursion

4. What can we do to improve attendance at workshops and excursions?

5. Did you sign up for any events via the website, but then end up not attending?

☐ Yes

☐ No

[If No] Why did you end up not attending?

D.2 Prizes

As an incentive to participate in the Kukui Cup, players could win a variety of prizes. In designing the challenge, we did our best to select prizes that would be appealing to participants. In this section we solicited feedback on what prizes participants wanted to see.

6. What prize (if any) did you find most motivating in the Kukui Cup?

7. If you had a budget of \$5/person for a prize to be given to everybody in a lounge, what would you want?

8. If you had a budget of \$10/person for a prize to be given to everybody in a lounge, what would you want?

D.3 Adoption

Understanding how residents find out about the Kukui Cup, and what motivated them to play could be helpful in designing future challenges. The questions in this section were written by Michelle Katchuck to gather pilot data for a potential dissertation proposal topic.

9. How did you first hear about the Kukui Cup? (choose all that apply)

- ☐ I saw a Kukui Cup banner
- ☐ I read about it in an email I received
- ☐ I attended one of the courtyard events
- ☐ A friend referred me
- ☐ My RA
- ☐ Other
- ☐ Yes
- ☐ No

10. Prior to playing the Kukui Cup, were you interested in energy conservation?

11. Has the Kukui Cup increased your interest in energy conservation and sustainability?

12. Which of the following motivated you the MOST to keep playing the Kukui Cup?

- ☐ to win prizes
- ☐ to be on the top of the scoreboard
- ☐ to play with my friends
- ☐ to learn more about energy and how to save energy
- ☐ attending events and excursions
- ☐ other: _____

13. What motivated you to participate in the online portion of the Kukui Cup?

14. What motivated you to participate in the “real” world activities of the Kukui Cup?
15. What has been the most fun and/or interesting activity of the Kukui Cup?
16. How would you like to hear about Kukui Cup events? (i.e. text message, email, RAs, posters, Facebook, Twitter, the website, etc)

D.4 Website

The 2011 UH Kukui Cup was the first time the challenge website had been used with a large number of participants. The questions in this section focus on the players’ experiences with the website. George Lee wrote the questions in this section to collect data for his masters thesis [28].

17. What did you like about the website?
18. What did you find confusing about the website?
19. If you could add or change something in the website, what would that be?
20. Rate how much you agree with each statement below

[Each statement was ranked on the following Likert-type scale:]

1. Strongly disagree
2. Disagree
3. Neutral
4. Agree
5. Strongly agree
6. Not Applicable

Statements:

- It was easy to find what I was looking for in the website.
- The website was responsive. I did not wait too long after I clicked on something.
- The website provided adequate help in teaching me how to play the game.
- I understood the rules of the game and how to play.

21. Have you accessed the Kukui Cup website from a smartphone?

- ☐ Yes
- ☐ No

[If Yes] How satisfied were you with the mobile website?

- ☐ Very Satisfied
- ☐ Satisfied
- ☐ Neutral
- ☐ Dissatisfied
- ☐ Very Dissatisfied
- ☐ Not Applicable

D.5 Gamification

This section primarily covers questions about the game aspects of the challenge. Many of the questions in this section were written by Yongwen Xu to gather pilot data for a potential dissertation proposal topic.

22. Have you made any commitments through the website during the game?

☐ Yes

☐ No

[If Yes] Did you change your behavior during the competition based on the commitment(s) you made?

☐ Yes

☐ No

☐ Not sure

23. Which of the followings Kukui Cup achievements would you want to share on Facebook?
(choose all that apply)

☐ made a commitment

☐ participated in an activity

☐ attended an event or excursion

☐ earned a badge

☐ current leader in the scoreboard

☐ other

24. How much time do you usually spend on the following activities?

[Options for each activity:]

1. 3 or more hours a day

2. about 1 hour a day

3. about 1 hour a week

4. 1 hour a month or less

5. never

List of activities:

- Playing games on a laptop computer
- Playing games on a game console (Xbox, PS3, Wii)
- Playing games on a handheld game device (DS3, PSP)
- Playing games on a mobile phone
- Checking Facebook
- Checking Twitter

25. How would you describe the Kukui Cup? (check all that apply)

- ☐ Fun
- ☐ Educational
- ☐ So-so
- ☐ Boring
- ☐ Not useful
- ☐ Difficult
- ☐ Addictive
- ☐ Other

26. The Kukui Cup website shows energy data updated every 15 seconds. Did you find this helpful in conserving energy?

- ☐ not really, updating the data daily would be enough
- ☐ not really, updating the data hourly would be enough
- ☐ not really, I only care about the final result of the competition
- ☐ yes, it is helpful to see the energy usage changing in real time

27. Which of the following do you wish there were more of in the game? (choose all that apply)

- ☐ events
- ☐ excursions
- ☐ commitments
- ☐ videos
- ☐ social activities
- ☐ physical activities
- ☐ online activities

28. On average, how many minutes a day did you spend on the Kukui Cup website?

29. On average, how many hours a week did you spend at Kukui Cup events?

D.6 General Feedback

This section covers feedback on the challenge overall.

30. What can we do to improve participation in the Kukui Cup website?

31. What was the best thing you liked about the Kukui Cup so far?

32. What was the thing you liked the least about the Kukui Cup so far?

33. If you were able to play the Kukui Cup next year, would you?

- ☐ Yes
- ☐ I enjoyed it, but I wouldn't play again
- ☐ I didn't enjoy it, and I wouldn't play again
- ☐ No, because: _____

34. How likely would you be to recommend playing the Kukui Cup to a first year student in Fall 2012?

- ☐ Very Likely
- ☐ Likely
- ☐ Neutral
- ☐ Unlikely
- ☐ Very Unlikely
- ☐ Not Applicable

35. Is there anything else you would like to tell us about your experience playing the Kukui Cup that this survey didn't ask?

Bibliography

- [1] Stephen Anderson. Long after the thrill: Sustaining passionate users. <http://www.slideshare.net/stephenpa/long-after-the-thrill-sustaining-passionate-users>, 2011.
- [2] Carrie Armel. Stanford arpa-e energy services platform. Technical report, Precourt Energy Efficiency Center, Stanford, May 2012. [retrieved: July, 2013].
- [3] R. Bartle. Hearts, clubs, diamonds, spades: Players who suit muds. *Journal of MUD research*, 1(1):19, 1996.
- [4] Torie Bosch. Score one for gamification. 2011.
- [5] Robert S. Brewer. *Fostering Sustained Energy Behavior Change And Increasing Energy Literacy In A Student Housing Energy Challenge*. PhD thesis, University of Hawaii, Department of Information and Computer Sciences, March 2013.
- [6] Robert S. Brewer, George E. Lee, and Philip M. Johnson. The Kukui Cup: a dorm energy competition focused on sustainable behavior change and energy literacy. In *Proceedings of the 44th Hawaii International Conference on System Sciences*, pages 1–10, January 2011.
- [7] Jeanne H Brockmyer, Christine M Fox, Kathleen A Curtiss, Evan McBroom, Kimberly M Burkhart, and Jacquelyn N Pidruzny. The development of the game engagement questionnaire: A measure of engagement in video game-playing. *Journal of Experimental Social Psychology*, 45(4):624–634, 2009.
- [8] Victor R Basili, Gianluigi Caldiera and H Dieter Rombach. The goal question metric approach. *Encyclopedia of software engineering*, 2:528–532, 1994.
- [9] T. Connolly, M. Stansfield, T. Hainey, I. Cousins, J. Josephson, A. O’Donovan, et al. Arguing for multilingual motivation in web 2.0: a games-based learning platform for language learning. In *European Conference on Games Based Learning*, 2009.

- [10] John W. Creswell. *Research design: qualitative, quantitative, and mixed methods approaches*. Sage Publications, Thousand Oaks, California, 2nd ed. edition, 2003.
- [11] Sarah Darby. The effectiveness of feedback on energy consumption. Technical report, Environmental Change Institute, University of Oxford, 2006.
- [12] Sara De Freitas and Martin Oliver. How can exploratory learning with games and simulations within the curriculum be most effectively evaluated? *Computers & Education*, 46(3):249–264, 2006.
- [13] Sebastian Deterding, Dan Dixon, Rilla Khaled, and Lennart Nacke. From game design elements to gamefulness: Defining “gamification”. In *Proceedings of MindTrek*, 2011.
- [14] Dan Dixon. Player types and gamification. In *Proceedings of the CHI 2011 Workshop on Gamification*, 2011.
- [15] Electric Shadows. World without oil, <http://www.worldwithoutoil.org/metaabout.htm>, 2010.
- [16] Ahmad Faruqui, Sanem Sergici, and Ahmed Sharif. The impact of informational feedback on energy consumption—a survey of the experimental evidence. *Energy*, 35(4):1598–1608, 2010.
- [17] Scott Haiges. Gaming for good. Technical report, ROI Research Inc, 2011.
- [18] Ben D Harper and Kent L Norman. Improving user satisfaction: The questionnaire for user interaction satisfaction version 5.5. In *Proceedings of the 1st Annual Mid-Atlantic Human Factors Conference*, pages 224–228, 1993.
- [19] Casper Hartevelde. Triadic game evaluation: A framework for assessing games with a serious purpose. In *Workshop of the ACM SIGCHI Symposium on Engineering Interactive Computing Systems*, 2010.
- [20] Chelsea Hodge. Dorm energy competitions: Passing fad or powerful behavior modification tool? Presentation at the 2010 Behavior Energy and Climate Change conference, November 2010.
- [21] Marthe Hurteau, Sylvain Houle, and Stéphanie Mongiat. How legitimate and justified are judgments in program evaluation? *Evaluation*, 15(3):307–319, 2009.
- [22] IDEO. Hybrid electric vehicle interaction. <http://www.ideo.com/work/hybrid-electric-vehicle-dashboard-interaction>, 2009.

- [23] F. Khatib, F. DiMaio, S. Cooper, M. Kazmierczyk, M. Gilski, S. Krzywda, H. Zabranska, I. Pichova, J. Thompson, Z. Popović, et al. Crystal structure of a monomeric retroviral protease solved by protein folding game players. *Nature Structural & Molecular Biology*, 2011.
- [24] Amy Jo Kim. Designing the player journey. <http://www.slideshare.net/amyjokim/gamification-101-design-the-player-journey>, 2010.
- [25] MJ Koepp, RN Gunn, AD Lawrence, VJ Cunningham, A. Dagher, T. Jones, DJ Brooks, CJ Bench, PM Grasby, et al. Evidence for striatal dopamine release during a video game. *Nature*, 393(6682):266–267, 1998.
- [26] A.A. Krentz. Play and education in plato’s republic. In *Twentieth Congress of Philosophy*. <http://www.bu.edu/wcp/Papers/Educ/EducKren.htm>, 1998.
- [27] Nicole Lazzaro. Chasing wonder and the future of engagement. In *Talk*. <http://www.slideshare.net/NicoleLazzaro/chasing-wonder-and-the-future-of-engagement>, 2011.
- [28] George E. Lee. Makahiki: An extensible open-source platform for creating energy competitions. Master’s thesis, University of Hawaii, June 2012.
- [29] Lucid Design Group, Inc. Building Dashboard. <http://www.luciddesigngroup.com/>, Oct 2008.
- [30] Lucid Design Group, Inc. Campus conservation nationals, <http://www.competetoreduce.org/>, 2011.
- [31] Igor Mayer. Towards a comprehensive methodology for the research and evaluation of serious games. *Procedia Computer Science*, 15(0):233 – 247, 2012.
- [32] J. McGonigal. *Reality is broken: Why games make us better and how they can change the world*. Penguin Press, 2011.
- [33] Jane McGonigal. Gaming can make a better world. 2010.
- [34] Jane McGonigal. We dont need no stinking badges. <http://www.slideshare.net/avantgame/we-dont-need-no-stinkin-badges-how-to-reinvent-reality-without-gamification>, 2011.
- [35] nikeplus. nikeplus. <http://nikeplus.com/>.

- [36] Paul Norton. The path to zero energy homes. <http://hawaii.gov/dbedt/info/energy/efficiency/RebuildHawaiiConsortium/Events/PastEvents/2010-03-10/2010-03-10%20Norton%20Rebuild%20Hawaii%20ZEB%20.pdf>, March 10 2010.
- [37] John E. Petersen, Vladislav Shunturov, Kathryn Janda, Gavin Platt, and Kate Weinberger. Dormitory residents reduce electricity consumption when exposed to real-time visual feedback and incentives. *International Journal of Sustainability in Higher Education*, 8(1):16–33, 2007.
- [38] Seth Priebatsch. The game layer on top of the world. http://www.ted.com/talks/seth_priebatsch_the_game_layer_on_top_of_the_world.html, 2010.
- [39] RecycleBank. Recyclebank. <http://www.recyclebank.com/>.
- [40] B. Reeves and J.L. Read. *Total engagement: using games and virtual worlds to change the way people work and businesses compete*. Harvard Business School Press, 2009.
- [41] Byron Reeves, James J. Cummings, and Dante Anderson. Leveraging the engagement of games to change energy behavior. In *Proceedings of the CHI 2011 Workshop on Gamification*, 2011.
- [42] ribbonhero. ribbonhero. <http://ribbonhero.com/>.
- [43] Allen Sherrod. *Ultimate 3D Game Engine Design & Architecture*. Charles River Media, Inc., 2006.
- [44] Seungkeun Song, Joohyeon Lee, and Insun Hwang. A new framework of usability evaluation for massively multi-player online game: Case study of “World of Warcraft” game. In *Human-Computer Interaction. HCI Applications and Services*, pages 341–350. Springer, 2007.
- [45] SurveyGizmo. Surveygizmo website. <http://www.surveygizmo.com/>, 2013.
- [46] thefuntheory.com. Piano staircase. <http://www.thefuntheory.com/piano-staircase>, 2009.
- [47] Thomas Tullis and William Albert. *Measuring the user experience: collecting, analyzing, and presenting usability metrics*. Morgan Kaufmann, 2010.
- [48] E. Vockell. *Educational psychology: A practical approach*. Purdue University, 2004.

- [49] Nicola Whitton. Alternate reality games for orientation, socialisation and induction (AR-GOSI). Technical report, JISC, 2009.
- [50] Wikipedia. Serious game. http://en.wikipedia.org/wiki/Serious_game.
- [51] World Bank Institute. Urgent evoke. <http://www.urgentevoke.com/>, 2010.
- [52] Michael Wu. Sustainable gamification: Playing the game for the long haul. <http://lithosphere.lithium.com/t5/Building-Community-the-Platform/Sustainable-Gamification-Playing-the-Game-for-the-Long-Haul/ba-p/33601>, 2011.
- [53] Yongwen Xu. Approach to access system admin and game designer experiences in makahiki. Technical Report CSDL-13-04, Department of Information and Computer Sciences, University of Hawaii, Honolulu, Hawaii 96822, June 2013.
- [54] N. Yee. The virtual skinner box. <http://www.nickyyee.com/eqt/skinner.html>, 2001.
- [55] N. Yee. Understanding mmorpg addiction. *Retrieved February, 15:2008*, 2002.
- [56] Michael Zyda. From visual simulation to virtual reality to games. *IEEE Computer*, 38(9):25 – 32, Sep 2005.