

# SGSEAM: Assessing Serious Game Frameworks from a Stakeholder Experience Perspective

## ABSTRACT

Assessment of serious game frameworks is emerging as an important area of research. This paper describes an assessment mechanism called the Serious Game Stakeholder Experience Assessment Method (SGSEAM). SGSEAM is designed to provide detailed insights into the strengths and shortcomings of serious game frameworks through a stakeholder perspective based approach.

In this paper, we report on the use of SGSEAM to assess Makahiki, an open source serious game framework for sustainability. Makahiki facilitates the development of serious games for the purpose of education and behavioral change regarding energy and water consumption. Our results provide useful insights into both Makahiki as a serious game framework and SGSEAM as an assessment method.

## Author Keywords

serious games; framework assessment; sustainability

## ACM Classification Keywords

H.5.m. Information Interfaces and Presentation (e.g., HCI): MiscellaneousK.8.0. Personal Computing Games

## General Terms

Serious Game; Assessment; Game Design; Case study.

## INTRODUCTION

Serious games (games with additional goals beyond just entertainment) have been a topic of academic research for decades [15]. Such games show great potential as interactive media that provide engaging interfaces in various serious contexts [10, 11]. The recent phenomenon of gamification [4] also calls for game-related research in areas beyond traditional entertainment purposes.

One fundamental question in evaluating a serious game is the extent to which the game achieves its “serious” purpose. This is quite different from traditional entertainment games, in which evaluation focuses on usability or playability [13]. In the field of serious games, there is an increasing focus on the methodology of research and evaluation [9]. De Freitas and Oliver describe a four dimensional framework [3] for evaluating an educational game, consisting of: the context, the pedagogy, the representation, and the learner (or player).

Harteveld proposes an alternative approach called “Triadic Game Evaluation” [5], consisting of three perspectives: Reality, Meaning, and Play.

The above approaches focus on evaluation of a single game, as opposed to a game *framework*. Game frameworks (also known as game engines) are “comprised of a collection of different tools, utilities, and interfaces that hide the low-level details of the various tasks that make up a game” [12]. One of the benefits of using a serious game framework is that, if correctly designed, it will provide useful and reusable “building blocks” with which to develop a variety of serious games. These building blocks enable the serious game developer to focus more time and thought on content and results instead of on infrastructure. Yet how are we to know if a serious game framework has been “correctly designed”?

Upon review of the literature, we found little prior work concerning formal assessment for the particular needs of serious game frameworks. To help answer this question, this paper proposes a method for assessing serious game frameworks, called the Serious Game Stakeholder Experience Assessment Method (SGSEAM). In a nutshell, SGSEAM (pronounced “sig-seam”) identifies the most important stakeholders of a serious game framework and provides a method for gaining insight into the strengths and shortcomings of the framework with respect to each stakeholders’ needs. We consider SGSEAM as an assessment method instead of an evaluation method. The main purpose of an evaluation is to “determine the quality of a program by formulating a judgement” [7]. An assessment, on the other hand, is nonjudgmental. SGSEAM does not try to judge a framework according to a standard, instead, it is used to identify the major strengths and shortcomings of a framework so that the community could benefit from the assessment by learning from the strengths and improving the shortcomings.

In the next section, we describe SGSEAM in details. We then describe our preliminary results from the application of SGSEAM to Makahiki, a serious game framework for sustainability we developed. We conclude with the insights this assessment process provides for our own work on Makahiki, serious game design in general and serious game framework assessment.

## SERIOUS GAME STAKEHOLDER EXPERIENCE ASSESSMENT METHOD (SGSEAM)

The goal of SGSEAM is to identify (a) major strengths of a serious game framework, which aids the community by indicating features of the framework to emulate, and (b) major shortcomings of the framework, which aids the community by indicating features to avoid and the developers of the framework by indicating the areas to improve on.

Permission to make digital or hard copies of all or part of this work for personal or classroom use is granted without fee provided that copies are not made or distributed for profit or commercial advantage and that copies bear this notice and the full citation on the first page. To copy otherwise, to republish, to post on servers or to redistribute to lists, requires prior specific permission and/or a fee.

Gamification’13, October 2-4, 2013, Stratford, ON, Canada.

Copyright 2013 ACM 978-1-XXXX-XXXX-X/XX/XX...\$10.00.

The approach that SGSEAM uses is to assess the experiences of various important stakeholders when they interact with the serious game framework. In a full life cycle of using a serious game framework to develop a serious game and eventually put the game into use, there are a great variety of potential stakeholders involved. Some of the common stakeholders of a serious game framework are:

- *Players*: those who participate in the game produced by the framework.
- *System admins*: those who install and maintain the technological game infrastructure.
- *Game designers*: those who design the content and game mechanics.
- *Game managers*: those who manage the game during the period of game play.
- *Developers*: those who extend, enhance and debug the game framework.
- *Researchers*: those who are conducting research using the game framework.
- *Spectators*: those who do not participate in the game play but are interested in the game and the results of game play.
- *Community partners*: those who partner with the game organizers to help run the game (such as coordinating real-world events as part of the game, providing support for energy data collection, etc)
- *Funding organizations*: the organizations who provide funding for the game or game framework.

The scope of SGSEAM is to assess serious game frameworks as software infrastructure. While the overall success of a serious game depends on the individual success of all of these stakeholders, SGSEAM does not address the spectator, community partner, and funding organization stakeholders. These are important stakeholders but outside the scope of our assessment. In the context of a serious game framework, SGSEAM identifies the important stakeholders are: players, system admins, game designers, developers and researchers.

The following sections describe the methodology used in SGSEAM, followed by the detailed description of assessment methods for each identified stakeholder.

## Methodology

Creswell [2] categorizes research methods into three approaches: quantitative, qualitative, and mixed methods, according to what knowledge claims are being made and how knowledge is acquired. Quantitative method reflects a post-positivist paradigm where hypotheses are specified *a priori* and tested by experimental design. Qualitative method reflects a constructivist or participatory paradigm where knowledge would be acquired by observation and open-ended design. SGSEAM employs the mixed methods approach which based on pragmatic knowledge claims and assumption that collecting diverse types of data provides better understanding of the research problem: assessing the strengths and shortcomings of a serious game framework.

In SGSEAM, the concurrent triangulation strategy [2] of the mixed method approach is used. Data collection and analysis involves both quantitative information (instrument and

analytical data recorded by the system such as website logs, interaction database, etc), as well as qualitative information (interviews and questionnaire responses).

## Stakeholder Experience Assessment

SGSEAM follows closely with the "Goal-Question-Metric" (GQM) approach [1] in software engineering research. GQM defines a software measurement model on three levels: a goal of the measurement, a set of questions to assess the goal, and a set of metrics associated with each question.

In SGSEAM, the assessment goals are the experiences of the identified stakeholders. For each stakeholder, a set of questions is used to assess the strengths and shortcomings from the stakeholder's perspective. For each question, a set of alternative assessment approaches is proposed.

Figure 1 provides an overview of the assessment method:

Stakeholder (Goal)	Assessment question	Assessment approach
Players	To what extent does the system affect players? To what extent does the system engage players?	experimental study, interviews, engagement metrics
System admins	How easy is it to install and maintain the system?	experimental study, interviews
Game designer	How easy is it to design a game?	experimental study, system logs, interviews
Game managers	How easy is it to manage a game?	experimental study, system logs, interviews
Developers	How easy is it to enhancing the system?	experimental study interviews
Researchers	How easy is it to do research with the system?	research outcome interviews

Figure 1. Overview of SGSEAM

There are usually multiple assessment approaches for a specific question. Different assessment approaches will have different levels of rigor. In experimental design terms, rigor refers to external and internal validity. The details of the individual assessment approach for each stakeholder are described in the following sections. The assessment approaches for a question can be additive. The more approaches applied, the higher confidence of the assessment.

## Player Assessment

The goal of player assessment is to determine the effectiveness of the game framework from player's perspective. It is essential that a game produced by a serious game framework could achieve its intended "serious" purpose. The intended purposes of serious games are always subject specific. For example, the desired effect of a serious game for energy education and conservation is to increase players' energy literacy and reduces their energy consumption during (and, hopefully, after) the game. A serious game for language learning

would have a very different desired effect.

Users of SGSEAM could use domain-specific questions to assess the desired effects of their serious game. For illustration purpose, the following two questions are used to assess a serious game for sustainability: (a) To what extent does the game increase player's literacy in sustainability? (b) To what extent does the game produce positive player behavior change in sustainability?

One approach to assess the question of the effect of literacy changes is a quasi-experimental study. A set of literacy survey questionnaires are presented to a random selection of the players before the game (pre-test). After the game ends, the same survey (post-test) is presented to the players who responded the pre-test survey. These two set of survey response data are compared to understand if the game has had an impact on literacy. The extent of players' sustainability literacy change will indicate the degree of educational effectiveness of the serious game for sustainability.

A pre-experimental study could be used to assess the question of the effect of sustainability behavior changes. The resource (energy and/or water) consumption data during and after the game are recorded (post-test). They are compared to the resource consumption baseline established before the game (pre-test).

Another approach for effectiveness assessment is to interview players about their self-reported behavior change. The combination of resource consumption changes and self-reported behavior changes can be combined to assess the degree of behavior effectiveness of the serious game for sustainability.

In addition to the domain-specific goals of serious games, SGSEAM assesses a common aspect of serious games, player engagement, to address the question of "To what extent does the game engage players?"

Player engagement is an important measure for understanding the effectiveness of a serious game. By investigating the degree of engagement, we can determine to what extent individuals are participating in the game, as well as to what extent the community population is participating in the game.

Engagement has a subtle relationship to the overall effectiveness of a serious game. It is possible for the game to be played by only a subset of the target population, but have an impact on those not playing by virtue of their contacts with players. Gaining better insight into this effect is an area of active study for us.

To obtain engagement data, SGSEAM analyzes the following measures based upon system log data provided by the framework.

- participation rate
- number of players per day
- play time of a player per day
- submissions of all player per day
- social interaction of all player per day
- website errors per day

The participation rate measures the percentage of users who

used the game based on the total eligible players. In the serious game context, it indicates the level of involvement or awareness of the serious matters. The number of players and play time per day measure how frequently the players interact with the game. The submissions per day measures the rate of serious game specific activities (online or real world) that players completed, while the social interaction per day measures the rate of social interactions happened in the game between the players. At last, the website errors per day measures the rate of errors encountered by the players while using the game website. In general, with the opposite of website error measurement, the higher value these measurements are, the higher engagement level the game has.

#### *System Admin Assessment*

System administrators are responsible for installing and maintaining the software infrastructure for the game. Their tasks include the framework and dependency installation, maintain the database, backups, and so forth.

One approach to assess the question of how easy it is to install and maintain the system is to use an experimental study. A group of system admins is asked to install the system, record the time spent and problem encountered as they complete each step. The qualitative data (i.e., the descriptive problems reported by the participants of the study) will need to be categorized and coded. The assessor will triangulate the reported time data and the problem categories to identify the area of strength (less time spent) and weakness (problems and difficulties).

Another approach is a post-hoc interview. The system admin(s) are asked about their experience after the installation. The interview includes the following questions:

- How much time did you require to install the system and the dependencies?
- How much time did you require to maintain the system?
- What problems did you encounter?
- Did you find it difficult to admin the system? What was difficult?

After the interview data is acquired, the assessor will perform qualitative data analysis, which involves transcribing (if the interview data is in audio format), categorizing and coding the description of reported problems or difficulties.

The level of confidence of the above two assessment approaches varies. The experimental study approach is more rigor because of the generality achieved from the larger population of participants under study. The data collected during the step by step experimental study is more accurate than the one collected in the post-hoc interview.

#### *Game Designer Assessment*

A game designer uses the serious game framework to design and create a serious game. A serious game framework always provides certain tools or interfaces to game designers with the hope that these will simplify the design of a game. Such tools might involve configuring global settings for the game, such as how long will the game run, who are the players, and how to design individual game elements.

SGSEAM assesses the game designer stakeholder by addressing the following two questions: (a) How much time is required to design an instance of a serious game using the framework? and (b) How many, and how problematic are the errors that designers encounter during the design process?

There are also three approaches for game designer assessment. One is a experimental study, where a group of participants is asked to use the system to perform a same set of design tasks. The time spent and problems encountered are recorded for each tasks. The assessor will triangulate the reported time data and the problem categories to identify the strengths and weaknesses.

A second approach is to interview the designer(s) after they had completed the design. The following questions will be asked:

- How much time did you spend to complete each design task?
- What problems did you encounter?
- Did you find it difficult to configure? What was difficult?
- Did you find it difficult to design a specific game? Which one, and what was difficult?

The interview data will be transcribed (if audio recording), categorized and coded to identify the strengths and weaknesses.

A third approach is to collect the system log data related to the game designing tasks. When available, the time spent and error encountered can be queried from the system logs. Although these system generated data might be easier to gather in some systems, it might not provide the same depths or insights than the other two approaches where the experiences are provided by the participants directly. On the other hand, these system data can be supplemental to the other approaches. They could be correlated with the data gathered from the other assessment approaches to increase the confidence of the assessment.

#### *Game Manager Assessment*

A game manager uses the serious game framework to manage the serious game that the game designers created. It is possible that a game manager is also the game designer. Serious game frameworks normally provide certain interfaces for the managers to manage the game. This may involve managing player submissions, monitoring the game state, entering manual resource data, notifying winners of the game, etc.

SGSEAM assesses the game manager stakeholder with the following questions: (a) How much time is required to manage an instance of a serious game using the framework? and (b) How many, and how problematic are the errors that managers encounter during the design process?

Similar to the assessment of game designer experience, SGSEAM proposes three approaches. The experimental study approach gather data from a group of participants about the time spent and problems encountered for each task of managing the serious game. The post-hoc interview approach gather data from the game manager(s) by asking the following questions:

- How much time did you spend to complete each managing task?
- What problems did you encounter?
- Did you find it difficult to manage? What was difficult?

#### *Developer Assessment*

The developer stakeholder is different from the game designer stakeholder, in that the game designer stakeholder tailors the framework without requiring any software development, while the Developer stakeholder enhances, corrects, and extends the system by manipulating code.

To investigate how easy it is to understand, extend, and debug a serious game framework from a developer's perspective, SGSEAM assesses how much time it takes to develop an enhancement to the game framework, and how many errors are encountered during the process.

The experimental study assessment approach asks a group of developers to develop a same set of enhancements to the system, and ask them to record the time spent to develop and problems encountered.

A second assessment approach is accomplished by interviewing the developer(s) to answer the following questions:

- How much time did you spend developing and debugging an enhancement to the game framework?
- What problem(s) did you encounter?
- Did you find it difficult to understand, extend and debug the system? What was difficult?

Similarly, the descriptive data will be categorized and coded. The time data will be correlated to the problem data to identify the areas of strength and weakness.

#### *Researcher Assessment*

Finally, the researcher stakeholder is the one who uses the serious game framework to investigate questions about serious games, human computer interaction, etc.

To investigate how effective it is to do research with the system, SGSEAM proposes two assessment approaches. One is to assess the research outcomes to identify the numbers of research accomplishments with the help of the system, for example, the number of research papers published.

Another approach is to interview researcher to answer the following questions:

- How much time did you spend to collect the research data for a specific topic?
- Is the data you get from the system useful?
- What problems did you encounter when collecting the data?
- Did you find it difficult to collect data from the system? What was difficult?

### **CASE STUDY OF MAKAHIKI**

This section presents a case study of how we applied SGSEAM to assess Makahiki, an open source serious game framework for sustainability.

#### **Makahiki in Brief**



Sustainability education and conservation have become an international imperative due to the rising cost of energy and increasing scarcity of natural resources. Over the past decade, energy and water challenges have become focal points for sustainability efforts at both university and industry campuses. For example, there are more than 160 college residence hall energy competitions taking place or being planned for the 2010–2011 academic year in North America [6] to engaging students in sustainability issues.

We developed Makahiki [8] to facilitate the creation of sustainability challenges by different organizations. It is an innovative serious game framework for sustainability with the purpose of education and behavioral change regarding energy and water consumption. Its extensible software system includes a variety of common services such as authentication; game mechanics such as leaderboards, points, and badges; a variety of built-in games and content focused on sustainability; a responsive user interface; cloud-based deployment; and the ability to customize the game to the needs of individual organizations. Figure 2 illustrates a home page implemented using Makahiki.



Figure 2. Makahiki Game Instance

Makahiki consists of a library of pre-built game “widgets” that implement a variety of game mechanics. Using the widgets, an organization can create a custom sustainability challenge in which players can compete individually or in teams to earn points and reduce consumption of resources such as water or energy. Figure 3 illustrates the architecture of Makahiki.

### Experiences with Makahiki

We have used Makahiki to create four different Kukui Cup Energy Challenges. Kukui Cup Energy challenges were held at the University of Hawaii (UH) in 2011 and 2012 for over 1,000 first year students living in the residence halls. Hawaii Pacific University (HPU) held a Kukui Cup Energy challenge in Fall 2012 for about 200 students. An international organization called the East-West Center (EWC) held a Kukui Cup




Figure 3. Architecture of Makahiki

Energy and Water challenge for approximately 600 international residents living in their residence halls. Since the halls did not have internet-enabled meters, resource consumption data had to be entered by the game managers manually.

The successful creation of serious game challenges by three different organizations provides evidence that Makahiki can be successfully tailored to the needs of different organizations. First, UH and HPU used different metering infrastructure, and EWC collected their resource data manually. Second, while UH and HPU challenges involved only energy consumption data, the EWC challenge involved both energy and water consumption data. Third, the IT infrastructure at UH and HPU provided authentication services using CAS (Central Authentication Service) and LDAP, while EWC used the built-in Django authentication. Fourth, the user interface was customized to “brand” each challenge with the logo, thematic elements, and the education contents of the sponsoring organizations.

Besides the real world usage of Makahiki in the series of Kukui Cup challenges, we performed in-lab assessment experiments in 2013. Makahiki was used in a serious game development course in Spring semester of 2013 at the Information and Computer Sciences Department of the University of Hawaii at Manoa. There were a total of 8 students who participated in the experiments. The participants were either senior undergraduates or graduate students majoring in Computer Science. During the course, the students installed Makahiki, configured and designed a serious game instance with Makahiki, and finally developed an enhancement to the Makahiki framework. We asked the students taking the course to voluntarily participate in the assessment experiments of Makahiki, using SGSEAM.

### Assessing Makahiki using SGSEAM

#### Makahiki Player Assessment

We applied SGSEAM to assess the player effectiveness regarding the 2011 Kukui Cup Challenge at the University of Hawaii at Manoa. There were over 1000 eligible players for this challenge, who were mostly first year college students living in the resident halls. The challenge lasted for 3 weeks.

Makahiki recorded detailed logging data from every interaction between the players and the website.

To assess the effectiveness of the game in improving player literacy in sustainability, we conducted two energy literacy surveys, one before the challenge (pre-game) and one after the challenge (post-game). 24 players completed both surveys. Out of the total 19 energy literacy questions, the average number of questions answered correctly is 7.54 before the challenge, and 8.96 after the challenge. This result indicates an 18% improvement on the energy literacy. We also surveyed non-players as a control condition, and found that their literacy did not change, indicating that the improvement in player literacy was indeed due to the game.

To assess the effectiveness of the game in producing positive change in sustainability behaviors, we recorded and analyzed energy consumption data before, during and after the challenge. Before the challenge, an energy usage baseline was established. During the challenge, compared to the baseline, 12 out of the total 20 teams reduced their energy consumption, with the highest reduction of 16.1%. However, 3 teams actually increased their energy consumption, with the highest increase of 11.7%. Overall, the average reduction of the 20 teams was very low—approximately 2%.

To assess player engagement of the game, we calculated a variety of engagement metrics. The results are shown in Figure 4:

Measurement	MIN	AVG	MAX
Participation rate	13%	37%	74%
Number of players per day	43	85	147
Play time per day	1 min	27.7 mins	8.5 hours
submissions per day	32	266	1110
social interactions per day	51	208	468
website errors per day	0	0.6	4

Figure 4. Makahiki Engagement Metrics

The participation rate of this challenge is 37%, which is good compared to other sustainability challenges. Over the course of the challenge, an average player spent about 27.7 minutes per day on the website. One player spent 8.5 hours on one day. There were an average of 266 activity submissions and 208 social interactions between players per day.

In summary, SGSEAM indicates that Makahiki can be successful in achieving player engagement and literacy improvement. SGSEAM could not provide evidence of positive change in behavior.

#### Makahiki System Admin Assessment

System admin assessment was done using an in-lab experiment. Students in the serious game class were tasked with installing the Makahiki system into their local computers. In order to understand how much time it takes to install Makahiki and what problems might be encountered, we designed a Google Form explaining the steps required to install Makahiki. We asked the students to record the time they spent completing each step and the problems they encountered. We

also asked the students to provide feedback about their installation experiences in the form of blog posts. [14] describes in detailed the Google Form that is used in this assessment.

The results from the Google Form responses show that the average total time to successfully install Makahiki was 1.4 hours, with a maximum time of 2 hours and the minimum time of 0.9 hour. Figure 5 shows the average time for each installation step.




Figure 5. Average time for installation step

We coded and categorized the descriptive problems reported by the students in both the Google Form and their blog posts. Figure 6 shows the result of the analysis from the feedback of the 8 students that participated in the experiment.

Problem encountered	Number of participants
Cannot find configuration file to edit during database installation	4
Documentation of install script is confusing about creation of the DB user	2
More parts of installation could be covered by install script	2

Figure 6. Makahiki Installation Analysis (n=8)

From the above analysis, we identified that the “Install and configure database” step has the longest average time. It is also has the most participant reported problems. This reflects the issues encountered by students during the configuration process. This assessment determines the areas for future improvement are (1) to improve documentation on DB installation, and (2) to improve the install script to automate more installation tasks.

In summary, SGSEAM identified database installation as a weak point in installation. Otherwise, SGSEAM indicates generally positive results regarding Makahiki with respect to installation.

#### Makahiki Game Designer Assessment

We also used the in-lab experiment to assess the game designer experience of Makahiki. One of the class assignments for the students in the experiment was to design a serious game using the Makahiki framework. We asked the students to follow specific design steps and record the time required

and any problems encountered during their design process, using a Google Form similar to the one used for the system admin assessment. In addition, students were asked to provide feedback about their design experiences in the form of blog posts. [14] describes in detailed the Google Form that is used in this assessment.

The game designer assessment was generalized into 7 tasks corresponding to distinct types of administrative tasks and game design planning. The time for each task is calculated from the Google Form results. The most time consuming task is "Smart Grid Game Design", which took average 107.9 minutes (56% of total time) to complete, while the least time consuming tasks is "Raffle Game Design", which took average 7.9 minutes (7% of total time) to complete.

Figure 7 shows the average time for each design tasks:




Figure 7. Average time for design tasks

We aggregated the problems reported in the feedback of the 7 students that participated in the experiment. Figure 8 shows the result of the analysis:

Problem encountered	Number of participants
Difficulty in understanding predicate system and unlock condition	7
A bug that prevented users with usernames containing capital letters from logging in	2
A bug in the processing of Ajax queries	1
Difficulty in generating event attendance codes for game activities	1

Figure 8. Makahiki Game Design Analysis, (n=8)

In summary, SGSEAM revealed two shortcomings with Makahiki configuration: "Smart Grid Game Design" and "Configure Challenge Settings". Issues encountered in "Smart Grid Game Design" included 1) difficulty and lack of documentation on the predicate system used to define dependencies between game activities, and 2) difficulty in generating event attendance codes for game activities. Issues encountered in "Configure Challenge Settings" included 1) a bug in the processing of Ajax queries caused by consecutive clicks on the same interface button, and 2) a bug that prevented users with username containing capital letters from logging in.

#### Makahiki Game Manager Assessment

We used the 2012 Kukui Cup Challenge at the Hawaii Pacific University (HPU) to assess the game manager experience of Makahiki. We interviewed the game manager of the HPU Kukui Cup challenge, who is also the game designer of the challenge. We asked him about his game management experiences using the Makahiki admin interface. The interview questions are outlined in the game manager section of the SGSEAM.

The interview took place after the challenge and was audio-recorded. We transcribed the audio recording. The data shows that the game management interface was easy for him to use. He made sure that player submissions were either approved or rejected within 12 hours. He also discovered a useful feature in the approval interface without help from the Makahiki support team. The only problem he reported was that after the competition ended, he discovered that some of the analytics data disappeared. This was identified by the Makahiki development team as a software bug and has since been fixed.

In summary, SGSEAM uncovered few problems with Makahiki game management using the interview approach. We realized that the confident level of this assessment approach is low because of availability of only one data point. An experimental study approach or perform interviews to multiple game managers will increase the confidence level of the assessment.

#### Makahiki Developer Assessment

We assessed developer experience using an in-lab experiment. One of the class assignments for the students in the experiment was to develop an enhancement to Makahiki. This involved setting up a development environment, following the tutorial to create a "Hello world" widget using Makahiki, and finally, developing an enhancement to extend the functionality of Makahiki.

The students were asked to submit their development source code to the public source code repository (GitHub) and write a blog post to discuss their efforts to complete the development activity.

All 8 students reported that the first task of creating the simple "Hello world" widget was easy, while the enhancement development was hard. Only one student successfully completed all 5 required features, while the rest successfully completed 1 or 2 features. The main problem students reported was the lack of documentation for the development libraries. One student stated in his blog that he decided to choose Makahiki framework to develop his own serious game because of Makahiki's features and possibility of reducing development effort by using the framework.

In summary, SGSEAM reveals significant problems with developer efficiency. Analysis is still ongoing regarding the specific causes of problems and how best to address them.

#### Makahiki Researcher Assessment

Several researchers had used and are currently using Makahiki to perform research in the areas of energy and sus-



tainability behavior change. We assessed the effectiveness of research experiences by identifying their research outcomes generated from the usage of Makahiki. The outcomes of these research include: a) Five research papers published in international conferences, b) One Ph.d dissertation, c) Five internal tech reports, d) Nine presentations.

In summary, SGSEAM provides a way to identify the effectiveness of Makahiki from researcher's perspective. Assessment is ongoing to use the interview approach to understand how easy it is for a researcher to perform research using Makahiki.

## CONCLUSIONS

We have developed a serious game framework assessment method called Serious Game Stakeholder Experience Assessment Method (SGSEAM). SGSEAM assesses serious game frameworks from the perspective of the following stakeholders' experiences: players, system administrators, game designers, game managers, developers, and researchers.

These experiences are assessed qualitatively and quantitatively to identify the strengths and shortcomings of a serious game framework.

We applied SGSEAM to Makahiki. The results of the assessment show both strengths and weaknesses in this framework. Most importantly, the assessment has provided actionable insight into how to improve the framework for system administrators, developers, and game designers. We now understand Makahiki far better than we did before the application of SGSEAM.

Our use of SGSEAM also reveals concerns with the assessment method itself. For certain stakeholders, we took advantage of a course on serious game design to obtain fairly detailed quantitative data about, for example, game design assessment. While we feel confident of these results, the effort required to collect the data was substantial. On the other hand, for other stakeholders such as game managers, we only had access to a single person who could provide insight from that perspective. While easier to collect, the small sample size limits our confidence in the data. We are considering ways to augment the method with a "confidence" value that helps others better interpret the findings. We also hope to apply SGSEAM to a different serious game framework in order to gain additional insights into the strengths and limitations of this approach.

## ACKNOWLEDGMENTS

Omitted from review version.

## REFERENCES

1. Caldiera, V. R. B. G., and Rombach, H. D. The goal question metric approach. *Encyclopedia of software engineering* 2 (1994), 528–532.
2. Creswell, J. W. *Research design: qualitative, quantitative, and mixed methods approaches*, 2nd ed. ed. Sage Publications, Thousand Oaks, California, 2003.
3. De Freitas, S., and Oliver, M. How can exploratory learning with games and simulations within the curriculum be most effectively evaluated? *Computers & Education* 46, 3 (2006), 249–264.
4. Deterding, S., Dixon, D., Khaled, R., and Nacke, L. From game design elements to gamefulness: Defining "gamification". In *Proceedings of MindTrek* (2011).
5. Harteveld, C. Triadic game evaluation: A framework for assessing games with a serious purpose. In *Workshop of the ACM SIGCHI Symposium on Engineering Interactive Computing Systems* (2010).
6. Hodge, C. Dorm energy competitions: Passing fad or powerful behavior modification tool? Presentation at the 2010 Behavior Energy and Climate Change conference, November 2010.
7. Hurteau, M., Houle, S., and Mongiat, S. How legitimate and justified are judgments in program evaluation? *Evaluation* 15, 3 (2009), 307–319.
8. Johnson, P. M., Xu, Y., Brewer, R. S., Moore, C. A., Lee, G. E., and Connell, A. Makahiki+WattDepot: An open source software stack for next generation energy research and education. In *Proceedings of the 2013 Conference on Information and Communication Technologies for Sustainability (ICT4S)* (February 2013).
9. Mayer, I. Towards a comprehensive methodology for the research and evaluation of serious games. *Procedia Computer Science* 15, 0 (2012), 233 – 247.
10. McGonigal, J. *Reality is broken: Why games make us better and how they can change the world*. Penguin Press, 2011.
11. Reeves, B., and Read, J. *Total engagement: using games and virtual worlds to change the way people work and businesses compete*. Harvard Business School Press, 2009.
12. Sherrod, A. *Ultimate 3D Game Engine Design & Architecture*. Charles River Media, Inc., 2006.
13. Song, S., Lee, J., and Hwang, I. A new framework of usability evaluation for massively multi-player online game: Case study of "World of Warcraft" game. In *Human-Computer Interaction. HCI Applications and Services*. Springer, 2007, 341–350.
14. Xu, Y. Approach to access system admin and game designer experiences in makahiki. Tech. Rep. CSDL-13-04, Department of Information and Computer Sciences, University of Hawaii, Honolulu, Hawaii 96822, June 2013.
15. Zyda, M. From visual simulation to virtual reality to games. *IEEE Computer* 38, 9 (Sep 2005), 25 – 32.