

DEPARTMENT OF ENVIRONMENTAL SERVICES
CITY AND COUNTY OF HONOLULU

1000 ULUOHA STREET, SUITE 308, KAPOLEI, HAWAII 96707
TELEPHONE: (808) 768-3486 • FAX: (808) 768-3487 • WEBSITE: <http://envhonolulu.org>

FILE COPY

OCT - 3 2020

KIRK CALDWELL
MAYOR



LORI M.K. KAHIKINA, P.E.
DIRECTOR

TIMOTHY A. HOUGHTON
DEPUTY DIRECTOR

ROSS S. TANIMOTO, P.E.
DEPUTY DIRECTOR

IN REPLY REFER TO:
WEC.CSE 20-088

September 30, 2020

Mr. Keith Kawaoka, Acting Director
Office of Environmental Quality Control
State Department of Health
235 South Beretania Street, Suite 702
Honolulu, Hawaii 96813

Dear Mr. Kawaoka:

SUBJECT: Final Environmental Assessment
Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Kailua, Oahu, Hawai'i

The City and County of Honolulu, Department of Environmental Services, has reviewed the Final Environmental Assessment (EA) for the subject project, and anticipates a Finding of No Significant Impact. Please publish a notice in the October 8, 2020, issue of the Office of Environmental Quality Control (OEQC) *Environmental Notice*.

We have enclosed a completed OEQC Publication Form and one (1) hardcopy of the Final EA, and a CD containing electronic files of these documents in MS-Word and PDF format, respectively.

Should you have any questions or concerns, please contact Clifford Kanda of the Division of Wastewater Engineering and Construction at (808) 768-8753 or our consultant for this project, Wei Chen of Fukunaga & Associates, Inc. at (808) 944-1821.

Sincerely,

Lori M.K. Kahikina, P.E.
Director

Enclosures

From: webmaster@hawaii.gov
To: [HI Office of Environmental Quality Control](#)
Subject: New online submission for The Environmental Notice
Date: Thursday, October 1, 2020 11:26:52 AM

| |
|--|
| Action Name |
| Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair |
| Type of Document/Determination |
| Final environmental assessment and finding of no significant impact (FEA-FONSI) |
| HRS §343-5(a) Trigger(s) |
| <ul style="list-style-type: none">• (1) Propose the use of state or county lands or the use of state or county funds |
| Judicial district |
| Ko'olaupoko, O'ahu |
| Tax Map Key(s) (TMK(s)) |
| N/A |
| Action type |
| Agency |
| Proposing/determining agency |
| City and County of Honolulu, Department of Environmental Services |
| Agency contact name |
| Clifford Kanda |
| Agency contact email (for info about the action) |
| ckanda@honolulu.gov |
| Agency contact phone |
| (808) 768-8753 |
| Agency address |
| 650 South King Street, 14th Floor Honolulu, Hawaii 96813 United States Map It |
| Was this submittal prepared by a consultant? |
| Yes |
| Consultant |
| Fukunaga & Associates, Inc. |
| Consultant contact name |
| Wei Chen |

Consultant contact email

wchen@fukunagaengineers.com

Consultant contact phone

(808) 944-1821

Consultant address

1357 Kapiolani Blvd., Suite 1530
Honolulu, Hawaii 96814
United States
[Map It](#)

Action summary

The project proposes to plug a void beneath an existing concrete structure encasing the 8-inch diameter wastewater force main crossing under Maunawili Stream downstream of the Maunawili Wastewater Pump Station and to restore the eroded streambed and stream banks in the vicinity, which will restore protection and support to the force main. The original design plans of the force main indicate an 8-inch ductile iron pipe encased in a reinforced concrete jacket buried beneath the stream bed and overlaid by a cement rubble masonry (CRM) layer to provide additional protection. Investigations have revealed that the CRM layer has been washed away and the original stream bed and stream banks have eroded, creating a void under the concrete jacket leaving it partially suspended and unsupported. The actions of the proposed project will greatly reduce the risk of a structural failure of the force main which would result in the discharge of untreated wastewater into Maunawili Stream.

Reasons supporting determination

The proposed project will have short-term minor impacts associated with construction which will be coordinated with city, state and federal agencies and the general public. As determined in Chapter 5, the proposed project will not have significant adverse impacts on the environment.

Attached documents (signed agency letter & EA/EIS)

- [WEC.CSE-20-088-Final-Environmental-Assessment-Maunawili-Estates-Wastewater-Pump-Station-Force-Main-Crossing-No.1-Repair-Kailua-Oahu-Hawaii.pdf](#)
- [Maunawili-Final-EA.pdf](#)

Shapefile

- The location map for this Final EA is the same as the location map for the associated Draft EA.

Authorized individual

Wei Chen

Authorization

- The above named authorized individual hereby certifies that he/she has the authority to make this submission.

Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair
FINAL
ENVIRONMENTAL ASSESSMENT



Prepared for:
City and County of Honolulu
Department of Environmental Services
Division of Wastewater Engineering and Construction

Prepared by:
Fukunaga & Associates, Inc.
1357 Kapi'olani Blvd., Suite 1530
Honolulu, Hawai'i 96814

October 2020

This page is intentionally left blank

TABLE OF CONTENTS

| | |
|---|------------|
| List of Abbreviations..... | v |
| Executive Summary..... | ix |
| CHAPTER 1. Introduction | 1-1 |
| 1.1 Purpose for Environmental Assessment..... | 1-1 |
| 1.2 Existing Facilities and Operations | 1-1 |
| 1.3 Project Need and Objective..... | 1-2 |
| 1.4 Project Description..... | 1-2 |
| 1.5 Construction Schedule and Cost | 1-3 |
| CHAPTER 2. Description of the Environment, Impacts and Mitigative Measures | 2-1 |
| 2.1 Climate | 2-1 |
| 2.2 Topography | 2-1 |
| 2.3 Soils..... | 2-1 |
| 2.3.1 Soil Survey | 2-1 |
| 2.3.2 Land Study Bureau..... | 2-2 |
| 2.3.3 Agricultural Lands of Importance to the State of Hawai‘i..... | 2-2 |
| 2.4 Natural Hazards..... | 2-2 |
| 2.5 Hydrology | 2-15 |
| 2.6 Flora and Fauna..... | 2-15 |
| 2.6.1 Botanical Resources | 2-16 |
| 2.6.2 Aquatic Biological Resources | 2-16 |
| 2.6.3 Avian Resources..... | 2-16 |
| 2.6.4 Mammalian Resources | 2-18 |
| 2.6.5 Critical Habitat | 2-18 |
| 2.7 Water Quality | 2-19 |
| 2.8 Hazardous Materials..... | 2-23 |
| 2.9 Air Quality | 2-23 |
| 2.10 Noise | 2-23 |
| 2.11 Archaeological and Cultural Resources | 2-24 |
| 2.12 Socio-Economic Characteristics | 2-24 |
| 2.13 Utilities..... | 2-25 |
| 2.14 Transportation | 2-26 |
| 2.15 Police Protection | 2-26 |
| 2.16 Fire Protection..... | 2-26 |
| 2.17 Educational Facilities | 2-27 |
| 2.18 Other Facilities | 2-27 |
| CHAPTER 3. Relationship to Federal, State and County Plans and Policies | 3-1 |
| 3.1 Hawai‘i State Plan..... | 3-1 |
| 3.2 State Land Use Law | 3-7 |
| 3.3 City and County of Honolulu General Plan | 3-11 |

Table of Contents

| | | |
|---|---|------------|
| 3.4 | Ko'olau Poko Sustainable Communities Plan | 3-12 |
| 3.5 | Ko'olau Poko Watershed Management Plan | 3-13 |
| 3.6 | City and County of Honolulu Land Use Ordinance..... | 3-14 |
| 3.7 | Coastal Zone Management Program..... | 3-19 |
| 3.8 | Department of the Army | 3-20 |
| 3.9 | Federal Cross-Cutter Authorities | 3-22 |
| 3.9.1 | Archaeological & Historic Preservation Act, National Historic Preservation Act | 3-22 |
| 3.9.2 | Clean Air Act | 3-23 |
| 3.9.3 | Coastal Barrier Resources Act | 3-23 |
| 3.9.4 | Coastal Zone Management Act..... | 3-23 |
| 3.9.5 | Endangered Species Act, Fish & Wildlife Coordination Act, Essential Fish Habitat | 3-24 |
| 3.9.6 | Environmental Justice Executive Order..... | 3-24 |
| 3.9.7 | Farmland Protection Act | 3-25 |
| 3.9.8 | Floodplain Management Executive Order | 3-25 |
| 3.9.9 | Protection of Wetlands Executive Order..... | 3-25 |
| 3.9.10 | Safe Drinking Water Act..... | 3-26 |
| 3.9.11 | Wild & Scenic Rivers Act..... | 3-26 |
| CHAPTER 4. Alternatives Considered | | 4-1 |
| 4.1 | No Action | 4-1 |
| 4.2 | Alternatives Analysis | 4-1 |
| 4.2.1 | Alternative A..... | 4-2 |
| 4.2.2 | Alternative B | 4-2 |
| 4.2.3 | Alternative C | 4-2 |
| 4.2.4 | Alternative D | 4-2 |
| 4.3 | Selected Alternative | 4-3 |
| CHAPTER 5. Determination..... | | 5-1 |
| CHAPTER 6. Consulted Parties | | 6-1 |
| CHAPTER 7. References | | 7-1 |

List of Figures

| | | |
|-------------|--|------|
| Figure 1-1: | Location Map and Existing Sewer System | 1-5 |
| Figure 1-2: | Force Main Crossings Location Map..... | 1-7 |
| Figure 1-3: | Crossing No. 1 Site Map | 1-9 |
| Figure 1-4: | Crossing No. 1 Section View | 1-11 |
| Figure 2-1: | Elevation Map | 2-3 |
| Figure 2-2: | USGS Soils Map | 2-5 |
| Figure 2-3: | Land Study Bureau Map | 2-7 |
| Figure 2-4: | ALISH Map..... | 2-9 |
| Figure 2-5: | Flood Hazard Map..... | 2-11 |

| | | |
|-------------|---|------|
| Figure 2-6: | Flood Hazard Assessment Report | 2-13 |
| Figure 2-7: | Water Quality Standards Classification Map..... | 2-21 |
| Figure 2-8: | Maunawili Estates Subdivision Road Map | 2-29 |
| Figure 3-1: | State Land Use Map | 3-9 |
| Figure 3-2: | City & County of Honolulu Zoning Map..... | 3-17 |

List of Tables

| | | |
|------------|---|------|
| Table 2-1: | Selected Socio-Economic Data | 2-24 |
| Table 3-1: | Hawai‘i State Plan Objectives..... | 3-1 |
| Table 3-2: | Coastal Zone Management Progam Objectives | 3-20 |

Appendices

| | | |
|-------------|---|-----|
| Appendix A: | Pre-Environmental Assessment Comments and Responses..... | A-1 |
| Appendix B: | Draft Environmental Assessment Comments and Responses | B-1 |
| Appendix C: | Natural Resources Survey | C-1 |
| Appendix D: | Reconnaissance Level Survey | D-1 |

This page is intentionally left blank

LIST OF ABBREVIATIONS

| | |
|-------|---|
| ALISH | Agricultural Lands of Importance to the State of Hawai‘i |
| ARV | Air Release Valve |
| BMP | Best Management Practices |
| CCH | City and County of Honolulu |
| CDP | Census Designated Place |
| CRM | Cement Rubble Masonry |
| CWRM | State of Hawai‘i, Department of Land and Natural Resources, Commission on Water Resource Management |
| CWSRF | Clean Water State Revolving Fund |
| CWA | Clean Water Act |
| CWB | State of Hawai‘i, Department of Health, Clean Water Branch |
| CZM | Coastal Zone Management |
| DA | Department of the Army |
| DBEDT | State of Hawai‘i, Department of Business, Economic Development, and Tourism |
| DIP | Ductile Iron Pipe |
| DLNR | State of Hawai‘i, Department of Land and Natural Resources |
| DOH | State of Hawai‘i, Department of Health |
| DPP | City & County of Honolulu, Department of Planning and Permitting |
| EA | Environmental Assessment |
| EIS | Environmental Impact Statement |
| ENV | City and County of Honolulu, Department of Environmental Services |
| EPA | United States Environmental Protection Agency |
| ESA | Endangered Species Act of 1973, as amended |
| F | Fahrenheit |
| FEMA | Federal Emergency Management Agency |
| FIRM | Flood Insurance Rate Map |
| FONSI | Finding of No Significant Impact |
| FPPA | Farmland Protection Policy Act |
| FWCA | Fish and Wildlife Coordination Act |
| HAR | Hawai‘i Administrative Rules |
| HBWS | Honolulu Board of Water Supply |
| HECO | Hawaiian Electric Company |
| HFD | Honolulu Fire Department |
| HPD | Honolulu Police Department |

List of Abbreviations

| | |
|-------|--|
| HRS | Hawai‘i Revised Statutes |
| I/I | Infiltration and Inflow |
| IRH | State of Hawai‘i, Department of Health, Indoor and Radiological Health Branch |
| KPWMP | Ko‘olau Poko Watershed Management Plan |
| LUC | Land Use Commission |
| LUO | Land Use Ordinance |
| MGD | Million Gallons per Day |
| MPH | Miles Per Hour |
| MSL | Mean Sea Level |
| NHPA | National Historic Preservation Act |
| NOAA | National Oceanic and Atmospheric Administration |
| NPDES | National Pollution Discharge Elimination System |
| NRCS | National Resources Conservation Service |
| NWP | Nationwide Permit |
| OCCL | State of Hawai‘i, Department of Land and Natural Resources, Office of Conservation and Coastal Lands |
| OTS | O‘ahu Transit Services |
| OWMP | O‘ahu Water Management Plan |
| PIFWO | United States Fish and Wildlife Service, Pacific Islands Fish and Wildlife Office |
| PJD | Preliminary Jurisdictional Determination |
| PUC | Primary Urban Center |
| RCJ | Reinforced Concrete Jacket |
| RHA | Rivers and Harbors Act of 1899 |
| RLS | Selective Reconnaissance Level Survey |
| ROH | Revised Ordinances of Honolulu |
| SCAP | Stream Channel Alteration Permit |
| SCP | Sustainable Communities Plan |
| SDWA | Safe Drinking Water Act |
| SHPD | State of Hawai‘i, Department of Land and Natural Resources, Historic Preservation District |
| SIP | State Implementation Plan |
| SMA | Special Management Area |
| SRF | State Revolving Fund |
| TCP | Traffic Control Plan |
| TMP | Transportation Management Plan |
| TMK | Tax Map Key |
| UHERO | University of Hawai‘i, Economic Research Organization |

| | |
|-------|---|
| U.S. | United States |
| USACE | United States Army Corps of Engineers |
| USDA | United States Department of Agriculture |
| USFWS | United States Fish and Wildlife Service |
| USGS | United States Geological Survey |
| WQC | Water Quality Certification |
| WWPS | Wastewater Pump Station |

This page is intentionally left blank

EXECUTIVE SUMMARY

Project Name:

Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair
Kailua, O‘ahu, Hawai‘i

Approving Agency:

Division of Wastewater Engineering & Construction
Department of Environmental Services
City and County of Honolulu
650 South King Street, 14th Floor
Honolulu, Hawai‘i 96813

Proposing Agency:

Division of Wastewater Engineering & Construction
Department of Environmental Services
City and County of Honolulu
650 South King Street, 14th Floor
Honolulu, Hawai‘i 96813

Consultant:

Fukunaga & Associates, Inc.
1357 Kapi‘olani Boulevard, Suite 1530
Honolulu, O‘ahu, Hawai‘i 96814

Project Summary:

The City and County of Honolulu, Department of Environmental Services, Division of Wastewater Engineering & Construction, proposes a restoration repair project at the Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 at Maunawili Stream. The project proposes to plug the void beneath the existing concrete structure encasing the 8-inch diameter force main and restore the eroded streambed and stream banks at the crossing. The original design plans of the force main indicate an 8-inch ductile iron pipe encased in a reinforced concrete jacket buried beneath the stream bed, overlaid by a cement rubble masonry (CRM) layer to provide additional protection. Investigations have revealed that the CRM layer has been washed away and the original stream bed and stream banks have eroded, creating a void under the concrete jacket which is now partially suspended and unsupported from the bottom. The proposed project will restore the eroded streambed and banks at the force main stream crossing, which will restore protection and support to the concrete structure encasing

Executive Summary

the force main. This will greatly reduce the risk of a structural failure of the force main which would result in the discharge of untreated wastewater into Maunawili Stream.

The project is located within the Maunawili Estates subdivision in Kailua, next to Maunawili Road Bridge No. 3 which crosses over Maunawili Stream, and adjacent to the City and County of Honolulu parcel TMK 4-2-067:028. The project area is located within the Urban and Agricultural State Land Use District; and within AG-2 and R-20 City and County of Honolulu Land Use Zoning Designations. The repairs are limited within the City right-of-way.

Permits Required:

Department of the Army Nationwide Permit (Section 404 of the Clean Water Act)
Blanket Section 401 Water Quality Certification (Section 401 of the Clean Water Act)
National Pollution Discharge Elimination System Construction Dewatering Permit

Determination:

A Finding of No Significant Impact (FONSI) is determined for this project.

CHAPTER 1. INTRODUCTION

1.1 Purpose for Environmental Assessment

The City and County of Honolulu (CCH), Department of Environmental Services (ENV), Division of Wastewater Engineering & Construction, proposes a restoration repair project at the Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 at Maunawili Stream. The project will plug the void beneath the existing concrete structure encasing the 8-inch diameter force main and restore the eroded streambed and stream banks at the crossing.

Pursuant to Hawai‘i Revised Statutes (HRS), Chapter 343, an environmental review is required because the proposed project involves the following triggers:

- Propose the use of state and county lands and the use of county funds

Through the environmental review process, environmental concerns from reviewing agencies and the general public regarding working in the stream will be addressed. Parties consulted for this Environmental Assessment (EA) are listed in Chapter 6.

1.2 Existing Facilities and Operations

The Maunawili and Maunawili Estates subdivisions are located in the Maunawili Valley, Kailua south of Kalaniana’ole Highway bordered by the Ko’olau Mountains to the south and southwest. The wastewater system serving these subdivisions consists of two separate gravity sewer systems, two wastewater pump stations (WWPS) and two force mains. Wastewater from the Maunawili Estates Subdivision flows by gravity to the Maunawili Estates WWPS and is pumped through the Maunawili Estates WWPS force main into the Maunawili Subdivision sewer system. The wastewater from the Maunawili Subdivision then flows by gravity to the Maunawili Park WWPS. From the Maunawili Park WWPS, the wastewater is pumped through a force main along Kalaniana’ole Highway to the Kailua Road WWPS. See **Figure 1-1**.

There are four stream crossings along the Maunawili Estates WWPS force main. Force Main Crossing No. 1 crosses the Maunawili Stream to the north of the Maunawili Estates WWPS and downstream of Maunawili Road Bridge No. 3. Per the design plans, this crossing consisted of an existing 8-inch ductile iron pipe force main encased by a reinforced concrete jacket (RCJ) that was buried under the stream bed and protected by a cement rubble masonry (CRM) layer flush with the stream bed. Deficiencies are observed at this location. See Section 1.3. Force Main Crossing No. 2 crosses beneath ‘Oma’o Stream approximately 500 feet down from the Maunawili Estates WWPS. At this crossing there is a concrete structure that spans the width of ‘Oma’o Stream and is approximately 48 inches wide. This crossing appears intact and has a stream flow over the structure. Force Main Crossings No. 3 and No. 4 cross beneath an unnamed stream approximately 1,030 feet and 2,000 feet, respectively, from the Maunawili Estates WWPS. At both crossings no

force main concrete structures were clearly observed. See **Figure 1-2** for the Force Main Crossing locations and **Figure 1-3** for Force Main Crossing No. 1 at Maunawili Road Bridge No. 3.

1.3 Project Need and Objective

During a site visit in 2013, ENV discovered an exposed concrete structure within Maunawili Stream spanning the width of the stream downstream of the Maunawili Road Bridge No. 3. Because the concrete structure was found in the same general location as Force Main Crossing No. 1 indicated by record drawings, ENV suspected that this structure was the RCJ encasing the force main crossing Maunawili Stream as part of Force Main Crossing No. 1. To determine the likelihood of this, Fukunaga & Associates, Inc. was retained under the Maunawili Wastewater Pump Stations, Force Mains and Sewer Improvements Project, Contract No. SC-DDC-140089, to gather information and prepare an engineering report. The report, entitled “Preliminary Maunawili Estates Wastewater Pump Station Force Main Investigation” (hereafter referred to as “Preliminary Investigation”), was completed in August 2016.

The Preliminary Investigation concluded that the observed concrete structure was indeed the RCJ encasing the force main for Force Main Crossing No. 1. Other documented observations included the following:

- The CRM layer shown on the design plans across the stream bed over top of the concrete jacket has washed away
- The wing walls on the downstream side of Maunawili Road Bridge No. 3 are missing
- The original stream bed and stream banks have eroded
- There is a void beneath the concrete structure of varying depth, resulting in the stream water surface level under the concrete structure during low conditions

Because the concrete structure encasing the force main is exposed and undermined, the force main is at risk of a structural failure, which would result in the discharge of untreated wastewater into Maunawili Stream. The Maunawili Estates WWPS force main carries an average wastewater flow of 0.1 million gallons per day (MGD) and a peak hour flow rate of up to 1 MGD during rainfall events; therefore, a wastewater discharge could be in the order of magnitude of thousands to millions of gallons. See **Figure 1-4** for a section view of the existing condition at Force Main Crossing No. 1 based on information from the Preliminary Investigation.

The project objectives therefore are to diminish the risk of a structural failure of the force main, protect the downstream water quality and provide more reliable wastewater collection service to the residents in the area.

1.4 Project Description

The Preliminary Investigation identified and evaluated several alternatives to address the force main stream crossing No. 1 at the Maunawili Stream. See Chapter 4 for detailed descriptions of the alternatives evaluated. The Preliminary Investigation recommended the following:

1. A restoration repair that will plug the void beneath the existing concrete structure and provide adequate structural support to the force main.
2. A restoration repair by constructing riprap in the stream from the bridge to approximately 2 feet past the concrete structure to control erosion.
3. A restoration repair by slope stabilization methods along the streambanks immediately downstream of the bridge culvert to protect the streambanks from further erosion.

The Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair project (hereafter referred to as the “project”), is anticipated to address these proposed repairs.


1.5 Construction Schedule and Cost

The project has the following estimated key project milestones and associated dates:

| | |
|----------------------------|---------------|
| a. Design Completion | December 2020 |
| b. Bid Advertisement | December 2020 |
| c. Bid Open | January 2021 |
| d. Construction Start | March 2021 |
| e. Construction Completion | October 2021 |

A cost estimate will be developed for the construction of the project.


This page is intentionally left blank



**Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment**

LOCATION MAP AND EXISTING SEWER SYSTEM

This page is intentionally left blank




Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment

FORCE MAIN CROSSINGS LOCATION MAP

This page is intentionally left blank

Maunawili Estates Force Main Crossing at Maunawili Road Bridge No. 3

Approximate location of the force main alignment at the stream crossing




Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment

FUKUNAGA & ASSOCIATES, INC.
Consulting Engineers

**MAUNAWILI ESTATES WWPS FORCE MAIN
CROSSING NO. 1 SITE MAP**

Figure 1-3

This page is intentionally left blank



**Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment**

FUKUNAGA & ASSOCIATES, INC.
Consulting Engineers

**MAUNAWILI ESTATES WWPS FORCE MAIN
CROSSING NO. 1 SECTION VIEW**

Figure 1-4

This page is intentionally left blank

CHAPTER 2. DESCRIPTION OF THE ENVIRONMENT, IMPACTS AND MITIGATIVE MEASURES

2.1 Climate

The island of O‘ahu is characterized by a tropical savanna climate with little seasonal and diurnal variability in temperature. The average monthly temperatures in Maunawili is about 84 degrees F for the highs and 68 degrees F for the lows, with January being the coolest month and August being the warmest. The average annual precipitation is over 76 inches, predominantly between the months of October and April. Trade winds flow from east to west and prevail during the greater part of the year.

2.2 Topography

The island of O‘ahu was formed by two different shield volcanoes, the Wai‘anae and the Ko‘olau, with the former being the older of the two. Formation of the island began approximately 4 million years ago. Both volcanoes have undergone erosion and coral reef growing stages and have experienced submarine landslides.

The topography throughout the Maunawili Estates area increases generally from northeast to southwest. At the top of Puualoha Street, it is approximately 170 feet MSL as the Maunawili Stream begins to flow through homeowner lots and reduces to 86 feet MSL at the bridge next to Force Main Crossing No. 1. The stream flows north for approximately 1,800 feet where it merges with Kawainui Stream. **See Figure 2-1.**

2.3 Soils

2.3.1 Soil Survey

The United States Department of Agriculture (USDA), Soil Conservation Service 1972 “Soil Survey” provides detailed information on soil classifications, characteristics and maps showing their locations on the islands. The survey is useful for engineers and builders because the information includes descriptions of soil properties and the relative stability of soils for engineering purposes. According to the survey, the following soil type is found at the project site as described below. **Figure 2-2** shows the United States Geological Survey (USGS) location of this soil and the soils types surrounding the project area.

- Hanalei stony silty clay, 2-6% slopes (HoB): The Hanalei series consist of somewhat poorly drained to poorly drained soils that formed in alluvium derived from basic igneous rock. Hanalei soils are on bottom lands and have slopes of 0 to 6 percent. The mean annual rainfall is about 80 inches and the mean annual temperature is about 72 degrees F. A representative profile includes a dark grey silty clay layer 6 inches thick. The next layer is mixed very dark gray and dark gray silty clay that has a weak coarse prismatic structure

and is about 7 inches thick. The following layer is dark grayish brown silty clay loam that has a weak coarse prismatic structure parting to weak fine and medium angular blocky and is 8 inches thick. The sub soil is dark grayish brown silty clay loam about 10 inches thick. The soil is sticky and plastic. Runoff is slow and the permeability is moderate.

2.3.2 Land Study Bureau

The University of Hawai‘i, Land Study Bureau 1972 “Detailed Land Classification – Island of O‘ahu” grouped all non-urban lands into five categories based on their soil properties and capabilities for agricultural productivity measured by their performance for selected crops. The categories were assigned letters “A” through “E” in order of highest to least productive. The project area is entirely within state Urban land and therefore is not associated with a Land Study Bureau category. See **Figure 2-3**.


2.3.3 Agricultural Lands of Importance to the State of Hawai‘i

The Department of Agriculture “Agricultural Lands of Importance to the State of Hawai‘i” (ALISH) provided a classification system for identification of agriculturally important lands to the state, which established three classes of agricultural lands primarily, but not exclusively, on the basis of soil characteristics. The classifications are: Prime Agricultural Land, Unique Agricultural Land and Other Agricultural Land. These classifications provide decision makers understanding of long-term implications of several land use options for production of food, feed, forage, and fiber crops, however, do not designate areas to any specific land use. Lands not considered for classification as ALISH are: 1) Developed urban land over 10 acres; 2) Natural or artificial enclosed bodies of water over 10 acres; 3) Forest reserves; 4) Public use lands, e.g. parks and historic sites; 5) Lands with slopes in excess of 35%; and 6) Military installations, except undeveloped areas over 10 acres. The project area is entirely within lands not considered for classification. See **Figure 2-4**.

2.4 Natural Hazards

As shown on **Figure 2-5 and Figure 2-6**, the Flood Hazard Map and the Flood Hazard Assessment Report, which is based on the Flood Insurance Rate Map (FIRM) issued by the Federal Emergency Management Agency (FEMA), indicates that the entire project area is located in Zone D. This is an unstudied area where flood hazards are undetermined, but flooding is possible. No mandatory flood insurance purchase apply, but coverage is available in participating communities.


According to the CCH, Department of Emergency Management’s Tsunami Evacuation Maps, the entire project area is within the “Safe Zone”. The area is therefore not considered to be vulnerable to tsunamis.



**Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment**

ELEVATION MAP


This page is intentionally left blank



**Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment**

USGS SOIL MAP


This page is intentionally left blank



**Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment**

LAND STUDY BUREAU MAP


This page is intentionally left blank



**Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment**

ALISH MAP

This page is intentionally left blank



**Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment**


FLOOD HAZARD MAP

Figure 2-5

This page is intentionally left blank

Figure 2-6

Maunawili Estates Wastewater
Pump Station Force Main
Crossing No. 1 Repair
Final Environmental Assessment



BASEMAP: FIRM BASEMAP



Flood Hazard Assessment Report

www.hawaiifip.org

Property Information

COUNTY: HONOLULU
TMK NO: (1) 4-2-067:001
WATERSHED: KAWAINUI
PARCEL ADDRESS: 1204 ALOHA OF DR
KAILUA, HI 96734

Notes:

Flood Hazard Information

| | |
|--------------------------|-------------------|
| FIRM INDEX DATE: | NOVEMBER 05, 2014 |
| LETTER OF MAP CHANGE(S): | NONE |
| FEMA FIRM PANEL: | 15003C0380H |
| PANEL EFFECTIVE DATE: | NOVEMBER 05, 2014 |

THIS PROPERTY IS WITHIN A TSUNAMI EVACUATION ZONE: NO
FOR MORE INFO, VISIT: <http://www.scd.hawaii.gov/>

THIS PROPERTY IS WITHIN A DAM EVACUATION ZONE: NO
FOR MORE INFO, VISIT: <http://dlnreng.hawaii.gov/dam/>



0 200 400 ft

Disclaimer: The Hawaii Department of Land and Natural Resources (DLNR) assumes no responsibility arising from the use, accuracy, completeness, and timeliness of any information contained in this report. Viewers/Users are responsible for verifying the accuracy of the information and agree to indemnify the DLNR, its officers, and employees from any liability which may arise from its use of its data or information.

If this map has been identified as 'PRELIMINARY', please note that it is being provided for informational purposes and is not to be used for flood insurance rating. Contact your county floodplain manager for flood zone determinations to be used for compliance with local floodplain management regulations.

FLOOD HAZARD ASSESSMENT TOOL LAYER LEGEND (Note: legend does not correspond with NFHL)

SPECIAL FLOOD HAZARD AREAS (SFHAs) SUBJECT TO INUNDATION BY THE 1% ANNUAL CHANCE FLOOD - The 1% annual chance flood (100-year), also known as the base flood, is the flood that has a 1% chance of being equaled or exceeded in any given year. SFHAs include Zone A, AE, AH, AO, V, and VE. The Base Flood Elevation (BFE) is the water surface elevation of the 1% annual chance flood. Mandatory flood insurance purchase applies in these zones:

| | |
|--|--|
| | Zone A: No BFE determined. |
| | Zone AE: BFE determined. |
| | Zone AH: Flood depths of 1 to 3 feet (usually areas of ponding); BFE determined. |
| | Zone AO: Flood depths of 1 to 3 feet (usually sheet flow on sloping terrain); average depths determined. |
| | Zone V: Coastal flood zone with velocity hazard (wave action); no BFE determined. |
| | Zone VE: Coastal flood zone with velocity hazard (wave action); BFE determined. |
| | Zone AEF: Floodway areas in Zone AE. The floodway is the channel of stream plus any adjacent floodplain areas that must be kept free of encroachment so that the 1% annual chance flood can be carried without increasing the BFE. |

NON-SPECIAL FLOOD HAZARD AREA - An area in a low-to-moderate risk flood zone. No mandatory flood insurance purchase requirements apply, but coverage is available in participating communities.

| | |
|--|---|
| | Zone XS (X shaded): Areas of 0.2% annual chance flood; areas of 1% annual chance flood with average depths of less than 1 foot or with drainage areas less than 1 square mile; and areas protected by levees from 1% annual chance flood. |
| | Zone X: Areas determined to be outside the 0.2% annual chance floodplain. |

OTHER FLOOD AREAS

| | |
|--|--|
| | Zone D: Unstudied areas where flood hazards are undetermined, but flooding is possible. No mandatory flood insurance purchase apply, but coverage is available in participating communities. |
|--|--|

This page is intentionally left blank

2.5 Hydrology

The Commission on Water Resource Management (CWRM) has established hydrologic units for both groundwater and surface water resources. Groundwater is described in the State Water Code as: “any water found beneath the surface of the earth, whether in perched supply, dike-confined, flowing, or percolating in underground channels or streams, under artesian pressure or not, or otherwise”. Surface water is defined as: “both contained surface water—that is, water upon the surface of the earth in bounds created naturally or artificially including, but not limited to, streams, other watercourses, lakes, reservoirs, and coastal waters subject to state jurisdiction—and diffused surface water—that is, water occurring upon the surface of the ground other than in contained water bodies. Water from natural springs is surface water when it exits from the spring onto the earth’s surface”.

Groundwater hydrologic units have been delineated by Aquifer Sector Areas which are further subdivided into Aquifer System Areas. The project lies within the Windward Aquifer Sector Area [306], and is in the Waimanalo Aquifer System Area [30604]. The Sustainable Yield for the aquifer system is 10 MGD.

Surface water hydrologic units are divided by watershed units which are comprised of one or more drainage basins. The project is located within the Kawainui surface water hydrologic unit [3033]. According to the Hawai‘i Stream Assessment, the Maunawili Stream is a perennial stream at the project site and with no listed tributaries in the Hawai‘i Stream Assessment data.

Ground elevations at the project site are sufficiently high above MSL that potential effects of climate change on ground water levels will not have any impact on the proposed project.

2.6 Flora and Fauna

The Pacific Islands Fish and Wildlife Office (PIFWO) of the United States Fish and Wildlife Service (USFWS) and the Department of Land and Natural Resources (DLNR), Division of Forestry and Wildlife, were contacted during the pre-Environmental Assessment consultation stage of the project. In letters dated December 23, 2016 and May 22, 2019, PIFWO provided general information and guidance on federally listed species and designated critical habitat under the authorities of the Endangered Species Act of 1973, as amended (ESA).

In 2019, a natural resources survey was completed by AECOS Inc. that consisted of water quality, botanical, aquatic biological, avian, mammalian and critical habitat surveys within the project area. The physical survey was conducted on May 9, 2019 (hereafter called “present survey”). The report, entitled: “Natural resources survey for the Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 repair at Maunawili Stream” (hereafter referred to as “NRS”) assessed the condition of and evaluated project impact upon these resources. The findings and conclusions of NRS are discussed in the following sections, and the full report can be found in **Appendix C**.

2.6.1 Botanical Resources

Botanical resources of interest or potential concern from a conservation perspective are native endangered, threatened, or rare species, valuable landscape plants, or exceptional trees. No plants proposed or listed as endangered or threatened under ESA or the State of Hawai‘i endangered species statute were observed during the present survey. The NRS also affirmed that no trees in the project area are listed by the CCH, Exceptional Trees program.

2.6.2 Aquatic Biological Resources

No aquatic species protected by state or federal endangered species statutes were observed in Maunawili Stream at the project site during the course of the present survey. However, prior studies have reported protected species from Maunawili Stream and Kawainui Watershed. The crimson damselfly, blackline Hawaiian damselfly, and Oceanic Hawaiian damselfly are listed as endangered on state and federal endangered species lists, and reported in the middle to upper reaches of Kawainui Watershed. USFWS advises that Best Management Practices (BMPs) for work in aquatic environments be incorporated into the project plan to minimize the degradation of water quality and impacts to biological resources.

Native gobies were not observed during the present survey, however, were reported in prior studies from Maunawili Stream and Kawainui Watershed. DLNR administrative rules regulate fisheries in the state, including the taking of native gobies.

Many Hawaiian endemic and indigenous freshwater fish and crustaceans have an amphidromous life cycle: eggs are laid in freshwater stream reaches, and hatched larvae drift downstream and out into the ocean to develop then migrate back into freshwater streams where they reach maturity. The NRS advised that project activities must not impede this amphidromous cycle and that maintenance of good water quality in the stream should be a priority:

- Downstream and upstream migration pathways should be maintained.
- New structures should not include drains or grates that may entrain drifting larvae, nor overhanging culverts that may obstruct upstream movement of recruiting juveniles.

2.6.3 Avian Resources

The avian assemblage surveyed is consistent with the lowland wet forest and urban environment within the project area, although waterbirds were notably absent from the modified stream channel. All birds observed during the present survey are non-native species naturalized to Hawai‘i.

In its December 23, 2016 letter, PIFWO indicated that Hawaiian waterbirds are known to occur within the vicinity of the project area as well as at various sites within the vicinity (Kaelepulu Pond, Hamakua March Waterbird Sanctuary, and Kawainui Marsh). On O‘ahu, the endangered waterbirds consist of the Hawaiian Duck, Hawaiian Common Gallinule, Hawaiian Coot, and Hawaiian Stilt. PIFWO further noted that Hawaiian waterbirds may use the area near the proposed project site for loafing, foraging, and possibly nesting. Hawaiian stilt nesting occurs from mid-

February through August, Hawaiian coot and Hawaiian gallinules nesting occurs year-round but mostly from March through August, and Hawaiian duck nesting can occur year-round.

No endangered Hawaiian waterbirds were observed during the present survey. The NRS determined that optimal habitats for endangered waterbird species are not present in the project area; however, suitable habitat for endangered waterbirds may be found downstream of the project area in Kawainui Marsh, and potentially along water features at the nearby Royal Hawaiian Golf Course.

USFWS recommends that if water resources are located within or adjacent to a project site, the following measures should be incorporated to minimize impacts to Hawaiian waterbirds:

- In areas where waterbirds are known to be present, post and implement reduced speed limits and inform project personnel and contractors about the presence of endangered species on-site or nearby.
- Incorporate the applicable BMPs regarding work in aquatic environments into the project design.
- A qualified biological monitor should conduct Hawaiian waterbird nest surveys at appropriate times at the proposed project site prior to project initiation. Surveys should be repeated again within 3 days of project initiation and after any subsequent delay of work of 3 or more days (during which the beds may attempt to nest).
- Any documented nests or broods within the project vicinity should be reported to USFWS within 24 hours.
- A 100-foot buffer should be established and maintained around all active nests and broods until the chicks have fledged. No potentially disruptive activities or habitat alteration should occur within this buffer.
- USFWS should be notified immediately prior to project initiation and provided with the results of pre-construction Hawaiian waterbird surveys.
- A biological monitor should be present on the site during all construction or earth moving activities to ensure that Hawaiian waterbirds and nests are not adversely impacted.

Endangered Hawaiian forest birds on O‘ahu include the ‘Elepaio. The NRS noted that critical habitat for ‘Elepaio occurs less than a mile from the project site, along the upper ridges and valleys of Ko‘olau Mountain; however, given the relatively low elevation of the project area, ‘Elepaio are unlikely to utilize the project area or immediate vicinity. The following USFWS endangered forest bird recommendation may still apply for project activities:

- Avoid increasing mosquito populations by creating stagnant water habitat.

Hawaiian seabird species of concern include protected Wedge-tailed Shearwater, threatened Newell’s Shearwater, endangered Hawaiian Petrel, endangered Band-rumped Storm-Petrel, and White Tern. Protected seabirds may overfly the project area, and have some potential to utilize cliff habitat in upper Maunawili Valley; however, White Tern was not observed (or expected to

occur) in the project area and are not anticipated to be impacted by project activities. USFWS advises that Hawaiian seabirds may traverse the project area during the breeding, nesting, and fledging seasons (March 1 to December 15). Night lights can disorient seabirds, resulting in their potential downing and harm from collision with objects and/or predation by dogs and cats if downed. If the project will utilize additional night-time lighting sources for night-time construction, USFWS recommends incorporating the following measures to avoid and minimize potential project impacts to seabirds:

- Fully shield all outdoor lights so the bulb can only be seen from below bulb height and only use when necessary.
- Install automatic motion sensor switches and timer controls on all outdoor lights or turn off lights when human activity is not occurring in the lighted area.
- Avoid night-time construction during the seabird fledging period from September 15 through December 15.

2.6.4 Mammalian Resources

The endangered Hawaiian hoary bat roosts in both exotic and native woody vegetation and will leave young unattended in “nursery” trees and shrubs when they forage. If trees or shrubs suitable for bat roosting are cleared during the pupping season, there is a risk that young bats could inadvertently be harmed or killed since they are too young to fly or may not move away. Additionally, Hawaiian hoary bats forage for insects from as low as 3 feet to higher than 500 feet above the ground and can become entangled in barbed wire used for fencing. USFWS provides the following general BMP recommendations for areas with bat roosting habitat:

- No woody vegetation taller than 4.6 m (15 ft) should be disturbed, removed or trimmed during the bat pupping season between June 1 and September 15.
- The use of barbed wire to top fence lines must be avoided.

The Hawaiian Hoary Bat is known to forage for insects along waterways, such as those found in the project area along Maunawili and Olomana streams. The NRS reasoned that, because Hawaiian Hoary Bat is a noted habitat generalist that forages in multiple locations over a wide geographic home range, and the proposed project activities along Maunawili Stream are not expected to reduce stream forage habitat, deleterious impacts to Hawaiian Hoary Bat are not anticipated provided the appropriate aforementioned BMPs are followed.

2.6.5 Critical Habitat

In its December 23, 2016 letter, PIFWO reported that there is no federally designated critical habitat within the immediate vicinity of the proposed project. The NRS confirmed that federally delineated critical habitat is not present within the project area. Thus, the project as currently proposed, will not impinge on federally designated critical habitat. No equivalent habitat designation exists under state law.

Critical habitat for three native damselflies, O‘ahu ‘Elepaio, and several endemic plant species begin less than one-mile upslope from Maunawili Road Bridge No. 3. The NRS concluded that, despite this lateral proximity, critical habitat and the project area are separated by a distinct elevational buffer. Deleterious impacts to critical habitat and federally protected species upslope of the project area therefore are not anticipated, provided the appropriate aforementioned BMPs are followed.

2.7 Water Quality

The Department of Health (DOH), Water Quality Standards Map, indicates that the majority of the project area are designated inland Class “2” inland waters. See **Figure 2-7**. HAR §11-54-3 defines Class “2” waters as follows:

The objective of Class “2” waters is “to protect their use for recreational purposes, the support and propagation of aquatic life, agricultural and industrial water supplies, shipping and navigation”. The uses to be protected in this class of waters are all uses compatible with the protection and propagation of fish, shellfish, and wildlife, and with recreation on and in these waters. These waters shall not act as receiving waters for any discharge which has not received the best degree of treatment or control compatible with the criteria established for this class. No new treated sewage discharges shall be permitted within estuaries.

Maunawili Stream appears on the list of impaired water bodies in the 2018 State of Hawai‘i, Water Quality Monitoring and Assessment Report. The report defines impaired waters as waters that do not meet the State’s water quality standards. Maunawili Stream is listed as impaired for trash, turbidity, nitrate+nitrite, total nitrogen, and total phosphorus based solely on visual assessments.

The NRS discussed in Section 2.6 confirmed the Maunawili Stream as Class 2 “freshwater, flowing waters” and determined that base flow conditions prevailed and represent typical, non-runoff conditions. The NRS also included a water quality assessment that compared selected water parameters to the Hawai‘i state criteria. The assessment determined that the temperature, pH, conductivity, and dissolved oxygen saturation levels were all within the state criteria at the time of sampling, and that concentrations for all nutrients, except Kjeldahl nitrogen, were typical of higher elevation reaches of Hawai‘i streams during base flow conditions. For more details, refer to **Appendix C**.

The NRS concluded that project work to repair the force main crossing can be completed with minimal impacts to stream water quality and without negative impacts to long-term water quality if proper BMPs are implemented, and made the following recommendations:

- Repair activities must be restricted to one-half of the stream at a time. This will allow amphidromous animals to use the stream during repair operations as a migratory pathway and maintain stream flow through the reach.
- Cofferdams constructed of sand bags interwoven with thick plastic sheeting to minimize leakage should be employed around in-water work areas. Cofferdams should be surrounded

on in-water sides by an anchored silt curtain to prevent discharge of work-related sediments to downstream waters.


- Filter socks should be placed along the lower edge of stream banks in work areas to prevent movement of eroded material into downstream waters.

The Clean Water Act (CWA) establishes the basic structure for regulating discharges of pollutants into the waters of the United States and regulating quality standards for surface waters. Section 401 of the CWA requires that an applicant for a Federal license or permit to conduct any activity which may result in a discharge into the navigable waters, shall provide certification that any such discharge will comply with the CWA. Section 404 of the CWA requires approval prior to discharging dredged or fill material into the waters of the United States. Since the proposed project will be constructed within the Maunawili Stream and the stream banks, both Sections 401 and 404 of the CWA will apply. Compliance with Section 404 will be administered by the U.S. Army Corps of Engineers (USACE) and will likely be verified through a Department of the Army (DA) Nationwide Permit (NWP). Refer to Section 3.8 for additional information. In March 2018, the DOH Clean Water Branch (CWB) obtained a Blanket Section 401 Water Quality Certification (WQC) for certain DA NWPs, which will expire on March 18, 2022. Coverage for the proposed project will be sought under this Blanket Section 401 WQC.

Supporting documents to be submitted along with the Blanket Section 401 WQC application include an Applicable Monitoring and Assessment Plan, which will describe the proposed methods and means to monitor the quality and characteristics of the discharge and to monitor/maintain all pollutant control measures, and a Site-Specific Best Management Practices Plan to properly isolate and confine the discharge activities and to contain and prevent any potential pollutant discharges from adversely impacting Maunawili Stream. In addition to the recommendations in the NRS, typical BMPs employed may include in-water turbidity silt screens and gabion inflow protection, and cease of construction during significant rains.

Other required approvals for the project may include a NPDES Dewatering Permit and adherence to the updated CCH, Department of Planning and Permitting's (DPP) rules on storm drainage, water quality and erosion control.

As required by the State Water Code, HRS Chapter 174C, the CWRM administers a statewide instream use protection program through the Stream Channel Alteration Permit (SCAP). A SCAP is required for any temporary or permanent activity within the stream bed or banks that may: 1) Obstruct, diminish, destroy, modify, or relocate a stream channel; 2) Change the direction of flow of water in a stream channel; 3) Place any materials or structures in a stream channel; or 4) Remove any material or structure from a stream channel. This project is located in the Maunawili Stream previously shown on **Figure 1-2** and discussed in Section 1.4 potentially requiring a SCAP. A request for determination was submitted to CWRM on August 29, 2016 and in a letter dated September 6, 2016, CWRM confirmed that a SCAP would not be required because the proposed work involves routine streambed and drainage way maintenance activities and maintenance of existing facilities are exempt from obtaining a permit.



**Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment**

WATER QUALITY STANDARDS CLASSIFICATION MAP

This page is intentionally left blank

2.8 Hazardous Materials

The DOH, Solid and Hazardous Waste Branch, Hawai‘i Leaking Underground Storage Tank Database listed one 1000-gallon diesel tank in the vicinity of the project area, located at the Maunawili Estates Wastewater Pump Station at 1275 Maunawili Road. The database indicated seven underground storage tank inspections completed since 2001. The DOH, Hazard Evaluation and Emergency Response Office records did not list any incidents in the vicinity of the project area.

It is unlikely that excavation operations will encounter contaminated soil. However, in the event that contaminated soil is discovered, the Contractor will be responsible for notifying the appropriate agencies and coordinating remedial procedures.

Construction activities may involve small quantities of materials that could be considered hazardous such as petroleum and cleaning products, and resins. Measures will be taken to ensure that these materials are not discharged into the environment. Impacts are not anticipated.

2.9 Air Quality

The DOH, Clean Air Branch monitors ambient air for several air pollutants at 14 monitoring stations throughout O‘ahu, Big Island, Maui and Kauai. Station air quality is reported as an index value, with 0-50 Good, 51-100 Moderate, 101-150 Unhealthy for Sensitive Groups, 151-200 Unhealthy, 201-300 Very Unhealthy and 301-500 Hazardous. The closest station to the project area is located in Honolulu at the DOH building on Punchbowl Street across from Queen’s Medical Center. The air quality at this station typically falls within the Good range. While air quality in the vicinity of the project area is not measured, the only existing sources of air pollution are emissions from motor vehicles traveling on adjacent roadways.

Short term impacts during the construction period may arise from construction activity. Emissions from construction vehicles may slightly increase air pollution; however, these will likely be dispersed by the prevailing trade winds. Fugitive dust arising from trenching activities and construction vehicles must comply with the provisions of HAR 11-60.1-33. The contractor will be encouraged to implement a dust control plan, which may include several measures, including using dewatering trucks and covering stockpiles of excavated material.

2.10 Noise

The two predominant existing source of noise at the project site is vehicular traffic on the existing bridge and noise from the Maunawili Stream. HAR Title 11, Chapter 46 describes the regulations for community noise control and sets forth maximum noise tolerances by zoning district, which are to be administered by DOH, Indoor and Radiological Health Branch (IRH). Noise from construction activities will be short-term and localized, but will likely exceed these tolerances. An approved Community Noise Permit will be required for construction during the hours from 7:00 am to 6:00 pm Monday through Friday, and 9:00 am through 6:00 pm Saturdays. Construction outside of these hours and with a noise exceeding 78 decibels (dBA) will require an approved

Community Noise Variance from the DOH IRH Branch. These permits will be the responsibility of the construction contractor. All permits and variances will be secured prior to construction.

2.11 Archaeological and Cultural Resources

Consultation with the State Historic Preservation Division (SHPD) was initiated in early 2017 and on April 19, 2017, SHPD requested a site visit and a Reconnaissance Level Survey (RLS) to identify potential historic properties at the project site per HAR §13-275-5.

Fung Associates Inc., was retained to conduct the required survey and assessment. A joint site visit by Fung Associates Inc. and SHPD was conducted on July 18, 2017 and the final report, entitled “Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Reconnaissance Level Survey” was completed in January 2018 and submitted to SHPD for acceptance. The Selective Reconnaissance Level Survey (RLS) involves a single structure, the Maunawili Road Bridge No. 3 – Maunawili Stream, which is located next to the proposed project. The RLS found that although the Maunawili Road Bridge No. 3 meets the criteria of a historic property, it was altered in 2009. Due to the alterations of the bridge, it has lost its historic integrity and is not eligible for listing on the Hawaii or National Register of Historic Places. The RLS concluded that “no historic properties affected” and “no adverse effect” for the proposed project. Subsequently, SHPD accepted this conclusion on March 23, 2018. The RLS report can be found in **Appendix D**.

In the unlikely event that historical or cultural resources are encountered during construction, work will be halted in the immediate area of the discovery and SHPD will be contacted as outlined in HRS Chapter 6E.

2.12 Socio-Economic Characteristics

According to the U.S. Census Bureau, the population, percent non-Caucasian, and median household income of the communities within the project vicinity area are as follows:

Table 2-1: Selected Socio-Economic Data

| Census Designated Place | Population | % Minorities | Median Household Income |
|-------------------------|------------|--------------|-------------------------|
| Maunawili ¹ | 2,020 | 63.8 | \$143,750 |

¹Source: U.S. Census Bureau American Community Survey (ACS), 2013-2017 5-Year Estimates

The University of Hawai‘i, Economic Research Organization (UHERO) prepared a county economic forecast update in May 2018. The study concludes that chances of continued growth in all four counties are good, with robust economic conditions. Tourism is gaining and construction activity remains at healthy levels. There is record low unemployment rates which will limit the job growth but welcome income gains. The common risk to all four counties primarily is continuing vulnerability to adverse developments. The predictions relevant to O‘ahu are as follows:

- Tourism continues to profit from healthy economic conditions in the U.S. and the Asia-Pacific region. O‘ahu will benefit from buoyant international arrivals as airlines are adding capacity and as the weaker dollar makes a Hawaii trip more affordable. Although the room stock will experience some growth, occupancy rates will remain high, which will support higher room rates.
- Construction has bounced back from last year on O‘ahu, but Neighbor Island industry jobs are low. Home building on O‘ahu remains well below levels needed to satisfy household formation. As local income grows and interest rates rise, cost for developers rise and affordability concerns persist.
- Job growth will be more limited going forward with non-farm payrolls surpassing pre-recession levels and unemployment now at all-time lows. Net outmigration from the state caused labor shortages and has led to a recent labor force decline in all four counties. However, the tourism industry will create new jobs to satisfy visitor demand.
- All four counties face common uncertainties, both for specific industries and generally. The large number of visitors has led to congestion in many communities and an increase in home vacation rentals has a negative impact on the housing markets. Homelessness continues to be an issue and county governments are struggling to finance non-discretionary expenses. Trade wars, Federal interest rate hikes, or rising geopolitical tension could upset the current expansion.

The proposed project is not expected to have any long-term economic impacts; however, it will have minor positive short-term impacts associated with construction. These impacts include the creation of jobs for the anticipated duration of construction, assuming the project is awarded to a local contractor; and indirect economic stimulus from those workers spending their income on goods and services.

2.13 Utilities

Existing utilities at the project site other than sanitary sewers include electrical, telephone, cable television, storm water management and potable water. Storm water management infrastructure includes drains which flow into the Maunawili Stream. Potable water service is provided by the Honolulu Board of Water Supply (HBWS), and infrastructure includes a 2-inch waterline. Electrical service is provided by Hawaiian Electric Company (HECO), telephone service is provided by Hawaiian Telcom, and cable television service is provided by Spectrum.

Several precautions will be taken during design and construction of the restoration of the eroded streambed and stream banks within the Maunawili Stream at the force main crossing No. 1 to minimize the potential for conflicts with the existing utilities. The restoration design will adhere to minimum clearances from existing utilities. Utility companies will be provided plans for review during the design stage, and contractors will be required to coordinate field toning of the infrastructure prior to construction.

2.14 Transportation

Maunawili Road is owned and maintained by CCH and is the main road connecting Maunawili Valley to Kailua. The section of Maunawili Road in the vicinity of the project site is a two-way, two-lane, undivided County roadway road with a posted speed limit of 15 mile per hour (MPH) serving approximately 825 local residents plus Maunawili Falls Trail hikers. Maunawili Road also provides transport for the TheBus, operated by O‘ahu Transit Services (OTS), which has Route 672 (Lanikai - Maunawili) running in and out of the subdivision. The route follows a loop around Aloha Oe Drive, Maleko Street, and Puualoha Street and does not cross Maunawili Road Bridge No. 3 adjacent to the project site. The time between buses varies approximately between 55 minutes and 100 minutes. The impact to TheBus service is expected to be minimal.

The proposed project is not expected to involve work within CCH roadways; however, because Maunawili Road is the only public access to the Maunawili Estates subdivision, and because deliveries to and from the site could potentially impact traffic, a temporary traffic control plan (TCP) will be included as part of the design. Construction materials and equipment should be transferred to and from the project site during off-peak traffic hours. Road closures for construction activities are not anticipated. As shown in **Figure 2-8**, Aloha Oe Drive, Puualoha Street and Kelewina Street provides an alternate route to the rest of the subdivision in the event that access to Maunawili Road Bridge No. 3 is temporarily restricted.

Design and construction of this project will be coordinated with all other projects in the vicinity with overlapping schedules and potential shared traffic impacts. No other projects are known at the time of this Final EA. A detailed traffic management plan (TMP) for this project is not considered necessary.

2.15 Police Protection

The nearest Honolulu Police Department (HPD) station is the Kailua Substation located northeast of the project area on Kuulei Road. There is also an HPD station located northwest of the project area on Waikalua Road in Kaneohe. In a letter dated January 3, 2020, HPD anticipated a short-term impact to pedestrian and vehicular traffic and parking in and around the area of the project during construction, which may cause an increase in calls for service to the area. HPD recommended that necessary street usage permits impacting parking and the transporting of equipment within the vicinity of the project be obtained prior to construction, and that all necessary signs, lights, barricades, and other safety equipment be installed and maintained by the contractor to facilitate the flow of traffic during the construction phase of the project. As discussed in Section 2.14, a temporary TCP may be designed for the project and if developed, extensive coordination and outreach will be established to minimize impacts.

2.16 Fire Protection

The nearest Honolulu Fire Department (HFD) station is the Olomana Fire Station located northeast of the project area on Kalaniana‘ole Highway. During construction, measures will be taken to maintain access to fire hydrants, and to ensure safe access to and from the fire stations. Additionally, as discussed in Section 2.14 a temporary TCP will be designed, early coordination

will apprise HFD and any other emergency services of any lane reductions or turning movement restriction well in advance; therefore, impacts to fire protection services will be minimized.


2.17 Educational Facilities

There are several schools in the vicinity of the project area. These schools include Trinity Christian School – Mauka Campus, Le Jardin Academy, Maunawili Elementary School, Olomana School, Kailua High School and Kailua Methodist Pre-School. The school located closest to the project area is Trinity Christian School – Mauka Campus, which is 1.1 miles north of the project area. As discussed in Section 2.14, a temporary TCP and early coordination and outreach will minimize the impacts of construction on the nearby schools.

2.18 Other Facilities

Other facilities in the vicinity include the water tank by Lopaka Way owned by HBWS, the stream intakes located along Maunawili Ditch owned by Hawaii State Department of Agriculture, and the stream gauging stations owned by USGS. Access to these facilities will not be restricted.

This page is intentionally left blank



**Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment**

MAUNAWILI ESTATES SUBDIVISION ROAD MAP

This page is intentionally left blank

CHAPTER 3. RELATIONSHIP TO FEDERAL, STATE AND COUNTY PLANS AND POLICIES

3.1 Hawai‘i State Plan

The Hawai‘i State Planning Act, Chapter 226 of the Hawai‘i Revised Statutes, was first adopted in 1978. It serves as a guide for the future long-range development of the state through identification of goals, objectives, policies, and priorities. The state goals are discussed below, and the objectives relevant to the proposed project are indicated in **Table 3-1**.

§226 -4 State goals. In order to guarantee, for present and future generations, those elements of choice and mobility that insure that individuals and groups may approach their desired levels of self-reliance and self-determination, it shall be the goal of the State to achieve:

- (1) A strong, viable economy, characterized by stability, diversity, and growth, that enables the fulfillment of the needs and expectations of Hawaii's present and future generations.
- (2) A desired physical environment, characterized by beauty, cleanliness, quiet, stable natural systems, and uniqueness, that enhances the mental and physical well-being of the people.
- (3) Physical, social, and economic well-being, for individuals and families in Hawaii, that nourishes a sense of community responsibility, of caring, and of participation in community life.

As stated in Section 1.3 Project Need and Objective, the proposed project supports these overall state goals.

Table 3-1: Hawai‘i State Plan Objectives

| Objective | Description | Applicable |
|---------------------|--|-------------------|
| Population | It shall be the objective in planning for the State's population to guide population growth to be consistent with the achievement of physical, economic, and social objectives | No |
| Economy--in general | Planning for the State's economy in general shall be directed toward achievement of the following objectives: (1) Increased and diversified employment opportunities to achieve full employment, increased income and job choice, and improved living standards for Hawai‘i's people, while at the same time stimulating the development and expansion of economic activities capitalizing on defense, dual-use, and science and technology assets, particularly on the neighbor islands where employment opportunities may be limited. (2) A steadily growing and diversified economic base that is not overly dependent on a few industries, and includes the development and expansion of industries on the neighbor islands. | No |

Relationship to Federal, State and County Plans and Policies

| Objective | Description | Applicable |
|---|--|-------------------|
| Economy--agriculture | Planning for the State's economy with regard to agriculture shall be directed towards achievement of the following objectives: (1) Viability of Hawai'i's sugar and pineapple industries. (2) Growth and development of diversified agriculture throughout the State. (3) An agriculture industry that continues to constitute a dynamic and essential component of Hawai'i's strategic, economic, and social well-being. | No |
| Economy--visitor industry | Planning for the State's economy with regard to the visitor industry shall be directed towards the achievement of the objective of a visitor industry that constitutes a major component of steady growth for Hawai'i's economy. | No |
| Economy--federal expenditures | Planning for the State's economy with regard to federal expenditures shall be directed towards achievement of the objective of a stable federal investment base as an integral component of Hawai'i's economy. | No |
| Economy--potential growth activities | Planning for the State's economy with regard to potential growth activities shall be directed towards achievement of the objective of development and expansion of potential growth activities that serve to increase and diversify Hawai'i's economic base. | No |
| Economy--information industry | Planning for the State's economy with regard to telecommunications and information technology shall be directed toward positioning Hawai'i as a leader in broadband communications and applications in the Pacific Region. | No |
| Physical environment--land-based, shoreline, and marine resources | Planning for the State's physical environment with regard to land-based, shoreline, and marine resources shall be directed towards achievement of the following objectives: (1) Prudent use of Hawai'i's land-based, shoreline, and marine resources. (2) Effective protection of Hawai'i's unique and fragile environmental resources. | Yes |
| Physical environment-- scenic, natural beauty, and historic resources | Planning for the State's physical environment shall be directed towards achievement of the objective of enhancement of Hawai'i's scenic assets, natural beauty, and multi-cultural/historical resources. | Yes |
| Physical environment--land, air, and water quality | Planning for the State's physical environment with regard to land, air, and water quality shall be directed towards achievement of the following objectives: (1) Maintenance and pursuit of improved quality in Hawai'i's land, air, and water resources. (2) Greater public awareness and appreciation of Hawai'i's environmental resources. | Yes |

| Objective | Description | Applicable |
|---|---|-------------------|
| Facility systems--in general | Planning for the State's facility systems in general shall be directed towards achievement of the objective of water, transportation, waste disposal, and energy and telecommunication systems that support statewide social, economic, and physical objectives. | Yes |
| Facility systems--solid and liquid wastes | Planning for the State's facility systems with regard to solid and liquid wastes shall be directed towards the achievement of the following objectives: (1) Maintenance of basic public health and sanitation standards relating to treatment and disposal of solid and liquid wastes. (2) Provision of adequate sewerage facilities for physical and economic activities that alleviate problems in housing, employment, mobility, and other areas. | Yes |
| Facility systems--water | Planning for the State's facility systems with regard to water shall be directed towards achievement of the objective of the provision of water to adequately accommodate domestic, agricultural, commercial, industrial, recreational, and other needs within resource capacities. | No |
| Facility systems--transportation | Planning for the State's facility systems with regard to transportation shall be directed towards the achievement of the following objectives: (1) An integrated multi-modal transportation system that services statewide needs and promotes the efficient, economical, safe, and convenient movement of people and goods. (2) A statewide transportation system that is consistent with and will accommodate planned growth objectives throughout the State. | No |
| Facility systems--energy | Planning for the State's facility systems with regard to energy shall be directed toward the achievement of the following objectives, giving due consideration to all: (1) Dependable, efficient, and economical statewide energy systems capable of supporting the needs of the people; (2) Increased energy self-sufficiency where the ratio of indigenous to imported energy use is increased; (3) Greater energy security and diversification in the face of threats to Hawai'i's energy supplies and systems; and (4) Reduction, avoidance, or sequestration of greenhouse gas emissions from energy supply and use. | No |
| Facility systems--telecommunications | Planning for the State's telecommunications facility systems shall be directed towards the achievement of dependable, efficient, and economical statewide telecommunications systems capable of supporting the needs of the people. | No |

Relationship to Federal, State and County Plans and Policies

| Objective | Description | Applicable |
|---|--|-------------------|
| Socio-cultural advancement--housing | <p>Planning for the State's socio-cultural advancement with regard to housing shall be directed toward the achievement of the following objectives:</p> <p>(1) Greater opportunities for Hawai'i's people to secure reasonably priced, safe, sanitary, and livable homes, located in suitable environments that satisfactorily accommodate the needs and desires of families and individuals, through collaboration and cooperation between government and nonprofit and for-profit developers to ensure that more affordable housing is made available to very low-, low- and moderate-income segments of Hawai'i's population.</p> <p>(2) The orderly development of residential areas sensitive to community needs and other land uses.</p> <p>(3) The development and provision of affordable rental housing by the State to meet the housing needs of Hawai'i's people.</p> | No |
| Socio-cultural advancement--health | <p>Planning for the State's socio-cultural advancement with regard to health shall be directed towards achievement of the following objectives:</p> <p>(1) Fulfillment of basic individual health needs of the general public.</p> <p>(2) Maintenance of sanitary and environmentally healthful conditions in Hawai'i's communities.</p> | No |
| Socio-cultural advancement--education | <p>Planning for the State's socio-cultural advancement with regard to education shall be directed towards achievement of the objective of the provision of a variety of educational opportunities to enable individuals to fulfill their needs, responsibilities, and aspirations.</p> | No |
| Socio-cultural advancement--social services | <p>Planning for the State's socio-cultural advancement with regard to social services shall be directed towards the achievement of the objective of improved public and private social services and activities that enable individuals, families, and groups to become more self-reliant and confident to improve their well-being.</p> | No |
| Socio-cultural advancement--leisure | <p>Planning for the State's socio-cultural advancement with regard to leisure shall be directed towards the achievement of the objective of the adequate provision of resources to accommodate diverse cultural, artistic, and recreational needs for present and future generations.</p> | No |
| Socio-cultural advancement--individual rights and personal well-being | <p>Planning for the State's socio-cultural advancement with regard to individual rights and personal well-being shall be directed towards achievement of the objective of increased opportunities and protection of individual rights to enable individuals to fulfill their socio-economic needs and aspirations.</p> | No |
| Socio-cultural advancement--culture | <p>Planning for the State's socio-cultural advancement with regard to culture shall be directed toward the achievement of the objective of enhancement of cultural identities, traditions, values, customs, and arts of Hawai'i's people.</p> | No |

| Objective | Description | Applicable |
|---|---|-------------------|
| Socio-cultural advancement--public safety | <p>Planning for the State's socio-cultural advancement with regard to public safety shall be directed towards the achievement of the following objectives:</p> <p>(1) Assurance of public safety and adequate protection of life and property for all people.</p> <p>(2) Optimum organizational readiness and capability in all phases of emergency management to maintain the strength, resources, and social and economic well-being of the community in the event of civil disruptions, wars, natural disasters, and other major disturbances.</p> <p>(3) Promotion of a sense of community responsibility for the welfare and safety of Hawai'i's people.</p> | No |
| Socio-cultural advancement--government | <p>Planning the State's socio-cultural advancement with regard to government shall be directed towards the achievement of the following objectives:</p> <p>(1) Efficient, effective, and responsive government services at all levels in the State.</p> <p>(2) Fiscal integrity, responsibility, and efficiency in the state government and county governments.</p> | No |

The objectives and policies relevant to the proposed project are listed and discussed below.

§226-11 Objectives and policies for the physical environment—land-based, shoreline, and marine resources.

- (a) Planning for the state's physical environment with regard to land-based, shoreline, and marine resources shall be directed towards achievement of the following objectives:
 - (1) Prudent use of Hawai'i's land-based, shoreline, and marine resources.
 - (2) Effective protection of Hawai'i's unique and fragile environmental resources.
- (b) To achieve the land-based, shoreline, and marine resources objectives, it shall be the policy of this State to:
 - (2) Ensure compatibility between land-based and water-based activities and natural resources and ecological systems.
 - (3) Take into account the physical attributes of areas when planning and designing activities and facilities.
 - (4) Manage natural resources and environs to encourage their beneficial and multiple use without generating costly or irreparable environmental damage.

§226-12 Objective and policies for the physical environment—scenic, natural beauty, and historic resources.

- (a) Planning for the state's physical environment shall be directed towards achievement of the objective of enhancement of Hawai'i's scenic assets, natural beauty, and multi-cultural/historic resources.
- (b) To achieve the scenic, natural beauty, and historic resources objectives, it shall be the policy of this state to:

- (1) Promote the preservation and restoration of significant natural and historic resources.
- (2) Provide incentives to maintain and enhance historic, cultural, and scenic amenities.
- (3) Promote the preservation of views and vistas to enhance the visual and aesthetic enjoyment of mountains, ocean, scenic landscapes, and other natural features.
- (4) Protect those special areas, structures, and elements that are an integral and functional part of Hawai‘i’s ethnic and cultural heritage.
- (5) Encourage the design of developments and activities that complement the natural beauty of the islands.

§226-13 Objective and policies for the physical environment—land, air, and water quality.

- (a) Planning for the state’s physical environment with regard to land, air, and water quality shall be directed towards achievement of the following objectives:
 - (1) Maintenance and pursuit of improved quality in Hawai‘i’s land, air, and water resources.
- (b) To achieve the land, air, and water quality objectives, it shall be the policy of this state to:
 - (2) Promote the proper management of Hawai‘i’s land and water resources.
 - (3) Promote effective measures to achieve desired quality in Hawai‘i’s surface, ground, and coastal waters.

§226-14 Objectives and policies for facility systems—in general.

- (a) Planning for the state’s facility systems in general shall be directed towards achievement of the objective of water, transportation, waste disposal, and energy and telecommunication systems that support statewide social, economic, and physical objectives.
- (b) To achieve the general facility systems objective, it shall be the policy of this state to:
 - (1) Accommodate the needs of Hawai‘i’s people through coordination of facility systems and capital improvement priorities in consonance with state and county plans.
 - (2) Encourage flexibility in the design and development of facility systems to promote prudent use of resources and accommodate changing public demands and priorities.
 - (3) Ensure that required facility systems can be supported within resource capacities and at reasonable cost to the user.
 - (4) Pursue alternative methods of financing programs and projects and cost-saving techniques in the planning, construction, and maintenance of facility systems.

§226-15 Objectives and policies for facility systems—solid and liquid wastes.

- (a) Planning for the state’s facility systems with regard to solid and liquid wastes shall be directed towards the achievement of the following objectives:
 - (1) Maintenance of basic public health and sanitation standards relating to treatment and disposal of solid and liquid wastes.
 - (2) Provision of adequate sewerage facilities for physical and economic activities that alleviate problems in housing, employment, mobility, and other areas.
- (b) To achieve solid and liquid waste objectives, it shall be the policy of this state to:

- (1) Encourage the adequate development of sewerage facilities that complement planned growth.
- (2) Promote re-use and recycling to reduce solid and liquid wastes and employ a conservation ethic.
- (3) Promote research to develop more efficient and economical treatment and disposal of solid and liquid wastes.

The proposed project will involve plugging the void beneath the existing concrete structure encasing the 8-inch diameter force main and restore the eroded streambed and stream banks at the crossing and therefore, the physical and scenic attributes of the area will be restored and maintained. The proposed project will greatly reduce the risk of a structural failure of the force main which would result in the discharge of wastewater to spill into Maunawili Stream. Hence, the proposed project is in compliance with the aforementioned goals and objectives.

The CCH, Department of Environmental Services has not developed functional plans, and other priority guidelines of the Hawai‘i State Planning Act are not applicable to the proposed project.


3.2 State Land Use Law

Chapter 205 of the Hawai‘i Revised Statutes, the State Land Use Law, classifies four major land use districts in which all lands are placed and establishes a framework of land use management and regulation for these lands. The four land use districts are: Rural, Urban, Agricultural and Conservation. The State Legislature established the Land Use Commission (LUC) to administer the State Land Use Law.

The Conservation District is regulated by the Department of Land and Natural Resources, Office of Conservation and Coastal Lands (OCCL), and is divided into five subzones: Protective, Limited, Resource, General and Special. The first four subzones are arranged in a hierarchy of environmental sensitivity, ranging from the most to the least sensitive; the Special subzone is applied in special cases specifically to allow a unique land use on a specific site. As established in Hawai‘i Administrative Rules (HAR) Chapter 13-5, Subchapters 2 and 3, these subzones define a set of "identified land uses" which may be allowed by discretionary permit or some sort of approval from the DLNR. Major permits are required for land uses which have the greatest potential impact, and an EA and/or an Environmental Impact Statement (EIS) and potentially Public Hearing are required; minor permits are required for land uses which may have fewer impacts.

The project area is adjacent to Agricultural land use district, and entirely within the Urban land use district. See **Figure 3-1**. HRS Section 205-2(b) states that "Urban districts shall include activities or uses as provided by ordinances or regulations of the county within which the urban district is situated". Therefore, guidance regarding the Urban district is deferred to the CCH.

This page is intentionally left blank



**Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment**

STATE LAND USE MAP

This page is intentionally left blank

3.3 City and County of Honolulu General Plan

The City and County of Honolulu General Plan, a requirement of the City Charter, is a broad but comprehensive statement of objectives and policies which sets forth the long-range aspirations of O‘ahu’s residents and the strategies of actions to achieve them within an approximate 20-year planning horizon. The Department of Planning and Permitting strives to maintain the dynamic nature of the General Plan; the current edition was released in 1992, and amended in 2002, and a proposed revised O‘ahu General Plan was released in December 2017. It is the focal point of a comprehensive planning process that, together with the regional development plans, provides a direction and framework to addresses physical, social, economic and environmental concerns affecting the CCH. This planning process serves as the coordinative means by which the CCH government provides for the future growth of the metropolitan area of Honolulu.

There are eleven (11) areas of concern outlined in the General Plan:

- (1) population;
- (2) economic activity;
- (3) the natural environment;
- (4) housing,
- (5) transportation and utilities;
- (6) energy;
- (7) physical development and urban design;
- (8) public safety;
- (9) health and education;
- (10) culture and recreation; and
- (11) government operations and fiscal management

The General Plan does not define specific land uses or area.

The policies and objectives for the Natural Environment, Section 3 and Transportation and Utilities, Section 5, relevant to the proposed project, are as follows:

Natural Environment:

Objective A: To protect and preserve the natural environment.

Policy 2: Seek the restoration of environmentally damaged areas and natural resources.

Transportation and Utilities:

Objective B: To meet the needs of the people of O‘ahu for an adequate supply of water and for environmentally sound systems of waste disposal.

Policy 5: Provide safe, efficient, and environmentally sensitive waste-collection and waste-disposal services.

Objective C: To maintain a high level of service for all utilities.

Policy 1: Maintain existing utility systems in order to avoid major breakdowns.

Objective D: To maintain transportation and utility systems which will help O‘ahu continue to be a desirable place to live and visit.

Policy 1: Give primary emphasis in the capital-improvement program to the maintenance and improvement of existing roads and utilities.

The proposed project is consistent with the aforementioned policies.

3.4 Ko‘olau Poko Sustainable Communities Plan

Chapter 24 of the Revised Ordinances of Honolulu (ROH) sets out the requirement for the preparation of development plans, which are community-oriented plans intended to help guide public policy, investment, and decision-making through a planning horizon over a 20± year timeframe. Each of these plans covers a geographic planning region on O‘ahu, addressing the specific conditions and community values of each region. Two of the eight planning regions, ‘Ewa and the Primary Urban Center (PUC), were areas to which major growth in population and economic activity were anticipated to be directed over the next 20 years and beyond, and the remaining six planning regions were envisioned to remain relatively stable. The plans for the former regions were titled “Development Plans,” and the plans for the latter regions were titled “Sustainable Communities Plans”. The six planning regions title Sustainable Communities Plans (SCP) are East Honolulu, Central O‘ahu, Ko‘olau Poko, Ko‘olau Loa, North Shore and Waianae. The Ko‘olau Poko planning region extends from the Makapu‘u Point to Ka‘oio Point at the northern end of Kaneohe Bay, and is bound by the Ko‘olau mountain range and the sea. This region includes the rural communities of Waiahole, Waikane, Kahalu‘u, He‘eia, and Waimanalo and the urban fringe communities of ‘Ahuimanu, Kane‘ohe, and Kailua. The function of the Ko‘olau Poko SCP is to serve as the policy guide for the development decisions and actions to prevent an undesirable spreading of development.

These plans were adopted and revised by ordinance and are required to implement objectives and policies set forth in the General Plan.

The 2017 Ko‘olau Poko Sustainable Communities Plan was adopted on August 24, 2017 by Ordinance No. 17-42. Review of each of the plans begins five years after adoption to revalidate and adjust as necessary vision elements, policies, and guidelines, and evaluate how implementation can be improved. The CCH, Department of Planning and Permitting will conduct a comprehensive review of the Ko‘olau Poko SCP every five years. The 2017 Ko‘olau Poko SCP is organized in five chapters addressing the role of the Ko‘olau Poko in O‘ahu’s development pattern; the vision for Ko‘olau Poko’s future; land use and guidelines; public facilities and infrastructure policies and guidelines; and implementation. Consistent with the provisions of the General Plan, Ko‘olau Poko is expected to remain relatively stable over the 20-year timeframe of the plan. The vision for Ko‘olau Poko SCP describes the communities of 2035, with two principal concepts. The first concept is to protect the communities’ natural, scenic, cultural historic and agricultural resources and the second concept is to address the need to improve and replace the region’s aging infrastructure systems.

Section 3.1 of the Ko'olau Poko's SCP deals with open space preservation and the elements of open space resources and Section 4.3 deals with wastewater management. The elements/policies and guidelines relevant to this project state the following:

Section 3.1:

Element: Natural Gulches, Streams and Drainageways

Guideline: Incorporate erosion control measures and best management practices, as cited in the Hawaii Coastal Nonpoint Pollution Control Program Management Plan to prevent pollution of wetlands, streams, estuaries and nearshore waters.

Section 4.3:

Policy: Mitigate visual, noise, and odor impacts associated with wastewater collection and treatment systems, especially when they are located adjacent to residential designated areas.

Guideline: Complete planned improvements to the Kailua Regional Wastewater Treatment Plant service area facilities.

The proposed project will facilitate achievement of these elements/policies and guideline for the Ko'olau Poko's SCP open space preservation and wastewater system and therefore is in conformance with the principles and objectives outlined in the Ko'olau Poko SCP.

3.5 Ko'olau Poko Watershed Management Plan

The Honolulu Board of Water Supply, in collaboration with the DPP, is in the process of updating the O'ahu Water Management Plan (OWMP) in accordance with the State Water Coad and the Hawaii Water Plan, and CCH Ordinance 90-62 that established the OWMP. HBWS will develop eight district-specific plans that together will form the updated O'ahu Water Management Plan, each providing watershed management guidance over a 20-year timeframe. The Ko'olau Poko Watershed Management Plan (KPWMP) was completed in 2012.

The overall goal of the KPWMP is to formulate an environmentally holistic, community-based, and economically viable watershed management plan that will provide a balance between: (1) the preservation and management of O'ahu's watersheds, and (2) sustainable ground water and surface water use and development to serve present users and future generations. The five major objectives are as follows:

Objective #1: Promote sustainable watersheds

Objective #2: Protect and enhance water quality and quantity

Objective #3: Protect Native Hawaiian rights and traditional and customary practices

Objective #4: Facilitate public participation and education, and project implementation

Objective #5: Meet future water demands at a reasonable cost

The proposed project is consistent with the KPWMP because it will address objective #2 in protecting the water quality of the Maunawili Stream.

3.6 City and County of Honolulu Land Use Ordinance

Chapter 21 of the Revised Ordinances of Honolulu, Land Use Ordinance (LUO), regulates Honolulu's land use in a manner that will encourage orderly development in accordance with adopted land use policies while providing reasonable development and design standards. Section 21.3 sets forth CCH's zoning district classifications and prescribes the permitted land uses and activities within those designations. The proposed project is within the AG-2 Agricultural General district and adjacent to the R-20 Residential district. See **Figure 3-2**. The LUO states the following regarding these districts:

Sec. 21-3.50 Agricultural districts—Purpose and intent.

- (a) The purpose of the agricultural districts is to maintain a strong agricultural economic base, to prevent unnecessary conflicts among incompatible uses, to minimize the cost of providing public improvements and services and to manage the rate and location of physical development consistent with the city's adopted land use policies. To promote the viability and economic feasibility of an existing agricultural operation, accessory agribusiness activities may be permitted on the same site as an adjunct to agricultural uses. These accessory activities must be compatible with the on-site agricultural operation and surrounding land uses.
- (d) The intent of the AG-2 general agricultural district is to conserve and protect agricultural activities on smaller parcels of land.
- (e) The following guidelines shall be used to identify lands which may be considered for the AG-2 general agricultural district:
 - (1) Lands which are in the state designated agricultural or urban district and designated agricultural by adopted city land use policies;
 - (2) Lands which are predominantly classified as other under the agricultural lands of importance of the State of Hawaii system; and
 - (3) Lands which are used or suitable for agricultural purposes and where a substantial number of parcels are less than five acres in size.

Sec. 21-3.70 Residential districts--Purpose and intent.

- (a) The purpose of the residential district is to allow for a range of residential densities. The primary use shall be detached residences. Other types of dwellings may also be allowed, including zero lot line, cluster and common wall housing arrangements. Nondwelling uses which support and complement residential neighborhood activities shall also be permitted.
- (b) The intent of the R-20 and R-10 districts is to provide areas for large lot developments. These areas would be located typically at the outskirts of urban development and may be applied as a transitional district between preservation, agricultural or country districts and urban districts. They would also be applied to


lands where residential use is desirable but some development constraints are present.

Per 21-3.50-1(a) and 21-3.70-1(a), within general agricultural and residential districts, respectively, permitted uses and structures shall be as enumerated in Table 21-3. This table, the “Master Use Table”, indicates that for all zoning districts, under Social and Civic Service, public uses and structures are permitted uses.

Section 21.9 of the LUO sets forth the requirements for development within Honolulu’s special districts with the purpose of guiding development to protect and/or enhance the physical and visual aspects of communities in need of restoration, preservation, redevelopment or rejuvenation. The proposed project is not within any Special District.

Based on the objective of the proposed project stated in Section 3.1, it is in conformance with the City and County of Honolulu LUO.

This page is intentionally left blank



**Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Final Environmental Assessment**

**CITY & COUNTY OF HONOLULU
ZONING MAP**

This page is intentionally left blank

3.7 Coastal Zone Management Program

Hawai‘i’s Coastal Zone Management (CZM) Program was approved in 1977 though HRS Chapter 205A subsequent to the passage of the federal CZM Act in 1972. The program was enacted to provide a common focus for state and county actions dealing with land and water uses and activities. It is administered by the State Department of Business, Economic Development and Tourism (DBEDT), Office of Planning; however, each county has been delegated local authority and is responsible for issuing permits for activities within its lands. The CZM establishes two areas in which special controls and rules are applied, the Special Management Area (SMA) and the Shoreline Setback. The SMA is a land area extending inland from the shoreline as delineated by the maps developed through the CZM program in which development is regulated, and the Shoreline Setback serves to protect and preserve the natural shoreline, public pedestrian access and open space by regulating any structure or activity within this shoreline area. Permit requirements are set forth in ROH Chapter 25 and Chapter 23, respectively, and are under the jurisdiction of the DPP.

The project area is not within the SMA or the shoreline; therefore, neither an SMA permit nor a Shoreline Setback variance will be required.

Chapter 205A of the Hawaii Revised Statutes also requires legal and operational compliance with CZM objectives and policies as described in §205A-2. These objectives applicable to the proposed project are indicated in **Table 3-1**.

The policy relevant to the proposed project are as follows:

§205A-2(c)(2) Historic Resources:

- (A) Identify and analyze significant archaeological resources;
- (B) Maximize information retention through preservation of remains and artifacts or salvage operations;
- (C) Support state goals for protection, restoration, interpretation, and display of historic resources.

As discussed in Section 2.11, a Selective Reconnaissance Level Survey (RLS) was completed and it concluded that no historic properties will be affected by this project. Based on the objective of the proposed project stated in Section 3.1, it is in conformance with the aforementioned policy.

Table 3-2: Coastal Zone Management Program Objectives

| Objective | Description | Applicable |
|---------------------------------|--|-------------------|
| Recreational resources | Provide coastal recreational opportunities accessible to the public. | No |
| Historic resources | Protect, preserve, and, where desirable, restore those natural and manmade historic and prehistoric resources in the coastal zone management area that are significant in Hawaiian and American history and culture. | Yes |
| Scenic and open space resources | Protect, preserve, and, where desirable, restore or improve the quality of coastal scenic and open space resources. | Yes |
| Coastal ecosystems | Protect valuable coastal ecosystems, including reefs, from disruption and minimize adverse impacts on all coastal ecosystems. | No |
| Economic uses | Provide public or private facilities and improvements important to the state's economy in suitable locations. | No |
| Coastal hazards | Reduce hazard to life and property from tsunami, storm waves, stream flooding, erosion, subsidence, and pollution. | No |
| Managing development | Improve the development review process, communication, and public participation in the management of coastal resources and hazards. | No |
| Public participation | Stimulate public awareness, education, and participation in coastal management. | No |
| Beach protection | Protect beaches for public use and recreation. | No |
| Marine resources | Promote the protection, use, and development of marine and coastal resources to assure their sustainability. | No |

3.8 Department of the Army

The mission of the U.S. Army Corps of Engineers (USACE) is to protect the aquatic resources of the United States. The USACE has jurisdiction over waters of the United States, which include navigable waters and wetlands, and assumes authority through issuance of permits for activities above, below or within these waters. The USACE is responsible for administration of Department of the Army (DA) permits under the following legislative acts:

- Rivers and Harbors Act 1899 (RHA) – §10: Section 10 of the Rivers and Harbors Act of 1899 requires prior authorization to complete any work in or over, or which affects the course, location, condition or capacity of navigable waters of the United States.
- Clean Water Act (CWA) – §401 and §404: Section 401 of the Clean Water Act requires that an applicant for a Federal license or permit to conduct any activity which may result in a discharge into the navigable waters, shall provide certification that any such discharge will comply with the Clean Water Act. Section 404 of the Clean Water Act requires approval prior to discharging dredged or fill material into the waters of the United States.

- Coastal Zone Management Act – §307: Section 307 of the Coastal Zone Management Act of 1972, as amended (16 U.S.C. 1458(c)), requires the applicant and State certify that the project is in compliance with an approved State Coastal Zone Management Program.
- Endangered Species Act (ESA) – §7: Section 7 of the Endangered Species Act of 1973 requires certainty that any Federally funded or authorized action will likely not jeopardize the continued existence of any endangered or threatened species, or result in the destruction or adverse modification of their critical habitat. The USACE is required to consult with the USFWS and/or the National Oceanic and Atmospheric Administration (NOAA) Fisheries to assess the potential of a project to affect listed species.
- National Historic Preservation Act – §106: Section 106 of the National Historic Preservation Act requires the USACE to take into account the effect of a project on any district, site, building, structure, or object that is included in or eligible for inclusion in the National Register. The USACE is required to consult with the DLNR, State Historic Preservation Division, in order to determine a project's potential to impact resources of historic or cultural significance.
- Magnuson-Stevens Fisheries Conservation Act: Also known as Magnuson Fishery Conservation and Management Act, this is the primary law governing marine fisheries management in U.S. federal waters. Under this Act, regional councils were established to manage fish stocks within coastal zones.

In August 2016, the USACE Honolulu District was contacted for a jurisdictional determination of the project work within Maunawili Stream. After reviewing the project information pursuant to Section 404 of the CWA and Section 10 of the RHA, the USACE preliminarily determined that the Maunawili Stream may be waters of the U.S. under its regulatory jurisdiction and provided a Preliminary Jurisdictional Determination (PJD) for the proposed project. The CCH accepted the PJD on September 28, 2016; consequently, for purposes of computation of impacts, compensatory mitigation requirements, and other resource protection measures, a permit decision made on the basis of this PJD will treat all waters and wetlands that would be affected in any way by the permitted activity on the site as if they are jurisdictional waters of the United States. Therefore, the following DA permits may be required if the corresponding actions occur:

- Under Section 10 of the RHA for any structures or activities occurring in, over, under, and affecting the Maunawili Stream.
- Under Section 404 of the CWA should the project activity result in discharge and/or placement of dredge or fill material into water of the Maunawili Stream.

The USACE issues nationwide permits (NWP) to authorize certain activities that require DA permits under Section 404 of the CWA and/or Section 10 of the RHA that have no more than minimal individual and cumulative adverse environmental effects. The NWPs can only be issued for a period of no more than five years and the current NWPs at the time of this Final EA expire on March 18, 2022. These include, but are not limited to, the following:

- NWP #3, Maintenance, provides for the repair, rehabilitation, or replacement of any previously authorized, currently serviceable structure or fill, provided that the structure or

fill is not put to uses differing from those uses specified or contemplated for it in the original permit or the most recently authorized modification.

- NWP #12, Utility Line Activities, includes activities required for the construction, maintenance, repair, and removal of utility lines and associated facilities in waters of the U.S., provided the activity does not result in the loss of greater than 1/2-acre of waters of the U.S. for each single and complete project.
- NWP #13, Bank Stabilization, provides for activities necessary for erosion control or prevention, such as vegetative stabilization, bioengineering, sills, rip rap, revetment, gabion baskets, stream barbs, and bulkheads, or combinations of bank stabilization techniques, provided the activity meets certain criteria.

Should DA permit(s) be required under Section 404 of the CWA and/or Section 10 of the RHA, the proposed project may qualify for authorization under one of the aforementioned NWPs. To obtain such an NWP for this project, the CCH will file a Pre-Construction Notification (PCN) to the USACE for verification.

Before authorizing work under its statutory authorities, the USACE must ensure the project complies with applicable Federal laws and regulations, as described at the beginning of this section. In most instances, the USACE will coordinate directly with the appropriate agencies but may require additional information from the CCH to complete the coordination and consultation.

3.9 Federal Cross-Cutter Authorities

Federal environmental cross-cutting authorities shall be consulted for all federally funded and/or permitted projects to assess the potential effects of the proposed project under various federal environmental laws and Executive Orders. This project will require a DA permit which is a federal permit. The project may be funded by low-interest loan funding through the State of Hawai‘i’s Clean Water State Revolving Fund (SRF) Program, which will require the project to meet Hawai‘i SRF program requirements. Because the SRF receives some federal funding, SRF loan applicants are required to certify compliance with all the Federal Cross-Cutter regulations which are determined applicable to the SRF program. The Clean Water State Revolving Fund (CWSRF) program was established by U.S. Congress in 1987 under the Water Quality Act. The intent of the CWSRF is to assist the construction of publicly owned wastewater treatment works, the implementation of a nonpoint source pollution control management program, and the implementation of an estuary conservation and management program.

3.9.1 Archaeological & Historic Preservation Act, National Historic Preservation Act

The Archaeological & Historic Preservation Act, 16 U.S.C. §469a-1, deals with the threat of loss or destruction of significant data by federal construction projects; notification and request for preservation of data; and survey of sites, preservation of data and compensation. The National Historic Preservation Act (NHPA), 16 U.S.C. §470, requires the consideration of the effect of any project on any district, site, building, structure, or object that is included in or eligible for inclusion in the National Register of Historic Places. Section 106 of the NHPA mandates a review process for all federally funded and permitted projects to assess the potential impacts on significant

archaeological or historic sites, and allows interested parties an opportunity to comment on such impacts.

As discussed in Section 2.11, the RLS found that although the Maunawili Road Bridge No. 3 meets the criteria of a historic property, it was altered in 2009. Due to the alterations of the bridge, it has lost its historic integrity and is not eligible for listing on the Hawaii or National Register of Historic Places. The RLS concluded that no historic properties would be affected and that the proposed project would have no adverse effect. USACE Honolulu District is the review agency for the Section 106 process and was provided a copy of the Draft EA for its concurrence. They did not offer any comments.

3.9.2 Clean Air Act

The Clean Air Act, 42 U.S.C. §7506(c), requires each state to develop a State Implementation Plan (SIP) delineating how federal air quality standards will be attained and how this will be verified. The DOH, Clean Air Branch, Air Quality program is defined by HAR Chapter 11-60 and is a SIP approved by EPA.

As discussed in Section 2.9, the ambient air quality in the vicinity of the project is typically very good. The closest DOH station monitors only for sulfur dioxide, carbon monoxide and fine particulate matter. Construction activities may slightly increase airborne particulate matter and may cause temporary odors in the immediate vicinity; however, levels at the nearby monitoring stations should not be affected. Temporary, short-term construction impacts will be minimized by BMPs. Long-term operation will not produce any of the pollutants on the DOH monitoring list. The DOH, Clean Air Branch, was provided a copy of the Draft EA for its concurrence and did not offer any comments.

3.9.3 Coastal Barrier Resources Act

The Coastal Barrier Resources Act, 16 U.S.C §3501, designated various undeveloped, unprotected coastal barriers on the Atlantic Ocean and Gulf of Mexico coasts, and is not applicable to the State of Hawai‘i.

3.9.4 Coastal Zone Management Act

As discussed in Section 3.7, HRS Chapter 205A sets forth Hawai‘i’s CZM Program, which is in compliance with the Coastal Zone Management Act, 16 U.S.C. 1456(c)(1). HRS §205A-2 describes the CZM program, its objectives, and policies.

Section 3.7 describes how the proposed project is in conformance with the objectives and policies of Hawai‘i’s CZM Program, thus this project is in conformance with this act. The DBEDT, Office of Planning, was provided a copy of the Draft EA for its concurrence and did not offer any comments.

3.9.5 Endangered Species Act, Fish & Wildlife Coordination Act, Essential Fish Habitat

The Endangered Species Act, 16 U.S.C. §1536(a)(2) and (4), is administered by the USFWS and NOAA, National Marine Fisheries Service. The USFWS has primary responsibility for terrestrial and freshwater organisms, while NOAA is mainly responsible for marine wildlife. NOAA is also the agency consulted under the Essential Fish Habitat consultation process under the Magnuson-Stevens Fishery Conservation and Management Act, 16 U.S.C. §1801. The Fish and Wildlife Coordination Act (FWCA), 16 U.S.C. §662(a), provides the basic authority for USFWS involvement in evaluating impacts of proposed water resource development projects on fish and wildlife, and requires federal agencies to take actions to prevent or mitigate loss or damage to wildlife resources.

As discussed in Section 2.6, no plants or animals proposed or listed as endangered or threatened under state or federal endangered species statutes were observed during the survey conducted for the NRS. However, endangered aquatic biota have been reported in the middle to upper reaches of Kawainui Watershed; endangered Hawaiian waterbirds may utilize the project area, although optimal habitat is not present; protected seabirds may overfly the project area; and the endangered Hawaiian Hoary Bat is known to forage for insects along waterways, such as those found in the project area. Adverse impacts to the protected and endangered species are not anticipated with the implementation of BMPs recommended by USFWS.

There is no federally designated critical habitat within the vicinity of the proposed project area. Deleterious impacts to critical habitat and federally protected species upslope of the project area are not anticipated provided the appropriate aforementioned BMPs are followed. A copy of the complete NRS is included as **Appendix C**.

The PIFWO was provided a copy of the Draft EA for its concurrence and did not offer any comments.

3.9.6 Environmental Justice Executive Order

Executive Order 12898 was signed in 1994. It directs federal agencies to identify and address disproportionately high adverse human health or environmental effects of its activities on minority and low-income populations.

The percentage of minorities (non-Caucasian) in the Maunawili Census Designated Place (CDP) is 63.8 percent, which is significantly higher than the national average of 23.5 percent; however, the 2013-2017 median household income of \$143,750 in the Maunawili CDP was also significantly higher than the national average of \$57,652. Negative long or short-term health or environmental impacts associated with this project are very unlikely; rather, positive health impacts will be realized through a stabilized sanitary sewer force main which will carry a lower risk of sanitary sewer spills.

3.9.7 Farmland Protection Act

The Agriculture and Food Act (Public Law 97-98) was passed in 1981 and contained the Farmland Protection Policy Act (FPPA), Subtitle I of Title XV, Section 1539-1549. The intent of the FPPA was to minimize the impacts of federal programs on prime farmland, unique farmland, and other land of statewide or local importance. It is administered by the USDA, National Resources Conservation Service (NRCS). The three categories of farmland described in FPPA are translated to the ALISH classifications of “Prime”, “Unique”, and “Other” agricultural lands.

As indicated in Section 2.3.3, the project area is entirely within lands not considered for classification under ALISH as agricultural lands; therefore, this act is not applicable to the proposed project. The NRCS was provided a copy of the Draft EA for its concurrence and did not offer any comments.

3.9.8 Floodplain Management Executive Order

The objective of Executive Order 11988 is to avoid to the extent possible the adverse impacts associated with the occupancy and modification of flood plains and to avoid direct and indirect support of floodplain development wherever there is a practicable alternative. To accomplish this objective, "each agency shall provide leadership and shall take action to reduce the risk of flood loss, to minimize the impact of floods on human safety, health, and welfare, and to restore and preserve the natural and beneficial values served by flood plains in carrying out its responsibilities."

As discussed in Section 2.4, the entire project area is located in Zone D. This is an unstudied area where flood hazards are undetermined, but flooding is possible. No mandatory flood insurance purchase apply, but coverage is available in participating communities.

3.9.9 Protection of Wetlands Executive Order

The purpose of Executive Order 11990 is to "minimize the destruction, loss or degradation of wetlands and to preserve and enhance the natural and beneficial values of wetlands". Federal agencies, to meet these objectives, in planning their actions are required to consider alternatives to wetland sites and limit potential damage if an activity affecting a wetland is unavoidable. The procedures require the determination of whether or not the proposed project will be in or will affect wetlands.

The NRS explained that wetlands are typically found at the interface of aquatic and terrestrial environments. Wetlands regulated by the federal government under the auspices of the CWA are defined in the Clean Water Rule as:

“...those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs and similar areas.”

The NRS deduced that Maunawili Stream is a perennial stream, not a wetland, and that wetlands are not present in the project area.

As discussed in Section 2.7, a Blanket Section 401 WQC will be required from the DOH. This will ensure that water is adequately controlled and treated through the implementation of BMPs prior to discharging from the in-water work area. Construction will be halted during storm events. Adverse effects to any wetlands downstream of the project area from in-water construction activities are very unlikely. The USACE Honolulu District was provided a copy of the Draft EA for its concurrence and did not offer any comments.

3.9.10 Safe Drinking Water Act

The Safe Drinking Water Act (SDWA), 42 U.S.C. §300f, was established to protect the quality of all waters actually or potentially designed for drinking use from both underground and above-ground sources. The SDWA authorizes the United States Environmental Protection Agency (EPA) to establish minimum standards to protect potable water with which all owners or operators of public water systems must comply; to oversee the agencies which can be approved to implement these rules on EPA's behalf, such as state governments; and to encourage attainment of secondary standards (nuisance-related). The SDWA also establishes the Sole Source Aquifer Program, under which EPA also may evaluate federal-funded projects to determine whether they have the potential to contaminate a sole source aquifer.

At present, there are two such aquifers in the State of Hawai‘i: the Southern O‘ahu Basal Aquifer, and the Molokai Aquifer. The former encompasses an area including the entire Pearl Harbor Aquifer Sector Area; part of the Central Aquifer Sector Area; and approximately half of the Honolulu Aquifer Sector Area. The project area is not within either aquifer and therefore does not require EPA review.

Potable water for drinking use in Kailua is provided by HBWS and the sources of this water are exclusively ground water. The nearest HBWS water facility is uphill about 0.5 miles from the project site, at the end of Lopaka Way. Due to its distance and location, it is extremely unlikely that project activities could contaminate the drinking water supply.

3.9.11 Wild & Scenic Rivers Act

The Wild and Scenic Rivers Act, 16 U.S.C. 1271-1287, declares to be the policy of the United States that certain selected rivers with their immediate environments, possess outstandingly remarkable scenic, recreational, geologic, fish and wildlife, historical, cultural, or other similar values, shall be preserved in their free-flowing condition.

There are no such rivers designated in the State of Hawai‘i; therefore, the act is not applicable to this project.

CHAPTER 4. ALTERNATIVES CONSIDERED

4.1 No Action

Under the No Action alternative, the erosion of the streambed and stream banks at the force main stream crossing will continue, which will be exacerbated by the absence of bridge wing walls. This will further expose and undermine the concrete structure encasing the force main, increasing the risk of a structural failure of the force main. Such a failure would result in the discharge of untreated wastewater into Maunawili Stream. The force main carries an average wastewater flow of approximately 0.1 MGD and a peak hour flow rate of up to 1 MGD during rainfall events; therefore, a wastewater discharge could be in the order of magnitude of thousands to millions of gallons. Any such wastewater discharges into the environment could be a threat to public health. The CCH could suffer economic losses due to potential to fines levied by EPA and/or DOH. For these reasons, the No Action alternative was not considered to be a viable alternative.

4.2 Alternatives Analysis

The Preliminary Investigation developed and evaluated several conceptual options for action at the Force Main Crossing No. 1. Below is a brief summary of the options:

| Options | Description | Deficiencies Addressed | | |
|---------|---|--|------------------|---------------------|
| | | Undermined Concrete Structure & Force Main | Eroded Streambed | Eroded Stream Banks |
| 1 | Plug the void under the concrete structure | Yes | No | No |
| 2 | Plug the void under the concrete structure and restore the streambed and stream banks | Yes | Yes | Yes |
| 3 | Construct a new force main over the stream and a utility bridge to support the new | Yes | No | No |
| 4 | Construct a new force main beneath the streambed using trenchless technologies | Yes | No | No |

Alternatives A, B, C, and D discussed below were developed based on Options 1, 2, 3, and 4, respectively.

4.2.1 Alternative A

Alternative A (Option 1) would plug the void beneath the concrete structure to stop the undermining flow that continues to erode the support to the force main. This represents the minimum repair necessary to address the issue of the erosion under the concrete structure.

4.2.2 Alternative B

Alternative B (Option 2) would plug the void beneath the concrete structure to stop the undermining flow that continues to erode the support to the force main and would also restore the eroded stream bed and stream banks. The design would need to prevent reoccurrence of the ongoing erosion at the force main crossing. The force main configuration and characteristics would remain the same. The construction within the stream would require consultation with Federal and State Regulatory agencies for permit requirements, including a Blanket Section 401 WQC, Section 404 DA permit, and other permits, such as the NPDES permit. This alternative represents the minimum repair necessary to address the erosion issues under the concrete jacket and the erosion issues in the stream bed and stream banks.

4.2.3 Alternative C

Alternative C (Option 3) would construct a 10-inch diameter section of the force main above the stream supported by a utility bridge. The larger diameter of pipe would accommodate future upsizing of the force main. The new section of the force main would be connected to the existing force main before and after the stream crossing through 8"x10" pipe reducers and bends, and the existing section of the concrete structure and force main at the crossing would be abandoned. An air release valve (ARV) would be required and would need routine maintenance. The change in force main configuration and design characteristics would require re-evaluation of the Maunawili Estates WWPS hydraulic conditions, such as development of a new system curve and establishment of new pump operating points. This work would also require NPDES (dewatering) and Section 404 DA permits. This alternative does not address the erosion issues, but the new force main will avoid the erosion issues from becoming a force main safety issue.

4.2.4 Alternative D

Alternative D (Option 4) would construct a 10-inch section of the force main beneath the streambed and abandon the existing section of the concrete structure and force main at the crossing. The larger diameter of pipe would accommodate future upsizing of the force main. The new section of the force main would be connected to the existing force main before and after the stream crossing through 8"x10" pipe reducers and bends. The construction at the stream crossing may be completed using trenchless technologies. The change in force main configuration and design characteristics would require re-evaluation of the Maunawili Estates WWPS hydraulic conditions, such as development of a new system curve and establishment of new pump operating points. This work would also require NPDES (dewatering) and potentially Section 404 DA permits. This alternative does not address the erosion issues, but the new force main will avoid the erosion issues from becoming a force main safety issue.

4.3 Selected Alternative

The alternative selection process considered the following factors:

1. At the time of this Final EA, ENV was in the process of evaluating the entire wastewater system serving the Maunawili Subdivision and Maunawili Estates Subdivision (see **Figure 1-1**). The evaluation includes assessments of wet weather flow conditions in the sewer system based on an ongoing sewer rehabilitation program in the area, the force main interior and exterior physical conditions, and hydraulic capacity upgrades of the Maunawili Park WWPS, Maunawili Estates WWPS and the associated force mains. The ongoing sewer rehabilitation program includes efforts to reduce the inflow and infiltration (I/I) into the sewer system from extraneous sources, including storm water. If the I/I reduction from the rehabilitation program is not sufficient, the Maunawili Estates WWPS and force main may need to be reconstructed to accommodate high wet weather flow conditions. The entire process of implementing a new force main including planning, design and construction could take several years complete.
2. There is a need to address the existing Maunawili Estates WWPS Force Main Crossing No. 1 as soon as possible due to the increasing risk of a force main break from the ongoing erosion issues.

Based on the Preliminary Investigation, ENV indicated that upgrades to the wastewater system serving the area would focus on reduction of I/I with the goal of eliminating the need to upsize the existing Maunawili Estates WWPS and force main, and providing extra hydraulic capacity at the downstream wastewater system. With this objective, Alternatives C and D become less favorable because future upsizing of the force main is not anticipated and repairs could be limited to restoration and protection of the existing Force Main Crossing No. 1. Implementation of Alternative A and B are not contingent on further evaluation of the wastewater system and therefore could be completed in a shorter period of time than Alternatives C and D. However, Alternative A does not address the erosion issues in the stream bed and stream banks at the force main stream crossing. ENV also indicated that should a capacity upgrade of the Maunawili Estates WWPS eventually be necessary, and a new force main be required, the existing force main could still function as a backup.

For these reasons, Alternative B was selected as the preferred alternative and the basis for the proposed project for its long-term benefits and feasibility.

This page is intentionally left blank

CHAPTER 5. DETERMINATION

In accordance with Hawai‘i Administrative Rules §11-200-12, the potential effects of the proposed project are evaluated for the significance criteria which are summarized as follows:

1. *Involves an irrevocable commitment to loss or destruction of any natural or cultural resource:* As discussed in Sections 2.11 and 3.9.1, a RLS documented existing historic properties at the project site and concluded “no historic properties affected” by and “no adverse effect” from the proposed project. Therefore, the proposed project will not cause a loss to or destruction of any natural or cultural resource.
2. *Curtails the range of beneficial uses of the environment:* The proposed project is a restoration project and will be constructed entirely within the Maunawili Stream and its intended uses will not impact any activities occurring in the area and therefore will not curtail the beneficial uses of the environment.
3. *Conflicts with the state's long-term environmental policies or goals and guidelines as expressed in Chapter 344, HRS, and any revisions thereof and amendments thereto, court decisions, or executive orders:* The proposed project will conform to Chapter 344, HRS. All permits and approvals in accordance with state and county rules and regulations will be obtained.
4. *Substantially affects the economic welfare, social welfare, and cultural practices of the community or state:* The proposed project is not anticipated to significantly affect the cultural practices of the community or state. The proposed project will have a positive impact on the economic and social welfare of the community by creation of jobs for the anticipated duration of construction.
5. *Substantially affects public health:* The proposed project will improve public health by stabilizing the 8-inch ductile iron pipe force main encased in the reinforced concrete jacket and greatly reducing the risk of a structural failure of the force main which would result in the discharge of untreated wastewater into the Maunawili Stream.
6. *Involves substantial secondary impacts, such as population changes or effects on public facilities:* The proposed project will not trigger a population increase nor appreciably affect public facilities or utilities.
7. *Involves a substantial degradation of environmental quality:* The scale of the proposed project is small and it will not degrade environmental quality.

Determination

8. *Is individually limited but cumulatively has considerable effect upon the environment or involves a commitment for larger actions:* There may be other future projects in the area which can include a pump station upgrade project, force main upgrade project, and/or an infiltration and inflow (I/I) project. However, there are no other projects that are developed at this time within the project area and therefore, the cumulative effect of the projects will not have a considerable negative effect on the environment.
9. *Substantially affects a rare, threatened, or endangered species, or its habitat:* The proposed project is not expected to substantially affect a rare, threatened, or endangered species, or its habitat, as discussed in Section 2.6 and Section 3.9.5.
10. *Detrimentally affects air or water quality or ambient noise levels: The proposed project will not permanently affect air or water quality or ambient noise levels:* Minor short-term impacts associated with construction involving air quality, water quality and noise will be mitigated by appropriate measures discussed in Sections 2.7, 2.9 and 2.10, and required in the construction contract. Department of Health regulations for community noise will be followed. Permanent impacts are not anticipated.
11. *Affects or is likely to suffer damage by being located in an environmentally sensitive area such as a flood plain, tsunami zone, beach, erosion-prone area, geologically hazardous land, estuary, fresh water, or coastal waters:* As discussed in Section 2.4, the proposed project is not in an area prone to natural hazards and is not located within an environmentally sensitive area.
12. *Substantially affects scenic vistas and viewplanes identified in county or state plans or studies:* The proposed project involves the restoration of the eroded stream bed and stream banks and will not affect scenic vistas and viewplanes.
13. *Requires substantial energy consumption:* Both construction and operation and maintenance of the proposed project will involve minimal energy consumption.

This Environmental Assessment has henceforth determined that the proposed project will not have significant adverse impacts on the environment, and therefore, an Environmental Impact Statement (EIS) is not warranted. A Finding of No Significant Impact (FONSI) is determined for the proposed project.

CHAPTER 6. CONSULTED PARTIES

A pre-Environmental Assessment consultation letter was sent to various agencies and interested parties for the opportunity to provide preliminary comments prior to completing the Draft Environmental Assessment. The Draft EA was also distributed to various agencies and interested parties for review and comment. The agencies and interested parties are listed below. Comments received are incorporated in Appendix A and Appendix B, respectively.

| Agency or Interested Party | Pre-Con Letter Sent | Response with comments | Response w/no comments | Draft EA Sent | Response with comments | Response w/no comments |
|--|----------------------------|-------------------------------|-------------------------------|----------------------|-------------------------------|-------------------------------|
| Federal Agencies | | | | | | |
| U.S. Department of Agriculture, National Resources Conservation Service | X | | | X | | |
| U.S. Department of the Army, Army Corps of Engineers, Honolulu District | X | X | | X | | |
| U.S. Department of the Interior, Fish & Wildlife Service, Pacific Islands Fish and Wildlife Office | X | X | | X | | |
| State Agencies | | | | | | |
| Department of Accounting and General Services | X | | | X | | X |
| Department of Agriculture | X | X | | X | | X |
| Department of Business, Economic Development, and Tourism, Office of Planning | X | X | | X | | |
| Department of Education | X | | | X | | |
| Department of Hawaiian Home Lands | X | | | X | | |
| Department of Health, Clean Air Branch | X | | | X | | |
| Department of Health, Clean Water Branch | X | X | | X | | |
| Department of Health, Indoor and Radiological Health Branch | X | X | | X | | |
| Department of Health, Safe Drinking Water Branch | X | | | X | | |

Consulted Parties

| Agency or Interested Party | Pre-Con Letter Sent | Response with comments | Response w/no comments | Draft EA Sent | Response with comments | Response w/no comments |
|---|---------------------|------------------------|------------------------|---------------|------------------------|------------------------|
| Department of Health, Solid and Hazardous Waste Branch | X | | | X | | |
| Department of Health, Wastewater Branch | X | | | X | | |
| Department of Land and Natural Resources, Land Division | X | X | | X | | |
| Department of Land and Natural Resources, Division of Aquatic Resources | route | X | | route | X | |
| Department of Land and Natural Resources, Engineering Division | route | X | | route | X | |
| Department of Land and Natural Resources, Historic Preservation | route | | | | | |
| Department of Land and Natural Resources, Commission on Water Resource Management | route | | | route | | |
| Department of Land and Natural Resources, Land Division – O‘ahu District | route | X | | route | | X |
| Department of Land and Natural Resources, Division of Forestry and Wildlife | route | X | | route | | X |
| Department of Land and Natural Resources, State Historic Preservation Division | X | | | X | | |
| Department of Transportation, Director | X | X | | X | | X |
| Office of Hawaiian Affairs | X | | | X | | |
| City and County of Honolulu Agencies | | | | | | |
| Board of Water Supply | X | X | | X | X | |
| Department of Design and Construction | X | | | X | | X |
| Department of Environmental Services | X | | | X | | |
| Department of Facility Maintenance | X | X | | X | X | |
| Department of Parks and Recreation | X | | X | | | |
| Department of Planning and Permitting | X | X | | X | X | |

| Agency or Interested Party | Pre-Con Letter Sent | Response with comments | Response w/no comments | Draft EA Sent | Response with comments | Response w/no comments |
|---|--------------------------------|---------------------------------------|---------------------------------------|--------------------------|---------------------------------------|---------------------------------------|
| Department of Transportation Services | X | X | | X | | |
| Honolulu Fire Department | X | | X | X | | X |
| Honolulu Police Department | X | X | | X | X | |
| Utility Companies | | | | | | |
| Hawaiian Telcom, Inc. | X | | | X | | |
| Hawaiian Electric Company, Inc. | X | X | | X | | |
| Spectrum | X | | | X | X | |
| Hawai‘i Gas | X | X | | | | |
| Other Individuals/Organizations | | | | | | |
| Senator Laura Thielen, District 25, Hawai‘i State Legislature | X | | | X | | |
| Representative Scot Matayoshi, District 49, Hawai‘i State Legislature | X | | | X | | |
| Councilmember Ikaika Anderson, District 3, Honolulu City Council | X | | | X | | |
| Kailua Neighborhood Board | X | X | | X | | X |
| University of Hawai‘i, Water Resources Research Center | X | | | X | | X |

This page is intentionally left blank

CHAPTER 7. REFERENCES

AECOS, Inc. (July 2019). *Natural resources survey for the Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 repair at Maunawili Stream Maunawili, Ko'olau Poko District, O'ahu.*

City and County of Honolulu, Department of General Planning. (1992, amended October 2002). *General Plan, Objectives and Policies.*

City and County of Honolulu, Department of Planning and Permitting. (December 2017). *O'ahu General Plan, Proposed Revised Plan.*

City and County of Honolulu, Department of Planning and Permitting. (August 2017). *Ko'olau Poko Sustainable Communities Plan.*

City and County of Honolulu, Department of Public Works (August 1988). *Maunawili Estates Wastewater Pump Station and Force Main, Job No. W14-87 (Inspector's Copy).*

Fukunaga and Associates, Inc. (August 2016). *Preliminary Maunawili Estates Wastewater Pump Station Force Main Investigation, Final Submittal.* Prepared for the City and County of Honolulu, Department of Design and Construction, Wastewater Division.

Fung Associates, Inc. (February 2018). *Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Reconnaissance Level Survey.* Prepared for the City and County of Honolulu, Department of Environmental Services, Wastewater Engineering & Construction Division.

Fung Associates, Inc. (April 2018). *Maunawili Wastewater Pump Stations, Force Mains, and Sewer System Improvements, Kailua, Phase II Data Summary Report.* Prepared for the City and County of Honolulu, Department of Environmental Services, Wastewater Engineering & Construction Division.

National Park Service, Hawai'i Cooperative Park Service Unit. (December 1990). *Hawai'i Stream Assessment: A Preliminary Appraisal of Hawai'i's Stream Resources, Report R84.* Prepared for the State of Hawai'i, Commission on Water Resource Management.

State of Hawai'i, Department of Business, Economic Development and Tourism. (November 2018). *2017 State of Hawai'i Data Book.*

State of Hawai'i, Department of Health. (December 2016). *State of Hawai'i, Annual Summary, 2015, Air Quality Data.*

References

State of Hawai‘i, Department of Health, Indoor and Radiological Health Branch. (February 2008). *Noise Reference Manual, Oahu Edition.*

State of Hawai‘i, Office of Planning, Hawai‘i Statewide GIS Program. Retrieved from <http://planning.hawaii.gov/gis/download-gis-data/>

Townscape, Inc. (September 2012). *Ko‘olau Poko Watershed Management Plan*. Prepared for the Honolulu Board of Water Supply.

Townscape, Inc. (2019). *Hawai‘i Water Plan, Water Resource Protection Plan, 2019 Update*. Prepared for the State of Hawai‘i, Department of Land and Natural Resources, Commission on Water Resource Management.

United States Census Bureau, American Community Survey, 2013-2017 5-Year Estimates. Retrieved from https://data.census.gov/cedsci/all?intcmp=aff_cedsci_banner&hidePreview=false&g=1600000US1550750&q=Maunawili%20CDP,%20Hawaii&table=DP05&tid=ACSDP5Y2017.DP05&vintage=2017&layer=place&cid=DP05_0001E&lastDisplayedRow=15.

United States Department of Agriculture, Soil Conservation Service. (August 1972). *Soil Survey of Islands of Kaua‘i, O‘ahu, Maui, Moloka‘i, and Lana‘i, State of Hawai‘i*.

University of Hawai‘i, Economic Research Organization. (May 2017). *UHERO County Forecast*.

APPENDIX A

Pre-Environmental Assessment Comments and Responses

DAVID Y. IGE
Governor

JOSH GREEN
Lt. Governor



PHYLLIS SHIMABUKURO-GEISER
Chairperson, Board of Agriculture

State of Hawaii
DEPARTMENT OF AGRICULTURE
1428 South King Street
Honolulu, Hawaii 96814-2512
Phone: (808) 973-9600 FAX: (808) 973-9613

May 20, 2019

Mr. Wei Chen, P.E.
Project Engineer
Fukunaga & Associates
1357 Kapiolani Blvd., Suite 1530
Honolulu, Hawaii 96814

Subject: Pre-Assessment Consultation for Draft Environmental Assessment
Maunawili Estates Wastewater Pumping Station Force Main 1 Repair

Dear Mr. Chen:

The State of Hawaii Department of Agriculture Agricultural Resource Management Division (ARMD) has reviewed the limited information provided for the subject project. Review comments are as follows:

1. Proposed work appears to be downstream of ARMD stream intakes and should not affect the water supplied to the irrigation system.
2. ARMD personnel will always require unrestricted use of all roads and bridges to access the irrigation system.
3. Department reserves the right to provide additional comments as necessary.

Please contact Kirk Saiki at (808)973-9468 if we can be of further assistance.

Sincerely,

A handwritten signature in black ink.

Brian Kau, P.E.
Engineering Program Administrator





United States Department of the Interior



FISH AND WILDLIFE SERVICE
Pacific Islands Fish and Wildlife Office
300 Ala Moana Boulevard, Room 3-122
Honolulu, Hawai'i 96850

In Reply Refer To:
01EPIF00-2019-TA-0314

May 22, 2019

Mr. Wei Chen
Fukunaga & Associates, Inc.
1357 Kapi'olani Boulevard, Suite 1530
Honolulu, Hawai'i 96814

Subject: Response to your Request for Technical Assistance Regarding the Draft EA for
the Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair Project

Dear Mr. Chen,

Thank you for your recent correspondence requesting technical assistance on species biology, habitat, or life requisite requirements. The Pacific Islands Fish and Wildlife Office (PIFWO) of the U.S. Fish and Wildlife Service (Service) appreciates your efforts to avoid or minimize effects to protected species associated with your proposed actions. We provide the following information for your consideration under the authorities of the Endangered Species Act (ESA) of 1973 (16 U.S.C. 1531 *et seq.*), as amended.

Due to significant workload constraints, PIFWO is currently unable to specifically address your information request. The table below lists the protected species most likely to be encountered by projects implemented within the Hawaiian Islands. Based on your project location and description, we have noted the species most likely to occur within the vicinity of the project area, in the '**Occurs In or Near Project Area**' column. Please note this list is not comprehensive and should only be used for general guidance. We have added to the PIFWO website, located at <https://www.fws.gov/pacificislands/promo.cfm?id=177175840> recommended conservation measures intended to avoid or minimize adverse effects to these federally protected species and best management practices to minimize and avoid sedimentation and erosion impacts to water quality.

If you are representing a federal action agency, please use the official species list on our web-site for your section 7 consultation. You can find out if your project occurs in or near designated critical habitat here: <https://ecos.fws.gov/ipac/>.

Under section 7 of the ESA, it is the Federal agency's (or their non-Federal designee) responsibility to make the determination of whether or not the proposed project "may affect" federally listed species or designated critical habitat. A "may affect, not likely to adversely affect" determination is appropriate when effects to federally listed species are expected to be

discountable (*i.e.*, unlikely to occur), insignificant (minimal in size), or completely beneficial. This conclusion requires written concurrence from the Service. If a “may affect, likely to adversely affect” determination is made, then the Federal agency must initiate formal consultation with the Service. Projects that are determined to have “no effect” on federally listed species and/or critical habitat do not require additional coordination or consultation.

Implementing the avoidance, minimization, or conservation measures for the species that may occur in your project area will normally enable you to make a “may affect, not likely to adversely affect” determination for your project. If it is determined that the proposed project may affect federally listed species, we recommend you contact our office early in the planning process so that we may assist you with the ESA compliance. If the proposed project is funded, authorized, or permitted by a Federal agency, then that agency should consult with us pursuant to section 7(a)(2) of the ESA. If no Federal agency is involved with the proposed project, the applicant should apply for an incidental take permit under section 10(a)(1)(B) of the ESA. A section 10 permit application must include a habitat conservation plan that identifies the effects of the action on listed species and their habitats, and defines measures to minimize and mitigate those adverse effects.

We appreciate your efforts to conserve endangered species. We regret that we cannot provide you with more specific protected species information for your project site. If you have questions that are not answered by the information on our website, you can contact PIFWO at (808) 792-9400 and ask to speak to the lead biologist for the island where your project is located.

Sincerely,

Island Team Manager
Pacific Islands Fish and Wildlife Office

cc: Ms. Kacy Aoki

The table below lists the protected species most likely to be encountered by projects implemented within the Hawaiian Islands. For your guidance, we've marked species that may occur in the vicinity of your project, this list is not comprehensive and should only be used for general guidance.

| <u>Scientific Name</u> | <u>Common Name / Hawaiian Name</u> | <u>Federal Status</u> | <u>May Occur In Project Area</u> |
|---------------------------------------|--|-----------------------|-------------------------------------|
| Mammals | | | |
| <i>Lasiurus cinereus semotus</i> | Hawaiian hoary bat/ ‘ōpe‘ape‘a | E | <input checked="" type="checkbox"/> |
| Reptiles | | | |
| <i>Chelonia mydas</i> | Green sea turtle/honu - Central North Pacific DPS | T | <input type="checkbox"/> |
| <i>Eretmochelys imbricata</i> | Hawksbill sea turtle/ Honu ‘ea | E | <input type="checkbox"/> |
| Birds | | | |
| <i>Anas wyvilliana</i> | Hawaiian duck/ koloa | E | <input type="checkbox"/> |
| <i>Branta sandvicensis</i> | Hawaiian goose/ nēnē | E | <input type="checkbox"/> |
| <i>Fulica alai</i> | Hawaiian coot/ ‘alae kea | E | <input checked="" type="checkbox"/> |
| <i>Gallinula galeata sandvicensis</i> | Hawaiian gallinule/ ‘alae ‘ula | E | <input checked="" type="checkbox"/> |
| <i>Himantopus mexicanus knudseni</i> | Hawaiian stilt/ Ae‘o | E | <input checked="" type="checkbox"/> |
| <i>Oceanodroma castro</i> | Band-rumped storm-petrel/ ‘akē‘akē | E | <input type="checkbox"/> |
| <i>Pterodroma sandwichensis</i> | Hawaiian petrel/ ‘ua‘u | E | <input type="checkbox"/> |
| <i>Puffinus auricularis newelli</i> | Newell’s shearwater/ ‘a‘o | T | <input type="checkbox"/> |
| <i>Ardenna pacificus</i> | Wedge-tailed Shearwater/ ‘ua‘u kani | MBTA | <input type="checkbox"/> |
| <i>Gygis alba</i> | White Tern/ manu-o-kū | MBTA | <input type="checkbox"/> |
| <i>Buteo solitarius</i> | Hawaiian hawk/ ‘io | E | <input type="checkbox"/> |
| Insects | | | |
| <i>Manduca blackburni</i> | Blackburn’s sphinx moth | E | <input type="checkbox"/> |
| <i>Megalagrion pacificum</i> | Pacific Hawaiian Damselfly | E | <input type="checkbox"/> |
| <i>M. xanthomelas</i> | Orangeblack Hawaiian Damselfly | E | <input type="checkbox"/> |
| <i>M. nigrohamatum nigrolineatum</i> | Blackline Hawaiian Damselfly | E | <input type="checkbox"/> |

| <u>Plants</u> | | | | |
|--|---|---------------------------|---|--|
| <u>Scientific Name</u> | <u>Common Name or Hawaiian Name</u> | <u>Federal Status</u> | <u>Locations</u> | <u>May Occur In Project Area</u> |
| <i>Abutilon menziesii</i> | Ko‘oloa‘ula | E | O, L, M, H | <input type="checkbox"/> |
| <i>Achyranthes splendens</i> var. <i>rotundata</i> | ‘Ewa hinahina | E | O | <input type="checkbox"/> |
| <i>Bonamia menziesii</i> | No common name | E | K, O, L, M, H | <input type="checkbox"/> |
| <i>Canavalia pubescens</i> | ‘Āwīkiwiki | E | Ni, K, L, M | <input type="checkbox"/> |
| <i>Colubrina oppositifolia</i> | Kauila | E | O, M, H | <input type="checkbox"/> |
| <i>Cyperus trachysanthos</i> | Pu‘uka‘a | E | K, O | <input type="checkbox"/> |
| <i>Gouania hillebrandii</i> | No common name | E | Mo, M | <input type="checkbox"/> |
| <i>Hibiscus brackenridgei</i> | Ma‘o hau hele | E | O, Mo, L, M, H | <input type="checkbox"/> |
| <i>Ischaemum byrone</i> | Hilo ischaemum | E | K, O, Mo, M, H | <input type="checkbox"/> |
| <i>Isodendrion pyrifolium</i> | Wahine noho kula | E | O, H | <input type="checkbox"/> |
| <i>Marsilea villosa</i> | ‘Ihi‘ihi | E | Ni, O, Mo | <input type="checkbox"/> |
| <i>Mezoneuron kavaiense</i> | Uhiuhī | E | O, H | <input type="checkbox"/> |
| <i>Nothocestrum breviflorum</i> | ‘Aiea | E | H | <input type="checkbox"/> |
| <i>Panicum fauriei</i> var. <i>carteri</i> | Carter’s panicgrass | E | Molokini Islet (O), Mo | <input type="checkbox"/> |
| <i>Panicum niihauense</i> | Lau‘ehu | E | K | <input type="checkbox"/> |
| <i>Peucedanum sandwicense</i> | Makou | E | K, O, Mo, M | <input type="checkbox"/> |
| <i>Pleomele (Chrysodracon)</i> <i>hawaiiensis</i> | Halapepe | E | H | <input type="checkbox"/> |
| <i>Portulaca sclerocarpa</i> | ‘Ihi | E | L, H | <input type="checkbox"/> |
| <i>Portulaca villosa</i> | ‘Ihi | E | Le, Ka, Ni, O, Mo, M, L, H, Nihoa | <input type="checkbox"/> |
| <i>Pritchardia affinis</i> (<i>maideniana</i>) | Loulū | E | H | <input type="checkbox"/> |
| <i>Pseudognaphalium</i> <i>sandwicensium</i> var. <i>molokaiense</i> | ‘Ena‘ena | E | Mo, M | <input type="checkbox"/> |
| <i>Scaevola coriacea</i> | Dwarf naupaka | E | Mo, M | <input type="checkbox"/> |
| <i>Schenkia (Centaurium)</i> <i>sebaeoides</i> | ‘Āwiwi | E | K, O, Mo, L, M | <input type="checkbox"/> |
| <i>Sesbania tomentosa</i> | ‘Ōhai | E | Ni, Ka, K, O, Mo, M, L, H, Necker, Nihoa | <input type="checkbox"/> |
| <i>Tetramolopium rockii</i> | No common name | T | Mo | <input type="checkbox"/> |
| <i>Vigna o-wahuensis</i> | No common name | E | Mo, M, L, H, Ka | <input type="checkbox"/> |

Location key: O=O‘ahu, K=Kaua‘i, M=Maui, H=Hawai‘i Island, L=Lāna‘i, Mo=Moloka‘i, Ka=Kaho‘olawe, Ni=Ni‘ihau, Le=Lehua



May 22, 2019

Mr. Wei Chen, P.E.
Fukunaga & Associates, Inc.
1357 Kapiolani Boulevard, Ste. 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

Subject: Pre-Assessment Consultation for Draft Environmental Assessment –
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair

In response to your letter dated May 8, 2019, it has been determined that the area is currently clear of utility gas facilities.

Thank you for the opportunity to comment on the Pre-Assessment Consultation for Draft Environmental Assessment - Maunawili Estates Wastewater Pump Station. Should there be any questions, or if additional information is desired, please call Kristen Asato 596-1425.

Sincerely,

Hawaii Gas


Keith K. Yamamoto
Manager, Engineering

KKY:krs

POLICE DEPARTMENT
CITY AND COUNTY OF HONOLULU

801 SOUTH BERETANIA STREET · HONOLULU, HAWAII 96813
TELEPHONE: (808) 529-3111 · INTERNET: www.honolulupd.org

KIRK CALDWELL
MAYOR



SUSAN BALLARD
CHIEF

JOHN D. McCARTHY
JONATHON GREMS
DEPUTY CHIEFS

OUR REFERENCE EO-TS

May 22, 2019

Mr. Wei Chen, Project Engineer
Fukunaga & Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

This is in response to your letter of May 8, 2019, requesting comments on the Pre-assessment Consultation, Draft Environmental Assessment, for the City and County of Honolulu's Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair Project in Kailua.

The Honolulu Police Department (HPD) anticipates short- and long-term impacts to pedestrian and vehicular traffic around the area of the project. The HPD recommends that all necessary signs, lights, barricades, and other safety equipment be installed and maintained by the contractor to facilitate the flow of traffic during the construction phase of the project.

If there are any questions, please call Major Crizalmer Caraang of District 4 (Kailua) at 723-8639.

Thank you for the opportunity to review this project.


Sincerely,

A handwritten signature in black ink, appearing to read "Allan T. Nagata".
ALLAN T. NAGATA
Assistant Chief
Support Services Bureau

HONOLULU FIRE DEPARTMENT
CITY AND COUNTY OF HONOLULU

636 South Street
Honolulu, Hawaii 96813-5007
Phone: 808-723-7139 Fax: 808-723-7111 Internet: www.honolulu.gov/hfd

KIRK CALDWELL
MAYOR



MANUEL P. NEVES
FIRE CHIEF

LIONEL CAMARA JR.
DEPUTY FIRE CHIEF

May 23, 2019

Mr. Wei Chen, P.E.
Project Engineer
Fukunaga and Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

Subject: Pre-Assessment Consultation for Draft Environmental Assessment Maunawili Estates Wastewater Pump Station Force Main Crossing Number 1 Repair
Kailua, Hawaii
Tax Map Key: 4-2-008: 001

In response to your letter dated May 8, 2019, regarding the abovementioned subject, the Honolulu Fire Department determined that there will be no significant impact to department services.

Should you have questions, please contact Battalion Chief Wayne Masuda of our Fire Prevention Bureau at 723-7151 or wmasuda@honolulu.gov.

Sincerely,

Socrates D. Bratakos
SOCRATES D. BRATAKOS
Assistant Chief

SDB/TC:gl

DAVID Y. IGE
GOVERNOR



JADE T. BUTAY
DIRECTOR

Deputy Directors
LYNN A.S. ARAKI-REGAN
DEREK J. CHOW
ROSS M. HIGASHI
EDWIN H. SNIFFEN

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
869 PUNCHBOWL STREET
HONOLULU, HAWAII 96813-5097

IN REPLY REFER TO:
DIR 0484
STP 8.2673

May 23, 2019

Mr. Wei Chen
Project Engineer
Fukunaga & Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

Subject: Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair
Pre-Assessment Consultation for Draft Environmental Assessment
Oahu, Hawaii
TMK: (1) 4-2-008:001

The Department of Transportation (DOT) understands the County is proposing this wastewater improvement project. The DOT does not anticipate that the subject project will have any significant impact to our State highway facilities; therefore, we have no comments at this time.

If there are any questions, please contact Mr. Blayne Nikaido of the DOT Statewide Transportation Planning Office at (808) 831-7979 or via email at blayne.h.nikaido@hawaii.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Jade T. Butay".

for JADE T. BUTAY
Director of Transportation

BOARD OF WATER SUPPLY

CITY AND COUNTY OF HONOLULU
630 SOUTH BERETANIA STREET
HONOLULU, HI 96843
www.boardofwatersupply.com



KIRK CALDWELL, MAYOR

BRYAN P. ANDAYA, Chair
KAPUA SPROAT, Vice Chair
KAY C. MATSUI
RAY C. SOON
MAX J. SWORD

May 24, 2019

ROSS S. SASAMURA, Ex-Officio
JADE T. BUTAY, Ex-Officio

ERNEST Y. W. LAU, P.E.
Manager and Chief Engineer

ELLEN E. KITAMURA, P.E.
Deputy Manager and Chief Engineer *jlw*

Mr. Wei Chen
Fukunaga & Associates
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

Subject: Your Letter Dated May 8, 2019 Requesting Comments on the
Pre-Assessment Consultation for Draft Environmental Assessment,
Maunawili Estates Wastewater Pump Station Force Main Crossing
No. 1 Repair Near Tax Map Key: 4-2-008: 001

Thank you for the opportunity to comment on the proposed force main repair project.

The construction drawings should be submitted for our review.


The construction schedule should be coordinated to minimize impact to the water system.

If you have any questions, please contact Robert Chun, Project Review Branch of our Water Resources Division, at 748-5443.

Very truly yours,



ERNEST Y. W. LAU, P.E.
Manager and Chief Engineer



OFFICE OF PLANNING STATE OF HAWAII

235 South Beretania Street, 6th Floor, Honolulu, Hawaii 96813
Mailing Address: P.O. Box 2359, Honolulu, Hawaii 96804

DAVID Y. IGE
GOVERNOR

MARY ALICE EVANS
DIRECTOR
OFFICE OF PLANNING

Telephone: (808) 587-2846
Fax: (808) 587-2824
Web: <http://planning.hawaii.gov/>

DTS201905231004NA

May 24, 2019

Mr. Wei Chen, P.E.
Project Engineer
Fukunaga & Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

Subject: Pre-Assessment Consultation for Draft Environmental Assessment –
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, Oahu, Hawaii
TMK: (1) 4-2-008: 001

Thank you for the opportunity to provide comments on the pre-assessment consultation request for the preparation of a Draft Environmental Assessment (Draft EA) on the Maunawili Estates wastewater pump station force main repair project located in Kailua, Oahu.

It is our understanding that an existing 8-inch cast iron pipe force main, encased in reinforced concrete, is in dire need of repairs. It was designed to be buried under the Maunawili Stream bed and protected by a cement rubble masonry (CRM) layer. However, since the force main's installation, the CRM layer has gradually eroded. The wing walls of the force main, along the downstream side of the Maunawili Stream Bridge, are damaged due to effects of erosion, along with the original stream bed.

A large space cavity has developed under the CRM jacket leaving it unsupported. This repair project seeks to plug the void beneath the existing reinforced CRM jacket and restore the eroded stream bed and stream banks at the force main crossing No. 1. The repairs are expected to greatly diminish the possibility of a force main failure and a sewer spill from occurring along Maunawili Stream.

The Office of Planning (OP) has reviewed the transmitted material and has the following comments to offer:

1. Hawaii State Planning Act

Hawaii Administrative Rules (HAR) § 11-200-10(4) requires an Environmental Assessment to provide a general description of an action's technical, economic, social, and environmental characteristics. The Draft EA should provide a discussion on the project and its ability to meet State goals and priorities as detailed in HRS Chapter 226.

The analysis on the Hawaii State Planning Act should examine the project's consistency with all three parts of HRS Chapter 226 or clarify where conflicts exist. If any of these statutes are not applicable to the project, the analysis should affirmatively state this determination, and include discussion paragraphs regarding this matter.

2. Hawaii Coastal Zone Management Program

The Hawaii Coastal Zone Management (CZM) area is defined as “all lands of the State and the area extending seaward from the shoreline to the limit of the State’s police power and management authority, including the U.S. territorial sea” (HRS § 205A-1).

Pursuant to HRS § 205A-4, in implementing the objectives of the CZM program, agencies shall consider ecological, cultural, historic, esthetic, recreational, scenic, open space values, coastal hazards, and economic development. As the project is being proposed by the City and County of Honolulu, the Draft EA should include an assessment on the project's consistency with the objectives and supporting policies of the Hawaii CZM Program, HRS § 205A-2.

3. Coastal Zone Management Act - Federal Consistency.

We note that the proposed action involves repair and construction activity within the bed and banks of Maunawili Stream. If the U.S. Army Corps of Engineers determines that the proposed repair work requires a Department of the Army (DA) permit, then a Coastal Zone Management Act (CZMA) federal consistency review may be necessary.

The national CZMA requires that federal actions be consistent with approved state coastal programs' enforceable policies. Federal actions include activities performed by a federal agency; activities that require federal permits or approvals; or state and local government projects that receive federal financial assistance.

OP is the lead state agency with the authority to conduct CZMA federal consistency reviews. Please contact our office regarding the policies and procedures on federal consistency reviews if a DA permit is deemed necessary.

4. Drainage / Stormwater Runoff Mitigation / Erosion Control

Pursuant to HAR § 11-200-10(6) – identification and summary of impacts and alternatives considered; to ensure that water resources of nearby streams and wetlands, such as the Kawainui Marsh, and marine resources along Windward Coast of Oahu remain protected, the effects of stormwater inundation, resulting from the proposed action should be evaluated in the Draft EA.

Issues that may be examined include, but are not limited to, project site characteristics in

Mr. Wei Chen, P.E.
May 24, 2019
Page 3

relation to flood and erosion prone areas, the potential vulnerability of surface water resources to sewer spills, drainage infrastructure, and the state of the bed and banks of Maunawili Stream's vulnerability to erosion and sediment loss. These items should be considered when developing mitigation measures for the protection of surface water resources and the coastal ecosystem, pursuant to HAR § 11-200-10(7).

OP has developed guidance regarding stormwater runoff controls. We recommend consulting our "Stormwater Impact Assessment" when developing mitigation strategies to counteract the impact from polluted runoff. This guidance document can be used to identify and analyze information on hydrology, sensitivity of coastal and riparian resources, and management measures to control runoff, as well as consider secondary and cumulative impacts to the area. Our stormwater runoff document can be accessed online at: http://files.hawaii.gov/dbedt/op/czm/initiative/stomwater_imapct/final_stormwater_impact_assessments_guidance.pdf.

If you have any questions regarding this comment letter, please contact Joshua Hekekia of our office at (808) 587-2845.

Mahalo,



Mary Alice Evans
Director

DAVID Y. IGE
GOVERNOR OF HAWAII



BRUCE S. ANDERSON, Ph.D.
DIRECTOR OF HEALTH

STATE OF HAWAII
DEPARTMENT OF HEALTH
P. O. BOX 3378
HONOLULU, HI 96801-3378

In reply, please refer to:
File:

May 24, 2019

Mr. Wei Chen, P.E.
Fukunaga & Associates, Inc.
1357 Kapiolani Blvd., Ste. 1530
Honolulu, HI 96814

Dear Mr. Chen:

Thank you for your submittal requesting comments to the Pre-Assessment Consultation for Draft Environmental Assessment for the Maunawili Estates Wasterwater Pump Station Force Main Crossing No. 1 Repair.

Project activities shall comply with the following Administrative Rules of the Department of Health:

- Chapter 11-46 Community Noise Control

Should you have any questions, please contact me at (808) 586-4700.

Sincerely,

A blue ink signature of Jeffrey M. Eckerd.

Jeffrey M. Eckerd
Program Manager
Indoor and Radiological Health Branch


DEPARTMENT OF PARKS & RECREATION
CITY AND COUNTY OF HONOLULU

1000 Uluohia Street, Suite 309, Kapolei, Hawaii 96707
Phone: (808) 768-3003 • Fax: (808) 768-3053
Website: www.honolulu.gov

KIRK CALDWELL
MAYOR

MICHELE K. NEKOTA
DIRECTOR

JEANNE C. ISHIKAWA
DEPUTY DIRECTOR



May 24, 2019

Mr. Wei Chen, P.E.
Fukunaga & Associates
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

SUBJECT: Pre-Assessment Consultation Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main
Crossing #1 Repair

Thank you for the opportunity to review and comment at the Pre-Assessment Consultation stage of the subject Environmental Assessment.

The Department of Parks and Recreation has no comment. As the proposed project will have no impact on any program or facility of the Department, you may remove us as a consulted party to the balance of the EIS process.

Should you have any questions, please contact John Reid, Planner at 768-3017.

Sincerely,

A handwritten signature in black ink that reads "Michele K. Nekota".

Michele K. Nekota
Director

MKN:jr
(772074)

From: [William Hicks](#)
To: [Fukunaga Office](#)
Cc: ["Donna Wong": "tapaka53"](#)
Subject: For Wei Chen or Kacy Aoki wrt Maunawili Estates Wastewater Repair DEA
Date: Monday, May 27, 2019 8:35:57 AM
Attachments: [KNB notice wrt Maunawili Estates Wastewater Repair DEA of 5-8-2.pdf](#)

Aloha Wei...

I received the attached May 8, 2019 letter from you regarding the subject project.

Unfortunately, I was on the mainland until May 21st and didn't receive the letter until then.

I have consulted with our Planning, Zoning, and Environment Chair, Donna Wong, and because this is a pre-EA consultation, it would be good if someone can give a short presentation at our Tuesday June 16th PZE Committee meeting to be held at 7 PM at Kalama Beach Park, Kailua. Although this project seems fairly straightforward, our concern is that it is important to let the community know what is happening because the project entails working in a stream. I have included "Presentation on proposed Maunawili Estates Wastewater Pump Station Repair" near the top of the committee's agenda. Please let Donna Wong (cc'd) and I know if it will not be possible to present at this meeting. Mahalo.

Aloha,
Bill

Jasmyn Honda

From: Liu, Rouen <rouen.liu@hawaianelectric.com>
Sent: Wednesday, May 29, 2019 4:38 PM
To: Fukunaga Office
Cc: Kuwaye, Kristen
Subject: Pre-Assessment Consultation for Draft EA - Maunawili Estates Wastewater Pump Station Force Main Crossing no. 1 Repair - Hawaiian Electric Request for review and comment

Dear Ms. Wei Chen,

Thank you for the opportunity to comment on the subject project. Hawaiian Electric Company has no objection to the project. Should Hawaiian Electric have existing easements and/or facilities on the subject property or within the rights of way, we will need continued access for maintenance of our facilities. We appreciate your efforts to keep us apprised of the subject project in the planning process. As the proposed Maunawili Estates Wastewater Pump Station Force Main Crossing project comes to fruition, please continue to keep us informed.

Should there be any questions, please contact me at 543-7245.

Thank you,

Rouen Liu
Permit Engineer
Hawaiian Electric Company

CONFIDENTIALITY NOTICE: This e-mail message, including any attachments, is for the sole use of the intended recipient(s) and may contain confidential and/or privileged information. Any unauthorized review, use, copying, disclosure or distribution is prohibited. If you are not the intended recipient, please contact the sender immediately by reply e-mail and destroy the original message and all copies.

DEPARTMENT OF FACILITY MAINTENANCE
CITY AND COUNTY OF HONOLULU

1000 Ulu'ohia Street, Suite 215, Kapolei, Hawaii 96707
Phone: (808) 768-3343 • Fax: (808) 768-3381
Website: www.honolulu.gov

KIRK CALDWELL
MAYOR



ROSS S. SASAMURA, P.E.
DIRECTOR AND CHIEF ENGINEER

EDUARDO P. MANGALLAN
DEPUTY DIRECTOR

IN REPLY REFER TO:
DRM 19-276

May 30, 2019

Mr. Wei Chen, P.E., Project Engineer
Fukunaga & Associates, Inc.
1357 Kapiolani Blvd., Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

Subject: Pre-Assessment Consultation for Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing
No. 1 Repair

Thank you for the opportunity to review and comment on the subject project.

We have no objections at this time. However, please process any applicable permits for work in Maunawili Stream.

If you have any questions, please call Mr. Kyle Oyasato of the Division of Road Maintenance at 768-3697.

Sincerely,



Ross S. Sasamura, P.E.
Director and Chief Engineer

DEPARTMENT OF PLANNING AND PERMITTING
CITY AND COUNTY OF HONOLULU

650 SOUTH KING STREET, 7TH FLOOR • HONOLULU, HAWAII 96813
PHONE: (808) 768-8000 • FAX: (808) 768-6041
DEPT. WEB SITE: www.honoluluudpp.org • CITY WEB SITE: www.honolulu.gov

KIRK CALDWELL
MAYOR



KATHY K. SOKUGAWA
ACTING DIRECTOR

TIMOTHY F. T. HIU
DEPUTY DIRECTOR

EUGENE H. TAKAHASHI
DEPUTY DIRECTOR

June 3, 2019

2019/ELOG-931(JD)

Mr. Wei Chen
Fukunaga and Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

SUBJECT: Environmental Assessment (EA) Pre-Consultation
Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair
Adjacent to Maunawili Estates Subdivision and
Tax Map Key 4-2-008: 001

This is in response to your request for comments, received May 13, 2019, for the preparation of an EA. We understand that the proposal is to repair a void beneath a reinforced concrete jacket, which contains an existing eight-inch force main, and restore the eroded streambed and stream banks located at a force main crossing along Maunawili Stream. We have provided some general information and comments based on the information in your letter.

1. From the provided location map, the proposed work will be within the AG-2 General Agricultural District and the State Land Use Agriculture District.
2. The Draft EA should explain how the proposed work is consistent with applicable county plans, such as the General Plan and Koolaupoko Sustainable Communities Plan.

Mr. Wei Chen
June 3, 2019
Page 2

3. The Draft EA should include any information regarding wetlands in the area. The U.S. Fish and Wildlife Service National Wetlands Inventory delineates Maunawili Stream as a freshwater forested/shrub wetland. We suggest that you contact the U.S. Army Corps of Engineers regarding wetlands.

Should you have any questions, please contact Jordan Dildy, of our Zoning Regulations and Permits Branch, at 768-8027 or by email at jdildy@honolulu.gov.

Very truly yours,



[Handwritten signature of Kathy K. Sokugawa]

For: Kathy K. Sokugawa
Acting Director

DAVID Y. IGE
GOVERNOR OF HAWAII



SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE
MANAGEMENT

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
LAND DIVISION

POST OFFICE BOX 621
HONOLULU, HAWAII 96809

June 13, 2019

LD 780

Wei Chen, P.E., Project Engineer
Fukunaga & Associates, Inc.
1357 Kapiolani Blvd., Ste. 1530
Honolulu, HI 96814

via email: fukunagaengineers.com

Dear Sirs:

SUBJECT: Pre-Assessment Consultation for Draft Environmental Assessment for Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair, Maunawili Estates Subdivision, Kailua, Island of Oahu, Hawaii; adjacent to TMK: (1) 4-2-008:001

Thank you for the opportunity to review and comment on the above subject matter. The Land Division of the Department of Land and Natural Resources (“DLNR”) distributed a copy of your request pertaining to the subject matter to selected DLNR Divisions for their review and comments. An extension of the review period was granted to June 14, 2019.

Enclosed are comments from DLNR’s a) Division of Aquatic Resources, b) Engineering Division, c) Division of Forestry and Wildlife, and d) Land Division—Oahu District. Should you have any questions, please feel free to contact Barbara Lee, Project Development Specialist, by phone at (808) 587-0453 or via email at barbara.j.lee@hawaii.gov. Thank you.

Sincerely,

A handwritten signature in black ink, appearing to read "Russell Y. Tsuji".

Russell Y. Tsuji
Land Administrator

Enclosure(s)
cc: Central Files



May 8, 2019

2019 MAY 13 AM 11:00

DEPT. OF LAND &
NATURAL RESOURCES
STATE OF HAWAII

Mr. Russell Y. Tsuji, Administrator
Land Division
Department of Land and Natural Resources
State of Hawai'i
1151 Punchbowl Street, Room 220
Honolulu, HI 96813

SUBJECT: Pre-Assessment Consultation for Draft Environmental Assessment –
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair

Dear Mr. Tsuji,

We presently are preparing the Draft Environmental Assessment for the Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair Project. The project is located at the Maunawili Estates subdivision in Kailua, next to the Maunawili Stream bridge, adjacent to the City and County of Honolulu parcel TMK 4-2-008:001. See attached figure for the location.


Currently, there is an existing 8-inch cast iron pipe force main encased by a reinforced concrete jacket that was, by design, buried under the stream bed and protected by a cement rubble masonry (CRM) layer on top. Since being installed, the CRM layer has been washed away, the wing walls at the downstream side of the bridge are missing and the original stream bed has eroded away and a hole has developed under the concrete jacket leaving it unsupported from the bottom. The project proposes to plug the void beneath the existing reinforced concrete jacket and restore the eroded streambed and stream banks at the force main crossing No. 1. If the Force Main Crossing No. 1 Repair is developed, the 8-inch cast iron pipe force main encased in the reinforced concrete jacket will be stabilized and will eliminate the possibility of a force main failure and sanitary sewer spill into the Maunawili Stream.

Please provide us with any comments you may have regarding this City and County of Honolulu wastewater improvement project by ~~May 31, 2019~~. Your early response would be greatly appreciated.

Wei Chen
Nishimura (5/31/19) { Extension granted to June 14, 2019
Internal Review due date is June 12, 2019. - Chen

Please call Wei Chen or Kacy Aoki at (808) 944-1821 if you have any questions.

Sincerely,
FUKUNAGA & ASSOCIATES, INC.


Wei Chen, P.E.
Project Engineer

Attachment

**DEPARTMENT OF LAND AND NATURAL RESOURCES
ENGINEERING DIVISION**

LD/Russell Y. Tsuji

**Ref: Pre-Assessment Consultation for Draft Environmental Assessment–
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair
Location: Maunawili Estates Subdivision, Kailua, Island of Oahu
TMK(s): Adjacent to (1) 4-2-008:001
Applicant: Fukunaga & Associates, Inc. on behalf of City & County of
Honolulu**

COMMENTS

The rules and regulations of the National Flood Insurance Program (NFIP), Title 44 of the Code of Federal Regulations (44CFR), are in effect when development falls within a Special Flood Hazard Area (high risk areas). State projects are required to comply with 44CFR regulations as stipulated in Section 60.12. Be advised that 44CFR reflects the minimum standards as set forth by the NFIP. Local community flood ordinances may stipulate higher standards that can be more restrictive and would take precedence over the minimum NFIP standards.

The owner of the project property and/or their representative is responsible to research the Flood Hazard Zone designation for the project. Flood Hazard Zones are designated on FEMA's Flood Insurance Rate Maps (FIRM), which can be viewed on our Flood Hazard Assessment Tool (FHAT) (<http://gis.hawaiinfip.org/FHAT>).


If there are questions regarding the local flood ordinances, please contact the applicable County NFIP coordinating agency below:

- Oahu: City and County of Honolulu, Department of Planning and Permitting (808) 768-8098.
- Hawaii Island: County of Hawaii, Department of Public Works (808) 961-8327.
- Maui/Molokai/Lanai: County of Maui, Department of Planning (808) 270-7253.
- Kauai: County of Kauai, Department of Public Works (808) 241-4846.

Signed: _____


CARTY S. CHANG, CHIEF ENGINEER

Date: _____


5/23/19

DAVID Y. IGE
GOVERNOR OF HAWAII

RECEIVED
LAND DIVISION



JUN 13 AM 11:04

DEPT. OF LAND &
NATURAL RESOURCES
STATE OF HAWAII



SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE
MANAGEMENT

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
LAND DIVISION

POST OFFICE BOX 621
HONOLULU, HAWAII 96809

LD 780

May 16, 2019

MEMORANDUM

RECEIVED

MAY 31 2019

Division of Aquatic Resources
DAR 5941

TO:

DLNR Agencies:

- Div. of Aquatic Resources
- Div. of Boating & Ocean Recreation
- Engineering Division
- Div. of Forestry & Wildlife
- Div. of State Parks
- Commission on Water Resource Management
- Office of Conservation & Coastal Lands
- Land Division – Oahu District
- Historic Preservation

FROM:

Russell Y. Tsuji, Land Administrator

SUBJECT:

Pre-Assessment Consultation for Draft Environmental Assessment—
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair

LOCATION:

Maunawili Estates Subdivision, Kailua, Island of Oahu; adjacent to TMK: (1) 4-2-008:001

APPLICANT:

Fukunaga & Associates, Inc. on behalf of City & County of Honolulu

Attached hereto, for your review and comment, is information on the above-referenced repair project intended to stabilize an existing 8-inch cast iron pipe force main encased in reinforced concrete to eliminate possibility of a force main failure and resultant negative environmental impacts.

Please submit any comments to Land Division no later than May 29, 2019. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Barbara Lee by phone at 587-0453 or by email at barbara.j.lee@hawaii.gov. Thank you.

June 12, 2019 (extension was granted)

- We have no objections.
- We have no comments.
- Comments are attached.

Signed:

Print Name: Brian J. Neilson, DAR Administrator

Date:

6/12/19

Attachments

cc: Central Files

DAVID Y. IGE
GOVERNOR OF
HAWAII



SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE MANAGEMENT

ROBERT K. MASUDA
FIRST DEPUTY

M. KALEO MANUEL
DEPUTY DIRECTOR - WATER

AQUATIC RESOURCES
BOATING AND OCEAN RECREATION
BUREAU OF CONVEYANCES
COMMISSION ON WATER RESOURCE MANAGEMENT
CONSERVATION AND COASTAL LANDS
CONSERVATION AND RESOURCES ENFORCEMENT
ENGINEERING
FORESTRY AND WILDLIFE
HISTORIC PRESERVATION
KAHOOLAE ISLAND RESERVE COMMISSION
LAND
STATE PARKS

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
DIVISION OF AQUATIC RESOURCES
1151 PUNCHBOWL STREET, ROOM 330
HONOLULU, HAWAII 96813

Date: 6/12/19
DAR # 5941

MEMORANDUM

TO: Brian J. Neilson
DAR Administrator

FROM: Ryan Okano, PhD, Aquatic Biologist

SUBJECT: Pre-Assessment Consultation for Draft Environmental Assessment, Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair

Request Submitted by: Russell Tsuji, Land Administrator, Land Division

Maunawili Estates Subdivision, Kailua, Island of Oahu, adjacent to TMK: (1) 4-2-008:001

Location of Project: _____

Brief Description of Project:

A Draft Environmental Assessment is being prepared for the Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair Project. The project is located at the Maunawili Estates subdivision in Kailua, next to the Maunawili Stream bridge, adjacent to the City and county of Honolulu parcel TMK 4-2-008:001.

(continued on next page)

Comments:

No Comments Comments Attached

Thank you for providing DAR the opportunity to review and comment on the proposed project. Should there be any changes to the project plan, DAR requests the opportunity to review and comment on those changes.

Comments Approved:

Brian J. Neilson
DAR Administrator

Date: 6/12/19

DAR# 5941

Brief Description of Project

Currently, there is an existing 8-inch cast iron pipe force main encased by a reinforced concrete jacket that was, by design, buried under the stream bed and protected by a Cement Rubble Masonry (CRM) layer on top. Since being installed, the CRM layer has been washed away, the wing walls at the downhill side of the bridge are missing and the original stream bed has eroded away and a hole has developed under the concrete jacket leaving it unsupported from the bottom. The project proposes to plug the void beneath the existing reinforced concrete jacket and restore the eroded streambed and stream banks at the force main crossing No. 1. If the Force Main Crossing No. 1 Repair is developed, the 8-inch cast iron pipe force main encased in the reinforced concrete jacket will be stabilized and will eliminate the possibility of a force main failure and sanitary sewer spill into Maunawili Stream.

DAR# 5941

Comments

The Division of Aquatic Resources (DAR) is concerned about this proposed project due to the presence of a stream in the work area, and the potential the proposed work has to impact aquatic resources. DAR request that you include a section in the Draft Environmental Assessment pertaining to aquatic resources. Water quality is a primary factor that influences the status of aquatic resources. Therefore, we would also appreciate a detailed section pertaining to water quality. In addition Best Management Practices to address concerns relevant to aquatic resources and water quality should be incorporated.

LD 863

DAVID Y. IGE
GOVERNOR OF HAWAII



RECEIVED
LAND DIVISION

SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE
MANAGEMENT

2019 MAY 24 AM 11:36

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
LAND DIVISION

DEPT OF LAND &
NATURAL RESOURCES
STATE OF HAWAII

POST OFFICE BOX 621
HONOLULU, HAWAII 96809

LD 780

May 16, 2019

MEMORANDUM

To: Land

DLNR Agencies:

- Div. of Aquatic Resources
- Div. of Boating & Ocean Recreation
- Engineering Division
- Div. of Forestry & Wildlife
- Div. of State Parks
- Commission on Water Resource Management
- Office of Conservation & Coastal Lands
- Land Division – Oahu District
- Historic Preservation

19 MAY 21 PM 11:02 ENGINEERING

FROM: *D.Y.T.*
SUBJECT:

LOCATION:

Russell Y. Tsuji, Land Administrator
**Pre-Assessment Consultation for Draft Environmental Assessment—
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair**

Maunawili Estates Subdivision, Kailua, Island of Oahu; adjacent to TMK: (1) 4-2-008:001

APPLICANT: Fukunaga & Associates, Inc. on behalf of City & County of Honolulu

Attached hereto, for your review and comment, is information on the above-referenced repair project intended to stabilize an existing 8-inch cast iron pipe force main encased in reinforced concrete to eliminate possibility of a force main failure and resultant negative environmental impacts.

Please submit any comments to Land Division no later than *May 29, 2019*. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Barbara Lee by phone at 587-0453 or by email at barbara.j.lee@hawaii.gov. Thank you.

- We have no objections.
 We have no comments.
 Comments are attached.

Signed:

Print Name:

Date:

Carty S. Chang, Chief Engineer

5/23/19

Attachments

cc: Central Files

DAVID Y. IGE
GOVERNOR OF HAWAII



SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE
MANAGEMENT

19748

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
LAND DIVISION

POST OFFICE BOX 621
HONOLULU, HAWAII 96809

LD780

RECEIVED
LAND
DIVISION

DEPT. OF LAND &
NATURAL RESOURCES
STATE OF HAWAII

2019 MAY 31 AM 10:41

May 16, 2019

MEMORANDUM

TO:

DLNR Agencies:

- Div. of Aquatic Resources
- Div. of Boating & Ocean Recreation
- Engineering Division
- Div. of Forestry & Wildlife
- Div. of State Parks
- Commission on Water Resource Management
- Office of Conservation & Coastal Lands
- Land Division – Oahu District
- Historic Preservation

FROM:

SUBJECT:

Russell Y. Tsuji, Land Administrator

**Pre-Assessment Consultation for Draft Environmental Assessment—
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair**

LOCATION:

Maunawili Estates Subdivision, Kailua, Island of Oahu; adjacent to TMK: (1) 4-2-008:001

APPLICANT:

Fukunaga & Associates, Inc. on behalf of City & County of Honolulu

Attached hereto, for your review and comment, is information on the above-referenced repair project intended to stabilize an existing 8-inch cast iron pipe force main encased in reinforced concrete to eliminate possibility of a force main failure and resultant negative environmental impacts.

June 12, 2019

Please submit any comments to Land Division no later than May 29, 2019. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Barbara Lee by phone at 587-0453 or by email at barbara.j.lee@hawaii.gov. Thank you.

- We have no objections.
- We have no comments.
- Comments are attached.

Signed:

Print Name:

Date:

DAVID G. SMITH, Administrator

Attachments

cc: Central Files

DAVID Y. IGE
GOVERNOR OF HAWAII



SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE MANAGEMENT

ROBERT K. MASUDA
FIRST DEPUTY

M. KALEO MANUEL
DEPUTY DIRECTOR - WATER

AQUATIC RESOURCES
BOATING AND OCEAN RECREATION
BUREAU OF CONVEYANCES
COMMISSION ON WATER RESOURCE MANAGEMENT
CONSERVATION AND COASTAL LANDS
CONSERVATION AND RESOURCES ENFORCEMENT
ENGINEERING
FORESTRY AND WILDLIFE
HISTORIC PRESERVATION
KAHOOIAWE ISLAND RESERVE COMMISSION
LAND
STATE PARKS

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
DIVISION OF FORESTRY AND WILDLIFE
1151 PUNCHBOWL STREET, ROOM 325
HONOLULU, HAWAII 96813

MAY 30 2019

MEMORANDUM

TO: RUSSELL Y. TSUJI, Administrator
Land Division

FROM: DAVID G. SMITH, Administrator

SUBJECT: Division of Forestry and Wildlife Comments on the Pre-Assessment Consultation for Draft Environmental Assessment—Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair

The Department of Land and Natural Resources, Division of Forestry and Wildlife (DOFAW) has received your inquiry regarding the pre-assessment consultation for Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair Draft Environmental Assessment in Kailua on the island of O‘ahu, TMK: (1) 4-2-008:001. Proposed work would include repairing the existing reinforced concrete jacket under the Maunawili Stream bed and restoring the eroded stream bed and banks at the force main crossing.


The State listed Hawaiian Hoary Bat or ‘Ōpe‘ape‘a (*Lasiurus cinereus semotus*) has the potential to occur in the vicinity of the project area and may roost in nearby trees. If any site clearing is required this should be timed to avoid disturbance during the bat birthing and pup rearing season (June 1 through September 15). If this cannot be avoided, woody plants greater than 15 feet (4.6 meters) tall should not be disturbed, removed, or trimmed without consulting DOFAW.

We note that artificial lighting can adversely impact seabirds that may pass through the area at night by causing disorientation. This disorientation can result in collision with manmade artifacts or grounding of birds. For nighttime lighting that might be required, DOFAW recommends that all lights be fully shielded to minimize impacts. Nighttime work that requires outdoor lighting should be avoided during the seabird fledging season from September 15 through December 15. This is the period when young seabirds take their maiden voyage to the open sea.

State listed waterbirds such as the Hawaiian Duck (*Anas wyvilliana*), Hawaiian Stilt (*Himantopus mexicanus knudseni*), Hawaiian Coot (*Fulica alai*), and Hawaiian Common Gallinule (*Gallinula chloropus sandvicensis*) have the potential to occur in the vicinity of the proposed project site. It is against State law to harm or harass these species. If any of these species are present during construction activities, then all activities within 100 feet (30 meters) should cease, and the bird should not be approached. Work may continue after the bird leaves the area of its own accord. If a nest is discovered at any point, please contact the DOFAW Office at (808) 587-0166.

We appreciate your efforts to work with our office for the conservation of our native species. Should the scope of the project change significantly, or should it become apparent that threatened or endangered species may be impacted, please contact our staff as soon as possible.

If you have any questions, please contact Jim Cogswell, Wildlife Program Manager at (808) 587-4187 or James.M.Cogswell@hawaii.gov.



STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
LAND DIVISION

POST OFFICE BOX 621
HONOLULU, HAWAII 96809

LD 780

May 16, 2019

MEMORANDUM

TO:

DLNR Agencies:

- Div. of Aquatic Resources
 Div. of Boating & Ocean Recreation
 Engineering Division
 Div. of Forestry & Wildlife
 Div. of State Parks
 Commission on Water Resource Management
 Office of Conservation & Coastal Lands
 Land Division – Oahu District
 Historic Preservation

FROM:

Russell Y. Tsuji, Land Administrator

SUBJECT:

**Pre-Assessment Consultation for Draft Environmental Assessment—
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair**

LOCATION:

Maunawili Estates Subdivision, Kailua, Island of Oahu; adjacent to TMK: (1) 4-2-008:001

APPLICANT:

Fukunaga & Associates, Inc. on behalf of City & County of Honolulu

Attached hereto, for your review and comment, is information on the above-referenced repair project intended to stabilize an existing 8-inch cast iron pipe force main encased in reinforced concrete to eliminate possibility of a force main failure and resultant negative environmental impacts.

Please submit any comments to Land Division no later than May 29, 2019. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Barbara Lee by phone at 587-0453 or by email at barbara.j.lee@hawaii.gov. Thank you.

- () We have no objections.
(x) We have no comments.
() Comments are attached.

Signed: Darlene Bryant-Takamatsu
Print Name: Darlene Bryant-Takamatsu
Date: 5/21/19 *for*

Attachments

cc: Central Files

DEPARTMENT OF TRANSPORTATION SERVICES
CITY AND COUNTY OF HONOLULU

650 SOUTH KING STREET, 3RD FLOOR
HONOLULU, HAWAII 96813

Phone: (808) 768-8305 • Fax: (808) 768-4730 • Internet: www.honolulu.gov

KIRK CALDWELL
MAYOR



WES FRYSZTACKI
DIRECTOR

JON Y. NOUCHI
DEPUTY DIRECTOR

TP5/19-772339R

June 19, 2019

Mr. Wei Chen, P.E.
Project Engineer
Fukunaga & Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

SUBJECT: Pre-Consultation Draft Environmental Assessment (DEA)
Maunawili Estates Wastewater Pump Station Force Main Crossing
No. 1 Repair

In response to your letter dated May 8, 2019, we have the following comments:

1. **Roadway Jurisdiction.** The DEA should include a map with the project location and adjacent road names and jurisdictions.
2. **Driveway Design.** All access driveways to the project site should be designed with the highest pedestrian and bicycle safety measures and constructed to current City standards.
3. **Traffic Management Plan (TMP).** A TMP should be prepared for this project that is jointly reviewed and accepted by the Department of Transportation Services (DTS) and the Department of Planning and Permitting. The TMP shall include the following:
 - a. A discussion of the traffic impacts that the project may have on any surrounding City roadways and facilities, including short-term impacts during construction with corresponding measures to mitigate these impacts by applying Complete Streets principles.

- b. Construction materials and equipment should be transferred to and from the project site during off-peak traffic hours (8:30 a.m. to 3:30 p.m.) to minimize any possible disruption to traffic on the local streets.
- 4. **Sea Level Rise and Resilience.** Infrastructure improvements located within areas potentially exposed to chronic flooding with sea level rise shall be subject to an in-depth analysis of the potential impacts of sea level rise on elevation, tolerance for risk, and the lifetime of the proposed structure or infrastructure. Any significant improvements within existing footprints should be dependent on established, resilient design guidelines, or otherwise be subject to relocation to a more suitable area.

The potential for chronic flooding with 3.2 feet of sea level rise exposure area (SLR-XA) shall be used as the vulnerability zone for planning purposes. Maps of the project area shall be provided for both the SLR-XA and flooded highways. The applicant shall recommend strategies and designs that increase the flood resiliency for new development or improvements within the SLR-XA that cannot be relocated, or seek opportunities to plan new development or projects well landward of the SLR-XA. See the following to determine vulnerability:
<http://www.pacioos.hawaii.edu/shoreline/slri-hawaii/>
- 5. **Roadway, Sidewalk and Crosswalk Closures.** If there are any roadway, sidewalk or crosswalk closures, alternate routes should be provided for vehicles, pedestrians, and bicyclists that are safe and clearly marked.
- 6. **Vehicle/Pedestrian Crossing.** Any existing pedestrian, bicycle and vehicle access/crossing shall be maintained with the highest safety measures during construction.
- 7. **Best Management Practice (BMP) Controls.** BMP controls should be included at the construction site to prevent trailing of dirt and debris onto adjacent roadways.
- 8. **Roadway Damage.** Any damage to the existing roadway and sidewalk area caused by the project should be repaired to current City standards as well as meet Americans with Disabilities Act requirements.

Mr. Wei Chen, P.E.

June 19, 2019

Page 3

9. **Neighborhood Impacts.** The area representatives, neighborhood board, as well as the area residents, businesses, emergency personnel (fire, ambulance, and police), Oahu Transit Services, Inc. (TheBus and TheHandi-Van), etc., should be kept apprised of the details and status throughout the project and the impacts that the project may have on the adjoining local street area network.
10. **Street Usage Permit.** A street usage permit from the DTS should be obtained for any construction-related work that may require the temporary closure of any traffic lane on a City street.

Thank you for the opportunity to review this matter. Should you have any questions, please contact Virginia Sosh, of my staff, at 768-5461.

Very truly yours,



Wes Frysztacki
Director

APPENDIX B

Draft Environmental Assessment Comments and Responses

DAVID Y. IGE
GOVERNOR



CURT T. OTAGURO
COMPTROLLER

AUDREY HIDANO
DEPUTY COMPTROLLER

STATE OF HAWAII
DEPARTMENT OF ACCOUNTING AND GENERAL SERVICES

P O BOX 119, HONOLULU, HAWAII 96810-0119

(P) 19.268

DEC 31 2019

Mr. Wei Chen, P.E.
Fukunaga & Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

Subject: Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair
Kailua, Oahu, Hawaii

Thank you for the opportunity to provide comments on the subject project. The project does not impact any of the Department of Accounting and General Services' projects or existing facilities, and we have no comments to offer at this time.

If you have any questions, your staff may call Mr. Dennis Chen of the Planning Branch at 586-0491.

Sincerely,

A handwritten signature in black ink, appearing to read "Christine L. Kinimaka".

FOR CHRISTINE L. KINIMAKA
Public Works Administrator

DYKC:jl

c: Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services



September 30, 2020

Ref: (P) 19.268

Ms. Christine L. Kinimaka
Administrator
Public Works Division
Department of Accounting and General Services
State of Hawai‘i
1151 Punchbowl Street, Room 426
Honolulu, HI 96813

Dear Ms. Kinimaka,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No 1
Repair, Kailua, O‘ahu, Hawai‘i

Thank you for your letter dated December 31, 2019 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. We acknowledge that the proposed project does not impact any of your facilities.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.


Wei Chen, P.E.

Project Manager

Encl.

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services

DAVID Y. IGE
GOVERNOR



JADE T. BUTAY
DIRECTOR

Deputy Directors
LYNN A.S. ARAKI-REGAN
DEREK J. CHOW
ROSS M. HIGASHI
EDWIN H. SNIFFEN

STATE OF HAWAII
DEPARTMENT OF TRANSPORTATION
869 PUNCHBOWL STREET
HONOLULU, HAWAII 96813-5097

IN REPLY REFER TO:
DIR 1308
STP 8.2826

January 2, 2020

Mr. Wei Chen, P.E.
Project Manager
Fukunaga & Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

Subject: Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair
Draft Environmental Assessment
Kailua, Oahu, Hawaii

The Hawaii Department of Transportation (HDOT) understands that the City and County of Honolulu, Department of Environmental Services, Division of Wastewater Engineering & Construction is proposing a restoration repair project at the Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 at Maunawili Stream.

HDOT has determined that due to the project description and location, it appears that the proposed project would not have any significant impacts to State highway facilities. HDOT has no comments to provide.

If there are any questions, please contact Mr. Blayne Nikaido of the HDOT Statewide Transportation Planning Office at (808) 831-7979 or via email at blayne.h.nikaido@hawaii.gov.

Sincerely,

A handwritten signature in black ink, appearing to read "Jade T. Butay".

JADE T. BUTAY
Director of Transportation



September 30, 2020

Ref: DIR 1308/STP 8.2826

Mr. Jade T. Butay
Director
Department of Transportation
State of Hawai'i
869 Punchbowl Street, Room 509
Honolulu, HI 96813


Dear Mr. Butay,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, O'ahu, Hawai'i

Thank you for your letter dated January 2, 2020 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. We acknowledge that the proposed project does not impact any of your facilities.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.


Wei Chen, P.E.
Project Manager


Encl.

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services

DEPARTMENT OF FACILITY MAINTENANCE
CITY AND COUNTY OF HONOLULU

1000 Ulu'ohia Street, Suite 215, Kapolei, Hawaii 96707
Phone: (808) 768-3343 • Fax: (808) 768-3381
Website: www.honolulu.gov

KIRK CALDWELL
MAYOR



ROSS S. SASAMURA, P.E.
DIRECTOR AND CHIEF ENGINEER

EDUARDO P. MANGALLAN
DEPUTY DIRECTOR

IN REPLY REFER TO:
DRM 20-3

January 3, 2020

Mr. Wei Chen
Fukunaga & Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

Subject: Draft Environmental Assessment for
Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair, Kailua

Thank you for the opportunity to review and comment on the subject project.

- During construction and upon completion of the project; any damages/deficiencies to the roadways on Aloha Oe Drive shall be repaired to City standards and accepted by the City at no cost to the City and County of Honolulu.
- Please note that the Department of Facility Maintenance has jurisdiction for the Maunawili Stream that runs through the subject project site. (TMK: 4-2-067:001).

If you have any questions, please call Mr. Kyle Oyasato of the Division of Road Maintenance at 768-3697.

Sincerely,



✓ Ross S. Sasamura, P.E.
Director and Chief Engineer



September 30, 2020

Ref: DRM 20-3

Mr. Ross S. Sasamura, P.E.
Director and Chief Engineer
Department of Facility Maintenance
City and County of Honolulu
1000 Uluohia Street, Suite 215
Kapolei, HI 96707

Dear Mr. Sasamura,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, O‘ahu, Hawai‘i

Thank you for your letter dated January 3, 2020 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. In response to your comment, all damages/deficiencies to the roadways on Aloha Oe Drive, caused by the construction, will be repaired to City standards.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.



Wei Chen, P.E.
Project Manager

Encl.

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services

POLICE DEPARTMENT
CITY AND COUNTY OF HONOLULU

801 SOUTH BERETANIA STREET · HONOLULU, HAWAII 96813
TELEPHONE: (808) 529-3111 · INTERNET: www.honolulupd.org

KIRK CALDWELL
MAYOR



SUSAN BALLARD
CHIEF

JOHN D. McCARTHY
CLYDE K. HO
DEPUTY CHIEFS

OUR REFERENCE SFA-DK

January 3, 2020

Mr. Wei Chen, P.E.
Project Manager
Fukunaga & Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

This is in response to your letter of December 20, 2019, requesting input on a Draft Environmental Assessment for the Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair project in Kailua.

Based on the information contained in the CD provided, the Honolulu Police Department (HPD) anticipates a short-term impact to pedestrian and vehicular traffic and parking in and around the project area during the construction phase. These impacts may cause an increase in calls for service to the area.

The HPD recommends that all necessary street usage permits impacting parking and the transporting of equipment within the vicinity of the project be obtained prior to construction. Additionally, all necessary signs, lights, barricades, and other safety equipment should be installed and maintained by the contractor to facilitate the flow of pedestrian and vehicular traffic during the construction phase of the project.

If there are any questions, please call Acting Captain Sandi Fujitani Awaya of District 4 (Kailua) at 723-8640.

Thank you for the opportunity to review this project.

Sincerely,

The signature of Allan T. Nagata, which is handwritten in black ink and appears to read "Allan T. Nagata".
ALLAN T. NAGATA
Assistant Chief
Support Services Bureau



FUKUNAGA & ASSOCIATES, INC.

CONSULTING ENGINEERS

CELEBRATING 50 YEARS OF SERVICE

September 30, 2020

Ms. Susan Ballard
Chief of Police
Honolulu Police Department
City and County of Honolulu
801 South Beretania St.
Honolulu, HI 96813

Dear Ms. Ballard,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, O'ahu, Hawai'i

Thank you for your letter dated January 3, 2020 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. In response to your comments, all necessary street usage permits will be obtained from the City and County of Honolulu, Department of Planning and Permitting as well as Department of Transportation Services prior to construction and all necessary safety equipment will be installed and maintained during the construction phase of the project.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.



Wei Chen, P.E.
Project Manager

Encl.

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services



DATE: 01/06/2020

Fukunaga & Associates

Attn: Wei Chen

**Subject: MAUNAWILI ESTATES WASTE WATER PUMP STATION FORCE
MAIN CROSSING NO.1 REPAIR, KAILUA, O'AHU, HAWAI'I**

Dear Wei Chen,

The locations of existing routes and crossings were not shown on the provided plans. Therefore, SPECTRUM is submitting drawings with information of our facilities within the project area. Please note these drawings are to be used as a reference only. The exact locations, and routing of all CATV facilities must be verified in the field due to construction variances.

The location of the proposed repairs will not have an affect on Spectrum's existing CATV plant in your work area.

However, if the work or repairs being performed requires special machinery, with a specific height requirements, the contractor performing the work, will be required to notify our office prior to performing any work. Spectrum may need to reattached or move or plant system, In the event that we have to relocate our existing plant system, charges may apply.

At this time, Spectrum utilize both HECO and Hawaiian Telcom's (HTCO) existing Poles. The sections of this project that is highlighted in your scope of work, may conflict with existing CATV facilities and have been marked in red on the enclosed set of plans.

This information has been provided to help minimize delays and prevent damage to existing CATV structures within the project area. Should you have any questions or concerns, please feel free to contact me at 808-224-4801, 808-625-8576, or email me at Guillermo.Mayorga@charter.com

Sincerely,

Guillermo Mayorga
Guillermo Mayorga
Construction Coordinator



September 30, 2020

Mr. Guillermo Mayorga
Construction Coordinator
Charter Communications (Spectrum)
200 Akamainui Street
Mililani, HI 96789

Dear Mr. Mayorga,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, O'ahu, Hawai'i

Thank you for your letter and email dated January 6, 2020 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. In response to your comments, the exact locations and routing of CATV facilities will be verified in the field by the contractor to make sure the proposed repairs will not have an affect on Spectrum's existing CATV plant in the area.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.


Wei Chen, P.E.
Project Manager

Encl.

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services



UNIVERSITY
of HAWAII®
MĀNOA

January 6, 2020

To Whom It May Concern,

This is to acknowledge receipt of your letter requesting a review of an environmental assessment (EA) or environmental impact statement (EIS). The Environmental Center at the University of Hawai'i at Mānoa, which for a time was linked to the Water Resources Research Center (WRRC), has been discontinued. As a result of the closure of the Environmental Center, we regret that WRRC no longer has the capacity to review environmental documents.

Sincerely,

A handwritten signature in black ink, appearing to read "Thomas Giambelluca".

Thomas Giambelluca
Director

Attachment

2540 Dole Street, Holmes Hall 283
Honolulu, Hawai'i 96822
Telephone: (808) 956-7847
Fax: (808) 956-5044

An Equal Opportunity/Affirmative Action Institution



September 30, 2020

Mr. Thomas Giambelluca
Director
Water Resources Research Center
University of Hawai'i
2540 Dole Street, Holmes Hall 283
Honolulu, HI 96822

Dear Mr. Giambelluca,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, O'ahu, Hawai'i

Thank you for your letter dated January 6, 2020 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. We acknowledge that WRRC no longer has the capacity to review environmental documents.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.

Wei Chen
Wei Chen, P.E.
Project Manager


Encl:

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services

HONOLULU FIRE DEPARTMENT
CITY AND COUNTY OF HONOLULU

636 South Street
Honolulu, Hawaii 96813-5007
Phone: 808-723-7139 Fax: 808-723-7111 Internet: www.honolulu.gov/hfd

KIRK CALDWELL
MAYOR



MANUEL P. NEVES
FIRE CHIEF

LIONEL CAMARA JR
DEPUTY FIRE CHIEF

January 7, 2020


Mr. Wei Chen, P.E.
Project Engineer
Fukunaga & Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

Subject: Draft Environmental Assessment Maunawili Estates Wastewater Pump Station
Force Main Crossing Number 1 Repair
Kailua, Hawaii
Tax Map Key: 4-2-008: 001

In response to your letter dated December 20, 2019, regarding the abovementioned subject, the Honolulu Fire Department reviewed the submitted information and determined that there will be no significant impact to fire department services.

Should you have questions, please contact Battalion Chief Wayne Masuda of our Fire Prevention Bureau at 723-7151 or wmasuda@honolulu.gov.

Sincerely,


JASON SAMALA
Assistant Chief

JS/TC:gl



September 30, 2020

Mr. Manuel P. Neves
Fire Chief
Honolulu Fire Department
City and County of Honolulu
636 South Street
Honolulu, HI 96813

Dear Mr. Neves,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, O'ahu, Hawai'i

Thank you for your letter dated January 7, 2020 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. We acknowledge that the proposed project does not impact any of your facilities.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.


Wei Chen, P.E.
Project Manager

Encl.

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services

DAVID Y. IGE
Governor

JOSH GREEN
Lt. Governor



PHYLLIS SHIMABUKURO-GEISER
Chairperson, Board of Agriculture

MORRIS M. ATTA
Deputy to the Chairperson

State of Hawaii
DEPARTMENT OF AGRICULTURE
1428 South King Street
Honolulu, Hawaii 96814-2512
Phone: (808) 973-9600 FAX: (808) 973-9613

January 14, 2020

Mr. Wei Chen, P.E.
Project Manager
Fukunaga & Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, HI 96814

Dear Mr. Chen:

RE: Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, Oahu, Hawaii

The State of Hawaii, Department of Agriculture, Agricultural Resource Management Division (ARMD) reviewed the *Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair*, Kailua, Oahu, Hawaii, dated December 2019. As noted in the Pre-Assessment Consultation comments, ARMD personnel require unrestricted use of all roads and bridges to access the irrigation system in Maunawili Valley. The ARMD understands that the proposed action will not restrict or limit HDOA access to these areas.

The HDOA has no comments on the proposed action at this time. Please let us know if there are any changes to the scope or location of the project.

Should you have any questions, please contact Ms. Janice Fujimoto at (808) 973-9473.

Sincerely,

A handwritten signature in black ink, appearing to read "Brian Kau".

BRIAN KAU, P.E.
Administrator and Chief Engineer
Agricultural Resource Management Division





September 30, 2020

Mr. Brian Kau, P.E.
Administrator and Chief Engineer
Agricultural Resource Management Division
Department of Agriculture
State of Hawai‘i
1428 South King Street
Honolulu, HI 96814

Dear Mr. Kau,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. i
Repair, Kailua, O‘ahu, Hawai‘i

Thank you for your letter dated January 14, 2020 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. We acknowledge that the proposed project does not impact any of your facilities. Traffic detours, via Aloha Oe Drive, Pualeha Street and Kelewina Street, for access to your facilities will be provided during construction hours if the Maunawili Road Bridge No. 3 will need to be temporarily restricted.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.


Wei Chen, P.E.
Project Manager

Encl.

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services

DEPARTMENT OF PLANNING AND PERMITTING
CITY AND COUNTY OF HONOLULU

650 SOUTH KING STREET, 7TH FLOOR • HONOLULU, HAWAII 96813
PHONE: (808) 768-8000 • FAX: (808) 768-6041
DEPT. WEB SITE: www.honoluludp.org • CITY WEB SITE: www.honolulu.gov

KIRK CALDWELL
MAYOR



KATHY K. SOKUGAWA
ACTING DIRECTOR

TIMOTHY F. T. HIU
DEPUTY DIRECTOR

EUGENE H. TAKAHASHI
DEPUTY DIRECTOR

January 16, 2020

2019/ELOG-2583(JD)

Mr. Wei Chen
Fukunaga & Associates, Inc.
Honolulu, Hawaii 96814

Dear Mr. Chen:

SUBJECT: Chapter 343, Hawaii Revised Statutes
Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair

We have reviewed the Draft Environmental Assessment, received December 24, 2019, for the above-mentioned Project, and have the following comments:

1. The proposed work is not subject to a grading permit or trenching permit.
2. The Department of Facility Maintenance should be given the opportunity to review/comment on the construction plans to stabilize the stream bank and to restore the stream riprap apron.

Should you have any further questions, please contact Jordan Dildy, of our Zoning Regulations and Permits Branch, at 768-8027 or by jdildy@honolulu.gov.

Very truly yours,

A handwritten signature in blue ink, appearing to read "Kathy K. Sokugawa".

For: Kathy K. Sokugawa
Acting Director



September 30, 2020

Ref: 2019/ELOG-2583(JD)

Ms. Kathy K. Saokugawa
Acting Director
Department of Planning and Permitting
City and County of Honolulu
650 South King Street, 7th Floor
Honolulu, HI 96813


Dear Ms. Saokugawa,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, O‘ahu, Hawai‘i

Thank you for your letter dated January 16, 2020 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. In response to your comment, the Department of Facility Maintenance will be provided construction plans to review/comment on in the future.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.


Wei Chen, P.E.
Project Manager

Encl.

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services

DAVID Y. IGE
GOVERNOR OF HAWAII



SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE
MANAGEMENT

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
LAND DIVISION

POST OFFICE BOX 621
HONOLULU, HAWAII 96809

January 22, 2020

(CY 2019) LD 2296

Fukunaga & Associates, Inc,
Attn: Wei Chen
1357 Kapiolani Blvd., Suite 1530
Honolulu, HI 96814

via email: wchen@fukunagaengineers.com

Dear Sirs:

SUBJECT: Draft Environmental Assessment, Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair; Maunawili Estates Kailua, Windward District, Island of Oahu

Thank you for the opportunity to review and comment on the subject project. The Land Division of the Department of Land and Natural Resources (DLNR) distributed copies of your request to DLNR's various Divisions for their review and comments.

Enclosed are responses from our (a) Engineering Division, (b) Division of Forestry and Wildlife, and (c) Land Division—Oahu District. Should you have any questions about the attached comments, please feel free to contact Barbara Lee at (808) 587-0453 or barbara.j.lee@hawaii.gov. Thank you.

Sincerely,

A handwritten signature in blue ink that reads "Russell Y. Tsuji". Below the signature, the name "Russell Y. Tsuji" is printed in black ink, followed by "Land Administrator". To the left of the signature, there is a small blue mark that looks like the letter "f".

Enclosure(s)
cc: Central Files

DAVID Y. IGE
GOVERNOR OF HAWAII



LP Ø52

SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE
MANAGEMENT

RECEIVED
LAND DIVISION

2020 JAN 10 PM 2:32

DEPT. OF LAND &
NATURAL RESOURCES
STATE OF HAWAII

*19 DEC 31 PM 0302 ENGINEERING

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
LAND DIVISION

POST OFFICE BOX 621
HONOLULU, HAWAII 96809

December 31, 2019

MEMORANDUM

LD 2296

TO:

FROM

FROM
TO
SUBJECT:

LOCATION:

APPLICANT:

DLNR Agencies:

- Div. of Aquatic Resources
- Div. of Boating & Ocean Recreation
- Engineering Division
- Div. of Forestry & Wildlife
- Div. of State Parks
- Commission on Water Resource Management
- Office of Conservation & Coastal Lands
- Land Division – Oahu District
- Historic Preservation

Russell Y. Tsuji, Land Administrator

Draft Environmental Assessment, Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair

Kailua, Windward District, Island of Oahu

Fukunaga & Associates, Inc. on behalf of the Department of Environmental Services, City and County of Honolulu

Transmitted for your review and comment is information on the above-referenced Draft Environmental Assessment (DEA) which has been published in the December 23, 2019 issue of OEQC's official publication, The Environmental Notice (TEN), at the following address:

http://oeqc2.doh.hawaii.gov/The_Environmental_Note/2019-12-23-TEN.pdf

A CD with a copy of the DEA is also attached to this memo for your direct reference.

Please submit any comments to DLNR's Land Division by **January 20, 2020**, and we will forward them to the County per their request. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Barbara Lee by phone at 587-0453, or write to barbara.j.lee@hawaii.gov. Thank you.

- We have no objections.
- We have no comments.
- Comments are attached.

Signed:

Print Name:

Date:

Carty S. Chang, Chief Engineer

1/10/20

Attachments
Cc: Central Files

**DEPARTMENT OF LAND AND NATURAL RESOURCES
ENGINEERING DIVISION**

LD/Russell Y. Tsuji

Ref: Draft Environmental Assessment, Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair
Location: Kailua, Windward District, Island of Oahu
Applicant: Fukunaga & Associates, Inc. on behalf of the Department of Environmental Services, City and County of Honolulu

COMMENTS

The rules and regulations of the National Flood Insurance Program (NFIP), Title 44 of the Code of Federal Regulations (44CFR), are in effect when development falls within a Special Flood Hazard Area (high risk areas). State projects are required to comply with 44CFR regulations as stipulated in Section 60.12. Be advised that 44CFR reflects the minimum standards as set forth by the NFIP. Local community flood ordinances may stipulate higher standards that can be more restrictive and would take precedence over the minimum NFIP standards.

The owner of the project property and/or their representative is responsible to research the Flood Hazard Zone designation for the project. Flood Hazard Zones are designated on FEMA's Flood Insurance Rate Maps (FIRM), which can be viewed on our Flood Hazard Assessment Tool (FHAT) (<http://gis.hawaiinfip.org/FHAT>).


If there are questions regarding the local flood ordinances, please contact the applicable County NFIP coordinating agency below:

- Oahu: City and County of Honolulu, Department of Planning and Permitting (808) 768-8098.
- Hawaii Island: County of Hawaii, Department of Public Works (808) 961-8327.
- Maui/Molokai/Lanai: County of Maui, Department of Planning (808) 270-7253.
- Kauai: County of Kauai, Department of Public Works (808) 241-4896.


Signed:


CARTY S. CHANG, CHIEF ENGINEER

Date:


1/10/20

DAVID Y. IGE
GOVERNOR OF HAWAII



LD Ø79

1435
SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE
MANAGEMENT

DEPT. OF LAND &
NATURAL RESOURCES
STATE OF HAWAII

2020 JAN 15 AM 11:05

RECEIVED
LAND DIVISION

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
LAND DIVISION

POST OFFICE BOX 621
HONOLULU, HAWAII 96809

December 31, 2019

MEMORANDUM

LD 2296

To: [REDACTED]

DLNR Agencies:

- Div. of Aquatic Resources
 Div. of Boating & Ocean Recreation
 Engineering Division
 Div. of Forestry & Wildlife
 Div. of State Parks
 Commission on Water Resource Management
 Office of Conservation & Coastal Lands
 Land Division – Oahu District
 Historic Preservation

FROM:
SUBJECT:

*LOCATION:
APPLICANT:*

Russell Y. Tsuji, Land Administrator
Draft Environmental Assessment, Maunawili Estates Wastewater Pump

Station Force Main Crossing No. 1 Repair

Kailua, Windward District, Island of Oahu

Fukunaga & Associates, Inc. on behalf of the Department of Environmental Services, City and County of Honolulu

Transmitted for your review and comment is information on the above-referenced Draft Environmental Assessment (DEA) which has been published in the December 23, 2019 issue of OEQC's official publication, The Environmental Notice (TEN), at the following address:

http://oeqc2.doh.hawaii.gov/The_Environmental_Note/2019-12-23-TEN.pdf

A CD with a copy of the DEA is also attached to this memo for your direct reference.

Please submit any comments to DLNR's Land Division by **January 20, 2020**, and we will forward them to the County per their request. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Barbara Lee by phone at 587-0453, or write to barbara.j.lee@hawaii.gov. Thank you.

DOFAW () We have no objections.
SUBMITTED (✓) We have no comments.
FILE-CONSULTATION () Comments are attached.
COMMENTS WHICH
HAVE BEEN INCLUDED
IN THE DEA - Signed: *[Signature]*

Attachments
Cc: Central Files

Print Name: **DAVID G. SMITH, Administrator**
Date: 1/15/20

DAVID Y. IGE
GOVERNOR OF HAWAII



SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE
MANAGEMENT

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
LAND DIVISION

POST OFFICE BOX 621
HONOLULU, HAWAII 96809

December 31, 2019

MEMORANDUM

LD 2296

TO:

DLNR Agencies:

- Div. of Aquatic Resources
- Div. of Boating & Ocean Recreation
- Engineering Division
- Div. of Forestry & Wildlife
- Div. of State Parks
- Commission on Water Resource Management
- Office of Conservation & Coastal Lands
- Land Division – Oahu District
- Historic Preservation

FROM:

Russell Y. Tsuji, Land Administrator

SUBJECT:

Draft Environmental Assessment, Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair

LOCATION:

Kailua, Windward District, Island of Oahu

APPLICANT:

Fukunaga & Associates, Inc. on behalf of the Department of Environmental Services, City and County of Honolulu

Transmitted for your review and comment is information on the above-referenced Draft Environmental Assessment (DEA) which has been published in the December 23, 2019 issue of OEQC's official publication, The Environmental Notice (TEN), at the following address:

http://oeqc2.doh.hawaii.gov/The_Environmental_Note/2019-12-23-TEN.pdf

A CD with a copy of the DEA is also attached to this memo for your direct reference.

Please submit any comments to DLNR's Land Division by **January 20, 2020**, and we will forward them to the County per their request. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Barbara Lee by phone at 587-0453, or write to barbara.j.lee@hawaii.gov. Thank you.

- We have no objections.
- We have no comments.
- Comments are attached.

Attachments
Cc: Central Files

Signed: Darlene Bryant-Pakamaka
Print Name: Darlene Bryant-Takematsu
Date: 1/3/2020 pw

DAVID Y. IGE
GOVERNOR OF HAWAII



SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE
MANAGEMENT

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
LAND DIVISION

POST OFFICE BOX 621
HONOLULU, HAWAII 96809

January 22, 2020

(CY 2019) LD 2296

Fukunaga & Associates, Inc,
Attn: Wei Chen
1357 Kapiolani Blvd., Suite 1530
Honolulu, HI 96814

via email: wchen@fukunagaengineers.com

Dear Sirs:

SUBJECT: Additional Comments for Draft Environmental Assessment, Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair; Maunawili Estates Kailua, Windward District, Island of Oahu

Thank you for the opportunity to review and comment on the subject matter. In addition to our previous comments, also dated January 22, 2020, enclosed are comments received from the Division of Aquatic Resources. Should you have any questions, please feel free to contact Barbara Lee at 587-0453 or barbara.j.lee@hawaii.gov. Thank you.


Sincerely,

A handwritten signature in blue ink, appearing to read "Russell Y. Tsuji". Below the signature, the name "Russell Y. Tsuji" is printed in black text, followed by "Land Administrator".

Russell Y. Tsuji
Land Administrator

Enclosure(s)
cc: Central Files

DAVID Y. IGE
GOVERNOR OF HAWAII



LD 109
SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE
MANAGEMENT

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
LAND DIVISION

POST OFFICE BOX 621
HONOLULU, HAWAII 96809

December 31, 2019

MEMORANDUM

TO:

DLNR Agencies:

- Div. of Aquatic Resources
- Div. of Boating & Ocean Recreation
- Engineering Division
- Div. of Forestry & Wildlife
- Div. of State Parks
- Commission on Water Resource Management
- Office of Conservation & Coastal Lands
- Land Division – Oahu District
- Historic Preservation

FROM:

Russell Y. Tsuji, Land Administrator

SUBJECT:

Draft Environmental Assessment, Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair

LOCATION:

Kailua, Windward District, Island of Oahu

APPLICANT:

Fukunaga & Associates, Inc. on behalf of the Department of Environmental Services, City and County of Honolulu

Transmitted for your review and comment is information on the above-referenced Draft Environmental Assessment (DEA) which has been published in the December 23, 2019 issue of OEQC's official publication, The Environmental Notice (TEN), at the following address:

http://oeqc2.doh.hawaii.gov/The_Environmental_Note/2019-12-23-TEN.pdf

A CD with a copy of the DEA is also attached to this memo for your direct reference.

Please submit any comments to DLNR's Land Division by **January 20, 2020**, and we will forward them to the County per their request. If no response is received by this date, we will assume your agency has no comments. If you have any questions about this request, please contact Barbara Lee by phone at 587-0453, or write to barbara.j.lee@hawaii.gov. Thank you.

- We have no objections.
- We have no comments.
- Comments are attached.

Signed:

Print Name:

Date:

Brian Nelson DAR Administrator
1-21-2020

Attachments
Cc: Central Files

DAVID Y. IGE
GOVERNOR OF
HAWAII



SUZANNE D. CASE
CHAIRPERSON
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE MANAGEMENT

ROBERT K. MASUDA
FIRST DEPUTY

M. KALEO MANUEL
DEPUTY DIRECTOR - WATER

AQUATIC RESOURCES
BOATING AND OCEAN RECREATION
BUREAU OF CONVEYANCES
COMMISSION ON WATER RESOURCE MANAGEMENT
CONSERVATION AND COASTAL LANDS
CONSERVATION AND RENEWABLES ENFORCEMENT
ENGINEERING
FORESTRY AND WILDLIFE
HISTORIC PRESERVATION
KAHOOLAE ISLAND RESERVE COMMISSION
LAND
STATE PARKS

STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
DIVISION OF AQUATIC RESOURCES
1151 PUNCHBOWL STREET, ROOM 330
HONOLULU, HAWAII 96813

Date: 1/21/2020
DAR # 6070

MEMORANDUM

TO: Brian J. Neilson
DAR Administrator

FROM: Kendall Tucker, Aquatic Biologist

SUBJECT: Draft Environmental Assessment, Maunawili Estates Wastewater Pump Station
Force Main Crossing No. 1 Repair

Request Submitted by: Russell Y. Tsuji- Land Administrator

Location of Project: Kailua, Windward District, Island of Oahu

Brief Description of Project:

The City and County of Honolulu, Department of Environmental Services, Division of Wastewater Engineering & Construction, proposes a restoration repair project at the Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 at Maunawili Stream. The project proposes to plug the void beneath the existing concrete structure encasing the 8-inch diameter force main and restore the eroded streambed and stream banks at the crossing. The original design plans of the force main indicate an 8-inch ductile iron pipe encased in a reinforced concrete jacket buried beneath the stream bed, overlaid by a cement rubble masonry (CRM) layer to provide additional protection.

Comments:

No Comments Comments Attached

Thank you for providing DAR the opportunity to review and comment on the proposed project. Should there be any changes to the project plan, DAR requests the opportunity to review and comment on those changes.

Comments Approved: Brian J. Neilson Date: 1-21-2020

Brian J. Neilson
DAR Administrator

DAR# 6070

Brief Description of Project

Investigations have revealed that the CRM layer has been washed away and the original stream bed and stream banks have eroded, creating a void under the concrete jacket which is now partially suspended and unsupported from the bottom. The proposed project will restore the eroded streambed and banks at the force main stream crossing, which will restore protection and support to the concrete structure encasing the force main. This will greatly reduce the risk of a structural failure of the force main which would result in the discharge of untreated wastewater into Maunawili Stream.

The project is located within the Maunawili Estates subdivision in Kailua, next to Maunawili Road Bridge No. 3 which crosses over Maunawili Stream, and adjacent to the City and County of Honolulu parcel TMK 4-2-067:028. The project area is located within the Urban and Agricultural State Land Use District; and within in AG-2 and R-20 City and County of Honolulu Land Use Zoning Designations. The repairs are limited within the City right-of-way.

DAR# 6070

Comments

Thank you for allowing DAR to comment on this Draft EA. Previous DAR concerns have been documented and addressed. DAR agrees with the NPS recommendations that were listed.

*The NRS advised that project activities must not impede this amphidromous cycle and that maintenance of good water quality in the stream should be a priority:

Downstream and upstream migration pathways should be maintained.

New structures should not include drains or grates that may entrain drifting larvae, nor overhanging culverts that may obstruct upstream movement of recruiting juveniles.

The Division of Aquatic resources is also in agreement with NPS on how the repair work should be implemented.

*The NRS concluded that project work to repair the force main crossing can be completed with minimal impacts to stream water quality and without negative impacts to long-term water quality if proper BMPs are implemented, and made the following recommendations:

Repair activities must be restricted to one-half of the stream at a time. This will allow amphidromous animals to use the stream during repair operations as a migratory pathway and maintain stream flow through the reach.

Coffer dams constructed of sand bags interwoven with thick plastic sheeting to minimize leakage should be employed around in-water work areas. Coffer dams should be surrounded on in-water sides by an anchored silt curtain to prevent discharge of work-related sediments to downstream waters.

Filter socks should be placed along the lower edge of stream banks in work areas to prevent movement of eroded material into downstream waters.

Thank you for providing DAR the opportunity to comment on the Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 Repair. If any changes are made in the final Environmental Assessment or when construction activities are beginning we request the opportunity to review and comment on any changes.



September 30, 2020

Ref: (CY 2019) LD 2296

Mr. Russell Y. Tsuji
Land Administrator
Land Division
Department of Land and Natural Resources
State of Hawai‘i
1151 Punchbowl Street, Room 220
Honolulu, HI 96813

Dear Mr. Tsuji,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, O‘ahu, Hawai‘i

Thank you for your email dated January 22, 2020 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. In response to your comments, the rules and regulations have been researched in regards to the designated Flood Hazard Zone and presented in Section 2.4 Natural Hazards of the DEA, and the NRS (Natural Resources Survey) recommendations are implemented in Section 2.6.2 Aquatic Biological Resources and Section 2.7 Water Quality of the Draft EA.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.


Wei Chen, P.E.
Project Manager

Encl.

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services

BOARD OF WATER SUPPLY

CITY AND COUNTY OF HONOLULU
630 SOUTH BERETANIA STREET
HONOLULU, HI 96843
www.boardofwatersupply.com



KIRK CALDWELL, MAYOR

BRYAN P. ANDAYA, Chair
KAPUA SPROAT, Vice Chair
KAY C. MATSUI
RAY C. SOON
MAX J. SWORD

ROSS S. SASAMURA, Ex-Officio
JADE T. BUTAY, Ex-Officio

ERNEST Y. W. LAU, P.E.
Manager and Chief Engineer

ELLEN E. KITAMURA, P.E.
Deputy Manager and Chief Engineer 

January 30, 2020

Mr. Wei Chen
Fukunaga & Associates, Inc.
1357 Kapiolani Boulevard, Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen:

Subject: Your Letter Dated December 20, 2019 Requesting Comments on the
Draft Environmental Assessment for Maunawili Estates Wastewater
Pump Station Force Main Crossing No. 1 Repair off Maunawili Road

Thank you for the opportunity to comment on the proposed force main crossing project.

The construction drawings should be submitted for our review, and the construction schedule should be coordinated to minimize impact to the water system.

If you have any questions, please contact Robert Chun, Project Review Branch of our Water Resources Division at 748-5443.

Very truly yours,



ERNEST Y. W. LAU, P.E.
Manager and Chief Engineer



September 30, 2020

Mr. Ernest Y. W. Lau, P.E.
Manager and Chief Engineer
Board of Water Supply
City and County of Honolulu
630 S. Beretania St.
Honolulu, HI 96813

Dear Mr. Lau,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, O'ahu, Hawai'i

Thank you for your letter dated January 30, 2020 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. In response to your comment, the construction drawings will be submitted for review and the construction schedule will be coordinated if the proposed repair impacts the water system.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.


Wei Chen, P.E.
Project Manager

Encl.

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services

Wei Chen

From: billandbarb@protonmail.com
Sent: Thursday, February 13, 2020 8:54 AM
To: Wei Chen
Cc: 'Donna Wong'; 'Levani'; 'Neighborhood Board Commission Office'; hicksw001@hawaii.rr.com
Subject: RE: DEA for Maunawili Estates Wastewater Pump Station Repair

Aloha Wei...Thank you for the follow-up. No action was taken at our PZ&E meeting, so we do not have any comment. Mahalo.

Aloha,

Bill

From: Wei Chen <wchen@fukunagaengineers.com>
Sent: Tuesday, February 11, 2020 1:42 PM
To: hicksw001@hawaii.rr.com
Cc: 'Bill and Barbara Hicks' <billandbarb@protonmail.com>; 'Donna Wong' <donnawong967@gmail.com>; 'Levani' <levani.rachel@gmail.com>; 'Neighborhood Board Commission Office' <chris.naylon@honolulu.gov>
Subject: RE: DEA for Maunawili Estates Wastewater Pump Station Repair

Aloha Bill,

Did you mail out the letter already? I am okay with receiving it via email.

Thanks,

Wei Chen

Fukunaga & Associates, Inc. | Consulting Engineers

(808)944-1821 (Office)

(808)629-7314 (Direct)

www.fukunagaengineers.com



FUKUNAGA & ASSOCIATES, INC.

CONSULTING ENGINEERS

CELEBRATING 50 YEARS OF SERVICE

September 30, 2020

Mr. Bill Hicks
Chair
Kailua No. 31
Neighborhood Board
923 Akumu Street
Kailua, HI 96734

Dear Mr. Hicks,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, O'ahu, Hawai'i

Thank you for your email dated February 13, 2020 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. We acknowledge that the Kailua Neighborhood Board does not have any comment.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.

Wei Chen, P.E.
Project Manager

Enc!

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services

DEPARTMENT OF DESIGN AND CONSTRUCTION

CITY AND COUNTY OF HONOLULU

650 SOUTH KING STREET, 11TH FLOOR

HONOLULU, HAWAII 96813

Phone: (808) 768-8480 • Fax: (808) 768-4567

Web site: www.honolulu.gov

KIRK CALDWELL
MAYOR

MARK YONAMINE, P.E.
DIRECTOR



HAKU MILLES, P.E.
DEPUTY DIRECTOR

March 3, 2020

Fukunaga & Associates, Inc.
Attn: Wei Chen
1357 Kapiolani Blvd., Suite 1530
Honolulu, Hawaii 96814

Dear Mr. Chen,

Subject: Draft Environmental Assessment- Maunawili Estates Wastewater Pump
Station Force Main Crossing No. 1 Repair, Kailua, Oahu, Hawaii

Thank you for the opportunity to review and comment. The Department of Design and Construction does not have any comments at this time.

Should you have any further questions, please call me at 768-8480.

Sincerely,

A handwritten signature in black ink, appearing to read "Mark Yonamine". Below the signature, the text "P.E." is written in a smaller, bold font, followed by "Director" in a regular font.

MY:ms(797970)

cc: Department of Environmental Services- Clifford Kanda



September 30, 2020

Mr. Mark Yonamine, P.E.
Director
Department of Design and Construction
City and County of Honolulu
650 South King Street, 11th Floor
Honolulu, HI 96813

Dear Mr. Yonamine,

SUBJECT: Comments on Draft Environmental Assessment
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair, Kailua, O‘ahu, Hawai‘i

Thank you for your letter dated March 3, 2020 in response to our request for review of and comment on the Draft Environmental Assessment for the subject project. We acknowledge that the proposed project does not impact any of your facilities.

We appreciate your time and effort in the Environmental Review process. You will also be provided copies of the Final Environmental Assessment when published. Please contact the undersigned at (808) 944-1821 if you have any questions or concerns.

Regards,
FUKUNAGA & ASSOCIATES, INC.


Wei Chen, P.E.
Project Manager

Encl.

cc. Clifford Kanda, P.E., City & County of Honolulu, Department of Environmental Services

APPENDIX C

Natural Resources Survey

**Natural resources survey for the
Maunawili Estates Wastewater Pump Station Force
Main Crossing No. 1 repair at Maunawili Stream
Maunawili, Ko'olau Poko District, O'ahu**



Prepared by:

AECOS, Inc.
45-939 Kamehameha Hwy, Suite 104
Kāne'ohe, Hawai'i 96744-3221

August 8, 2019

**Natural resources survey for the
Maunawili Estates Wastewater Pump Station Force
Main Crossing No. 1 repair at Maunawili Stream
Maunawili, Ko'olau Poko District, O'ahu**

August 8, 2019

Draft

AECOS No. 1582

Bryson Luke, Susan Burr, and Allen Cattell

AECOS, Inc.

45-939 Kamehameha Hwy, Suite 104

Kāne'ohe, Hawai'i 96744

Phone: (808) 234-7770 Fax: (808) 234-7775 Email: sburr@aecos.com

Table of Contents

| | |
|---------------------------------------|----|
| Introduction..... | 3 |
| Stream and Watershed Description..... | 3 |
| Site Description | 3 |
| Federal Jurisdictional Waters..... | 4 |
| Methods | 6 |
| Water Quality Survey | 6 |
| Botanical Survey..... | 7 |
| Aquatic Biota Survey | 8 |
| Avian Survey..... | 8 |
| Mammalian Survey | 9 |
| Federal Jurisdictional Waters..... | 9 |
| Results | 10 |
| Water Quality Results | 10 |
| Botanical Results..... | 10 |
| Aquatic Biota Results | 15 |
| Avian Results | 19 |
| Mammalian Results..... | 19 |
| Federal Jurisdictional Waters..... | 21 |
| Assessment and Discussion..... | 22 |

| | |
|-----------------------------------|-----|
| Water Quality Assessment..... | .22 |
| Botanical Resources..... | .24 |
| Aquatic Biological Resources..... | .25 |
| Avian Resources..... | .26 |
| Mammalian Resources..... | .28 |
| Jurisdictional Waters..... | .29 |
| Critical Habitat..... | .29 |
| References | .30 |
| Attachment A..... | A-1 |
| Attachment B | B-1 |
| Attachment C | C-1 |

Executive Summary

AECOS, Inc. conducted a natural resources survey for the Maunawili Stream Crossing No. 1 Repair project on May 9, 2019. Our assessment included water quality measurements, surveys of terrestrial flora and fauna within the riparian corridor, observations of aquatic biota, and delineation of the ordinary high water mark (OHWM). Water quality in Maunawili Stream was good and typical of higher elevation reaches of Hawai'i streams during base flow conditions. No plants or animals proposed or listed as endangered or threatened under state or federal endangered species statutes were observed; the Project area does not contain critical habitat for these species. Maunawili Stream is a perennial stream that is regulated under the Clean Water Act. Federal jurisdiction extends to the OHWM, which was marked in the field on May 9, 2019. Wetlands are not present in the Project area.

If implemented, the following BMPs will protect natural resources in the project area:

- Restrict repair activities to one-half of the stream at a time to allow native amphidromous animals to use Maunawili Stream as a migratory pathway.
- Employ cofferdams surrounded by an anchored silt curtain around in-water work areas.
- Place filter socks along lower edge of stream banks to prevent movement of eroded material.
- New structures should not include drains, grates, or overhanging culverts that could obstruct migration of native amphidromous animals.
- During construction, if an endangered waterbird is observed in the Project area, cease work until the animal leaves the Project area voluntarily.
- If an endangered waterbird nest is found during construction, establish and maintain a 100-foot buffer around all active nests and/or broods until the chicks/ducklings have fledged. Do not conduct potentially disruptive activities or habitat alteration within this buffer.
- Avoid increasing mosquito populations by creating stagnant water habitat.
- Avoid night-time construction.
- Do not remove woody vegetation taller than 4.6 m (15 ft) during the bat pupping season between June 1 and September 15. Avoid the use of barbed wire to top fence lines.

Introduction

The City and County of Honolulu, Department of Environmental Services proposes to repair the 8-in wastewater force main at the Maunawili Stream Crossing No. 1. Repair work includes filling an existing void between the force main and stream bed and restoring the stream bed and banks between Maunawili Road Bridge and the force main (the "Project"). AECOS Inc. was contracted by Fukunaga & Associates, Inc. to complete a natural resources survey within the City and County of Honolulu right-of-way for Maunawili Road and assess potential environmental impacts from the proposed Project¹. Our assessment included water quality measurements, surveys of terrestrial flora and fauna within the riparian corridor, observations of aquatic biota, and delineation of the ordinary high water mark (OHWM).

Stream and Watershed Description

Maunawili Stream is the largest of eight named streams and numerous unnamed tributaries that drain Maunawili Valley (Figure 1). Maunawili Stream originates as numerous streamlets near the 470-m (1550-ft) elevation above sea level (ASL) in the upper reaches of the Kawainui Watershed. Maunawili Stream flows northeast from its origin, then north through Maunawili Valley and into Kawainui Marsh and Oneawa Canal before reaching its coastal outlet into the Pacific Ocean near Kapoho Point (Castle Point) at the north end of Kailua Bay. Kawainui Watershed is assigned code number 32013 (Parham et al, 2008) and the state stream assessment (HCPSU, 1990) describes Maunawili Stream as a continuous-flowing perennial stream.

Site Description

The Project area is located along Maunawili Stream immediately beneath and downstream of Maunawili Road Bridge (Figure 2). Upstream of Maunawili Road Bridge, Maunawili Stream is a slow, shallow run contained within a concrete-lined channel. Downstream of Maunawili Road Bridge, the stream channel has a natural bed and banks with pools and riffles. Within the Project area, the stream channel has a substratum of boulders and cobbles, with moderate water velocity and moderate siltation and embeddedness. A riparian forest lines the banks on the downstream side of the bridge, resulting in a mostly closed canopy that shades the stream channel. The confluence of Maunawili Stream and Olomana Stream (sometimes referred to as Makawao Stream) is approximately 35 m (115 ft) downstream of the bridge and Project area.

¹ This document will be used for permitting purposes and become part of the public record.




Figure 1. Location of the Project area and Kawainui Watershed in windward O'ahu.

Maunawili Stream and Kawainui Marsh appear on the list of impaired water bodies in the 2018 State of Hawai'i, water quality monitoring and assessment report (HDOH, 2018). Maunawili Stream is listed as impaired for trash, turbidity, nitrate+nitrite, total nitrogen, and total phosphorus based solely on




Figure 2. Force Main Crossing No. 1 Project area.

visual assessments. Kawainui Marsh impairment status is listed as unknown for all parameters.

The nearest NOAA rainfall gage to the Project, Maunawili (MAUH1), recorded 6.33 in (160 mm) of rain in April 2019, 105% of the monthly April average for the gage (NOAA-NWS, 2019). Rainfall conditions at the Project site were "typical" during the biological and water quality survey conducted by AECOS in early May.

Federal Jurisdictional Waters

Waters of the U.S. (jurisdictional waters) are surface waters that come under federal jurisdiction as authorized by the Clean Water Act (CWA) and Rivers and Harbors Act (RHA). Authority over these waters is granted to various federal agencies, including the U.S. Environmental Protection Agency (USEPA), with the U.S. Army Corps of Engineers (USACE) having permit authority for actions that impact jurisdictional waters. Jurisdictional waters include all tidal waters and a subset of streams (both perennial and intermittent), lakes, reservoirs, and wetlands.

A 2015 rule issued by USACE and USEPA, "The Clean Water Rule," (USACE and USEPA, 2015), clarified the scope of waters of the U.S. with the intent of increasing predictability and consistency of protections afforded by the CWA.

The basis for assuming jurisdiction of certain waters, as described in the Clean Water Rule, is the extent of connectivity to traditional navigable waters, interstate waters, or territorial seas, each of which is jurisdictional by rule (USEPA, 2015). In the four years since the rule was enacted, the validity of the rule has been contested through the courts and the rule is not implemented in many states. At the present time (as of July 5, 2019), the Clean Water Rule is in effect in Hawai'i (*South Carolina Coastal Conservation League et al. v. Pruitt et al.* No. 2-18-cv-330-DCN)².

As applicable to the Project, jurisdictional waters defined in the Clean Water Rule include: (1) tributaries to tidal waters and (2) waters adjacent to tributaries, including wetlands, impoundments, and similar waters. Non-tidal tributaries (such as Maunawili Stream in the Project area) are jurisdictional up to at least the "Ordinary High Water Mark" (OHWM). If a wetland is present adjacent to an OHWM, jurisdiction extends to include the wetland. Adjacent

²On February 14, 2019 the USEPA and USACE issued a proposed rule for a revised definition of waters of the U.S. (USACE and USEPA, 2019). This definition will not be applicable until after the public rulemaking process has been completed.

means bordering, contiguous, or neighboring. If a wetland is adjacent, CWA jurisdiction extends to the wetland/upland boundary.

OHWM is defined in the Clean Water Rule as:

...the line on the shore established by the fluctuations of water and indicated by physical characteristics such as a clear, natural line impressed on the bank, shelving, changes in the character of the soil, destruction of terrestrial vegetation, the presence of litter and debris, or other appropriate means that consider the characteristics of the surrounding areas.

Wetlands are typically found at the interface of aquatic and terrestrial environments. Wetlands regulated by the federal government under the auspices of the Clean Water Act are defined in the Clean Water Rule as:

...those areas that are inundated or saturated by surface or ground water at a frequency and duration sufficient to support, and that under normal circumstances do support, a prevalence of vegetation typically adapted for life in saturated soil conditions. Wetlands generally include swamps, marshes, bogs and similar areas.

Maunawili Stream is incorrectly depicted as a seasonally flooded, palustrine wetland, forested with broad-leaved evergreens (classification code PFO3C) in the U.S. Fish and Wildlife Service (USFWS) National Wetlands Inventory (NWI; USFWS, 2006). Maunawili Stream is a perennial stream; wetlands are not present in the Project area.

Methods

Water Quality Survey

On May 9, 2019, AECOS biologists took *in situ* field measurements for temperature, conductivity, dissolved oxygen (DO), and pH and collected water samples for analyses of total suspended solids (TSS), turbidity, nitrate-nitrite nitrogen (NO_3+NO_2), total nitrogen (TN), and total phosphorus (TP) at three stations in Maunawili Stream (Figure 3). Methods and instruments used to analyze water quality for this project are presented in Table 1. A Swoffer Instruments® Model 3000 flow meter was utilized to record stream velocity at each station. Stream velocity, depth, and width of the flowing portion of the stream were used to estimate stream discharge during sampling.

Botanical Survey

A botanical survey was conducted by walking throughout the Project area and vicinity. Biologists identified all plant species encountered and, as the survey progressed, noted relative abundance of each species. Field notes were translated into a flora listing. Plant names given in the listing follow *Manual of the Flowering Plants of Hawai'i* (Wagner et al., 1990, 1999) for native and naturalized flowering plants. Some names have been updated to reflect more recent taxonomic or nomenclatural changes as presented in Imada (2012).



Figure 3. Locations of water quality stations (WQS) (green circles) and avian point-count station (red square) in the Project vicinity.

Table 1. Analytical methods and instruments used for water quality analyses.

| Analysis | Method | Reference | Instrument [†] |
|------------------------|-------------------|---------------------------------------|------------------------------|
| Temperature | SM 2550 B | Standard Methods 20th Edition (1998) | YSI ProPlus multi-meter |
| Conductivity | SM 2510-B | Standard Methods, 20th Edition (1998) | YSI ProPlus multi-meter |
| pH | SM 4500 H+ | Standard Methods 20th Edition (1998) | Hannah pocket pH meter |
| Dissolved Oxygen | SM 4500-O G | Standard Methods 20th Edition (1998) | YSI ProPlus multi-meter |
| Turbidity | EPA 180.1 Rev 2.0 | USEPA (1993) | HACH 2100Q Turbidimeter |
| Total Suspended Solids | Method 2540 D | Standard Methods 20th Edition (1998) | Mettler Toledo XS204 balance |
| Nitrate + Nitrite | EPA 353.2 | USEPA (1993) | Lachat Quikchem 8500, FIA |
| Total Nitrogen | EPA 353.2 | USEPA (1993) | Lachat Quikchem 8500, FIA |
| Total Phosphorus | EPA 365.3 | USEPA (1993) | Lachat Quikchem 8500, FIA |
| Stream Velocity | | | Swoffer Model |

[†] typical instruments listed, others may have been substituted

Aquatic Biota Survey

The survey for aquatic biota consisted of making visual observations of aquatic organisms while walking in and adjacent to the stream in the Project area and vicinity. Biologists noted relative abundance (e.g., rare, common, abundant) of each species encountered as the survey progressed. Hand nets were used to capture fishes for close inspection and discover more cryptic, bottom-dwelling species. Nomenclature for aquatic species follow *Hawai'i's Native and Exotic Freshwater Animals* (Yamamoto and Tagawa, 2000). A review of biological records from previous surveys within the watershed is included in the species list developed for the Project survey.

Avian Survey

AECOS biologists conducted an avian survey of the Project area on May 9 during the morning hours when birds are most active. A single point-count station was

selected in the Project area between Maunawili Road and the confluence of Maunawili and Olomana streams (see Fig. 3, above). Weather conditions were ideal for avian observations, with no rain, light wind, and minimal sound interference from traffic or stream flow. All birds observed and/or heard during an 8-minute period were identified to species and counted. Additional avian species observed in the Project area beyond the point-count period were noted as incidental observations. Biologists continually surveyed for waterbirds while on-site.

Avian phylogenetic order and nomenclature used in this report follow the *Hawaiian Island Birds Checklist* (VanderWerf et al., 2018), which is based on the *Checklist of North and Middle America Birds* by American Ornithological Society (AOS; Chesser et al., 2018). Hawaiian common names are provided for indigenous and endemic species.

Mammalian Survey

AECOS biologists compiled a list of terrestrial mammal species observed in the Project area. Visual observations of tracks, scat, and other sign indicating mammals using the area were noted. Mammalian scientific names follow *Mammal Species of the World* (Wilson and Reeder, 2005).

Federal Jurisdictional Waters

Federal jurisdiction extends to the OHWM in the stream channel. The Clean Water Rule lists the following physical characteristics as indicators of the OHWM: clear and natural line impressed on the banks, shelving, changes in the character of the soil, destruction of terrestrial vegetation, litter, debris, and other appropriate means that consider the characteristics of the surrounding area.

On May 9, 2019, AECOS scientists marked OHWM in the field with paired-flags on each bank. ControlPoint Surveying Inc. surveyors recorded the geospatial locations of flagging on the same date. Photographs and OHWM delineation datasheets are used to document the character of the environment at each paired-flag channel cross-section within the Project area.

Results

Water Quality Results

Results from stream discharge calculations and *in situ* water quality measurements are provided in Table 2. Laboratory analytical results for total suspended solids (TSS), turbidity, and nutrients are provided in Table 3.

Table 2. Results for *in situ* water quality measurements on May 9, 2019 in Maunawili Stream.

| Station | Time (hh:mm) | Discharge (cfs) | Temp. (°C) | Conductivity (μmhos/cm) | pH (SU) | Dissolved Oxygen (mg/l) | Dissolved Oxygen (% sat.) |
|------------|-----------------|--------------------|---------------|----------------------------|------------|-------------------------------|---------------------------------|
| Upstream | 0951 | 0.61 | 22.7 | 170 | 6.62 | 9.35 | 109 |
| Impact | 0937 | 0.61 | 22.2 | 169 | 7.10 | 9.58 | 110 |
| Downstream | 0918 | 3.56 | 22.2 | 170 | 6.62 | 9.40 | 108 |

Table 3. Results for turbidity, suspended solids, and nutrients concentrations from samples collected on May 9, 2019 in Maunawili Stream.

| Station | Turbidity (ntu) | TSS (mg/l) | Ammonia (μg N/l) | Nitrate+Nitrite (μg N/l) | Total N (μg N/l) | Total P (μg P/l) |
|------------|--------------------|---------------|---------------------|-----------------------------|---------------------|---------------------|
| Upstream | 3.4 | 2.92 | 15 | 26 | 126 | 44 |
| Impact | 3.6 | 2.85 | 13 | 31 | 88 | 44 |
| Downstream | 3.6 | 2.96 | 17 | 31 | 110 | 47 |

Stream discharge increased markedly between the two upper-most stations and the downstream station (0.61 to 3.56 cfs) located below the confluence with Olomana Stream, whereas water temperature and conductivity values were quite similar. DO values showed little variation. A decrease in pH downstream may be related to the change from concrete-lined channel streambed at the

bridge to natural streambed below the bridge and to mixing with Olomana Stream water.

Particulates (turbidity and TSS) values were relatively constant between stations (Table 3) and demonstrated no spatial trends. No spatial trends were apparent for nitrogen and phosphorus moieties.

Botanical Results

Downstream of Maunawili Stream Bridge, Maunawili and Olomana stream channels are deeply shaded beneath a dense tree canopy. The riparian zone is occupied with a crowded understory of herbaceous plants. Upstream of the bridge, a hardened segment of Maunawili Stream channel supports hydrophytic plants which grow in areas of accumulated sediment along the banks, as well as a fair number of plants rooted in weep holes and cracks in the concrete banks. Trees rooted in adjacent residences overhang the left side of the channel. Typical ruderal plants grow on the verge of Maunawili Road.

A listing of all vascular plants observed in the survey area is presented as Table 4. Entries are arranged alphabetically under family name and include scientific name, common name, status of the species (i.e., native or non-native; see key at end of table), and a qualitative abundance value. The vascular flora of the survey area comprises a mix of alien and native species of flowering trees, shrubs, grasses, and forbs, totaling 64 taxa. Only native (indigenous or endemic) plants typically have resource value or are of concern in assessing impacts of a project. Other plants may have either cultural or landscape value. Two species (3%)—*Hibiscus tiliaceus* and *Cyperus polystachyos*—are natives; another six (9%) are early Polynesian introductions (so-called “canoe plants”).

Table 4. Checklist of plants found in the survey area of Maunawili Stream.

| Family | Species | Common name | Status | Abundance | Notes |
|----------------------|---|---------------|--------|-----------|-------|
| FERNS AND FERN ALIES | | | | | |
| NEPHROLEPIDACEAE | <i>Nephrolepis multiflora</i> (Roxb.) F. M. Jarrett ex C. V. Morton | swordfern | Nat | R | <1> |
| POLYPODIACEAE | <i>Phymatosorus grossus</i> (Langsd. & Fishch.) Brownlie | <i>laua'e</i> | Nat | O | <1> |

Table 4 (continued).

| Family | Species | Common name | Status | Abundance | Notes |
|--|--|--------------------------|--------|-----------|-------|
| PTERIDACEAE | <i>Adiantum raddianum</i> C. Presl. | maidenhair fern | Nat | O | <1> |
| THELYPTERIDACEAE | <i>Christella dentata</i> (Forssk.) Brownsey & Jermy | <i>pai'īihā</i> | Nat | C | <1> |
| <i>FLOWERING PLANTS</i> DICOTYLEDONES | | | | | |
| ACANTHACEAE | <i>Asystasia gangetica</i> (L.) T. Anderson | Chinese violet | Nat | | <1> |
| ANACARDIACEAE | <i>Mangifera indica</i> L. | <i>manakō</i> , mango | Nat | R | <1> |
| APOCYNACEAE | <i>Cascabela thevetia</i> (L.) Lippold | be-still tree | Nat | O | <2> |
| ARALIACEAE | <i>Schefflera actinophylla</i> (Endl.) Harms | octopus tree | Nat | R | <1> |
| ASTERACEAE (COMPOSITAE) | <i>Ageratum houstonianum</i> Mill. | <i>maile hohono</i> | Nat | R | <1> |
| | <i>Sphagneticola trilobata</i> (L.) | wedelia | Nat | O | <1> |
| | <i>Youngia japonica</i> (L.) DC | Oriental hawksbeard | Nat | R | <1> |
| BEGONIACEAE | <i>Begonia hirtella</i> Link | <i>pīkonia</i> | Nat | R | <1> |
| BIGNONIACEAE | <i>Spathodea campanulata</i> P. Beauv. | African tulip tree | Nat | O | <1> |
| CECROPIACEAE | <i>Cecropia obtusifolia</i> Bertol. | guarumo | Nat | R | <1> |
| CONVOLVULACEAE | <i>Ipomoea triloba</i> L. | little bell | Nat | O | <2> |
| CUCURBITACEAE | <i>Coccinia grandis</i> (L.) Voigt | scarlet-fruited gourd | Nat | O | <1> |
| EUPHORBIACEAE | <i>Aleurites moluccana</i> (L.) Wild. | <i>kukui</i> | Pol | O | <1> |
| | <i>Euphorbia hirta</i> L. | garden spurge | Nat | O | <1> |

Table 4 (continued)

| Family | Species | Common name | Status | Abundance | Notes |
|------------------------|--|--------------------------------------|--------|-----------|-------|
| FABACEAE | | | | | |
| | <i>Caesalpinia decapetala</i> (Roth) Alston | wait-a-bit | Nat | O | <1> |
| | <i>Falcataria moluccana</i> (Miq.) Barneby & Grimes | --- | Nat | C | <1> |
| | <i>Lablab purpureus</i> (L.) Sweet | hyacinth bean, <i>pāpapa</i> | ?Nat | R | <1> |
| | <i>Leucaena leucocephala</i> (Lam.) deWit | <i>koa haole</i> | Nat | O,C | <1,2> |
| | <i>Mimosa pudica</i> L. | sensitive plant | Nat | R | <1> |
| LAURACEAE | | | | | |
| | <i>Persea americana</i> Mill. | avocado | Nat | O | <1> |
| MELASTOMATACEAE | | | | | |
| | <i>Clidemia hirta</i> (L.) D. Don | Koster's curse | Nat | C | <1> |
| | <i>Melastoma candidum</i> D. Don | -- | Nat | O | <1> |
| MALVACEAE | | | | | |
| | <i>Hibiscus tiliaceus</i> L. | <i>hau</i> | ?Ind | R | <1> |
| MYRTACEAE | | | | | |
| | <i>Psidium cattleianum</i> Sabine | strawberry guava, <i>waiawī</i> | Nat | R | <1> |
| | <i>Psidium guajava</i> L. | common guava, <i>kuawa</i> | Nat | O | <1> |
| | <i>Syzygium malaccense</i> (L.) Merr. & Perry | mountain apple, <i>ʻohiaʻa ai</i> | Pol | R | <1> |
| NYCTAGINACEAE | | | | | |
| | <i>Baerhavia coccinea</i> Mill. | false <i>alena</i> | Nat | R | <2> |
| OCHNACEAE | | | | | |
| | <i>Ochna thomasiana</i> Engler & Gilg | Mickey Mouse plant | Nat | R | <1> |
| ONAGRACEAE | | | | | |
| | <i>Ludwigia octovalvis</i> (Jacq.) Raven | <i>kāmole</i> , primrose willow | ?Pol | O | <1> |
| PORTULACACEAE | | | | | |
| | <i>Portulaca oleracea</i> L. | pigweed | Nat | O | <2> |
| RUBIACEAE | | | | | |
| | <i>Coffea arabica</i> L. | Arabian coffee (saplings) | Nat | O | <1> |
| | <i>Paederia foetida</i> L. | <i>maile pilau</i> | Nat | O | <1> |
| | <i>Spermacoce assurgens</i> Ruiz & Pav. | buttonweed | Nat | R | <1> |

Table 4 (continued)

| Family | Species | Common name | Status | Abundance | Notes |
|-------------------------------------|--|-----------------------------------|--------|-----------|-------|
| ULMACEAE | | | | | |
| | <i>Trema orientalis</i> (L.) Blume | gunpowder tree | Nat | O | <2> |
| URTICACEAE | | | | | |
| | <i>Pilea microphylla</i> (L.) Liebm. | artillery plant | Nat | O | <1> |
| VERBENACEAE | | | | | |
| | <i>Citharexylum caudatum</i> L. | fiddlewood | Nat | A | <1> |
| | <i>Clerodendrum chinense</i> (Osbeck) Mabb. | <i>pikake hohono</i> | Nat | C | <1,2> |
| | <i>Stachytarpheta jamaicensis</i> (L.) Vahl | Jamaica vervain | Nat | R | <2> |
| FLOWERING PLANTS MONOCOTYLEDONES | | | | | |
| ARACEAE | | | | | |
| | <i>Alocasia macrorrhizos</i> (L.) G. Don | 'ape | Pol | O | <1> |
| | <i>Epipremnum pinnatum</i> (L.) Engl. | pothos | Nat | A | <1> |
| | <i>Monstera deliciosa</i> Liebm. | Swiss-cheese plant | Nat | C | <1> |
| ARECACEAE | | | | | |
| | <i>Cocos nucifera</i> L. | <i>niu</i> , coconut | Pol | O | <1> |
| | <i>Livistona chinensis</i> (Jacq.) R. Br. Ex Mart. | Chinese fan palm | Nat | R | <1> |
| LILIACEAE | | | | | |
| | <i>Asparagus plumosus</i> J.G. Baker | asparagus-fern | Nat | R | <1> |
| COMMELINACEAE | | | | | |
| | <i>Commelina diffusa</i> N. L. Burm. | <i>honohono</i> | ?Pol | O | <1> |
| CYPERACEAE | | | | | |
| | <i>Cyperus gracilis</i> R. Br. | McCoy grass | Nat | O | <1> |
| | <i>Cyperus involucratus</i> Rottb. | 'ahu'awa haole, umbrella sedge | Nat | C | <1> |
| | <i>Cyperus polystachyos</i> Rottb. | --- | Ind | O | <1> |
| | <i>Kyllinga brevifolia</i> Rottb. | <i>kili'o'opu</i> | Nat | R | <1> |
| | <i>Kyllinga nemoralis</i> (J. R. Forster & G. Forster) Dandy ex Hutchinson & Dalziel | <i>kili'o'opu</i> | Nat | O | <1> |
| HELICONIACEAE | | | | | |
| | <i>Heliconia bihai</i> (L.) L. | --- | Nat | C | <1> |
| POACEAE | | | | | |
| | <i>Chloris barbata</i> (L.) Sw. | swollen fingergrass | Nat | R | <2> |

Table 4 (continued)

Family

| Species | Common name | Status | Abundance | Notes |
|---|------------------------------|--------|-----------|-------|
| POACEAE (continued) | | | | |
| <i>Coix lacryma-jobi</i> L. | Job's tears, pū'ohē'ohē | Nat | R | <1> |
| <i>Eleusine indica</i> (L.) Gaertn. | wiregrass | Nat | O | <2> |
| <i>Eragrostis pectinacea</i> (Michx.) Nees | Carolina lovegrass | Nat | O | <2> |
| <i>Megathyrsus maximus</i> (Jacq.) B.K. Simon & W.L. Jacobs | Guinea grass | Nat | C | <1,2> |
| <i>Oplismenus hirtellus</i> (L.) P. Beauv. | basketgrass, hohono kukui | Nat | C | <1> |
| <i>Paspalum dilatatum</i> Poir | Dallis grass | Nat | R | <1> |
| <i>Setaria palmifolia</i> (J. König) Stapf | palmgrass | Nat | C | <1> |
| <i>Sorghum halepense</i> (L.) Pers. | Johnson grass | Nat | O | <1> |

Legend to Table 4

STATUS = distributional status for the Hawaiian Islands:

Ind = indigenous; native to Hawai'i, but not unique to the Hawaiian Islands.

Pol = Early Polynesian introduction; canoe plant.

Nat = naturalized, exotic, plant introduced to the Hawaiian Islands since the arrival of the Cook Expedition in 1778, and well-established outside of cultivation.

? = status is uncertain.

ABUNDANCE = occurrence ratings for plant species:

R – Rare seen in only one or perhaps two locations.

O – Occasional seen with some regularity

C – Common observed numerous times during the survey

A – Abundant found in large numbers; may be locally dominant.

NOTES (location): <1> – Within riparian zone of Maunawili Stream.
<2> – Along roadside verge.

Aquatic Biota Results

A list of aquatic animals observed in Maunawili Stream is presented in Table 5, drawn from species observed by AECOS in the May 2019 survey, as well as previous HDLNR-DAR surveys within the watershed (Parham et al, 2008) and AECOS (2017). Qualitative abundances are provided only for species observed by AECOS in the May 2019 survey.

Table 5. List of aquatic species from Kawainui Watershed and Maunawili Stream.

| PHYLUM, CLASS, ORDER, FAMILY | | | | |
|---|------------------------------|-----------|--------|---------|
| Species | Common name | Abundance | Status | ID Code |
| INVERTEBRATES | | | | |
| MOLLUSCA, BIVALVIA | | | | |
| VENERIDA | | | | |
| CYRENIDAE | | | | |
| <i>Corbicula fluminea</i> Müller | Asiatic flume clam | U | Nat | 1,2 |
| MOLLUSCA, GASTROPODA* | | | | |
| PHYSIDAE | | | | |
| indet. | pond snail | --- | Nat | 2 |
| PLANORBIDAE | | | | |
| <i>Ferrissia californica</i> Rowell | limpet | --- | Nat | 2 |
| AMPULLARIIDAE | | | | |
| <i>Pomacea canaliculata</i> Lamarck | channeled applesnail | R | Nat | 1,2 |
| indet. | applesnail | --- | Nat | 2 |
| THIARIDAE | | | | |
| <i>Melanoides tuberculatus</i> Müller | red-rimmed melania | O | Nat | 1,2,3 |
| <i>Tarebia granifera</i> Lamarck | quilted melania | --- | Nat | 2 |
| ARTHROPODA, INSECTA | | | | |
| DIPTERA | | | | |
| CHIRONOMIDAE | | | | |
| <i>Telmatogeton</i> sp. | midge | --- | Ind | 2 |
| ODONATA | | | | |
| COENAGRIONIDAE | | | | |
| <i>Ischnura posita</i> Hagen | fragile forketail | R | Nat | 1 |
| <i>Ischnura ramburii</i> Selys | Rambur's forketail | --- | Nat | 2 |
| <i>Megalagrion hawaiiense</i> McLachlan | --- | --- | End | 2 |
| <i>Megalagrion nigrohamatum</i> nigrolineatum Blackburn | blackline Hawaiian damselfly | --- | End | 2 |
| <i>Megalagrion oceanicum</i> McLachlan | Oceanic Hawaiian damselfly | --- | End | 2 |
| LIBELLULIDAE | | | | |
| <i>Orthetrum ferrugineum</i> Fabricius | roseate skimmer | R | Nat | 1 |
| ARTHROPODA, MALACOSTRACA | | | | |

Table 5 (continued).

| PHYLUM, CLASS, ORDER, FAMILY | | Common name | Abundance | Status | ID Code | | | | |
|---|--|-------------|-----------|--------|------------|--|--|--|--|
| Species | | | | | | | | | |
| DECAPODA | | | | | | | | | |
| PONTINIDAE | | | | | | | | | |
| <i>Thalamita crenata</i> Tien | mangrove swimming crab | --- | Ind | 2 | | | | | |
| ATYIDAE | | | | | | | | | |
| <i>Atyoida bisulcata</i> Randall | Hawaiian mountain shrimp, 'ōpae kala'ole | --- | End | 2 | | | | | |
| <i>Neocaridina denticulata sinensis</i> De Haan | Taiwan blue shrimp | A | Nat | 1,3 | | | | | |
| CAMBARIDAE | | | | | | | | | |
| <i>Procambarus clarkii</i> Girard | Louisiana crawfish | R | Nat | 1,2,3 | | | | | |
| PALAEOMONIDAE | | | | | | | | | |
| <i>Macrobrachium grandimanus</i> Randall | Hawaiian river shrimp, 'ōpae 'oeha'a | --- | End | 2 | | | | | |
| <i>Macrobrachium lar</i> Fabricius | Pacific prawn | U | Nat | 1, 2 | | | | | |
| VERTEBRATES | | | | | | | | | |
| CHORDATA, ACTINOPTERYGII | | | | | | | | | |
| SILURIFORMES | | | | | | | | | |
| CALlichthyidae | | | | | | | | | |
| <i>Corydoras aeneus</i> Gill | bronze corydoras | A | Nat | 1,3 | | | | | |
| CLARIIDAE | | | | | | | | | |
| <i>Clarias fuscus</i> Scopoli | Chinese catfish | --- | Nat | 2,3 | | | | | |
| LORICARIIDAE | | | | | | | | | |
| <i>Ancistrus</i> cf. <i>temminckii</i> | bristlenose catfish | C | Nat | 1,2,3 | | | | | |
| <i>Hypostomus</i> cf. <i>watwata</i> Hancock | armored catfish | --- | Nat | 3 | | | | | |
| CYPRINIFORMES | | | | | | | | | |
| CYPRINIDAE | | | | | | | | | |
| <i>Cyprinus carpio</i> Linnaeus | common carp | --- | Nat | 2 | | | | | |
| CICHLIFORMES | | | | | | | | | |
| CICHLIDAE | | | | | | | | | |
| <i>Hemichromis elongatus</i> Peters | banded jeweled cichlid | C | Nat | 1,2,3 | | | | | |
| <i>Tilapia</i> sp. | unid. tilapia | R | Nat | 1,2 | | | | | |

Table 5 (continued).

| PHYLUM, CLASS, ORDER, FAMILY | | Common name | Abundance | Status | ID Code | | | | |
|---|-----------------|-------------|-----------|--------|------------|--|--|--|--|
| Species | | | | | | | | | |
| GOBIIFORMES | | | | | | | | | |
| GOBIIDAE | | | | | | | | | |
| <i>Awaous stamineus</i> Eydoux & Souleyet | 'ōpu nākea | --- | | End | 2 | | | | |
| <i>Sicyopterus stimpsoni</i> Gill | 'ōpu nōpili | --- | | End | 2 | | | | |
| <i>Stenogobius hawaiiensis</i> Watson | 'ōpu naniha | --- | | End | 2 | | | | |
| ELEOTRIDAE | | | | | | | | | |
| <i>Eleotris sandwicensis</i> Vaillant & Sauvage | 'ōpu akupa | --- | | End | 2 | | | | |
| CYPRINODONTIFORMES | | | | | | | | | |
| POECILIIDAE | | | | | | | | | |
| <i>Gambusia affinis</i> Baird and Girard | mosquitofish | A | Nat | 1,2,3 | | | | | |
| <i>Poecilia</i> sp. hybrid complex | | A | Nat | 1,2,3 | | | | | |
| <i>Poecilia reticulata</i> | guppy | A | Nat | 1,2,3 | | | | | |
| <i>Xiphophorus helleri</i> Heckel | green swordtail | U | Nat | 1,2,3 | | | | | |
| CHORDATA, AMPHIBIA, ANURA | | | | | | | | | |
| BUFONIDAE | | | | | | | | | |
| <i>Rhinella marina</i> Linnaeus | cane toad | A | Nat | 1,2 | | | | | |

Legend to Table 5

Abundance categories:

R – Rare – only one or two individuals observed.

O – Occasional – seen irregularly in small numbers.

C – Common – observed everywhere, although generally not in large numbers.

A – Abundant – observed in large numbers and widely distributed in survey area.

Status categories:

End – Endemic – species native only to Hawai'i.

Ind – Indigenous – species native to Hawai'i and native elsewhere.

Nat – Naturalized – species introduced to Hawai'i intentionally or accidentally.

ID Codes:

1 – Observed in Project area on May 9, 2019.

2 – Reported as occurring in the Kawaihui Watershed by Parham et al. (2008).

3 – Reported by AECOS in nearby Makawao Stream at Royal Hawaiian Golf Course in Maunawili on December 13, 2012 (AECOS, 2013).

The stream segment *mauka* of Maunawili Stream Bridge is a shallow concrete-lined channel. Biodiversity in this segment is limited to schools of poeciliids in the channel and Taiwan blue shrimp (*Neocaridina denticulata sinensis*), a non-native shrimp, on the undersides of riparian vegetation and leaf litter on the stream margins.

Downstream from the bridge, Maunawili Stream drops into a series of pools and straight short runs before reaching a confluence with Olomana Stream. In this segment, Maunawili Stream has a natural bed lined with boulders, as well as high, steep earthen banks. The stream is nearly completely shaded under a canopy of broadleaf trees and several downed trees lie across the stream. Biodiversity in the pools below Maunawili Stream bridge is higher compared to the channelized segment upstream. Schools of bronze corydoras (*Corydoras aeneus*) occupy these pools. Bristlenose catfish (*Ancistrus cf. temminckii*), banded jeweled cichlid (*Hemichromis elongatus*), and several common poeciliid species are present. Several Pacific prawn (*Macrobrachium lar*) and the claw of an American crawfish (*Procambarus clarkii*) were observed in the downstream segment.

All species observed during the survey are naturalized, non-native species in Hawaiian streams. No native stream fauna were observed during our aquatic survey. Native fauna listed in Table 5 represent observations from previous surveys in other parts of the watershed.

Avian Results

The avian survey of the Project area recorded a total of 40 individual birds of 13 species (Table 6) from a single point-count station. Five additional species were noted. No native indigenous bird species were observed, although some bird droppings seen along Maunawili Stream likely indicate use of the area by indigenous Black-crowned Night-Heron (*Nycticorax nycticorax*) or 'auku'u.

Mammalian Results

Domestic dog (*Canis lupis familiaris*) was observed with pedestrians on Maunawili Road throughout the survey period. Feral pig (*Sus scrofa*) wallows were observed near Olomana Stream in the vicinity of Maunawili Stream Bridge. No other mammalian species were detected during the survey.

Table 6. Avian species detected on May 9, 2019 survey of Maunawili Stream Force Main Crossing No. 1.

| ORDER FAMILY <i>Species</i> | Common Name | Status | No. of Individuals |
|--------------------------------------|---------------------------|--------|--------------------|
| GALLIFORMES PHASIANIDAE | | | |
| <i>Gallus gallus</i> | Domestic Chicken | ND | 1 |
| COLUMBIFORMES COLUMBIDAE | | | |
| <i>Streptopelia chinensis</i> | Spotted Dove | NN | 1 |
| <i>Geopelia striata</i> | Zebra Dove | NN | 5 |
| PELECANIFORMES ARDEIDAE | | | |
| <i>Bubulcus ibis</i> | Cattle Egret | NN | - |
| <i>Nycticorax nycticorax</i> | Black-crowned Night-Heron | I | -* |
| PASSERIFORMES PYCNONOTIDAE | | | |
| <i>Pycnonotus cafer</i> | Red-vented Bulbul | NN | 3 |
| <i>Pycnonotus jocosus</i> | Red-whiskered Bulbul | NN | 5 |
| ZOSTEROPIDAE | | | |
| <i>Zosterops japonicus</i> | Japanese White-eye | NN | 8 |
| CETTHIIDAE | | | |
| <i>Horornis diphone</i> | Japanese Bush-Warbler | NN | 1 |
| <i>Leiothrix lutea</i> | Red-billed Leiothrix | NN | 4 |
| MUSCICAPIDAE | | | |
| <i>Copsychus malabaricus</i> | White-rumped Shama | NN | 2 |
| STURNIDAE | | | |
| <i>Acridotheres tristis</i> | Common Myna | NN | - |
| CARDINALIDAE | | | |
| <i>Cardinalis cardinalis</i> | Northern Cardinal | NN | - |
| THRAUPIDAE | | | |
| <i>Paroaria coronata</i> | Red-crested Cardinal | NN | 2 |
| FRINGILLIDAE | | | |
| <i>Haemorhous mexicanus</i> | House Finch | NN | 4 |
| PASSERIDAE | | | |
| <i>Passer domesticus</i> | House Sparrow | NN | 2 |
| ESTRILDIDAE | | | |
| <i>Estrilda astrild</i> | Common Waxbill | NN | - |

[†] Species observed outside of count station; incidental observation.

* Only sign (scat, tracks, nest, etc.) of species observed.

Table 6 (continued).

Legend to Table 6.

Status – **I** = Indigenous
 NN = Naturalized, non-native species (introduced).
 ND = Naturalized, domestic

Federal Jurisdictional Waters

Within the Project area, Maunawili Stream has physical indicators of flow (i.e., bed and banks and OHWM) and, therefore, is considered to be a jurisdictional tributary to a traditional navigable waters (TNW). In the Project area (immediately downstream of Maunawili Stream Bridge), Maunawili Stream is approximately 10 m (33 ft) wide and 10 cm (4 in) deep. The stream channel is fairly incised and stream flow is eroding the steep banks. Trees established below the OHWM have exposed roots and shelving is common along both banks. Sediment sorting, another physical indicator of flow, is evident; rounded boulders, cobbles, and silt on the stream bed form cobble bars in the channel. Burrows of the bristlenose catfish (*Ancistris* cf. *teminckii*), an introduced loricariid catfish, are abundant in the stream banks above and below the waterline, but below the OHWM (Figure 4).



Figure 4. Some fish burrows in Maunawili Stream are located above the water line but below the OHWM.

Hydrophytes, such as umbrella sedge (*Cyperus involucratus*), primrose willow (*Ludwigia octovalvis*), and honohono (*Commelina diffusa*), are the most common plants below the OHWM. Terrestrial vegetation, such as palmgrass (*Setaria palmifolia*), basketgrass (*Oplismenus hirtellus*), kukui (*Aleurites moluccana*), Mickey Mouse plant (*Ochna thomasiana*), gunpowder tree (*Trema orientalis*), pothos (*Epipremnum pinnatum*), albizia (*Falcataria moluccana*), and heliconia (*Heliconia bihai*) grow on the stream banks above the OHWM.

Attachment A includes OHWM delineation sheets for the Project area. Photographs taken to document the OHWM delineation process are included in Attachment B. Geospatial survey results from ControlPoint surveyors include OHWM and the proposed Project activities, and are provided as a map in Attachment C.

Assessment and Discussion

Water Quality Assessment

Maunawili Stream is classified as Class 2 “freshwater, flowing waters” in the Hawai‘i water quality standards (HDOH, 2014). Beneficial uses of Class 2 waters are designated as follows:

“The objective of class 2 waters is to protect their use for recreational purposes, the support and propagation of aquatic life, agricultural and industrial water supplies, shipping and navigation. The uses to be protected in this class of waters are all uses compatible with the protection and propagation of fish, shellfish, and wildlife, and with recreation on and in these waters. These waters shall not act as receiving waters for any discharge which has not received the best degree of treatment or control compatible with the criteria established for this class. No new treated sewage discharges shall be permitted within estuaries.”

Specific water quality criteria have been promulgated that, if met, are designed to allow the water bodies to achieve designated beneficial uses. Wet season (November 1 through April 30) and dry season (May 1 through October 31) criteria for freshwater streams are presented in Table 6 (HDOH, 2014).

Not all of the water quality measurements made in our survey can be compared directly with the state water quality criteria to establish compliance with these standards because such a comparison requires representative geometric mean values, calculated from a minimum of three sampling events at each station in the stream for turbidity, TSS, and nutrients. On the other hand, selected physical

parameters, temperature, pH, conductivity, and DO saturation levels, can be compared with state criteria.

Table 6. State of Hawai'i water quality criteria for streams for wet (Nov. 1-Apr. 30) and dry (May 1-Oct. 31) seasons from HAR §11-54-05.2(b) (HDOH, 2014).

| Parameter | Total Nitrogen ($\mu\text{g N/l}$) | Nitrate + Nitrite ($\mu\text{g N/l}$) | Total Phosphorus ($\mu\text{g P/l}$) | Turbidity (NTU) | Total Suspended Solids (mg/l) |
|---|---|--|---|--------------------|---|
| Geometric mean not to exceed given value (dry season) (wet season) | 180.0 250.0 | 30.0 70.0 | 30.0 50.0 | 2.0 5.0 | 10.0 20.0 |
| Not to exceed more than 10% of the time (dry season) (wet season) | 380.0 520.0 | 90.0 180.0 | 60.0 100.0 | 5.5 15.0 | 30.0 50.0 |
| Not to exceed more than 2% of the time (dry season) (wet season) | 600.0 800.0 | 170.0 300.0 | 80.0 150.0 | 10.0 25.0 | 55.0 80.0 |

- pH – shall not deviate more than 0.5 units from ambient and not be lower than 5.5 nor higher than 8.0
- Dissolved oxygen – not less than 80% saturation
- Temperature – shall not vary more than 1 °C from ambient
- Conductivity – not more than 300 micromhos/cm

Maunawili Stream discharge estimate (0.61 cfs) in the Project area on May 9, 2019 is compared with the historic distribution of field measurements made in Maunawili Stream at Maunawili Road Bridge on an irregular basis between 1956 and 1990 at USGS Station 16249200; (USGS, 2019; Figure 5). Only 0.10 inches of rain were recorded in the Maunawili area (Rain Gauge STVH1) during the five days preceding this sampling event (NOAA-NWS, 2019); thus base flow conditions prevailed as indicated in Fig. 5 and represent typical, non-runoff conditions.

Temperature, pH, conductivity, and DO saturation levels were all within state criteria at the time of sampling. Concentrations for all nutrients, except Kjeldahl nitrogen, were typical of higher elevation reaches of Hawai'i streams during base flow conditions.




Figure 5. Maunawili Stream flow patterns at Maunawili Road Bridge (USGS 2019).

Project work to repair the force main crossing can be completed with minimum impacts to stream water quality and without negative impacts to long-term water quality if proper BMPs are implemented.

- Repair activities must be restricted to one-half of the stream at a time. This will allow amphidromous animals to use the stream during repair operations as a migratory pathway and maintain stream flow through the reach.
- Cofferdams constructed of sand bags interwoven with thick plastic sheeting to minimize leakage should be employed around in-water work areas. Cofferdams should be surrounded on in-water sides by an anchored silt curtain to prevent discharge of work-related sediments to downstream waters.
- Filter socks should be placed along the lower edge of stream banks in work areas to prevent movement of eroded material into downstream waters.

Botanical Resources

Botanical resources of interest or potential concern from a conservation perspective are native endangered, threatened, or rare species, valuable landscape plants, or exceptional trees. No plants proposed or listed as endangered or threatened under the federal Endangered Species Act of 1973 (ESA) as amended, or the State of Hawai'i endangered species statute, Hawai'i Revised Statutes (HRS) 195D (USFWS, nd. a; HDLNR, 1998) were observed. For

plants, state listing follows the federal listing. No trees in the Project area are listed by the City and County of Honolulu, Exceptional Trees program (CCH, 2017).

Aquatic Biological Resources

No aquatic species protected by state or federal endangered species statutes (HDLNR, 2015; USFWS, nd. a) were observed in Maunawili Stream at the Project area during the course of the aquatic survey on May 9, 2019. However, some species previously reported from Maunawili Stream and Kawainui Watershed (Parham et. al, 2008) are protected. The crimson damselfly (*Megalagrion leptodemas*), blackline Hawaiian damselfly (*Megalagrion nigrohamatum nigrolineatum*), and Oceanic Hawaiian damselfly (*M. oceanicum*) are listed as endangered on state and federal endangered species lists (HDLNR, 2015; USFWS, 2012; USFWS, nd. a; USFWS, nd. b), and reported in the middle to upper reaches of Kawainui Watershed (Parham et al. 2008). *M. leptodemas* breeds in slow reaches of streams and seep-fed pools. *M. nigrohamatum nigrolineatum* occurs in slow sections or pools along mid-reach and headwater sections of upland streams and seep-fed pools. *M. oceanicum* is found in swiftly flowing sections of streams, usually amid rocks and gravel in stream riffles. Naiads can forage out of the stream on wet moss on rocks (USFWS, 2012; Polhemus and Asquith, 1996). The aforementioned *Megalagrion* species are considered to be vulnerable to extinction and are on the International Union for Conservation of Nature (IUCN) Red List of Threatened Species (Odonata Specialist Group, 1996). Introduced predatory fish and crustaceans are major threats to the species. USFWS advises that BMPs for work in aquatic environments be incorporated into the project plan to minimize the degradation of water quality and impacts to biological resources (for BMPS, see Water Quality Assessment, above).

'Opū nākea (*Awaous stamineus*), 'opū naniha (*Stenogobius hawaiiensis*), 'opū nōpili (*Sicyopterus stimpsoni*) and 'opū akupa (*Eleotris sandwicensis*) are native gobies previously reported from Maunawili Stream and Kawainui Watershed (AECOS, 2017; Parham et. al 2008), but were not observed during the present survey in the Project area. Hawai'i Department of Land and Natural Resources (HDLNR) administrative rules regulate fisheries in the state, including the taking of 'opū (HDLNR, 1989). 'Ōpae 'oeha'a (*Macrobrachium grandimanus*) and 'ōpae kalaole (*Atyoida bisulcata*) are native crustaceans that have also been reported from the watershed (Parham et al., 2008), but were not observed during the recent survey of the Project area.

Many Hawaiian endemic and indigenous freshwater fish and crustaceans have an amphidromous life cycle: eggs are laid in freshwater stream reaches, and hatched larvae drift downstream and out into the ocean where they develop for a time before migrating back into freshwater streams to grow to maturity (Ford

and Kinzie, 1982; Kinzie, 1988). Project activities must not impede this amphidromous cycle. Maintaining good water quality in the stream should be a priority.

- Downstream and upstream migration pathways should be maintained.
- New structures should not include drains or grates that may entrain drifting larvae, nor overhanging culverts that may obstruct upstream movement of recruiting juveniles.

Avian Resources

The avian assemblage surveyed at the Project area is fairly consistent with the lowland wet forest and urban environment found there, although waterbirds were notably absent from the modified stream channel in the Project area. All birds observed during the survey period are non-native species naturalized to Hawai'i. Most abundant were Japanese White-eye (*Zosterops japonicus*), Zebra Dove (*Geopelia striata*), and Red-whiskered Bulbul (*Pycnonotus jocosus*).

While not observed, Mallard (*Anas platyrhynchos*), Hawaiian Duck-Mallard hybrid, and Black-crowned Night Heron are waterbird species that could be expected to utilize waterways in the Project area, and are quite common on O'ahu. The O'ahu population of Hawaiian Duck has interbred extensively with the non-native feral Mallard (*Anas platyrhynchos*), such that Hawaiian Duck-Mallard hybrid of the two species are predominantly observed and are difficult to distinguish from pure *koloa* (Uyehara et al., 2007). Hawaiian Duck-Mallard hybrid are not protected.

No endangered Hawaiian waterbirds were observed during the survey: On O'ahu, these consist of the Hawaiian Duck or *koloa* (*Anas wyvilliana*; see above), Hawaiian Common Gallinule (*Gallinula galeata sandvicensis*) or 'alae 'ula, Hawaiian Coot (*Fulica alai*) or 'alae ke'oke'o, and Hawaiian Stilt or *ae'o* (*Himantopus mexicanus knudseni*).

Optimal habitats for endangered waterbird species are not present in the Project area. However, suitable habitat for endangered waterbirds may be found downstream of the Project in Kawainui Marsh, and potentially along water features at the nearby Royal Hawaiian Golf Course. USFWS recommends that if water resources are located within or adjacent to a project site, incorporate the applicable best management practices (BMPs) regarding work in aquatic environments into the project design (USFWS, nd. b):

- If an endangered waterbird is observed in the Project area, cease work until the animal leaves the Project area voluntarily.

- If a nest is found, establish and maintain a 100-foot buffer around all active nests and/or broods until the chicks/ducklings have fledged. Do not conduct potentially disruptive activities or habitat alteration within this buffer.

Critical habitat for endangered O'ahu 'Elepaio (*Chasiempis ibidis*) occurs less than a mile from the Project (USFWS, nd. a, see Figure 6), along the upper ridges and valleys of Ko'olau Mountain. A population of O'ahu 'Elepaio was reported from Maunawili in 1975 (344 individuals), but no individuals were detected in subsequent surveys from the 1990s, or 2012 (VanderWerf et al., 2013; VanderWerf et al., 2001). Ko'olau populations of O'ahu 'Elepaio are typically observed from an elevational range of 150 to 550 m (500 to 1,800 ft; Pyle and Pyle, 2017), while the Project elevation is around 23 m (75 ft). Given the relatively low elevation of the Project, endangered O'ahu 'Elepaio are unlikely to utilize the Project area or immediate vicinity. However, some USFWS endangered forest bird recommendations may apply for Project activities (USFWS, nd. b):

- Avoid increasing mosquito populations by creating stagnant water habitat.

Protected seabirds may overfly the Project area, and have some potential to utilize cliff habitat in upper Maunawili Valley. Seabird species of concern include protected Wedge-tailed Shearwater or 'ua'u kani (*Ardenna pacifica*), threatened Newell's Shearwater or 'a'o (*Puffinus newelli*), endangered Hawaiian Petrel or 'ua'u (*Pterodroma sandwichensis*), and endangered Band-rumped Storm-Petrel or 'akē'akē (*Oceanodroma castro*). USFWS advises that Hawaiian seabirds may traverse projects during the breeding, nesting, and fledging seasons (March 1 to December 15). Night lights can disorient seabirds, resulting in their potential downing and harm from collision with objects and/or predation by dogs and cats if downed (Reed et al., 1985; Telfer et al., 1987):

- If the Project will result in additional night-time lighting sources for night-time construction, then risk of incidentally downing nocturnally-flying seabirds will increase. To avoid or minimize potential Project impacts to seabirds, USFWS recommend the following applicable measures: fully shield all outdoor lights so the bulb can only be seen from below bulb height and only use when necessary; install automatic motion sensor switches and timer controls on all outdoor lights or turn off lights when human activity is not occurring in the lighted area; and avoid night-time construction during the seabird fledging period from

September 15 through December 15 (USFWS, nd. b). All external lighting structures should be fully "dark sky compliant" (HDLNR-DOFAW, 2016).




Figure 6. Federally-designated Critical Habitat near the Maunawili Stream Bridge Project site.

White Tern (*Gygis alba*), or manu o Kū, is another indigenous seabird listed as threatened under the State of Hawai'i endangered species statute HRS 195D (HDLNR, 2015). White Tern occurs on O'ahu (USFWS, 2005), with the majority of the population found in the Honolulu area. White Tern was not observed (or expected to occur) in the Project area and Project activities are not anticipated to have an impact on this species.

Mammalian Resources

Mammals detected during the survey are not native to Hawai'i and offer little value from an ecological perspective. The Hawaiian hoary bat is the only

Endangered Species Act (ESA)-listed terrestrial mammal in Hawai'i, with a potentially widespread, ubiquitous distribution on islands throughout the state. Potential Hawaiian hoary bat roosts (trees over 4.6 m [15 ft]) are abundant in the riparian forest in the Project area. USFWS provides general BMP recommendations for areas with bat roosting habitat (USFWS nd. b):

- To avoid potential deleterious impacts to roosting bats with pups, it is recommended that no woody vegetation taller than 4.6 m (15 ft) be removed during the bat pupping season between June 1 and September 15 (USFWS, 1998). The use of barbed wire to top fence lines may entangle flying bats and must be avoided (Zimpfer and Bonaccorso, 2010).

The Hawaiian Hoary Bat is known to forage for insects along waterways (USFWS, 1998), such as those found in the Project along Maunawili and Olomana streams. Because Hawaiian Hoary Bat is a noted habitat generalist that forages in multiple locations over a wide geographic home range (Bonaccorso, 2010), and the proposed Project activities along Maunawili Stream are not expected to reduce stream forage habitat, deleterious impacts to Hawaiian Hoary Bat are not anticipated so long as appropriate aforementioned BMPs are followed.

Jurisdictional Waters

Maunawili Stream is jurisdictional under federal law up to the OHWM. Any work below the OHWM may require a permit from the U.S. Army Corps of Engineers (USACE) under Section 404 of the Clean Water Act. Provided that design and construction plans comply with the general and regional conditions, USACE is likely to verify this Project under Nationwide Permit (NWP) 12 for utility line activities.

Critical Habitat

Federally delineated Critical Habitat is not present in the Project area of Maunawili Stream Bridge (USFWS 2019; See Figure 6). Thus, the Project as currently proposed, will not impinge on federally designated Critical Habitat. No equivalent habitat designation exists under state law.

Critical Habitat for three native damselflies, O'ahu 'Elepaio, and several endemic plant species begin less than one mile *mauka* (upslope) from Maunawili Stream Bridge. Despite this lateral proximity, Critical Habitat and the Project area are separated by a distinct elevational buffer: Maunawili Stream bridge is located around 23 m (75 ft) ASL, while critical habitat begins around 91 m (300 ft) ASL

and extends upward to include the ridges and peaks of the Ko'olu Mountain. The nearest peak, Konahuanui, reaches approximately 960 m (3150 ft) in height. Deleterious impacts to Critical Habitat and federally-protected species upslope of the Project are not anticipated, so long as appropriate aforementioned BMPs are followed.

References

AECOS, Inc. 2017. Aquatic biological surveys for the Kawainui-Hāmākua Marsh Complex Master Plan. Prep. for Helber Hsastert & Fee, Planners. AECOS No. 1482B: 45 pp.

_____. 2013. Water quality, aquatic biology, and ordinary high water mark surveys on an unnamed tributary of Makawao Stream, Royal Hawaiian Golf Course Maunawili, O'ahu. Prep. for Pacific Links Hawaii LLC. AECOS No. 1338C: 30 pp.

Bonaccorso, F. J. 2010. Ope'ape'a: Understanding the puzzles of Hawaii's only bat. *Bats*, 28: 10-12. Available online at URL: http://www.batcon.org/resources/media-education/bats-magazine/bat_article/1075; last accessed on April 1, 2019.

Chesser, R. T., K. J. Burns, C. Cicero, J. L. Dunn, A. W. Kratter, I. J. Lovette, P. C. Rasmussen, J. V. Remsen, Jr., D. F. Stotz, B. M. Winger, and K. Winker. 2018. Check-list of North and Middle American Birds (online). American Ornithological Society. Available online at URL: <http://checklist.aou.org/taxa>; last accessed on February 14, 2019.

City and County of Honolulu, Department of Parks and Recreation (CCN). 2017. Exceptional Tree Program website, URL: http://www.honolulu.gov/rep/site/dpr/hbg_docs/ROH_Chapter_41a1-25.pdf; last visited July 4, 2019.

Ford, J. I. and R. A. Kinzie III. 1982. Life crawls upstream. *Nat. Hist.*, 91: 61-67.

Hawaii Cooperative Park Service Unit. 1990. Hawaii stream assessment. A preliminary appraisal of Hawaii's stream resources. Prep. for State of Hawaii, Commission on Water Resource Management. National Park Service, Hawaii Cooperative Park Service Unit, Rept. No. R84: 294 pp.

- Hawai'i Department of Health (HDOH). 2014. Hawai'i Administrative Rules, Title 11, Department of Health, Chapter 54, Water Quality Standards. 110 pp.
- Hawai'i Department of Health (HDOH). 2018. 2018 State of Hawai'i Water Quality Monitoring and Assessment Report: Integrated Report to the U.S. Environmental Protection Agency and the U.S. Congress Pursuant to Sections §303(D) and §305(B), Clean Water Act (P.L. 97-117). 127 pp.
- Hawai'i Department of Land and Natural Resources (HDLNR). 1989. Hawai'i Administrative Rules, Title 13, Department of Land and Natural Resources, Subtitle 4 Fisheries, Part VI Protected Freshwater Fisheries Resources, Chapter 100, 'O'opu and hinana. August 14, 1989. 2 pp.
- _____. 2015. Hawai'i Administrative Rules, Title 13, Department of Land and Natural Resources, Subtitle 5 Forestry and Wildlife, Part 2 Wildlife, Chapter 124, Indigenous Wildlife, Endangered and Threatened Wildlife, Injurious Wildlife, Introduced Wild Birds, and Introduced Wildlife. February 27, 2015. 16 pp.
- _____. - Division of Forestry and Wildlife (HDLNR-DOFAW). 2016. Wildlife Lighting. PDF available at URL: <http://dlnr.hawaii.gov/wildlife/files/2016/03/DOC439.pdf>; last accessed on May 7, 2019.
- Imada, C. 2012. Hawaiian Native and Naturalized Vascular Plants Checklist: December 2012 update. *Bishop Museum Technical Report 60*. Hawai'i Biological Survey No. 2012-021. 343 pp.
- Kinzie, R. A. III. 1988. Habitat utilization by Hawaiian stream fishes with reference to community structure in oceanic stream islands. *Environ. Biol. of Fishes*, 22: 179-192.
- National Oceanic and Atmospheric Administration – National Weather Service Forecast Office, Honolulu, HI (NOAA-NWS). 2019. Hydrology in Hawaii. Available online at URL: <http://www.prh.noaa.gov/hnl/hydro/pages/hydrology.php>; last accessed July 12, 2019.
- _____. Hydrology in Hawaii (NOAA-NWS). Available online at URL: https://www.weather.gov/hfo/HRS_archive; last accessed July 12, 2019.

- Odonata Specialist Group. 1996. *Megalagrion oceanicum. The IUCN Red List of threatened species 1996: e.T12958A3402487*. Available online at URL: <https://www.iucnredlist.org/species/12958/3402487>; last accessed on June 7, 2019.
- Parham, J. E., G. R. Higashi, E. K. Lapp, D. G. K. Kuamo'o, R. T. Nishimoto, S. Hau, J. M. Fitzsimmons, D. A. Polhemus and W. S. Devick. 2008. Atlas of Hawaiian Watersheds and their Aquatic Resources. Island of O'ahu. Bishop Museum and Division of Aquatic Resources. 614 pp.
- Pyle, R. L., and P. Pyle. 2017. The Birds of the Hawaiian Islands: Occurrence, History, Distribution, and Status. B.P. Bishop Museum, Honolulu, HI, Ver. 2 (1 January 2017). Available online at URL: <http://hbs.bishopmuseum.org/birds/rhp-monograph/pdfs/01-Anatidae/HAWD.pdf>; last accessed on May 7, 2019.
- Polhemus, D. and A. Asquith. 1996. *Hawaiian Damselflies: A Field Identification Guide*. Bishop Museum Press. Honolulu: 122 pp.
- Reed, J. R., J. L. Sincock, and J. P. Hailman. 1985. Light Attraction in Endangered Procellariform Birds: Reduction by Shielding Upward Radiation. *The Auk*, 102: 377-383.
- Standard Methods (SM). 1998. *Standard Methods for the Examination of Water and Wastewater*. 20th Edition. 1998. (Greenberg, Clesceri, and Eaton, eds.). APHA, AWWA, & WEF. 1220 pp.
- Telfer, T. C., J. L. Sincock, G. V. Byrd, and J. R. Reed. 1987. Attraction of Hawaiian seabirds to lights: conservation efforts and effects of moon phase. *Wildlife Soc. Bull.*, 15: 406-413.
- U.S. Army Corps of Engineers and U.S. Environmental Protection Agency (USACE and USEPA). 2015. Part II. Department of Defense, Department of the Army, Corps of Engineers, 33 CFR Part 328, Environmental Protection Agency, 40 CFR Parts 110, 112, 116, 117, 122, 230, 232, 300, 302, and 401, Clean Water Rule: Definition of "Waters of the United States. *Federal Register*, 80 (124; Monday, June 29, 2015): 37054-37127.
- _____. and _____. 2019. Department of Defense, Department of the Army, Corps of Engineers, 33 CFR Part 328, Environmental Protection Agency, 40 CFR Parts 110, 112, 116, 117, 122, 230, 232, 300, 302, and 401, Revised definition of "Waters of the United States." *Federal Register*, 84 (31; Thursday, February 14, 2019): 4154-4220.

- U.S. Environmental Protection Agency (USEPA). 1993. Method 180.1 Determination of turbidity by Nephelometry. Revision 2.0. Environmental Monitoring Systems Laboratory Research and Development. Environmental Protection Agency. Cincinnati, OH. 10 pp.
- U.S. Fish and Wildlife Service (USFWS). no date (a). USFWS Endangered Species. Available online at URL: <https://www.fws.gov/endangered/>; last accessed on May 7, 2019 and Environmental Conservation Online System (ECOS), online at URL: <https://ecos.fws.gov/ecp/species-reports>; last accessed on June 7, 2019.
- U.S. Fish and Wildlife Service (USFWS). no date (b). USFWS Pacific Islands Fish and Wildlife Office. Avoidance and Minimization Measures. Available online at URL: [https://www.fws.gov/Pacificislands/promo.cfm?id=177175840/](https://www.fws.gov/Pacificislands/promo.cfm?id=177175840); last accessed on April 1, 2019.
- _____. 1998. Recovery Plan for the Hawaiian Hoary Bat (*Lasiurus cinereus semotus*). U.S. Fish and Wildlife Service, Region 1, Portland, OR. Available online at URL: https://ecos.fws.gov/docs/recovery_plans/1998/980511b.pdf; Last accessed April 1, 2019.
- _____. 2005. Regional Seabird Conservation Plan, Pacific Region. U.S. Fish and Wildlife Service, Migratory Birds and Habitat Programs, Pacific Region, Portland, Oregon. 264 pp.
- _____. 2006. USFWS National Wetlands Inventory. Available online at: <https://www.fws.gov/wetlands/Data/Mapper.html>; last visited: August 8, 2019.
- _____. 2012. Part II, Department of the Interior, Fish and Wildlife Service, 50 CFR Part 17. Endangered and threatened wildlife and plants; endangered status for 23 species on O'ahu and designation of critical habitat for 124 species; final rule. *Federal Register*, 77 (181; Tuesday, September 18, 2012): 57648-57862.
- _____. 2019. U.S. FWS Threatened & Endangered Species Active Critical Habitat Report. Updated March 19, 2019. Available online at URL: <https://ecos.fws.gov/ecp/report/table/critical-habitat.html>; last accessed on April 19, 2019.

- U.S. Geological Survey (USGS). 2019. USGS surface-water daily data for the nation, USGS 16249200 Maunawili Stream Nr Waimanalo, Oahu, HI. Available online at URL: https://waterdata.usgs.gov/nwis/inventory/?site_no=16249200&agency_cd=USGS&; last accessed July 12, 2019.
- Uyehara K. J., A. Engilis, and M. Reynolds. 2007. USGS Fact Sheet – Hawaiian Duck's Future Threatened by Feral Mallards. 2007-3047. Version 1.0. Available online at: <https://pubs.usgs.gov/fs/2007/3047/>; last accessed on April 1, 2019.
- VanderWerf E. A., J. L. Rohrer, D. G. Smith, and M. D. Burt. 2001. Current Distribution and Abundance of the O'ahu 'Elepaio. *The Wilson Bulletin* 113(1): Available online at URL: [https://doi.org/10.1676/0043-5643\(2001\)113\[0010:CDAAOT\]2.0.CO;2](https://doi.org/10.1676/0043-5643(2001)113[0010:CDAAOT]2.0.CO;2); last accessed on April 1, 2019.
- VanderWerf, E. A., R. E. David, P. Donaldson, R. May, H. D. Pratt, P. Pyle, and L. Tanino. 2018. First report of the Hawaii Bird Records Committee: records reviewed 2014 - 2016. *Western Birds*, 49(1): 2-23.
- _____, M. T. Lohr, A. J. Titmus, P. E. Taylor, and M. D. Burt. 2013. Current distribution and abundance of Oahu 'Elepaio (*Chasiempis ibidis*). *The Wilson Journal of Ornithology*: September 2013, Vol. 125 (3): 600-608.
- Wagner, W. L., D. R. Herbst and S. H. Sohmer. 1990. *Manual of the Flowering Plants of Hawai'i: Volume I and II*. Bishop Museum Special Publication 83. University of Hawai'i Press. 1853 pp.
- Wagner, W. L. and D. R. Herbst 1999. *Supplement to the Manual of the flowering plants of Hawai'i*, pp. 1855-1918. In: Wagner, W.L., D.R. Herbst, and S.H. Sohmer, Manual of the flowering plants of Hawai'i. Revised edition. 2 vols. University of Hawaii Press and B. P. Bishop Museum.
- Wilson, D. E. and D. M. Reeder (eds.). 2005. Wilson & Reeder's Mammal Species of the World (Third Edition). Available online at URL: <http://www.departments.bucknell.edu/biology/resources/msw3/browse.asp>; last visited on February 14, 2019.
- Yamamoto, M. N. and A. W. Tagawa. 2000. *Hawai'i's Native and Exotic Freshwater Animals*. Mutual Publishing, Honolulu. 200 pp.
- Zimpfer, J. and F. Bonaccorso. 2010. Barbed wire fences and Hawaiian hoary bats: what we know. Hawaii Conservation Conference abstract.

Attachment A

Ordinary High Water Mark
Delineation Datasheets –
Maunawili Stream

OHWM Delineation Cover Sheet

Page 1 of 4

Project: Maunawili Estates Ww Pump Sta. Force Main Crossing No. 1 Repair

Date: 9 May 2019

Location: Maunawili, O'ahu

Investigators: Susan Burr and Bryson Luke, AECOS

Project Description:

The purpose of the project is to repair the 8-inch ductile iron pipe wastewater force main at the Maunawili Stream Crossing No. 1.

Describe the river or stream's condition (disturbances, in-stream structures, etc.):

Maunawili Stream is the largest of eight named streams and numerous unnamed tributaries that drain Maunawili Valley between Olomana Ridge and the Ko'olau Range. Maunawili Stream is a perennial stream that discharges into Kawaihui Marsh, which drains into Oneawa Canal, which has a coastal outlet into the Pacific Ocean at the north end of Kailua Bay. Maunawili Stream is channelized and hardened upstream of the force main crossing and Maunawili Road Bridge, but has a natural bed and un-hardened banks downstream of the crossing.

Maunawili Stream is listed in the Hawai'i stream assessment, a listing of perennial streams (HCPSU, 1990), and Kawaihui Watershed is assigned code number 32013 in Hawai'i watershed atlas (Parham et al., 2008).

Off-site Information

Remotely sensed image(s) acquired? Yes No [If yes, attach image(s) to datasheet(s) and indicate approx. locations of transects, OHWM, and any other features of interest on the image(s); describe below] Description: Figure 1 (Google Earth, 2015)

Hydrologic/hydraulic information acquired? Yes No [If yes, attach information to datasheet(s) and describe below.] U.S. Geological Survey (USGS) operated a stream gauge station in Makawao Stream (also called Olomana Stream; No. 16254000) from 1912-1916 and from 1958-present (USGS, 2019). Makawao Stream and Maunawili Stream have similarly sized watersheds; the confluence of Makawao Stream and Maunawili Stream is just downstream from the Project area. A review of the period of record for the gauge station indicates the peak yearly streamflow for the time period was 6,000 cubic feet per second (cfs). The average daily discharge is 4.91 cfs.

The 2019 May through September dry season started out relatively wet for O'ahu (NOAA-NWS, 2019). The National Weather Service Mauanwili rain gage (MAUH1), located approximately 1.3 km (0.8 mi) upslope from the Project area at 127 m (417 ft) ASL, records an average annual rainfall of 1859 mm (73 in; Giambelluca et al., 2013). May 2019 rainfall was 4.86 inches, 82% of average and 2019 rainfall through May 31 was 31.47 inches, 87% of average (NOAA-NWS, 2019).

List and describe any other supporting information received/acquired:

Giambelluca, T. W., Q. Chen, A.G. Frazier, J.P. Price, Y.-L. Chen, P.-S. Chu, J.K. Eischeid, and D.M. Delparte. 2013: Online Rainfall Atlas of Hawai'i. *Bull. Amer. Meteor. Soc.* 94: 313-316, doi: 10.1175/BAMS-D-11-00228.1. Online at URL: <http://rainfall.geography.hawaii.edu/>; last accessed on July 3, 2019.

Hawaii Cooperative Park Service Unit. 1990. Hawaii stream assessment. A preliminary appraisal of Hawaii's stream resources. Prep. for State of Hawaii, Commission on Water Resource Management, National Park Service, Hawaii Cooperative Park Service Unit, Rept. No. R84: 294 pp.

National Oceanic and Atmospheric Administration – National Weather Service Forecast Office, Honolulu, HI (NOAA-NWS). 2019. Hydrology in Hawaii. Available online at URL: <http://www.prh.noaa.gov/hnl/hydro/pages/hydrology.php>; last accessed July 3, 2019.

Parham, J. E., G. R. Higashi, E. K. Lapp, D. G. K. Kuamo'o, R. T. Nishimoto, S. Hau, J. M. Fitzsimmons, D. A. Polhemus and W. S. Devick. 2008. Atlas of Hawaiian Watersheds and their Aquatic Resources. Island of O'ahu. Bishop Museum and Division of Aquatic Resources. 614 pp.

U.S. Geological Survey (USGS). 2019. National Water Information System: Web Interface, USGS 16254000 Makawao Str nr Kailua, Oahu, HI. Available online at URL: https://waterdata.usgs.gov/nwis/inventory?agency_code=USGS&site_no=16254000; last accessed July 3, 2019.

Instructions: Complete one cover sheet and one or more datasheets for each project site. Each datasheet should capture the dominant characteristics of the OHWM along some length of a given stream. Complete enough datasheets to adequately document up- and/or downstream variability in OHWM indicators, stream conditions, etc. Transect locations can be marked on a recent aerial image or their GPS coordinates noted on the datasheet.





Figure 1.

| Datasheet # | 1 | OHWM Delineation Datasheet | | Page 3 | of 4 | |
|---|-------------------|----------------------------|------------------|------------------|----------------|-------------------------------|
| Transect (cross-section) drawing: (choose a location that is representative of the dominant stream characteristics over some distance; label the OHWM and other features of interest along the transect; include an estimate of transect length) | | | | | | |
| | | | | | | |
| Break in Slope at OHWM: ■ Sharp (> 60°) ■ Moderate (30–60°) ■ Gentle (< 30°) ■ None Notes/Description: Break in slope at OHWM is less than 20°. | | | | | | |
| Sediment Texture: Estimate percentages to describe the general sediment texture above and below the OHWM | | | | | | |
| | Clay/Silt <0.05mm | Sand 0.05 – 2mm | Gravel 2mm – 1cm | Cobbles 1 – 10cm | Boulders >10cm | Developed Soil Horizons (Y/N) |
| Above OHWM | 85 | 0 | 0 | 5 | 10 | Y |
| Below OHWM | 10 | 0 | 0 | 15 | 75 | N |
| Notes/Description: Stream bed consists primarily of boulders and rounded cobbles, including a cobble bar along the right side of the channel. Soil horizons are developed above the OHWM. | | | | | | |
| Vegetation: Estimate absolute percent cover to describe general vegetation characteristics above and below the OHWM | | | | | | |
| | Tree (%) | Shrub (%) | Herb (%) | Bare (%) | | |
| Above OHWM | 75 | 15 | 10 | 0 | | |
| Below OHWM | 10 | 0 | 20 | 70 | | |
| Notes/Description: Guinea grass, palmgrass, and bamboo grass are rooted on the banks above the OHWM. Below the OHWM, umbrella sedge is the only herbaceous plant present. A gunpowder tree rooted below the OHWM has exposed roots and is leaning into the stream. | | | | | | |
| Other Evidence: List/describe any additional field evidence and/or lines of reasoning used to support your delineation. | | | | | | |
| Shelving and a break in bank slope are obvious physical indicators of flow in this segment of Maunawili Stream. Sediment sorting (including cobble bars) is a good indicator of OHWM. Several trees (e.g., gunpowder, coconut, albizia) are rooted below the OHWM, but roots are exposed and the base of the trees are being undercut by stream flow. Vegetation wrack lines are apparent and broken concrete slabs from the force main crossing are scattered throughout the stream segment. | | | | | | |

Transect (cross-section) drawing: (choose a location that is representative of the dominant stream characteristics over some distance; label the OHWM and other features of interest along the transect; include an estimate of transect length)



Break in Slope at OHWM: Sharp (> 60°) | Moderate (30–60°) | Gentle (< 30°) | None

Notes/Description: OHWM is approximately 0.25 m up from the channel bottom on the sloping hardened banks.

Sediment Texture: Estimate percentages to describe the general sediment texture above and below the OHWM

| | Clay/Silt <0.05mm | Sand 0.05 – 2mm | Gravel 2mm – 1cm | Cobbles 1 – 10cm | Boulders >10cm | Developed Soil Horizons (Y/N) |
|------------|----------------------|--------------------|---------------------|---------------------|-------------------|----------------------------------|
| Above OHWM | 0 | 0 | 0 | 0 | 00 | N |
| Below OHWM | 10 | 0 | 0 | 0 | 0 | N |

Notes/Description: Maunawili Stream is confined to a hardened concrete channel. Some clay/silt has accumulated on the concrete channel bottom.

Vegetation: Estimate absolute percent cover to describe general vegetation characteristics above and below the OHWM

| | Tree (%) | Shrub (%) | Herb (%) | Bare (%) |
|------------|----------|-----------|----------|----------|
| Above OHWM | 0 | 0 | 10 | 90 |
| Below OHWM | 0 | 0 | 5 | 95 |

Notes/Description:

Maunawili Stream is confined to a hardened concrete channel. Clay/silt deposited by stream flow has accumulated along the edges of the concrete channel and supports patches of dense umbrella sedge (FACW) plants.

Other Evidence: List/describe any additional field evidence and/or lines of reasoning used to support your delineation.

Destruction of terrestrial vegetation, deposited sediment, and sediment staining and are the physical indicators we used most often to identify jurisdictional limits.

Attachment B

Ordinary High Water Mark

Photo Log –
Maunawili Stream

Flag 1 is located on Maunawili Stream just upstream of confluence with Olomana Stream.



Flag 1 Upstream



Flag 1 Downstream



Flag 1 Left



Flag 1 Right

Flag 2 is located on Maunawili Stream downstream of force main crossing no. 1 and Maunawili Stream Bridge.



Flag 2 Upstream



Flag 2 Downstream



Flag 2 Left



Flag 2 Right

Flag 3 is located in a pool on Maunawili Stream just downstream of force main crossing no. 1 and Maunawili Stream Bridge.



Flag 3 Upstream



Flag 3 Downstream



Flag 3 Left



Flag 3 Right

Flag 4 is located in the concrete channel of Maunawili Stream upstream of Maunawili Stream Bridge.



Flag 4 Upstream



Flag 4 Downstream



Flag 4 Left



Flag 4 Right

Flag 5 is located in the concrete channel of Maunawili Stream upstream of Maunawili Stream Bridge.



Flag 5 Upstream



Flag 5 Left


Flag 5 Upstream




Flag 5 Downstream

Attachment C

Ordinary High Water Mark
Delineation Map –
Maunawili Stream





24 X 32

APPENDIX D

Reconnaissance Level Survey

DAVID Y. IGE
GOVERNOR OF HAWAII



STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES
STATE HISTORIC PRESERVATION DIVISION
KAKUHIHEWA BUILDING
601 KAMOKILA BLVD, STE 555
KAPOLEI, HAWAII 96707



SUZANNE D. CASE
COMMISSIONER
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE MANAGEMENT

ROBERT K. MASUDA
FIRST DEPUTY

JEFFREY T. PEARSON
DEPUTY DIRECTOR - WATER

AGENCIES
BOATING AND OCEAN RECREATION
BUREAU OF CONVEYANCES
COMMISSION ON COASTAL MANAGEMENT
CONSERVATION AND COASTAL LANDS
ENGINEERING
FORESTRY AND WILDLIFE
HISTORICAL PRESERVATION
KAHOLAEWA ISLAND RESERVE COMMISSION
LAND
STATE PARKS

April 4, 2018

Lori M.K. Kahikina, Director
Department of Environmental Services,
Division of Wastewater Engineering and Construction,
City & County of Honolulu
650 S. King Street, 14th Floor
Honolulu, HI 96813

Dear Ms. Kahikina:

SUBJECT: HRS Chapter 6E-8 Historic Preservation Review
Maunawili Estates Wastewater Pump Station Force Main Crossing – Repair
1275 Maunawili Road, Kailua, HI 96734
Kailua Ahupu'a, Ko'olaupoko Moku, Island of O'ahu
TMK: (1) 4-2-008:001

On March 23, 2018, the State Historic Preservation Division (SHPD) accepted the Reconnaissance Level Survey (RLS) for the Maunawili Bridge #3 (LOG NO: 2018.00502; DOC NO: 1803TGM16).

The SIHP number for the site is:
• 50-80-15-08211

Please contact Ms. Tanya Gumpac-McGuire, Architectural Historian, at (808) 692-8022 or at Tanya.Gumpac-McGuire@hawaii.gov regarding architectural resources or this letter.

Mahalo,
Alan Downer

Alan Downer, PhD.
Deputy State Historic Preservation Officer
Administrator, State Historic Preservation Division

cc: Mr. Clifford Kanda, Project Engineer, Department of Design and Construction, ckanda@honolulu.gov
Wei Chen, Project manager, Fukunaga & Associates, Inc., wchen@fukunagaengineers.com
Alison Chiu, Fung Associates, Inc., Alison@funghawaii.com

IN REPLY REFER TO:
LOG NO: 2018.00502
DOC NO: 1804TGM04
Architecture

State Historic Preservation Division
HRS 6E Submittal Form

Per §6E, Hawai'i Revised Statutes, if the Project requires review by the State Historic Preservation Division (SHPD), please review and fill out this form and submit all requested information to SHPD. Submittals will not be reviewed until this form and documentation are submitted electronically to:

dlnr.intake.shpd@hawaii.gov

If you are unable to submit electronically, please contact SHPD at (808) 692-8015. Mahalo.

The submission date of this form is:

1. APPLICANT (select one)

Property Owner Government Agency

2. LEAD AGENCY (select one)

Planning Department Department of Public Works Other.

Specify Other: City and County of Honolulu, Department of Design and Construction

Type of Permit Applied For: USACE Section 404 Permit

3. APPLICANT CONTACT

3.1) Name: Clifford Kanda 3.2) Title: Project Engineer

3.3) Street Address: 650 South King Street, 14th Floor

3.4) County: Honolulu 3.5) State: HI 3.6) Zip Code: 96813

3.7) Phone: 808-768-8753 3.8) Email: ckanda@honolulu.gov

4. PROJECT DATA

4.1) Permit Number (if applicable):

4.2) TMK [e.g. (3) 1-2-003:004]: adjacent to (1) 4-2-008:001 and (1) 4-2-067:001

4.3) Street Address: 1275 Maunawili Road (Maunawili Estates WWPS)

4.4) County: Honolulu 4.5) State: Hawaii 4.6) Zip Code: 96734

4.7) Total Property Acreage: <1 acre

4.8) Project Area (acreage, square feet): <1 acre

4.9) List any previous SHPD correspondence (LOG Number & DOC Number, if applicable):

LOG NO. 2016.02851

DOC NO. 1704GC08

5. PROJECT INFORMATION

5.1) Does the Project involve a Historic Property? A Historic Property is any building, structure, object, district, area, or site, including heiau and underwater site, which is over 50 years old (*HRS §6E-2*).

Yes No

5.2) Is the Property listed on the Hawai'i Register of Historic Places? To check: <http://dlnr.hawaii.gov/shpd/>

Yes No I don't know

5.3) Is the Property listed on the National Register of Historic Places? To check: <http://dlnr.hawaii.gov/shpd/>

Yes No I don't know

5.4) Detailed Project Description and Scope of Work:

Please see attached consultation letter.

5.5) Description of previous ground disturbance (e.g. previous grading and grubbing):

Please see attached consultation letter.

5.6) Description of proposed ground disturbance (e.g. # of trenches, Length x Width x Depth):

Please see attached consultation letter.

5.7) Is the Project receiving federal funding? (*36 CFR 800.16y*)

Yes No I don't know

5.8) Is the Project located on land owned by a federal agency? (*36 CFR 800.16y*)

Yes No I don't know

5.9) Will this Project require a permit from a federal agency? (*36 CFR 800.16y*)

Yes No I don't know

If the answer is 'Yes' for any of the questions 5.7 - 5.9, then the Project may also be subject to compliance with Section 106 of the National Historic Preservation Act (NHPA).

6. PROJECT SUBMITTALS

6.1) Please submit a copy of the Tax Map Key (TMK) map

6.2) Please submit a copy of the property map showing the project area and indicate if the project area is smaller than the property area.

6.3) Please submit a permit set of drawings. A permit set is a set of drawings prepared and signed by a licensed architect or engineer and is at least 65% complete.

6.4) Are you submitting a survey?

Yes No

Specify Survey: **RLS**

6.5) Did SHPD request the survey?

Yes No I don't know

If 'Yes', then please provide the date, SHPD LOG NO, and DOC NO:

LOG NO. **2016.02851** DOC NO. **1704GC08**

6.6) **SURVEY REVIEW FEES.** Fee for Review of Reports and Plans (§§13-275-4 and 284-4). A filing fee will be charged for all reports and plans submitted to our office for review. Please go to:

<http://dlnr.hawaii.gov/shpd/about/branches/archaeology/filing-fee-schedule/>

A check payable to the Hawaii Historic Preservation Special Fund should accompany all reports or plans submitted.

6.7) Please submit color photos/images of the Historic Property (any building, structure, object, district, area, or site, including heiau and underwater site) that will be affected by the Project.

The following are the minimum number and type of color photographs required:

| Quantity | Description |
|----------|---|
| 1-2 | Street view(s) of the resource and surrounding area |
| 1-2 | Over view of exterior work area |
| 1 | exterior photo of the North elevation (if applicable) |
| 1 | exterior photo of the South elevation (if applicable) |
| 1 | exterior photo of the East elevation (if applicable) |
| 1 | exterior photo of the West elevation (if applicable) |
| 1-2 | interior photo(s) of areas affected (if applicable) |

CHECKLIST

SHPD FORM 6E (this form)

Completed and submitted to dlnr.intake.shpd@hawaii.gov

PROJECT SUBMITTALS (any requested documentation for items 6.1 - 6.6 of this form)

Requested documentation has been submitted to dlnr.intake.shpd@hawaii.gov

Filing Fee Form

If answer is 'Yes' to any of the Questions 6.4-6.6 Complete and submit the filing fee form

DAVID Y. IGE
GOVERNOR OF
HAWAII



STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES

STATE HISTORIC PRESERVATION DIVISION
KAKUHIHEWA BUILDING
601 KAMOKILA BLVD, STE 555
KAPOLEI, HAWAII 96707

HRS 6E Submittal Filing Fees

All submittals must have the appropriate filing fee in accordance with HAR §13-275-4 or HAR §13-284-4.
All contact fields below must be complete and accurate.

Landowner: City and County of Honolulu
(if privately-owned historic property on Hawaii Register, HRS 6E-10)

Agency: City and County of Honolulu, Department of Environmental Services
Contact Name: Clifford Kanda, Project Engineer
Mailing Address: 650 South King Street, 14th Floor, Honolulu, HI 96813
Phone: 808-768-8753 Email: ckanda@honolulu.gov

Title of Report/Plan: Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 RLS

Ahupua'a Kailua District Koolaupoko Island Oahu
TMK(s) Adjacent to (1) 4-2-008:001

Contract Firm: Fung Associates, Inc.
(firm who completed the work on behalf of the agency)
Contact Name: Alison Chiu
Phone: 808-941-3000 Email: alison@funghawaii.com

- Check if Report/Plan is a re-submittal (no fee)
Check if Field Inspection Report requested by SHPD (no fee)
- \$0 Archaeological Monitoring Report, no resources reported
\$25 Archaeological Monitoring Plan
\$25 Burial Disinterment Report
\$25 Request from Agency for Determination Letter per HAR §13-275
\$50 Archaeological Assessment (AIS with negative findings)
\$50 Osteological Analysis Report
\$100 Archaeological Monitoring Report, resources reported
\$150 Archaeological Inventory Survey Plan, Archaeological Data Recovery Plan, or Preservation Plan
\$250 Burial Treatment Plan (BTP)
 \$450 Archaeological, Architectural, or Ethnographic Survey Report
\$450 Archaeological Data Recovery Report
Fee Total: Make check payable to "Hawaii Historic Preservation Special Fund"

| | | |
|-----------------|-------------------------|-----------|
| Date Received: | Payment Method: Cash | Amount \$ |
| Log No.: | Check No. | Amount \$ |
| Receipt Issued: | Money Order | Amount \$ |

rev. 9/26/2017

SUZANNE D. CASE
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE MANAGEMENT

ROBERT K. MASUDA
FIRST DEPUTY

JEFFREY T. PEARSON, P.E.
DEPUTY DIRECTOR - WATER

AQUATIC RESOURCES
BOATING AND OCEAN RECREATION
BUILDINGS AND LANDSCAPE
COMMISSION ON WATER RESOURCE MANAGEMENT
CONSERVATION AND COASTAL LANDS
CONSERVATION AND COASTAL LANDS
ENGINEERING
FOR HUMAN LIFE
HISTORIC PRESERVATION
KAHOOIAWE ISLAND RESERVE COMMISSION
STATE PARKS

AGENCY LETTERHEAD

Dr. Alan Downer, Administrator
State Historic Preservation Division
601 Kamokila Blvd., #555
Kapolei, Hawai'i 96707

DATE:

SUBJECT: Hawaii Revised Statutes, Chapter 6E-8 & Section 106 of the National Historic Preservation Act of 1966 (NHPA), Review of Proposed Projects
Maunawili Wastewater Pump Stations, Force Mains, and Sewer Improvements
TMK: Adjacent to (1) 4-2-008:001
Kailua Ahupuaa, Koolaupoko District
Kailua, Oahu

In response to: D2016.02851/L1704GC08

Dear Dr. Downer:

On behalf of the City & County of Honolulu, Department of Environmental Services (ENV) and project engineers Fukunaga & Associates, Inc., we are submitting the following project for your review.

Consultation was initiated with SHPD in early 2017 as part of Hawaii Revised Statutes Chapter 343, Environmental Review. On April 19, 2017, SHPD requested continued consultation with a site visit and a Reconnaissance Level Survey (RLS) to identify potential historic properties within the project area pursuant to Hawaii Administrative Rule §13-275-5 [LOG NO. 2016.02851, DOC NO. 1704GC08]. The site visit was conducted with members of the SHPD Archaeology and Architecture Branches on July 18, 2017.

We offer the following architectural RLS documentation for review and acceptance. In addition, we request your department's concurrence with our proposed determination.

I. GENERAL INFORMATION

A. Agency Contact:

Lori M.K. Kahikina, Director
Attn: Clifford Kanda, Project Engineer
City and County of Honolulu
Department of Environmental Services,
Wastewater Engineering & Construction Division
Collection System Engineering Branch, Section A
650 South King Street, 14th Floor
Honolulu, HI 96813
(t): (808) 768-8753
(e): ckanda@honolulu.gov

B. Prime Contact:

Wei Chen, Project Manager
Fukunaga & Associates, Inc.
1375 Kapiolani Boulevard, Suite 1530
Honolulu, HI 96819
(t): (808) 944-1821
(e): wchen@fukunagaengineers.com

C. Additional Contacts:

Alison Chiu
Fung Associates, Inc.

AGENCY LETTERHEAD

1833 Kalakaua Avenue, Suite 1008
Honolulu, HI 96815
(t): (808) 941-3000
(e): Alison@funghawaii.com

- D. **Project Name(s):** Maunawili Estates Wastewater Pump Station Force Main Crossing No.1 Repair at Maunawili Stream, Kailua
- E. **Project Street Address:** 1275 Maunawili Road (Maunawili Estates WWPS)
Kailua, Hawaii 96734
- F. **TMK:** Adjacent to (1) 4-2-008:001
- G. **Area of Potential Effect:** A 1200 s.f. (60ft x 20ft) area immediately northeast of Maunawili Stream Bridge #3. All work will take place within the stream and is therefore subject to federal permits and Section 106 requirements. (Please see attached map).
- H. **Project Descriptions:** Per as-built plans, the existing 8-inch ductile iron pipe force main reinforced concrete jacket (RCJ) was buried under the stream bed and rip rap, and protected from above by a cement rubble masonry (CRM) layer. The CRM layer has been washed away, and the wing walls at the downstream side of the bridge are missing. The original stream bed has eroded away, and a hole has developed under the RCJ that allows the stream to flow under instead of over the RCJ during normal flow. If this erosion continues, more of the wastewater force main section will be exposed and unsupported. The force main now delivers about 0.1 million gallons wastewater flow daily and up to 1 mgd (million gallons per day) flow rate at peak when it rains. The structural failure of the undermined and unprotected force main will cause thousands to millions of gallons of wastewater spill into Maunawili Stream.

The repair of the Maunawili Estates Wastewater Pump Station 8-inch ductile iron pipe wastewater force main at the Maunawili Stream crossing consists of restoration of the heavily eroded stream banks and stream bed, and construction of a new CRM layer. A new reinforced concrete jacket will not be constructed. No alterations or work are proposed for Maunawili Bridge #3.

II. IDENTIFICATION OF HISTORIC PLACES

- A. Initial consultation for architectural resources within the APE was conducted in a letter from SHPD dated April 19, 2017, in which a Reconnaissance Level Survey (RLS) of Maunawili Bridge #3 was requested. A site visit was performed by Fung Associates, Inc. on July 18, 2017, and the RLS was completed in January 2018. The bridge and its surroundings have been altered since initial construction, so the bridge is not eligible for listing on the Hawaii or National Registers of Historic Places. A more detailed analysis of the bridge's integrity is included within the RLS, a copy of which is enclosed with this letter.
- B. Initial consultation for archaeological resources within the APE was conducted on-site with Garnet Clark and Stephanie Hacker on July 18, 2017. Pursuant to that discussion, the Archaeological Branch determined no further documentation was needed for the project.

III. EFFECT ASSESSMENT

- A. Due to the nature of this project, we believe SHPD will be able to determine "no historic properties affected" and "no adverse effect" for this force main repair project, and we request your concurrence.

AGENCY LETTERHEAD


Thank you very much for your consideration. Please feel free to call Mr. Clifford Kanda at (808) 768-8753 should you or your staff have any questions. We look forward to working with SHPD on these needed improvements.

Aloha,

City and County of Honolulu

Aerial Photograph:


Aerial Photograph (Google Maps, 2018)



Page 4 of 10

Aerial Photograph:

Aerial Photograph (Google Maps, 2018)




Page 5 of 10

Maunawili Wastewater Pump Stations Force Mains, and Sewer Improvements

Maunawili Bridge #3

Aerial Photograph:

Fukunaga and Associates, Inc.



Maunawili Bridge #3

2013 Statewide Bridge Inventory, Oahu Bridge Matrix (excerpt):
Euno Associates Inc. (2013)

Photographs:

Maunawili Bridge #3 Setting, note channelized stream



Page 5 of 10

Photographs:

View of force main crossing from Maunawili Stream Bridge #3



Page 6 of 10

Photographs:

Overview of Maunawili Stream Bridge #3



Page 7 of 10

Photographs:

Underside and central pier of Maunawili Stream Bridge #3



Page 8 of 10

Photographs:

Northwest wing wall of Maunawili Bridge #3




Page 9 of 10

Photographs:

Southwest end-cap (later addition)



Page 10 of 10



DAVID Y. IGE
GOVERNOR OF HAWAII



**STATE OF HAWAII
DEPARTMENT OF LAND AND NATURAL RESOURCES**

STATE HISTORIC PRESERVATION DIVISION
KAKUHIHEWA BUILDING
601 KAMOKILA BLVD, STE 555
KAPOLEI, HAWAII 96707

April 19, 2017

Clifford Kanda, PE, Project Manager
Department of Design and Construction
City and County of Honolulu
650 S. King Street, 14th Floor
Honolulu, HI 96813
ckanda@honolulu.gov

Dear Mr. Kanda:

SUBJECT: Chapter 6E-8 Historic Preservation Review –
Request for Exemption from Hawaii Revised Statutes Chapter 343, Environmental Review
Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1
Repair at Maunawili Stream
Kailua Ahupua'a, Ko'olaupoko District, Island of O'ahu
TMK: (1) 4-2-008:025 por. and 026 por.

Thank you for the opportunity to comment on the City and County of Honolulu (CCH), Department of Design and Construction's (DDC's) proposed project for repair of the Maunawili Estates Wastewater Pump Station Force Main Crossing No. 1 at Maunawili Stream, Maunawili Road Bridge No. 3. This project involves a 60 ft. by 20 ft. area within TMK: (1) 4-2-008:001 [comprised of 5.08 acres] and TMK: (1) 4-2-008:005 [comprised of 572.87 acres]. The SHPD received this submittal on December 7, 2016.

The DDC indicates that an existing 8-inch force main encased by a reinforced concrete jacket (RCJ) is buried under the Maunawili Stream bed and is protected above by a CRM layer. Currently, the force main now delivers about 0.1 million gallons of wastewater flow daily, and the wing walls of the CRM downstream of the Maunawili Road Bridge No. 3 are missing. The original stream bed has eroded and a pocket has developed under the RCJ. During normal flow, this pocket allows stream flow under the RCJ instead of over the RCJ, exposing the wastewater force main. Further deterioration will undermine the force main, and leaving it unprotected will cause a wastewater spill into Maunawili Stream. DDC indicates that the repair of the 8-inch force main will involve (1) restoration of the stream banks and stream bed; (2) construction of new reinforced concrete jacket; and (3) construction of new CRM layer.

A review of SHPD records indicates that numerous archaeological studies have been conducted within Maunawili Valley and several significant historic properties have been documented. However, these sites are in upper Maunawili Valley and within the Royal Hawaiian Golf Club facility. SHPD records also indicate that no archaeological inventory survey has been conducted within the proposed project area. In addition, pursuant to Hawaii Revised Statutes (HRS), Chapter 6E-2, the Maunawili Road Bridge No. 3 (Bridge No. 437) meets the criteria of a historic property, and pursuant to Hawaii Administrative Rules (HAR) Chapter 13-275-6, the Maunawili Road Bridge No. 3 is assessed as significant under Criterion "c" (distinctive characteristic of a type, period or method of construction).

Based on the information provided, SHPD is **unable to make a determination**. Please provide the following:

- Architectural Historic Resource Inventory Form – Reconnaissance Level, to be completed and submitted by an architectural historian meeting the Secretary of Interior standards and qualifications. The forms can be found on the SHPD website at <http://dlnr.hawaii.gov/shpd/review-compliance/forms/>.

IN REPLY REFER TO:
Doc No. 2016.02851
Log No. 1704GC08
Archaeology, Architecture

SUZANNE D. CASE
CHIEF
BOARD OF LAND AND NATURAL RESOURCES
COMMISSION ON WATER RESOURCE MANAGEMENT

KEKO A. KALUHWA
FIRST DEPUTY

JEFFREY T. PEARSON
DEPUTY DIRECTOR - WATER


AQUATIC RESOURCES
BOATING AND OCEAN RECREATION
BUREAU OF LAND MANAGEMENT
COMMISSION ON WATER RESOURCE MANAGEMENT
CONSERVATION AND COASTAL LANDS
CONSERVATION OF RECEDING COASTLINE
ENGINEERING
FOREST AND Rangeland
HISTORIC PRESERVATION
KAHOOLAE ISLAND RESERVE COMMISSION
STATE PARKS

Mr. Kanda
April 19, 2017
Page 2.

- A site visit by the Archaeology Branch to determine if any historic properties are within the proposed project area along the Maunawili Stream bank.

Please contact Ms. Jessica Puff at (808) 692-8023 or at Jessica.L.Puff@hawaii.gov for any concerns regarding architectural resources. Please contact Garnet Clark at (808) 692-8024 or at Garnet.K.Clark@hawaii.gov to arrange the site visit. Please contact me at Susan.A.Lebo@hawaii.gov for any questions or concerns regarding archaeological resources or this letter.

Aloha,



Susan A. Lebo, PhD
Archaeology Branch Chief

cc: Wei Chen, Fukunaga & Associates, Inc. (wchen@fukunageengineers.com)

MAUNAWILI ESTATES WASTEWATER PUMP STATION FORCE MAIN CROSSING NO. 1 RECONNAISSANCE LEVEL SURVEY



CONTENTS

| | |
|--|---|
| Statement of Project Objectives..... | 3 |
| Methodology | 3 |
| Boundary Explanation and Justification | 3 |
| Description..... | 5 |
| Historic Overview | 6 |
| Data Summary | 7 |
| recommendations | 7 |
| Bibliography..... | 8 |
| Data Sheets (RLS form) | 9 |

STATEMENT OF PROJECT OBJECTIVES

This architectural reconnaissance level survey (RLS) was undertaken as a result of Hawaii Revised Statutes Chapter 6E-8 communications between the Hawaii State Historic Preservation Division (SHPD) and the City and County Department of Environmental Services. The survey involves a single structure, the Maunawili Road Bridge No. 3 – Maunawili Stream, which is located within the force main repair project boundary. The objective of the survey is to ascertain whether the structure is historically significant.

METHODOLOGY

The survey followed a methodology that included performing background research, visiting the project location, and writing this RLS report. The survey was limited to an examination of the bridge and its immediate surroundings, which encompass less than one acre.

Prior to the start of any fieldwork, background research was undertaken. The preliminary background research involved an examination of pertinent materials provided by the client. SHPD records disclosed the bridge was neither listed in the Hawaii or National Registers of Historic Places, nor included in the Statewide Inventory of Historic Places.

Alison Chiu and Tonia Moy, both of whom meet the Secretary of the Interior's Professional Qualification Standards as an architectural historian or historic architect, conducted a field survey on July 18, 2017. Notes and photographs were taken in the field, and 100% of the survey area was investigated.

Following the site survey, additional research was undertaken. This included a review of existing reports, maps and drawings. Following the gathering of information, this report was prepared, reviewed, and finalized, and an RLS form was completed.

BOUNDARY EXPLANATION AND JUSTIFICATION

The survey boundary is limited to the Maunawili Bridge #3 structure because it is the only historic architectural resource within the force main project area.



DESCRIPTION

Maunawili Stream Bridge #3 is located within Maunawili Valley on the island of Oahu's windward (northeast) side. Maunawili sits at the base of the Koolau Mountain range, in between the Olo mana and Aniani Nui Ridges. Several streams run through the valley, which is lush with vegetation. Two subdivisions with a total of seven bridges are located in the valley.

The 1937 bridge was designed by George K. Dawson of the City and County of Honolulu's Department of Public Works and is located at the northern end of the Maunawili neighborhood. The bridge is 41' long, 13'6" wide and 12'9" tall. The double span concrete span bridge carries Maunawili Road over the channelized Maunawili Stream.

A concrete slab, concrete rubble masonry abutments and a single poured in place concrete pier support the bridge superstructure. Toe walls stabilize upstream and downstream ends of the slab, and the trapezoidal pier has battered walls to act as a cut water. Wing walls are concrete rubble masonry.

The bridge is a single lane wide with a poured in place concrete deck and parapet walls. The original metal pipe rails were replaced with standard metal guardrails, which rise above the parapet walls. Solid concrete parapets were added at either end of the bridge during the guardrail replacement. Vegetation is currently growing out of the bridge deck.




FIGURE 1: ORIGINAL 1937 BRIDGE PLANS, COURTESY OF THE CITY AND COUNTY OF HONOLULU.

HISTORIC OVERVIEW

Starting in the 11th or 12th centuries, people began living and farming in Maunawili. The valley's residents used its numerous springs and streams to feed lo'i and fishponds. Over the next several centuries at least three heiau were constructed, and the area became a retreat for Hawaiian royalty.

After the Great Mahele in 1848, land was purchased within Maunawili Valley, including Japanese and Chinese farmers. In 1869 Major Edward Boyd bought several acres within the valley and operated Maunawili Ranch. Boyd was close to the royal family and hosted Queen Liliuokalani and King David Kalakaua on several occasions. Boyd sold his property in 1893 to William G. Irwin, who wanted to use the valley's water for his Waimanalo Sugar Plantation. With the land no longer used for ranching, the majority of the valley was used to grow rice, fruit and crop trees throughout the late nineteenth and early twentieth centuries. Maunawili Valley remained agricultural until the late 1960s when two subdivisions were constructed in the makai end of the valley. Maunawili Stream was channelized at the same time as the subdivisions were constructed.

Today's Maunawili Road was part of a trail system that linked windward Oahu with the rest of the island. The trail through the valley provided a path from the Nuuanu Pali Trail to Waimanalo. During the 19th century, the old Pali Trail and windward trail system were improved to accommodate agricultural development in the area. An 1881 map by C.J. Lyons shows that Maunawili Road was an improved dirt road; in subsequent maps dating from 1894, 1902, and 1928 show the road in roughly the same footprint. By the turn of the 20th century, Kalanianaole Highway had been constructed, diverting traffic makai of Maunawili Road.




FIGURE 2: 1936 USGS MAP, COURTESY OF THE UNIVERSITY OF HAWAII AT MANOA.

Maunawili Bridge #3 replaced an older crossing in 1937. Remnants of the old bridge abutments can still be seen downstream, or northeast, of the existing bridge. The new concrete slab bridge was designed by George K. Dawson of the City and County of Honolulu's Department of Public Works, probably as a Depression Era public works project. Interestingly, old rails furnished by Waimanalo Plantation were used to reinforce the concrete bridge deck. In 2009 the bridge deck and rails were completely replaced. New guardrails were installed on and adjacent to the bridge, and concrete parapets were added at the ends of the bridge.

DATA SUMMARY

One historic resource was found within the survey area. The 1937 double span, concrete slab bridge was altered in 2009; the deck and guardrails and abutment were replaced, and parapets were added at either end of the bridge. Due to the alterations, the bridge has lost its historic integrity and is not eligible for listing on the Hawaii and National Registers of Historic Places.

RECOMMENDATIONS

The RLS found Maunawili Bridge #3 not eligible for listing on historic register. Consequently, no further research or recordation is recommended for this project.

BIBLIOGRAPHY

- Belluomini, S. A., Ishihara, N., Shideler, D. W., & Hammatt, H. H. (2017). *Final Archaeological Literature Review and Field Inspection for the Dowsett Highlands Relief Sewer Project Nuuanu Ahupuaa, Honolulu District, Oahu TMs: [1] 1-7, 1-8, 1-9, and 2-2 (various plats and parcels)*(pp. 42-48, Rep.). Kailua, HI: Cultural Surveys Hawaii, Inc.
- Donn, John M. Wall, Walter E. Oahu, Hawaiian Islands. Compiled, from all available data in the office and also from private surveys, by John M. Donn. 1902. [Map]. In EVols. Retrieved January 26, 2018, from <https://evols.library.manoa.hawaii.edu/handle/10524/49268>
- Druhot, G.S. Mokapu Quadrangle, Island of Oahu, Honolulu County, Hawaii. 1928. [Map]. In EVols. Retrieved January 26, 2018, from <https://evols.library.manoa.hawaii.edu/handle/10524/49330>
- Fung Associates, inc., & MKE Associates LLC. (2013). *Hawaii State Historic Bridge Inventory and Evaluation*(pp. 4-23, Rep.). Honolulu, HI: State of Hawaii, Department of Transportation, Highways Division.
- Garland, K. (2014, July 25). The Mana of Maunawili and Olomana. Retrieved January 11, 2018, from <http://www.gokailuamagazine.com/2014/07/history/mana-maunawili-olomana/>
- Hedemann House/Boyd Estate/Queen's Retreat, Maunawili. (2014, February 21). Retrieved January 15, 2018, from <https://historichawaii.org/2014/02/21/hedemann-houseboyd-estatequeens-retreat-maunawili/> Lyons, C. J. (n.d.). Oahu, Hawaiian Islands. Map by C. J. Lyons. From Trigonometrical Surveys by W. D. Alexander, C. J. Lyons, J. F. Brown, M. D. Monsarrat, and Wm. Webster. Finished Map by Richd. Covington. 1881 Scale 1:90,000. (At head of title:) Hawaiian Government Survey, W. D. Alexander, Surveyor-General. [Map]. In EVols. Retrieved January 26, 2018, from <https://evols.library.manoa.hawaii.edu/handle/10524/49300>
- Kailua's Historical Landmarks. (n.d.). Retrieved January 15, 2018, from <http://www.kailuachamber.com/historicallandmarks>
- Lyons, C. J. (n.d.). Oahu, Hawaiian Islands. Map by C. J. Lyons. From Trigonometrical Surveys by W. D. Alexander, C. J. Lyons, J. F. Brown, M. D. Monsarrat, and Wm. Webster. Finished Map by Richd. Covington. 1881 Scale 1:90,000. (At head of title:) Hawaiian Government Survey, W. D. Alexander, Surveyor-General. [Map]. In EVols. Retrieved January 26, 2018, from <https://evols.library.manoa.hawaii.edu/handle/10524/49300>
- Slater, M., Jackson, R., & DeLony, E. (2005). *A Context For Common Historic Bridge Types*(Rep.). National Cooperative Highway Research Program, Transportation Research Council, National Research Council.
- Topographic Map Symbols. (n.d.). Retrieved January 24, 2018, from <https://pubs.usgs.gov/gip/TopographicMapSymbols/topomapsymbols.pdf>
- Territory of Hawaii, Island of Oahu, Mokapu Quadrangle, 1936. [Map]. In EVols. Retrieved January 26, 2018, from <https://evols.library.manoa.hawaii.edu/handle/10524/49313>
- Wall, W.A. Map of a Portion of Kailua, Oahu Showing Maunawili Ranch and Adjoining Lands. 1894. [Map]. In *Avakonohiki, Ancestral Visions of Aina*. Retrieved January 26, 2018, from <http://www.avakonohiki.org/maps-koolaupoko.html>
- Young, P. T. (2014, May 12). Ho'okuleana. Retrieved January 11, 2018, from <http://totakeresponsibility.blogspot.com/2014/05/maunawili.html>

DATA SHEETS (RLS FORM)



HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM – Reconnaissance Level

FOR SHPD USE ONLY:

Site # [Click here to enter text.](#)

TMK # [Click here to enter text.](#)

I. GENERAL INFORMATION

Common / Present Name: Maunawili Road Bridge No. 3

Historic Name: Maunawili Road Bridge No. 3

Property Owner: State of Hawaii

Address: Maunawili Road over Maunawili Stream

City/ Town/ Location: Maunawili, HI

County: Honolulu

TMK [(X)-X-X-XXX:XXX]: N/A, adjacent to (1) 4-2-008:001, (1) 4-2-067:001, (1) 4-2-067:028

Subdivision/Neighborhood: Maunawili

Latitude: -157.764997

Longitude: 21.361644

Parcel Number: NA

Historic District: NA

Original Use: Bridge/Transportation

Current Use: Bridge/Transportation

Architect/ Builder (if known): George K. Dawson (Engineer)

Date of Construction (if known): 1937

II. Photograph of Resource



Prepared By: Alison Chiu

Consulting Firm: Fung Associates, Inc.

Address: 1833 Kalakaua Avenue #1008, Honolulu, HI 96815

Telephone Number: (808) 941-3000

Email: projects@funghawaii.com

Date: 1-10-18



HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM – Reconnaissance Level

FOR SHPD USE ONLY:

Site # [Click here to enter text.](#)

TMK # [Click here to enter text.](#)

III. CONDITION ASSESSMENT

Category (select all that apply):

- Building(s)
 Residential Commercial Educational Public/Civic Religious
 Structure(s)
 Object(s)
 Site(s)/Landscape(s)
 Archaeology or potential for archaeology (Please provide a description of the potential for archaeology within VI. Description of Resource Features below.)

Condition:

- Excellent
 Good
 Fair

Eligibility (select all that apply):

- National Register of Historic Places
 State Register of Historic Places
 Not Eligible
 Eligible
 Listed
 Contributing to Historic District:
Name of District: [Click here to enter text.](#)
 Unknown

Criteria of Significance (select all that apply)

- A: Associated with Events
 B: Associated with Significant Person(s)
 C: Distinctive characteristics of a type, period or method of construction; work of a master; possess high artistic values (Architecture, Engineering, Design)
 D: Have yielded or may be likely to yield information important to history or prehistory.



HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM –Reconnaissance Level

FOR SHPD USE ONLY:

Site #[Click here to enter text.](#)

TMK # [Click here to enter text.](#)

IV. MAP



HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM –Reconnaissance Level

FOR SHPD USE ONLY:

Site #[Click here to enter text.](#)

TMK # [Click here to enter text.](#)

V. DESCRIPTION

Materials (please check those materials that are visible):

Height:

- Stories: [Click here to enter text.](#) N/A
 Below Ground Other: [Click here to enter text.](#)

Exterior Walls (siding):

- | | | |
|---|---|--|
| <input type="checkbox"/> Aluminum Siding | <input type="checkbox"/> Metal | <input type="checkbox"/> Plywood |
| <input type="checkbox"/> Asbestos | <input type="checkbox"/> Shingles-Ashphalt | <input type="checkbox"/> OSB |
| <input type="checkbox"/> Brick | <input type="checkbox"/> Shingles-Wood | <input type="checkbox"/> Fiberboard |
| <input type="checkbox"/> Ceramic | <input type="checkbox"/> Stone | <input type="checkbox"/> Fiber Cement |
| <input checked="" type="checkbox"/> Concrete | <input type="checkbox"/> Stucco | <input type="checkbox"/> Vinyl Siding |
| <input type="checkbox"/> Horizontal Wood Siding | <input type="checkbox"/> Vertical Wood Siding | <input type="checkbox"/> Other: Click here to enter text. |
| <input type="checkbox"/> Log | <input type="checkbox"/> Engineered Siding | |

Roof:

- | | | |
|---|---------------------------------------|---------------------------------------|
| <input type="checkbox"/> Asphalt, shingle | <input type="checkbox"/> Slate | <input type="checkbox"/> Wood Shingle |
| <input type="checkbox"/> Asphalt, roll | <input type="checkbox"/> Built Up | <input type="checkbox"/> None |
| <input type="checkbox"/> Metal | <input type="checkbox"/> Ceramic Tile | |
| <input type="checkbox"/> Other: Click here to enter text. | | |

Foundation:

- | | | |
|---|---|---|
| <input type="checkbox"/> Brick | <input type="checkbox"/> Concrete Slab | <input checked="" type="checkbox"/> Stone |
| <input type="checkbox"/> Concrete Block | <input checked="" type="checkbox"/> Poured Concrete | <input type="checkbox"/> Raised/Pile |
| <input type="checkbox"/> Other: Click here to enter text. | | |

Structural Support:

- | | | |
|---|---|---------------------------------------|
| <input type="checkbox"/> Baled Hay | <input type="checkbox"/> Frame-wood | <input type="checkbox"/> Puddled Clay |
| <input type="checkbox"/> Concrete Block | <input type="checkbox"/> Frame-metal/steel | <input type="checkbox"/> Rammed Earth |
| <input type="checkbox"/> Concrete Framed | <input type="checkbox"/> Brick-load bearing | <input type="checkbox"/> Sod |
| <input checked="" type="checkbox"/> Concrete Poured | <input type="checkbox"/> Stone-load bearing | |
| <input type="checkbox"/> Other: Click here to enter text. | | |

Windows:

- | | | |
|---|--|--|
| <input type="checkbox"/> Double Hung Sash | <input type="checkbox"/> Jalousie | <input type="checkbox"/> Stained Glass |
| <input type="checkbox"/> Single Hung Sash | <input type="checkbox"/> Glass Block | <input type="checkbox"/> Replacement |
| <input type="checkbox"/> Casement | <input checked="" type="checkbox"/> None/Unknown | <input type="checkbox"/> Aluminum |
| <input type="checkbox"/> Fixed | <input type="checkbox"/> Ribbon | <input type="checkbox"/> Vinyl |
| <input type="checkbox"/> Other: Click here to enter text. | | |

Lanai(s)

- | | | |
|---|-----------------------------------|--|
| <input type="checkbox"/> Arcade | <input type="checkbox"/> Recessed | <input type="checkbox"/> Wrap-around |
| <input type="checkbox"/> Balcony | <input type="checkbox"/> Stoop | <input type="checkbox"/> Verandah |
| <input type="checkbox"/> Porte-Cochere | <input type="checkbox"/> Portico | <input checked="" type="checkbox"/> None |
| <input type="checkbox"/> Other: Click here to enter text. | | |

Chimney

- | | | |
|--|---|-------------------------------------|
| <input type="checkbox"/> Brick | <input type="checkbox"/> Stuccoed Masonry | <input type="checkbox"/> Stove Pipe |
| <input type="checkbox"/> Concrete | <input type="checkbox"/> Stone | <input type="checkbox"/> Siding |
| <input checked="" type="checkbox"/> None | <input type="checkbox"/> Other: Click here to enter text. | |



HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM –Reconnaissance Level

FOR SHPD USE ONLY:

Site # [Click here to enter text.](#)

TMK # [Click here to enter text.](#)

X. Continuation Sheet

Please use this sheet those that follow to attach additional information about the site; including, but not limited to additional floor plans, drawings, photographs, maps, etc.



View southwest from Maunawili Bridge #3. Note channelized Maunawili Stream and new guardrail. July, 2017.



HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM –Reconnaissance Level

FOR SHPD USE ONLY:

Site # [Click here to enter text.](#)

TMK # [Click here to enter text.](#)



View of west, or upstream, side of bridge. July, 2017.



HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM –Reconnaissance Level

FOR SHPD USE ONLY:

Site # [Click here to enter text.](#)

TMK # [Click here to enter text.](#)



View of bridge deck looking southeast, up Maunawili Road. July, 2017.



HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM –Reconnaissance Level

FOR SHPD USE ONLY:

Site # [Click here to enter text.](#)

TMK # [Click here to enter text.](#)



View of guardrails and parapets added in 2009. July, 2017.



HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM –Reconnaissance Level

FOR SHPD USE ONLY:

Site #[Click here to enter text.](#)

TMK # [Click here to enter text.](#)



A view of underside of Maunawili Bridge #3. Detail of the bridge deck, pier and abutment. July, 2017.



HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM –Reconnaissance Level

FOR SHPD USE ONLY:

Site #[Click here to enter text.](#)

TMK # [Click here to enter text.](#)



View of northwest bridge wing walls. July, 2017.



HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM –Reconnaissance Level

FOR SHPD USE ONLY:

Site #[Click here to enter text.](#)

TMK # [Click here to enter text.](#)



View of force main to be repaired. July, 2017.



HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM –Reconnaissance Level

FOR SHPD USE ONLY:

Site #[Click here to enter text.](#)

TMK # [Click here to enter text.](#)



View of old abutments (northeast) side of the existing bridge. July, 2017. Note the abutments are not within the project area or APE and will not be affected by the project.






HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM —Reconnaissance Level

FOR SHPD USE ONLY:

Site # [Click here to enter text.](#)

TMK # [Click here to enter text.](#)



Map of Oahu, 1881, Lyons and Covington (Hawaiian Government Survey). Courtesy of the University of Hawaii at Manoa.

Page 13 of 18




HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM —Reconnaissance Level

FOR SHPD USE ONLY:

Site # [Click here to enter text.](#)

TMK # [Click here to enter text.](#)



Map of Maunawili Ranch, 1894, W.A. Wall (Hawaiian Government Survey). Courtesy of AVA Konohiki.

Page 14 of 18




HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM —Reconnaissance Level

FOR SHPD USE ONLY:

Site # [Click here to enter text.](#)

TMK # [Click here to enter text.](#)



Map of Oahu, 1902, W.A. Wall (Hawaii Territory Survey). Courtesy of the University of Hawaii at Manoa.

Page 15 of 18




HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM —Reconnaissance Level

FOR SHPD USE ONLY:

Site # [Click here to enter text.](#)

TMK # [Click here to enter text.](#)



Map of Oahu, Mokapu, 1928 (United States Geological Survey). Courtesy of the University of Hawaii at Manoa.

Page 16 of 18




HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM —Reconnaissance Level

FOR SHPD USE ONLY:

Site # [Click here to enter text.](#)

TMK # [Click here to enter text.](#)



Map of Oahu, Mokapu, 1936 (United States War Department). Courtesy of the University of Hawaii at Manoa.

Page 17 of 18




HAWAII STATE HISTORIC PRESERVATION DIVISION
HISTORIC RESOURCE INVENTORY FORM —Reconnaissance Level

FOR SHPD USE ONLY:

Site # [Click here to enter text.](#)

TMK # [Click here to enter text.](#)



1937 Plans for Maunawili Road Bridge No. 3 (City and County of Honolulu, Department of Public Works). Note that the bridge name has changed from Maunawili Road Bridge No. 4 to Maunawili Bridge No. 3 since the plans were drawn in 1937.

Page 18 of 18