talend Jobs

Generated by Talend Open Studio for Data Integration

Project Name	Talend_Project	GENERATION DATE	14-Jul-2022, 6:19:55 PM
AUTHOR	user@talend.com	Talend Open Studio VERSION	8.0.1.20211109_1610

Summary

Project Description
Description
Preview Picture
Settings
Context List
Component List
Components Description

Project Description

Properties	Values
Name	Talend_Project
Language	java
Description	

Description

Properties	Values
Name	Landing_stage_archive_table_load
Author	user@talend.com
Version	0.1
Purpose	
Status	
Description	Load all layer tables into archive tables and create log file for this job and send mail with logs.
Creation	13-Jul-2022, 6:48:40 PM
Modification	14-Jul-2022, 6:19:09 PM

Preview Picture

Settings

Extra settings

Name	Value
COMP_DEFAULT_FILE_DIR	
Multi thread execution	false
Implicit tContextLoad	false

Status & Logs

Name	Value

Use statistics (tStatCatcher)	false
Use logs (tLogCatcher)	false
Use volumetrics (tFlowMeterCatcher)	false
On Console	true
On Files	true
File Path	"I:/Talend_files/Input_files/Project/Log_files"
Log File Name	"logs_file.txt"
Meter file name	"meter_file.txt"
Stats File Name	"stats_file.txt"
On Databases	false
Catch components statistics	true
Catch runtime errors	true
Catch user errors	true
Catch user warnings	true

Context List

ContextDefault

Name	Prompt	Need Prompt?	Type	Value	Source
project_AdditionalParams	project_AdditionalParams?	false	id_String		project
project_Database	project_Database?	false	id_String	postgres	project
project_Login	project_Login?	false	id_String	postgres	project
project_Password	project_Password?	false	id_Password	*********	project
project_Port	project_Port?	false	id_String	5432	project
project_Schema	project_Schema?	false	id_String	Project	project
project_Server	project_Server?	false	id_String	localhost	project

Component List

Component Name	Component Type
tDBClose_1	tPostgresqlClose
tDBConnection_1	tPostgresqlConnection
tDBInput_1	tPostgresqlInput
tDBInput_10	tPostgresqlInput
tDBInput_2	tPostgresqlInput
tDBInput_3	tPostgresqlInput
tDBInput_4	tPostgresqlInput
tDBInput_5	tPostgresqlInput
tDBInput_7	tPostgresqlInput
tDBOutput_1	tPostgresqlOutput
tDBOutput_10	tPostgresqlOutput
tDBOutput_11	tPostgresqlOutput
tDBOutput_2	tPostgresqlOutput
tDBOutput_3	tPostgresqlOutput
tDBOutput_4	tPostgresqlOutput
tDBOutput_5	tPostgresqlOutput
tDBOutput_6	tPostgresqlOutput
tDBOutput_7	tPostgresqlOutput
tDBOutput_8	tPostgresqlOutput
tDBOutput_9	tPostgresqlOutput
tMap_1	tMap
tMap_2	tMap
tMap_3	tMap
tMap_4	tMap
tMap_5	tMap
tMap_6	tMap
tMap_7	tMap
tPostjob_1	tPostjob
tPrejob_1	tPrejob
tSendMail_1	tSendMail
tSleep_1	tSleep

Components Description

Component tPostgresqlClose

	UNIQUE NAME	tDBClose_1	INPUT(S)	tPostjob_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tSleep_1

Component Parameters:

Properties	Values
Database	tPostgresqlClose
Unique Name	tDBClose_1
Component Name	tPostgresqlClose
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlClose
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Component List	tDBConnection_1
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tPostgresqlConnection

	UNIQUE NAME	tDBConnection_1	INPUT(S)	tPrejob_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBInput_1, tDBInput_4, tDBInput_2, tDBInput_3, tDBInput_5, tDBInput_10, tDBInput_7

Component Parameters:

Properties	Values
Database	tPostgresqlConnection
Unique Name	tDBConnection_1
Component Name	tPostgresqlConnection
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL|ELT/Connections
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlConnection
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
DB Version	V9_X
Host	"localhost"
Database Driver	PostgreSQL
Port	"5432"
Database	"postgres"
Schema	"Project"
Username	"postgres"
Password	**********
Encoding	"ISO-8859-15"
Use or register a shared DB Connection	false
Shared DB Connection Name	
Specify a data source alias	false
Data source alias	""
Additional JDBC Parameters	""
Auto Commit	false
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tPostgresqlInput

	UNIQUE NAME	tDBInput_1	INPUT(S)	tDBConnection_1
	LABEL	__TABLE__	OUTPUT(S)	tMap_1

Component Parameters:

Properties	Values
Database	tPostgresqlInput
Unique Name	tDBInput_1

Component Name	tPostgresqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (POSTGRESQL):project
Use an existing connection	false
Component List	
DB Version	V9_X
Host	context.project_Server
Database Driver	POSTGRESQL
Port	context.project_Port
Database	context.project_Database
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"lnd_employee_details"
Query Type	Built-In
Guess Schema	""
Query	"SELECT \"Project\".\"lnd_employee_details\".\"emp_id\", \"Project\".\"lnd_employee_details\".\"first_name\", \"Project\".\"lnd_employee_details\".\"last_name\", \"Project\".\"lnd_employee_details\".\"hire_date\", \"Project\".\"lnd_employee_details\".\"address\", \"Project\".\"lnd_employee_details\".\"zipcode\", \"Project\".\"lnd_employee_details\".\"mobile_no\", \"Project\".\"lnd_employee_details\".\"age\", \"Project\".\"lnd_employee_details\".\"date_of_birth\", \"Project\".\"lnd_employee_details\".\"inserted_date\", \"Project\".\"lnd_employee_details\".\"updated_date\" FROM \"Project\".\"lnd_employee_details\""
Specify a data source alias	false
Data source alias	""
Mapping	postgres_id
Additional JDBC Parameters	context.project_AdditionalParams
Encoding	"ISO-8859-15"
Use fetch size	false
Fetch size	1000
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=emp_id, TRIM=false}, {SCHEMA_COLUMN=first_name, TRIM=false}, {SCHEMA_COLUMN=last_name, TRIM=false}, {SCHEMA_COLUMN=hire_date, TRIM=false}, {SCHEMA_COLUMN=address, TRIM=false}, {SCHEMA_COLUMN=zipcode, TRIM=false}, {SCHEMA_COLUMN=mobile_no, TRIM=false}, {SCHEMA_COLUMN=age, TRIM=false}, {SCHEMA_COLUMN=date_of_birth, TRIM=false}, {SCHEMA_COLUMN=inserted_date, TRIM=false}, {SCHEMA_COLUMN=updated_date, TRIM=false}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for lnd_employee_details :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
first_name	false	String	20		true	
last_name	false	String	20		true	
hire_date	false	java.util.Date	13		true	
address	false	String	50		true	
zipcode	false	String	6		true	
mobile_no	false	String	10		true	
age	false	Integer	10		true	
date_of_birth	false	java.util.Date	13		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlInput

	UNIQUE NAME	tDBInput_10	INPUT(S)	tDBConnection_1
	LABEL	__TABLE__	OUTPUT(S)	tMap_6

Component Parameters:

Properties	Values
Database	tPostgresqlInput
Unique Name	tDBInput_10
Component Name	tPostgresqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlInput

Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (POSTGRESQL):project
Use an existing connection	false
Component List	
DB Version	V9_X
Host	context.project_Server
Database Driver	POSTGRESQL
Port	context.project_Port
Database	context.project_Database
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"stg_project_details"
Query Type	Built-In
Guess Schema	""
Query	"SELECT \"Project\".\"stg_project_details\".\"project_id\", \"Project\".\"stg_project_details\".\"project_name\", \"Project\".\"stg_project_details\".\"emp_id\", \"Project\".\"stg_project_details\".\"emp_name\", \"Project\".\"stg_project_details\".\"mail\", \"Project\".\"stg_project_details\".\"emp_role\", \"Project\".\"stg_project_details\".\"emp_joining_date\", \"Project\".\"stg_project_details\".\"billable\", \"Project\".\"stg_project_details\".\"project_end_date\", \"Project\".\"stg_project_details\".\"emp_active\", \"Project\".\"stg_project_details\".\"inserted_date\", \"Project\".\"stg_project_details\".\"updated_date\" FROM \"Project\".\"stg_project_details\""
Specify a data source alias	false
Data source alias	""
Mapping	postgres_id
Additional JDBC Parameters	context.project_AdditionalParams
Encoding	"ISO-8859-15"
Use fetch size	false
Fetch size	1000
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=project_id, TRIM=false}, {SCHEMA_COLUMN=project_name, TRIM=false}, {SCHEMA_COLUMN=emp_id, TRIM=false}, {SCHEMA_COLUMN=emp_name, TRIM=false}, {SCHEMA_COLUMN=mail, TRIM=false}, {SCHEMA_COLUMN=emp_role, TRIM=false}, {SCHEMA_COLUMN=emp_joining_date, TRIM=false}, {SCHEMA_COLUMN=billable, TRIM=false}, {SCHEMA_COLUMN=project_end_date, TRIM=false}, {SCHEMA_COLUMN=emp_active, TRIM=false}, {SCHEMA_COLUMN=inserted_date, TRIM=false}, {SCHEMA_COLUMN=updated_date, TRIM=false}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for stg_project_details :

Column	Key	Type	Length	Precision	Nullable	Comment
project_id	false	Integer	10		true	
project_name	false	String	30		true	
emp_id	false	Integer	10		true	
emp_name	false	String	50		true	
mail	false	String	50		true	
emp_role	false	String	10		true	
emp_joining_date	false	java.util.Date	13		true	
billable	false	String	10		true	
project_end_date	false	java.util.Date	13		true	
emp_active	false	String	5		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlInput

	UNIQUE NAME	tDBInput_2	INPUT(S)	tDBConnection_1
	LABEL	__TABLE__	OUTPUT(S)	tMap_3

Component Parameters:

Properties	Values
Database	tPostgresqlInput
Unique Name	tDBInput_2
Component Name	tPostgresqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (POSTGRESQL):project
Use an existing connection	false
Component List	
DB Version	V9_X

Host	context.project_Server
Database Driver	POSTGRESQL
Port	context.project_Port
Database	context.project_Database
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"Ind_employee_salary"
Query Type	Built-In
Guess Schema	""
Query	"SELECT \"Project\".\"Ind_employee_salary\".\"emp_id\", \"Project\".\"Ind_employee_salary\".\"first_name\", \"Project\".\"Ind_employee_salary\".\"last_name\", \"Project\".\"Ind_employee_salary\".\"ctc\", \"Project\".\"Ind_employee_salary\".\"salary_credit_date\", \"Project\".\"Ind_employee_salary\".\"inserted_date\", \"Project\".\"Ind_employee_salary\".\"updated_date\" FROM \"Project\".\"Ind_employee_salary\""
Specify a data source alias	false
Data source alias	""
Mapping	postgres_id
Additional JDBC Parameters	context.project_AdditionalParams
Encoding	"ISO-8859-15"
Use fetch size	false
Fetch size	1000
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=emp_id, TRIM=false}, {SCHEMA_COLUMN=first_name, TRIM=false}, {SCHEMA_COLUMN=last_name, TRIM=false}, {SCHEMA_COLUMN=ctc, TRIM=false}, {SCHEMA_COLUMN=salary_credit_date, TRIM=false}, {SCHEMA_COLUMN=inserted_date, TRIM=false}, {SCHEMA_COLUMN=updated_date, TRIM=false}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for Ind_employee_salary :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
first_name	false	String	20		true	
last_name	false	String	20		true	
ctc	false	String	5		true	
salary_credit_date	false	Integer	10		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlInput

	UNIQUE NAME	tDBInput_3	INPUT(S)	tDBConnection_1
	LABEL	__TABLE__	OUTPUT(S)	tMap_4

Component Parameters:

Properties	Values
Database	tPostgresqlInput
Unique Name	tDBInput_3
Component Name	tPostgresqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (POSTGRESQL):project
Use an existing connection	false
Component List	
DB Version	V9_X
Host	context.project_Server
Database Driver	POSTGRESQL
Port	context.project_Port
Database	context.project_Database
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"Ind_employee_skills"
Query Type	Built-In
Guess Schema	""
Query	"SELECT \"Project\".\"Ind_employee_skills\".\"emp_id\", \"Project\".\"Ind_employee_skills\".\"first_name\", \"Project\".\"Ind_employee_skills\".\"last_name\", \"Project\".\"Ind_employee_skills\".\"skills\", \"Project\".\"Ind_employee_skills\".\"inserted_date\", \"Project\".\"Ind_employee_skills\".\"updated_date\" FROM \"Project\".\"Ind_employee_skills\""
Specify a data source alias	false
Data source alias	""
Mapping	postgres_id
Additional JDBC Parameters	context.project_AdditionalParams

Encoding	"ISO-8859-15"
Use fetch size	false
Fetch size	1000
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=emp_id, TRIM=false}, {SCHEMA_COLUMN=first_name, TRIM=false}, {SCHEMA_COLUMN=last_name, TRIM=false}, {SCHEMA_COLUMN=skills, TRIM=false}, {SCHEMA_COLUMN=inserted_date, TRIM=false}, {SCHEMA_COLUMN=updated_date, TRIM=false}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for lnd_employee_skills :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
first_name	false	String	20		true	
last_name	false	String	20		true	
skills	false	String	100		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlInput

	UNIQUE NAME	tDBInput_4	INPUT(S)	tDBConnection_1
	LABEL	__TABLE__	OUTPUT(S)	tMap_2

Component Parameters:

Properties	Values
Database	tPostgresqlInput
Unique Name	tDBInput_4
Component Name	tPostgresqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (POSTGRESQL):project
Use an existing connection	false
Component List	
DB Version	V9_X
Host	context.project_Server
Database Driver	POSTGRESQL
Port	context.project_Port
Database	context.project_Database
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"lnd_project_details"
Query Type	Built-In
Guess Schema	""
Query	"SELECT \"Project\".\"lnd_project_details\".\"project_id\", \"Project\".\"lnd_project_details\".\"project_name\", \"Project\".\"lnd_project_details\".\"emp_id\", \"Project\".\"lnd_project_details\".\"emp_role\", \"Project\".\"lnd_project_details\".\"emp_joining_date\", \"Project\".\"lnd_project_details\".\"project_end_date\", \"Project\".\"lnd_project_details\".\"emp_active\", \"Project\".\"lnd_project_details\".\"inserted_date\", \"Project\".\"lnd_project_details\".\"updated_date\" FROM \"Project\".\"lnd_project_details\""
Specify a data source alias	false
Data source alias	""
Mapping	postgres_id
Additional JDBC Parameters	context.project_AdditionalParams
Encoding	"ISO-8859-15"
Use fetch size	false
Fetch size	1000
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=project_id, TRIM=false}, {SCHEMA_COLUMN=project_name, TRIM=false}, {SCHEMA_COLUMN=emp_id, TRIM=false}, {SCHEMA_COLUMN=emp_role, TRIM=false}, {SCHEMA_COLUMN=emp_joining_date, TRIM=false}, {SCHEMA_COLUMN=project_end_date, TRIM=false}, {SCHEMA_COLUMN=emp_active, TRIM=false}, {SCHEMA_COLUMN=inserted_date, TRIM=false}, {SCHEMA_COLUMN=updated_date, TRIM=false}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for lnd_project_details :

Column	Key	Type	Length	Precision	Nullable	Comment
project_id	false	Integer	10		true	

project_name	false	String	30		true	
emp_id	false	Integer	10		true	
emp_role	false	String	10		true	
emp_joining_date	false	java.util.Date	13		true	
project_end_date	false	java.util.Date	13		true	
emp_active	false	String	5		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlInput

	UNIQUE NAME	tDBInput_5	INPUT(S)	tDBConnection_1
	LABEL	__TABLE__	OUTPUT(S)	tMap_5

Component Parameters:

Properties	Values
Database	tPostgresqlInput
Unique Name	tDBInput_5
Component Name	tPostgresqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (POSTGRESQL):project
Use an existing connection	false
Component List	
DB Version	V9_X
Host	context.project_Server
Database Driver	POSTGRESQL
Port	context.project_Port
Database	context.project_Database
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"stg_employee_details"
Query Type	Built-In
Guess Schema	""
Query	"SELECT \"Project\".\"stg_employee_details\".\"emp_id\", \"Project\".\"stg_employee_details\".\"fullname\", \"Project\".\"stg_employee_details\".\"mail\", \"Project\".\"stg_employee_details\".\"age\", \"Project\".\"stg_employee_details\".\"address\", \"Project\".\"stg_employee_details\".\"zipcode\", \"Project\".\"stg_employee_details\".\"mobile_no\", \"Project\".\"stg_employee_details\".\"date_of_birth\", \"Project\".\"stg_employee_details\".\"hire_date\", \"Project\".\"stg_employee_details\".\"ctc\", \"Project\".\"stg_employee_details\".\"salary_credit_date\", \"Project\".\"stg_employee_details\".\"inserted_date\", \"Project\".\"stg_employee_details\".\"updated_date\" FROM \"Project\".\"stg_employee_details\""
Specify a data source alias	false
Data source alias	""
Mapping	postgres_id
Additional JDBC Parameters	context.project_AdditionalParams
Encoding	"ISO-8859-15"
Use fetch size	false
Fetch size	1000
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=emp_id, TRIM=false}, {SCHEMA_COLUMN=fullname, TRIM=false}, {SCHEMA_COLUMN=mail, TRIM=false}, {SCHEMA_COLUMN=age, TRIM=false}, {SCHEMA_COLUMN=address, TRIM=false}, {SCHEMA_COLUMN=zipcode, TRIM=false}, {SCHEMA_COLUMN=mobile_no, TRIM=false}, {SCHEMA_COLUMN=date_of_birth, TRIM=false}, {SCHEMA_COLUMN=hire_date, TRIM=false}, {SCHEMA_COLUMN=ctc, TRIM=false}, {SCHEMA_COLUMN=salary_credit_date, TRIM=false}, {SCHEMA_COLUMN=inserted_date, TRIM=false}, {SCHEMA_COLUMN=updated_date, TRIM=false}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for stg_employee_details :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
fullname	false	String	20		true	
mail	false	String	50		true	
age	false	Integer	10		true	
address	false	String	50		true	
zipcode	false	Integer	10		true	
mobile_no	false	Long	19		true	
date_of_birth	false	java.util.Date	13		true	
hire_date	false	java.util.Date	13		true	
ctc	false	Double	17	17	true	

salary_credit_date	false	Integer	10		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlInput

	UNIQUE NAME	tDBInput_7	INPUT(S)	tDBConnection_1
	LABEL	__TABLE__	OUTPUT(S)	tMap_7

Component Parameters:

Properties	Values
Database	tPostgresqlInput
Unique Name	tDBInput_7
Component Name	tPostgresqlInput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	false
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlInput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (POSTGRESQL):project
Use an existing connection	false
Component List	
DB Version	V9_X
Host	context.project_Server
Database Driver	POSTGRESQL
Port	context.project_Port
Database	context.project_Database
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Table Name	"stg_employee_skills"
Query Type	Built-In
Guess Schema	""
Query	"SELECT \"Project\".\"stg_employee_skills\".\"emp_id\", \"Project\".\"stg_employee_skills\".\"emp_name\", \"Project\".\"stg_employee_skills\".\"mail\", \"Project\".\"stg_employee_skills\".\"skills\", \"Project\".\"stg_employee_skills\".\"inserted_date\", \"Project\".\"stg_employee_skills\".\"updated_date\" FROM \"Project\".\"stg_employee_skills\""
Specify a data source alias	false
Data source alias	""
Mapping	postgres_id
Additional JDBC Parameters	context.project_AdditionalParams
Encoding	"ISO-8859-15"
Use fetch size	false
Fetch size	1000
Trim all the String/Char columns	false
Trim column	[{SCHEMA_COLUMN=emp_id, TRIM=false}, {SCHEMA_COLUMN=emp_name, TRIM=false}, {SCHEMA_COLUMN=mail, TRIM=false}, {SCHEMA_COLUMN=skills, TRIM=false}, {SCHEMA_COLUMN=inserted_date, TRIM=false}, {SCHEMA_COLUMN=updated_date, TRIM=false}]
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for stg_employee_skills :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
emp_name	false	String	50		true	
mail	false	String	50		true	
skills	false	String	100		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlOutput

	UNIQUE NAME	tDBOutput_1	INPUT(S)	tMap_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tPostgresqlOutput
Unique Name	tDBOutput_1
Component Name	tPostgresqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Startable	false

SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
Use an existing connection	false
Component List	tDBConnection_1
DB Version	V9_X
Host	context.project_Server
Port	context.project_Port
Database	context.project_Database
Database Driver	PostgreSQL
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
Table	"arc_lnd_employee_details"
Action on table	CREATE_IF_NOT_EXISTS
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Use spatial options	false
Create Spatial index	false
Create geometry columns reference	false
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	postgres_id
Use alternate schema	false
Schema	""
Additional JDBC Parameters	""
Use save point	false
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=emp_id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=first_name, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=last_name, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=hire_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=address, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=zipcode, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=mobile_no, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=age, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=date_of_birth, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=inserted_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=updated_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Convert columns and table to lowercase	false
Use Batch Size	true
Batch Size	10000
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for emp :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
first_name	false	String	20		true	
last_name	false	String	20		true	
hire_date	false	java.util.Date	13		true	
address	false	String	50		true	
zipcode	false	String	6		true	
mobile_no	false	String	10		true	
age	false	Integer	10		true	
date_of_birth	false	java.util.Date	13		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlOutput

	UNIQUE NAME	tDBOutput_10	INPUT(S)	tMap_3
	LABEL	__TABLE__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tPostgresqlOutput
Unique Name	tDBOutput_10
Component Name	tPostgresqlOutput
Version	0.102 (ALPHA)

Family	Databases/DB Specifics/PostgreSQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (POSTGRESQL):project
Use an existing connection	false
Component List	
DB Version	V9_X
Host	context.project_Server
Port	context.project_Port
Database	context.project_Database
Database Driver	POSTGRESQL
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
Table	"src_employee_salary"
Action on table	NONE
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Use spatial options	false
Create Spatial index	false
Create geometry columns reference	false
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	postgres_id
Use alternate schema	false
Schema	""
Additional JDBC Parameters	context.project_AdditionalParams
Use save point	false
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=emp_id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=Loaded, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Convert columns and table to lowercase	false
Use Batch Size	true
Batch Size	10000
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for src_employee_salary :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
Loaded	false	String	5		true	

Original Function Parameters:
Component   tPostgresqlOutput

	UNIQUE NAME	tDBOutput_11	INPUT(S)	tMap_4
	LABEL	__TABLE__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tPostgresqlOutput
Unique Name	tDBOutput_11
Component Name	tPostgresqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (POSTGRESQL):project
Use an existing connection	false
Component List	
DB Version	V9_X

Host	context.project_Server
Port	context.project_Port
Database	context.project_Database
Database Driver	POSTGRESQL
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
Table	"src_employee_skills"
Action on table	NONE
Action on data	UPDATE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Use spatial options	false
Create Spatial index	false
Create geometry columns reference	false
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	postgres_id
Use alternate schema	false
Schema	""
Additional JDBC Parameters	context.project_AdditionalParams
Use save point	false
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	true
Field options	[{SCHEMA_COLUMN=emp_id, UPDATE_KEY=true, DELETE_KEY=false, UPDATABLE=false, INSERTABLE=true}, {SCHEMA_COLUMN=loaded, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Convert columns and table to lowercase	false
Use Batch Size	true
Batch Size	10000
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for src_employee_skills :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
loaded	false	String	5		true	

Original Function Parameters:
Component   tPostgresqlOutput

	UNIQUE NAME	tDBOutput_2	INPUT(S)	tMap_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tPostgresqlOutput
Unique Name	tDBOutput_2
Component Name	tPostgresqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
Use an existing connection	false
Component List	tDBConnection_1
DB Version	V9_X
Host	context.project_Server
Port	context.project_Port
Database	context.project_Database
Database Driver	PostgreSQL
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
Table	"arc_lnd_project_details"
Action on table	CREATE_IF_NOT_EXISTS
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Use spatial options	false
Create Spatial index	false
Create geometry columns reference	false
Specify a data source alias	false

Data source alias	""
Die on error	false
Mapping	postgres_id
Use alternate schema	false
Schema	""
Additional JDBC Parameters	""
Use save point	false
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=project_id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=project_name, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=emp_id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=emp_role, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=emp_joining_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=project_end_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=emp_active, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=inserted_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=updated_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Convert columns and table to lowercase	false
Use Batch Size	true
Batch Size	10000
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for project :

Column	Key	Type	Length	Precision	Nullable	Comment
project_id	false	Integer	10		true	
project_name	false	String	30		true	
emp_id	false	Integer	10		true	
emp_role	false	String	10		true	
emp_joining_date	false	java.util.Date	13		true	
project_end_date	false	java.util.Date	13		true	
emp_active	false	String	5		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlOutput

	UNIQUE NAME	tDBOutput_3	INPUT(S)	tMap_3
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tPostgresqlOutput
Unique Name	tDBOutput_3
Component Name	tPostgresqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
Use an existing connection	false
Component List	tDBConnection_1
DB Version	V9_X
Host	context.project_Server
Port	context.project_Port
Database	context.project_Database
Database Driver	PostgreSQL
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
Table	"arc_lnd_employee_salary"
Action on table	CREATE_IF_NOT_EXISTS
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Use spatial options	false
Create Spatial index	false
Create geometry columns reference	false
Specify a data source alias	false
Data source alias	""
Die on error	false

Mapping	postgres_id
Use alternate schema	false
Schema	""
Additional JDBC Parameters	""
Use save point	false
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=emp_id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=first_name, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=last_name, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ctc, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=salary_credit_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=inserted_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=updated_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Convert columns and table to lowercase	false
Use Batch Size	true
Batch Size	10000
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for salary :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
first_name	false	String	20		true	
last_name	false	String	20		true	
ctc	false	String	5		true	
salary_credit_date	false	Integer	10		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlOutput

	UNIQUE NAME	tDBOutput_4	INPUT(S)	tMap_4
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tPostgresqlOutput
Unique Name	tDBOutput_4
Component Name	tPostgresqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
Use an existing connection	false
Component List	tDBConnection_1
DB Version	V9_X
Host	context.project_Server
Port	context.project_Port
Database	context.project_Database
Database Driver	PostgreSQL
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
Table	"arc_lnd_employee_skills"
Action on table	CREATE_IF_NOT_EXISTS
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Use spatial options	false
Create Spatial index	false
Create geometry columns reference	false
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	postgres_id
Use alternate schema	false
Schema	""
Additional JDBC Parameters	""
Use save point	false
Encoding	"ISO-8859-15"

Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=emp_id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=first_name, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=last_name, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=skills, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=inserted_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=updated_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Convert columns and table to lowercase	false
Use Batch Size	true
Batch Size	10000
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for skills :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
first_name	false	String	20		true	
last_name	false	String	20		true	
skills	false	String	100		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlOutput

	UNIQUE NAME	tDBOutput_5	INPUT(S)	tMap_5
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tPostgresqlOutput
Unique Name	tDBOutput_5
Component Name	tPostgresqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
Use an existing connection	false
Component List	tDBConnection_1
DB Version	V9_X
Host	context.project_Server
Port	context.project_Port
Database	context.project_Database
Database Driver	PostgreSQL
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
Table	"arc_stg_employee_details"
Action on table	CREATE_IF_NOT_EXISTS
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Use spatial options	false
Create Spatial index	false
Create geometry columns reference	false
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	postgres_id
Use alternate schema	false
Schema	""
Additional JDBC Parameters	""
Use save point	false
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false

Field options	[{SCHEMA_COLUMN=emp_id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=fullname, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=mail, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=age, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=address, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=zipcode, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=mobile_no, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=date_of_birth, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=hire_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=ctc, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=salary_credit_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=inserted_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=updated_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Convert columns and table to lowercase	false
Use Batch Size	true
Batch Size	10000
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for stg_emp :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
fullname	false	String	20		true	
mail	false	String	50		true	
age	false	Integer	10		true	
address	false	String	50		true	
zipcode	false	Integer	10		true	
mobile_no	false	Long	19		true	
date_of_birth	false	java.util.Date	13		true	
hire_date	false	java.util.Date	13		true	
ctc	false	Double	17	17	true	
salary_credit_date	false	Integer	10		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlOutput

	UNIQUE NAME	tDBOutput_6	INPUT(S)	tMap_6
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tPostgresqlOutput
Unique Name	tDBOutput_6
Component Name	tPostgresqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
Use an existing connection	false
Component List	tDBConnection_1
DB Version	V9_X
Host	context.project_Server
Port	context.project_Port
Database	context.project_Database
Database Driver	PostgreSQL
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
Table	"arc_stg_project_details"
Action on table	CREATE_IF_NOT_EXISTS
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Use spatial options	false
Create Spatial index	false
Create geometry columns reference	false
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	postgres_id
Use alternate schema	false
Schema	""

Additional JDBC Parameters	""
Use save point	false
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=project_id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=project_name, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=emp_id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=emp_name, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=mail, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=emp_role, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=emp_joining_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=billable, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=project_end_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=emp_active, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=inserted_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=updated_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Convert columns and table to lowercase	false
Use Batch Size	true
Batch Size	10000
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for stg_project :

Column	Key	Type	Length	Precision	Nullable	Comment
project_id	false	Integer	10		true	
project_name	false	String	30		true	
emp_id	false	Integer	10		true	
emp_name	false	String	50		true	
mail	false	String	50		true	
emp_role	false	String	10		true	
emp_joining_date	false	java.util.Date	13		true	
billable	false	String	10		true	
project_end_date	false	java.util.Date	13		true	
emp_active	false	String	5		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlOutput

	UNIQUE NAME	tDBOutput_7	INPUT(S)	tMap_7
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tPostgresqlOutput
Unique Name	tDBOutput_7
Component Name	tPostgresqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	Built-In
Use an existing connection	false
Component List	tDBConnection_1
DB Version	V9_X
Host	context.project_Server
Port	context.project_Port
Database	context.project_Database
Database Driver	PostgreSQL
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
Table	"arc_stg_employee_skills"
Action on table	CREATE_IF_NOT_EXISTS
Action on data	INSERT
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Use spatial options	false
Create Spatial index	false
Create geometry columns reference	false
Specify a data source alias	false

Data source alias	""
Die on error	false
Mapping	postgres_id
Use alternate schema	false
Schema	""
Additional JDBC Parameters	""
Use save point	false
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	false
Field options	[{SCHEMA_COLUMN=emp_id, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=emp_name, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=mail, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=skills, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=inserted_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}, {SCHEMA_COLUMN=updated_date, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Convert columns and table to lowercase	false
Use Batch Size	true
Batch Size	10000
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for stg_skills :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
emp_name	false	String	50		true	
mail	false	String	50		true	
skills	false	String	100		true	
inserted_date	false	java.util.Date	13		true	
updated_date	false	java.util.Date	13		true	

Original Function Parameters:
Component   tPostgresqlOutput

UNIQUE NAME	tDBOutput_8	INPUT(S)	tMap_1
LABEL	__TABLE__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tPostgresqlOutput
Unique Name	tDBOutput_8
Component Name	tPostgresqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (POSTGRESQL):project
Use an existing connection	false
Component List	
DB Version	V9_X
Host	context.project_Server
Port	context.project_Port
Database	context.project_Database
Database Driver	POSTGRESQL
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
Table	"src_employee_details"
Action on table	NONE
Action on data	UPDATE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Use spatial options	false
Create Spatial index	false
Create geometry columns reference	false
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	postgres_id
Use alternate schema	false
Schema	""
Additional JDBC Parameters	context.project_AdditionalParams
Use save point	false
Encoding	"ISO-8859-15"
Commit every	10000

Additional columns	[]
Use field options	true
Field options	[{SCHEMA_COLUMN=emp_id, UPDATE_KEY=true, DELETE_KEY=false, UPDATABLE=false, INSERTABLE=true}, {SCHEMA_COLUMN=loaded, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Convert columns and table to lowercase	false
Use Batch Size	true
Batch Size	10000
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for src_employee_details :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	int	10		false	
loaded	false	String	5		true	

Original Function Parameters:
Component   tPostgresqlOutput

	UNIQUE NAME	tDBOutput_9	INPUT(S)	tMap_2
	LABEL	__TABLE__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Database	tPostgresqlOutput
Unique Name	tDBOutput_9
Component Name	tPostgresqlOutput
Version	0.102 (ALPHA)
Family	Databases/DB Specifics/PostgreSQL
Startable	false
SUBTREE_START	false
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPostgresqlOutput
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Property Type	repository: DB (POSTGRESQL):project
Use an existing connection	false
Component List	
DB Version	V9_X
Host	context.project_Server
Port	context.project_Port
Database	context.project_Database
Database Driver	POSTGRESQL
Schema	context.project_Schema
Username	context.project_Login
Password	context.project_Password
Table	"src_project_details"
Action on table	NONE
Action on data	UPDATE
REPOSITORY_ALLOW_AUTO_SWITCH	true
Schema	Built-In
Reject Schema	Built-In
Use spatial options	false
Create Spatial index	false
Create geometry columns reference	false
Specify a data source alias	false
Data source alias	""
Die on error	false
Mapping	postgres_id
Use alternate schema	false
Schema	""
Additional JDBC Parameters	context.project_AdditionalParams
Use save point	false
Encoding	"ISO-8859-15"
Commit every	10000
Additional columns	[]
Use field options	true
Field options	[{SCHEMA_COLUMN=emp_id, UPDATE_KEY=true, DELETE_KEY=false, UPDATABLE=false, INSERTABLE=true}, {SCHEMA_COLUMN=loaded, UPDATE_KEY=false, DELETE_KEY=false, UPDATABLE=true, INSERTABLE=true}]
Debug query mode	false
Support null in "SQL WHERE" statement	false
Convert columns and table to lowercase	false
Use Batch Size	true
Batch Size	10000
Label format	__TABLE__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for src_project_details :

Column	Key	Type	Length	Precision	Nullable	Comment
emp_id	false	Integer	10		true	
loaded	false	String	5		true	

Original Function Parameters:
Component   tPostjob

	UNIQUE NAME	tPostjob_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBClose_1

Component Parameters:

Properties	Values
Unique Name	tPostjob_1
Component Name	tPostjob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	!!!HELP!!!
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tPrejob

	UNIQUE NAME	tPrejob_1	INPUT(S)	none
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBConnection_1

Component Parameters:

Properties	Values
Unique Name	tPrejob_1
Component Name	tPrejob
Version	0.102 (ALPHA)
Family	Orchestration
Start	true
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tPrejob
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	255;220;180
Title color	230;100;0
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Original Function Parameters:
Component   tSendMail

	UNIQUE NAME	tSendMail_1	INPUT(S)	tSleep_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	none

Component Parameters:

Properties	Values
Unique Name	tSendMail_1
Component Name	tSendMail
Version	0.101 (ALPHA)
Family	Internet
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true

Activate	true
DUMMY	false
tStatCatcher Statistics	true
Help	org.talend.help.tSendMail
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
To	"cstwin007@gmail.com"
From	"talendjobstatus@gmail.com"
Show sender's name?	false
Sendername	"sender"
Cc	
Bcc	
Subject	"Archive table load Job completed"
Message	"talend Archive table load Job completed. Check log file for more details"
Die if the attachment file doesn't exist.	true
Attachments	[{FILE="I:/Talend_files/Input_files/Project/Log_files/Project_logs.log", CONTENT_TRANSFER_ENCODING=DEFAULT}]
Other headers	[]
SMTP host	"smtp.gmail.com"
SMTP port	587
SSL Support	false
STARTTLS Support	true
Importance	High
Need authentication?	true
Username	"talendjobstatus@gmail.com"
Password	*****************
Die on error	true
MIME subtype from the 'text' MIME type	plain
charset used for encoding message	"ISO-8859-15"
Set localhost	false
Localhost	"localhost"
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tSendMail_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tSleep

	UNIQUE NAME	tSleep_1	INPUT(S)	tDBClose_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tSendMail_1

Component Parameters:

Properties	Values
Unique Name	tSleep_1
Component Name	tSleep
Version	0.102 (ALPHA)
Family	Orchestration
Start	false
Startable	true
SUBTREE_START	true
END_OF_FLOW	true
Activate	true
DUMMY	false
tStatCatcher Statistics	false
Help	org.talend.help.tSleep
Update components	true
IREPORT_PATH	
JAVA_LIBRARY_PATH	I:\Talend\studio\configuration\lib\java
Subjob color	
Title color	
Pause (in seconds)	3
Schema	Built-In
Label format	__UNIQUE_NAME__
Hint format	__UNIQUE_NAME__ __COMMENT__
Connection format	row
Show Information	false
Comment	
Use an existing validation rule	false
Validation Rule Type	

Schema for tSleep_1 :

Column	Key	Type	Length	Precision	Nullable	Comment

Original Function Parameters:
Component   tMap

	UNIQUE NAME	tMap_1	INPUT(S)	tDBInput_1
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_1, tDBOutput_8

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_1 (input):
Mapper table Properties(row1):

Properties	Values
Name	row1
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row1):

Name	Type	Expression	isNullable
emp_id	Integer		true
first_name	String		true
last_name	String		true
hire_date	java.util.Date		true
address	String		true
zipcode	String		true
mobile_no	String		true
age	Integer		true
date_of_birth	java.util.Date		true
inserted_date	java.util.Date		true
updated_date	java.util.Date		true

Constraint Table Entries(row1):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (output):
Mapper table Properties(emp):

Properties	Values
Name	emp
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(emp):

Name	Type	Expression	isNullable
emp_id	Integer	row1.emp_id	true
first_name	String	row1.first_name	true
last_name	String	row1.last_name	true
hire_date	java.util.Date	row1.hire_date	true
address	String	row1.address	true
zipcode	String	row1.zipcode	true
mobile_no	String	row1.mobile_no	true
age	Integer	row1.age	true
date_of_birth	java.util.Date	row1.date_of_birth	true
inserted_date	java.util.Date	TalendDate.getCurrentDate()	true
updated_date	java.util.Date	TalendDate.getCurrentDate()	true

Constraint Table Entries(emp):

Name	Type	Expression	isNullable

Mapper table Properties(src_update):

Properties	Values
Name	src_update
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(src_update):

Name	Type	Expression	isNullable
emp_id	int	row1.emp_id	false
loaded	String	"Yes"	true

Constraint Table Entries(src_update):

Name	Type	Expression	isNullable

Mapper table for tMap_1 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable

Component   tMap

	UNIQUE NAME	tMap_2	INPUT(S)	tDBInput_4	
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_2, tDBOutput_9	

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_2 (input):

Mapper table Properties(row2):

Properties	Values
Name	row2
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row2):

Name	Type	Expression	isNullable
project_id	Integer		true
project_name	String		true
emp_id	Integer		true
emp_role	String		true
emp_joining_date	java.util.Date		true
project_end_date	java.util.Date		true
emp_active	String		true
inserted_date	java.util.Date		true
updated_date	java.util.Date		true

Constraint Table Entries(row2):

Name	Type	Expression	isNullable

Mapper table for tMap_2 (output):
  Mapper table Properties(project):

Properties	Values
Name	project
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

  Metadata Table Entries(project):

Name	Type	Expression	isNullable
project_id	Integer	row2.project_id	true
project_name	String	row2.project_name	true
emp_id	Integer	row2.emp_id	true
emp_role	String	row2.emp_role	true
emp_joining_date	java.util.Date	row2.emp_joining_date	true
project_end_date	java.util.Date	row2.project_end_date	true
emp_active	String	row2.emp_active	true
inserted_date	java.util.Date	TalendDate.getCurrentDate()	true
updated_date	java.util.Date	TalendDate.getCurrentDate()	true

  Constraint Table Entries(project):

Name	Type	Expression	isNullable

  Mapper table Properties(src_project):

Properties	Values
Name	src_project
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

  Metadata Table Entries(src_project):

Name	Type	Expression	isNullable
emp_id	Integer	row2.emp_id	true
loaded	String	"Yes"	true

  Constraint Table Entries(src_project):

Name	Type	Expression	isNullable

Mapper table for tMap_2 (var):
  Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

  Metadata Table Entries(Var):

Name	Type	Expression	isNullable

  Constraint Table Entries(Var):

Name	Type	Expression	isNullable

Component   tMap

	UNIQUE NAME	tMap_3	INPUT(S)	tDBInput_2
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_3, tDBOutput_10

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_3 (input):
Mapper table Properties(row3):

Properties	Values
Name	row3
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row3):

Name	Type	Expression	isNullable
emp_id	Integer		true
first_name	String		true
last_name	String		true
ctc	String		true
salary_credit_date	Integer		true
inserted_date	java.util.Date		true
updated_date	java.util.Date		true

Constraint Table Entries(row3):

Name	Type	Expression	isNullable

Mapper table for tMap_3 (output):
Mapper table Properties(salary):

Properties	Values
Name	salary
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(salary):

Name	Type	Expression	isNullable
emp_id	Integer	row3.emp_id	true
first_name	String	row3.first_name	true
last_name	String	row3.last_name	true
ctc	String	row3.ctc	true
salary_credit_date	Integer	row3.salary_credit_date	true
inserted_date	java.util.Date	TalendDate.getCurrentDate()	true
updated_date	java.util.Date	TalendDate.getCurrentDate()	true

Constraint Table Entries(salary):

Name	Type	Expression	isNullable

Mapper table Properties(src_salary):

Properties	Values
Name	src_salary
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(src_salary):

Name	Type	Expression	isNullable
emp_id	Integer	row3.emp_id	true
Loaded	String	"Yes"	true

Constraint Table Entries(src_salary):

Name	Type	Expression	isNullable

Mapper table for tMap_3 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable

Component   tMap

	UNIQUE NAME	tMap_4	INPUT(S)	tDBInput_3
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_4, tDBOutput_11

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_4 (input):
  Mapper table Properties(row4):

Properties	Values
Name	row4
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row4):

Name	Type	Expression	isNullable
emp_id	Integer		true
first_name	String		true
last_name	String		true
skills	String		true
inserted_date	java.util.Date		true
updated_date	java.util.Date		true

Constraint Table Entries(row4):

Name	Type	Expression	isNullable

Mapper table for tMap_4 (output):
  Mapper table Properties(skills):

Properties	Values
Name	skills
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(skills):

Name	Type	Expression	isNullable
emp_id	Integer	row4.emp_id	true
first_name	String	row4.first_name	true
last_name	String	row4.last_name	true
skills	String	row4.skills	true
inserted_date	java.util.Date	TalendDate.getCurrentDate()	true
updated_date	java.util.Date	TalendDate.getCurrentDate()	true

Constraint Table Entries(skills):

Name	Type	Expression	isNullable

Mapper table Properties(src_skills):

Properties	Values
Name	src_skills
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(src_skills):

Name	Type	Expression	isNullable
emp_id	Integer	row4.emp_id	true
loaded	String	"Yes"	true

Constraint Table Entries(src_skills):

Name	Type	Expression	isNullable

Mapper table for tMap_4 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable

Component   tMap

	UNIQUE NAME	tMap_5	INPUT(S)	tDBInput_5
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_5

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_5 (input):

Mapper table Properties(row5):

Properties	Values
Name	row5
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row5):

Name	Type	Expression	isNullable
emp_id	Integer		true
fullname	String		true
mail	String		true
age	Integer		true
address	String		true
zipcode	Integer		true
mobile_no	Long		true
date_of_birth	java.util.Date		true
hire_date	java.util.Date		true
ctc	Double		true
salary_credit_date	Integer		true
inserted_date	java.util.Date		true
updated_date	java.util.Date		true

Constraint Table Entries(row5):

Name	Type	Expression	isNullable

Mapper table for tMap_5 (output):
Mapper table Properties(stg_emp):

Properties	Values
Name	stg_emp
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(stg_emp):

Name	Type	Expression	isNullable
emp_id	Integer	row5.emp_id	true
fullname	String	row5.fullname	true
mail	String	row5.mail	true
age	Integer	row5.age	true
address	String	row5.address	true
zipcode	Integer	row5.zipcode	true
mobile_no	Long	row5.mobile_no	true
date_of_birth	java.util.Date	row5.date_of_birth	true
hire_date	java.util.Date	row5.hire_date	true
ctc	Double	row5.ctc	true
salary_credit_date	Integer	row5.salary_credit_date	true
inserted_date	java.util.Date	TalendDate.getCurrentDate()	true
updated_date	java.util.Date	TalendDate.getCurrentDate()	true

Constraint Table Entries(stg_emp):

Name	Type	Expression	isNullable

Mapper table for tMap_5 (var):
Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable

Component   tMap

	UNIQUE NAME	tMap_6	INPUT(S)	tDBInput_10
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_6

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_6 (input):

Mapper table Properties(row6):

Properties	Values
Name	row6
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row6):

Name	Type	Expression	isNullable
project_id	Integer		true
project_name	String		true
emp_id	Integer		true
emp_name	String		true
mail	String		true
emp_role	String		true
emp_joining_date	java.util.Date		true
billable	String		true
project_end_date	java.util.Date		true
emp_active	String		true
inserted_date	java.util.Date		true
updated_date	java.util.Date		true

Constraint Table Entries(row6):

Name	Type	Expression	isNullable

Mapper table for tMap_6 (output):

Mapper table Properties(stg_project):

Properties	Values
Name	stg_project
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(stg_project):

Name	Type	Expression	isNullable
project_id	Integer	row6.project_id	true
project_name	String	row6.project_name	true
emp_id	Integer	row6.emp_id	true
emp_name	String	row6.emp_name	true
mail	String	row6.mail	true
emp_role	String	row6.emp_role	true
emp_joining_date	java.util.Date	row6.emp_joining_date	true
billable	String	row6.billable	true
project_end_date	java.util.Date	row6.project_end_date	true
emp_active	String	row6.emp_active	true
inserted_date	java.util.Date	TalendDate.getCurrentDate()	true
updated_date	java.util.Date	TalendDate.getCurrentDate()	true

Constraint Table Entries(stg_project):

Name	Type	Expression	isNullable

Mapper table for tMap_6 (var):

Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable

Component   tMap

	UNIQUE NAME	tMap_7	INPUT(S)	tDBInput_7
	LABEL	__UNIQUE_NAME__	OUTPUT(S)	tDBOutput_7

Component Parameters:

Properties	Values
tStatCatcher Statistics	false
Mapping links display as:	AUTO
Temp data directory path:	
Max buffer size (nb of rows):	2000000
Ignore trailing zeros for BigDecimal	true
Show Information	false
Comment	
Use an existing validation rule	false

Mapper table for tMap_7 (input):
Mapper table Properties(row7):

Properties	Values
Name	row7
Matching-mode	UNIQUE_MATCH
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(row7):

Name	Type	Expression	isNullable
emp_id	Integer		true
emp_name	String		true
mail	String		true
skills	String		true
inserted_date	java.util.Date		true
updated_date	java.util.Date		true

Constraint Table Entries(row7):

Name	Type	Expression	isNullable

Mapper table for tMap_7 (output):
Mapper table Properties(stg_skills):

Properties	Values
Name	stg_skills
Matching-mode	
isMinimized	false
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(stg_skills):

Name	Type	Expression	isNullable
emp_id	Integer	row7.emp_id	true
emp_name	String	row7.emp_name	true
mail	String	row7.mail	true
skills	String	row7.skills	true
inserted_date	java.util.Date	TalendDate.getCurrentDate()	true
updated_date	java.util.Date	TalendDate.getCurrentDate()	true

Constraint Table Entries(stg_skills):

Name	Type	Expression	isNullable

Mapper table for tMap_7 (var):
   Mapper table Properties(Var):

Properties	Values
Name	Var
Matching-mode	
isMinimized	true
isReject	false
isRejectInnerJoin	false
isInnerJoin	false
expressionFilter	null

Metadata Table Entries(Var):

Name	Type	Expression	isNullable

Constraint Table Entries(Var):

Name	Type	Expression	isNullable