

COVARIANCE, LLSE, CONDITIONAL EXPECTATION, MARKOV CHAINS

10

COMPUTER SCIENCE MENTORS 70

November 14 to November 18, 2016

1 Covariance

1.1 Introduction

The **covariance** of two random variables X and Y is defined as:

$$\text{Cov}(X, Y) := E((X - E(X)) \cdot (Y - E(Y)))$$


1.2 Warm Up

1. Prove that $\text{Cov}(X, X) = \text{Var}(X)$:
2. Prove that if X and Y are independent, then $\text{Cov}(X, Y) = 0$:
3. Prove that $\text{Cov}(X + Y, Z) = \text{Cov}(X, Z) + \text{Cov}(Y, Z)$:

1.3 Questions

1. Roll 2 dice. Let A be the number of 6's you get, and B be the number of 5's, find $\text{Cov}(A, B)$

2. Consider the following distribution with random variables Fah and Kat:



Find the covariance of Fah and Kat.

2 LLSE

2.1 Introduction

Theorem: Consider two random variables, X, Y with a given distribution $P[X = x, Y = y]$. Then

$$L[Y|X] = E(Y) + \frac{\text{Cov}(X, Y)}{\text{Var}(X)}(X - E(X))$$

2.2 Questions


1. Assume that

$$Y = \alpha X + Z$$

where X and Z are independent and $E(X) = E(Z) = 0$. Find $L[X|Y]$.

2. The figure below shows the six equally likely values of the random pair (X, Y) . Specify the functions of:

- $L[Y | X]$
- $E(X | Y)$
- $L[X | Y]$
- $E(Y | X)$



3 Conditional Expectation

3.1 Introduction

The **conditional expectation** of Y given X is defined by

$$E[Y|X = x] = \sum_y y \cdot P[Y = y|X = x] = \sum_y y \cdot \frac{P[X = x, Y = y]}{P[X = x]}$$

Properties of Conditional Expectation

$$E(a|Y) = a$$

$$E(aX + bZ|Y) = a \cdot E(X|Y) + b \cdot E(Z|Y)$$

$$E(X|Y) \geq 0 \text{ if } X \geq 0$$

$$E(X|Y) = E(X) \text{ if } X, Y \text{ independent}$$

$$E(E(X|Y)) = E(X)$$

3.2 Questions

1. Prove $E(E(Y|X)) = E(Y)$
2. Prove $E(h(X) \cdot Y|X) = h(X) \cdot E(Y|X)$