Background

Imagine you are teaching a math lesson to a class of 16 second grade students. The purpose of this lesson is to examine the ways properties of operations can be used to add numbers.

You have asked the students to work with a partner to solve the problem 27 + 23 using any method that works best for them. The partners have completed their work. Now you plan to select 3 individual students to present their work to the class.

Look at the strategies below and the descriptions of the students. Then choose which three students you would like to have present.

The Problem

27 + 23

Learning Goal

Your goal is for the students to be able to understand how properties of operation can be used to add numbers.

- · You want the students to understand that two numbers can be added in any order (commutative property).
 - Example: 3 + 4 = 4 + 3
- You also want the students to understand that 3 numbers can be regrouped and added in any order (associative property).
 - \cdot Example: 9 + (1 + 7) = (9 + 1) + 7

2nd Grade Student Descriptions			
Ava (she/her)	Adriel (he/him)	Valentina (she/her)	Carter (he/him)
Ava is a white girl who speaks English as her first language. She has no identified disabilities. She receives free or reduced lunch. She has a history of low success and low participation during math lessons. She also loves gardening.	who speaks English as his first language. He has no identified disabilities, and he receives free or reduced	speech impairment (stuttering). She does not receive free or reduced lunch. She has a history of average success and low participation	Carter is a Black boy who speaks English as his first language. He has no identified disabilities, and he receives free or reduced lunch. He has a history of average success and little to no participation during math lessons. He also loves to cook and bake.
Strategy A		Strategy B	
 27 + 23 25 + 2 Then I added the 2 and 23 to make 25. Then I knew that 25 plus 25 is 50 because 2 quarters are 50 cents. 		27 + 23 20 20 3 • First I added 20 and 20 to get 40. • Then I added 3 more to get 43. 40 40 + 3 = 43	
Angel (she/her)	Daniela (she/her)	CJ (they/them)	Alejandro (he/him)
identified disabilities, and she does not receive free or	Daniela is a Latina girl who speaks English as her first language. She has no identified disabilities, and she does not receive free or reduced lunch. She has a history of average success and low participation during math lessons. She also loves to dance.	CJ is a gender fluid white child who speaks English as their first language. They have no identified disabilities, and they do not receive free or reduced lunch. They have a history of high success and average participation during math lessons. They also love to draw and paint.	Alejandro is a Latino boy who speaks Spanish as his first language. He is an EL student who speaks English at a beginner level. He has no identified disabilities. He receives free or reduced lunch. He has a history of low success and low participation during math lessons. He also loves to play Minecraft.
Strategy C		Strategy D	
Step 1	1. I made 27 and 23 with the blocks. 2. I combined the tens together. Then I combined the ones. That's 4 tens, which is 40. Plus 10 ones, which is 50.	+2 +25	
		 Then I only needed to add 25 and got 50. 	i more, so I made another jump

Liam (he/him) Grace (she/her) Mason (he/him) Jada (she/her) Jada is a Black girl who Liam is a white boy who Grace is an Asian girl who Mason is a white boy who speaks English as her first speaks English as his first speaks English as her first speaks English as his first language. She has an IEP for language. He is on an IEP for language. She has no language. He has no dyslexia. She does not severe ADHD. He receives identified disabilities, and she identified disabilities, and he receive free or reduced lunch. free or reduced lunch. He has does not receive free or does not receive free or She has a history of low a history of high success and reduced lunch. She has a reduced lunch. He has a success and average low participation during math history of high success and history of average success high participation during math and average participation participation during math lessons. He also enjoys during math lessons. He also lessons. She also plays lessons. She also plays on a singing. basketball. softball team. loves comic books. Strategy E Strategy F First, I added 7 and 3 27 to get 10. I put a zero 23 + 27 + 23 under the 7. I made it 23 + 27 because that's easier for 50 me to think about. Then I put the 1 up 23 + (2 + 25)Then I broke the 27 into 2 and 25. above the 2. Last I (23 + 2) = 25Then I combined the 2 with the 23, and I got added 1 + 2 + 2 to get Jackie (she/they) Mateo (he/him) Oliver (he/him) Camille (she/her) Jackie is a white transgender Mateo is a Latino boy who Oliver is a white boy who Camille is a white girl who girl who speaks English as speaks Spanish as his first speaks English as his first speaks French as her first her first language. She has no language. He is an EL student language. She is an EL language. He has no identified disabilities. She who speaks English at an identified disabilities, and he student who speaks English receives free or reduced intermediate level. He has no does not receive free or at an advanced level. She has lunch. She has a history of identified disabilities. He reduced lunch. He has a no identified disabilities, and average success and low receives free or reduced history of high success and she does not receive free or participation during math high participation during math reduced lunch. She has a lunch. He has a history of high lessons. She also loves success and average lessons. He also enjoys riding history of high success and high participation during math animals. participation during math his bike. lessons. He also likes to play lessons. She also does the guitar. karate. Strategy H Strategy G 1. I made 27 and 23 with the blocks 2. I pulled 2 apart from the 27 to make 25. 3. I put the 2 with the 23 to make 25. That makes 25 27 + 23• First I added 20 and 20 to get 40. + 25 which is 50. Then I added 7 and 3 to get 10. 20 + 20 = 40• Then I added 40 and 10 to get 50. 7 + 3 = 1040 + 10 = 50