

Comp I25 - Visual Information Processing

Spring Semester 2018 - week 12 - friday

Dr Nick Hayward

HTML5 Canvas - modify colours

- as we draw various shapes, we may also vary the colour for the fill
- specify a `fillStyle` property and value on the context for the canvas
 - e.g.

```
context.fillStyle = "YellowGreen";
```

- CSS supports over a 100 named colours
 - *many more shades using HEX values*
- CSS Tricks - Named Colours

HTML5 Canvas - various colours and drawing

- use various colours to output a series of rectangles
 - e.g. *a set of pan pipes*

```
// define colours
var colours = ["YellowGreen", "DarkSeaGreen", "MediumSeaGreen", "LightSeaGreen", "Turquoise"];
// 5. draw many shapes with different colours
for (i = 1; i < 6; i++) {
    var width = 30;
    var height = i * 25;
    var x = 30 * i;
    var y = 75;
    context.fillStyle = colours[i-1];
    context.fillRect(x, y, width, height);
}
```

- Example - various colours
 - <http://linode4.cs.luc.edu/teaching/cs/demos/I25/drawing/basic3/>

HTML5 Canvas - rectangle outlines

- we may also draw the outline of a rectangle with no fill

```
// 6. draw rectangle outline with stroke/line - no fill  
context.strokeRect(5, 5, 150, 50)
```

- we might modify the colour of the *stroke* for the rectangle
 - set a custom width for the line

```
// 7. draw rectangle outline with colour  
context.strokeStyle = "DarkSeaGreen";  
context.lineWidth = 3;  
context.strokeRect(5, 75, 300, 50);
```

- Example - basic drawing - rectangle outlines
 - <http://linode4.cs.luc.edu/teaching/cs/demos/I125/drawing/basic4/>

HTML Canvas - draw lines - part I

- we may also draw lines to the canvas
 - *may be rendered individually or combined to create other shapes*
- for a line, we may also define a value for the colour
 - *define using the `strokeStyle` property*
 - *add a width for the lines*

```
// 8. draw lines with paths
context.strokeStyle = 'LightSeaGreen';
context.lineWidth = 3;
```

HTML Canvas - draw lines - part 2

- to start recording the lines, and their locations
 - need to call the *beginPath()* method
- this starts recording defined calls to *moveTo()* and *lineTo()*

```
// start recording lines to draw...
context.beginPath();
```

- define where to start
 - using the expected *x* and *y* coordinates
- need to call the *stroke()* method to actually render the lines &c.

```
// move to starting position for line - x & y
context.moveTo(50, 10);
// define line - x & y
context.lineTo(100, 70);
// draw all lines
context.stroke();
```

HTML Canvas - draw lines - part 3

- we might draw a triangle, or pyramid, using the following basic logic

```
// 9. draw a pyramid
context.strokeStyle = 'GoldenRod';
context.lineWidth = 3;
// start recording lines to draw...
context.beginPath();
// move to starting position for line - x & y
context.moveTo(100, 100);
// define line - x & y
context.lineTo(50, 170);
// define line - x & y
context.lineTo(150, 170);
// define line - x & y
context.lineTo(100, 100);
// draw all lines
context.stroke();
```

- Example - draw lines - line & pyramid
 - <http://linode4.cs.luc.edu/teaching/cs/demos/I25/drawing/basic5/>

HTML Canvas - draw a stickman - part I

- combine drawing shapes to create a *stick man* drawing
 - *perhaps suitable for a Hangman game...*
- e.g. we might start by drawing the *head* with a rectangle outline

```
// HEAD - draw rectangle outline with stroke/line - no fill
context.strokeRect(80, 5, 40, 40);
```

- then add the *torso* for the stick man

```
// TORSO: draw lines with paths
// start recording lines to draw...
context.beginPath();
// move to starting position for line - x & y
context.moveTo(100, 45);
// define line - x & y
context.lineTo(100, 125);
```


HTML Canvas - draw a stickman - part 2

- then choose to add either the arms or the legs for the drawing of the stick man

```
// LEFT ARM:
context.moveTo(100, 75);
context.lineTo(65, 65);

// RIGHT ARM:
context.moveTo(100, 75);
context.lineTo(135, 65);

// LEFT LEG:
context.moveTo(100, 125);
context.lineTo(75, 185);

// RIGHT LEG:
context.moveTo(100, 125);
context.lineTo(125, 185);
```

HTML Canvas - draw a stickman - part 3

- render these lines to the canvas
- simply call the `stroke()` method on the context object

```
// draw all lines  
context.stroke();
```

- Example - draw a stickman
 - <http://linode4.cs.luc.edu/teaching/cs/demos/125/drawing/basic6/>

HTML Canvas - fill paths - part I

- as we use stroke/line to draw the outline of a shape
 - we may also define a fill colour for complete shapes
- e.g. if we again drew a pyramid
 - set a colour for the shape's fill

```
// define fill style
context.fillStyle = 'DarkSeaGreen';
// start recording lines to draw...
context.beginPath();
// move to starting position for line - x & y
context.moveTo(50, 50);
// define line - x & y
context.lineTo(75, 25);
context.lineTo(100, 50);
context.lineTo(50, 50);
// draw all lines and fill
context.fill();
```

HTML Canvas - fill paths - part 2

- we might take this a bit further
 - *create a diamond pattern with fill colour as well*

```
// define fill style
context.fillStyle = 'DarkSeaGreen';
// start recording lines to draw...
context.beginPath();
// move to starting position for line - x & y
context.moveTo(50, 50);
// define line - x & y
context.lineTo(75, 25);
context.lineTo(100, 50);
context.lineTo(125, 75);
context.lineTo(100, 100);
context.lineTo(75, 125);
context.lineTo(50, 100);
context.lineTo(25, 75);
// draw all lines and fill
context.fill();
```

HTML Canvas - fill paths - part 3

- we might also use **alpha transparency** with fill for shapes
 - e.g. fill style with *opacity* set to 0.5

```
...  
// define a semi transparent blue colour  
context.fillStyle = `rgba(0, 0, 200, 0.5)`;  
...
```

- Example - fill paths
 - <http://linode4.cs.luc.edu/teaching/cs/demos/I25/drawing/basic7/>

References

- W3Schools - HTML5
 - *media elements*
 - *canvas element*