

Comp 125 - Visual Information Processing

Spring Semester 2018 - week 12 - wednesday

Dr Nick Hayward

Final Demo and Presentation

Dates

- Week 15 - Monday 23rd, Wednesday 25th, & Friday 27th April 2018
- Final report due 3rd May 2018 by 1pm

Final Demo and Presentation

- group project - maximum 2 persons per group
- develop an app concept and prototype
- working app (as close as possible...)
 - *must use technologies outlined during the course*
- show and explain code used to develop the app
- explain design decisions
 - *describe patterns used in design of app*
 - *layout choices...*
- show and explain implemented differences
 - *where and why did you update the app?*
 - *perceived benefits of the updates?*

Further details on course website -

<https://csteach125.github.io/coursework/#assessment2>

Video - Design

Paper Prototyping



Rapid Prototyping I of 3: Paper Prototyping

Source: YouTube - Google

Video - Design

Digital Prototyping



Rapid Prototyping 2 of 3: Digital Prototyping

Source: YouTube - Google

Video - Design

Native Prototyping



Rapid Prototyping 3 of 3: Native Prototyping

Source: YouTube - Google

HTML5 Canvas - basic canvas

- start by creating a basic HTML5 file with a <canvas> element
 - *canvas* is our container for drawing..
- need to add a link to the external JavaScript file for the drawing logic

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <title>Drawing - Canvas - Basic</title>
  </head>
  <body>
    <header>
      <h3>Drawing with Canvas - Basic</h3>
    </header>
    <main>
      <!-- add canvas -->
      <canvas id="drawing" width="600" height="400"></canvas>
    </main>
    <!-- script files -->
    <script src="./assets/js/drawing.js"></script>
  </body>
</html>
```

HTML5 Canvas - basic drawing

- might begin by drawing some rectangles with JavaScript on the canvas
- the following JavaScript will add a rectangle

```
// define canvas
var canvas = document.getElementById('drawing');
// define context for drawing
var context = canvas.getContext('2d');

// 1. rectangle
context.fillRect(0, 0, 100, 50);
```


HTML5 Canvas - basic canvas example

- we might use the canvas to combine rectangles to create various basic shapes
- update HTML for canvas

```
<!DOCTYPE html>
<html>
  <head>
    <meta charset="UTF-8">
    <title>Drawing - Canvas - Basic</title>
  </head>
  <body>
    <header>
      <h3>Drawing with Canvas - Basic</h3>
    </header>
    <main>
      <section id="drawings">
        <header>
          <h5>rectangle & staircase</h5>
        </header>
        <!-- add canvas -->
        <canvas id="drawing" width="600" height="400"></canvas>
      </section>
    </main>
    <!-- script files -->
    <script src="./assets/js/drawing.js"></script>
  </body>
</html>
```

- Example - basic drawing - rectangle & staircase
 - <http://linode4.cs.luc.edu/teaching/cs/demos/I25/drawing/basic/>

HTML5 Canvas - basic drawing

stepped pyramid

- modify our example to draw multiple shapes, thereby creating a pattern on the canvas
 - e.g. a stepped pyramid,

```
// 3. pattern with rectangles - stepped pyramid - x,y,width,height
for (i = 1; i < 7; i++) {
    var start = 100;
    var width = i * 30;
    var x = (start - (width / 2))
    context.fillRect(x, i * 20, width, 20);
}
```

- Example - basic drawing - stepped pyramid
 - <http://linode4.cs.luc.edu/teaching/cs/demos/125/drawing/basic2/>

References

- [MDN - CSS](#)
- [CSS documentation](#)
- [W3](#)
- [CSS Flexible Box Layout Module I](#)
- [W3Schools - CSS](#)
- [CSS](#)