Comp 324/424 - Client-side Web Design

Fall Semester 2019 - Week I

Dr Nick Hayward

Course Details

Lecturer

- Name: Dr Nick Hayward
- Office hours
 - Tuesday by appointment
- Faculty Page

Course Schedule

Important dates for this semester

- Project outline and mockup presentation & demo
 - 24th September 2019 @ 7pm
- Mid-semester break
 - n.b. no formal class: 8th October 2019
- DEV week: 22nd to 29th October 2019
- DEV week presentation & demo
 - 29th October 2019 @ 7pm
- Final class: 3rd December 2019
- Final presentation & demo
 - 3rd December 2019 @ 7pm
- Exam week: 9th December to 14th December 2019
 - Final assessment due on 10th December 2019

Coursework schedule

Presentations, reports &c.

- project outline & mockup
 - due Tuesday 24th September 2019 @ 7pm
- DEV week demo
 - due Tuesday 29th October 2019 @ 7pm
- final team demo
 - due Tuesday 3rd December 2019 @ 7pm
- final team report
 - due Tuesday 10th December 2019 @ 7pm

Initial Course Plan - Part I

(up to ~ DEV Week)

- Build and publish a web app from scratch
 - general setup and getting started
 - maintenance and publication
 - basic development and manipulation (HTML, CSS, JS...)
 - add some fun with Ajax, JSON, server-side...
 - useful data storage techniques and options
 - testing...

Initial Course Plan - Part 2

(Up to the end of the semester)

- Augment and develop initial app
- Explore other options
 - further libraries and options
 - tools and workflows
 - visualisations, graphics...
 - publish (again...)
- Data options
 - self hosted (MongoDB, Redis...)
 - APIs
 - cloud services, storage (Firebase, Heroku, mLab...)
- React...

Assignments and Coursework

Course will include

- weekly bibliography and reading (where applicable)
- weekly notes, examples, extras...

Coursework will include

- exercises and discussions (Total = 20%)
 - various individual or group exercises and discussions
- project outline & mockup (Total = 15%)
 - brief group presentation of initial concept and mockup
 - due Tuesday 24th September 2019 @ 7pm
- DEV week assessment (Total = 25%)
 - DEV week: 22nd to 29th October 2019
 - presentation & demo: 29th October 2019 @ 7pm
- end of semester final assessment (Total = 40%)
 - demo due Tuesday 3rd December 2019 @ 7pm
 - final report due Tuesday 10th December 2019 @ 7pm

Exercises & discussions

Course total = 20%

exercises

- help develop course project
- test course knowledge at each stage
- get feedback on project work

discussions

- sample websites and applications
- design topics, UI and UX concepts

extras

- code and application reviews
- various other assessments
- peer review of demos

Development and Project Assessment

Course total = 80% (Parts 1, 2 and 3 combined)

Initial overview

- combination project work
 - part I = project outline & mockup (15%)
 - part 2 = DEV Week development & demo (25%)
 - part 3 = final demo and report (40%)
- group project (max. 5 persons per group)
- design and develop a web app
 - purpose, scope &c. is group's choice
 - NO blogs, to-do lists, note-taking...
 - o chosen topic requires approval
 - No content management systems (CMSs) such as Drupal, Joomla, WordPress...
 - NO PHP, Python, Ruby, C# & .Net, Go, XML...
 - NO CSS frameworks, such as Bootstrap, Foundation, Materialize...
 - must implement data from either
 - o self hosted (MongoDB, Redis...)
 - APIs
 - o cloud services, storage (Firebase, Heroku, mLab &c.)
 - NO SQL...

Project outline & mockup assessment

Course total = 15%

- begin outline and design of a web application
 - built from scratch
 - ∘ HTML5, CSS...
 - builds upon examples, technology outlined during first part of semester
 - purpose, scope &c. is group's choice
 - NO blogs, to-do lists, note-taking...
 - o chosen topic requires approval
 - presentation should include mockup designs and concepts

Project mockup demo

Assessment will include the following:

- brief presentation or demonstration of current project work
 - ~ 5 to 10 minutes per group
 - analysis of work conducted so far
 - presentation and demonstration
 - outline current state of web app concept and design
 - show prototypes and designs
 - due Tuesday 24th September 2019 @ 7pm

DEV Week Assessment

Course total = 25%

- continue development of a web application
- built from scratch
 - HTML5, CSS, plain JavaScript...
- continue design and development of initial project outline and design
- working app (as close as possible...)
- **NO** content management systems (CMSs) such as Drupal, Joomla, WordPress...
- NO PHP, Python, Ruby, C# & .Net, Java, Go, XML...
- NO CSS frameworks, such as Bootstrap, Foundation, Materialize...
- NO CSS preprocessors such as Sass...
- NO template tools such as Handlebars.js &c.
- data may be implemented from either
- o self hosted (MongoDB, Redis...)
- o APIs
- ∘ cloud services (Firebase...)
- NO SQL...e.g. (you may NOT use MySQL, PostgreSQL &c.)
- outline research conducted
- describe data chosen for application
- show any prototypes, patterns, and designs

DEV Week Demo

DEV week assessment will include the following:

- brief presentation or demonstration of current project work
 - ~ 5 to 10 minutes per group
 - analysis of work conducted so far
 - e.g. during semester & DEV week
 - presentation and demonstration
 - o outline current state of web app
 - o explain what works & does not work
 - o show implemented designs since project outline & mockup
 - o show latest designs and updates
 - due Tuesday 29th October 2019 @ 7pm

Final Assessment

Course total = 40%

- continue to develop your app concept and prototypes
- working app
- **NO** content management systems (CMSs) such as Drupal, Joomla, WordPress...
- NO PHP, Python, Ruby, C# & .Net, Java, Go, XML...
- NO CSS frameworks, such as Bootstrap, Foundation, Materialize...
- NO CSS preprocessors such as Sass...
- NO template tools such as Handlebars.js &c.
- must implement data from either
- o self hosted (MongoDB, Redis...)
- APIs
- cloud services (Firebase...)
- NO SQL...e.g. (you may NOT use MySQL, PostgreSQL &c.)
- explain design decisions
- describe patterns used in design of UI and interaction
- layout choices...
- show and explain implemented differences from DEV week
- where and why did you update the app?
- perceived benefits of the updates?
- how did you respond to peer review?
- ...
- final demo
 - due on Tuesday 3rd December 2019 @ 7pm
- final report
 - due on Tuesday 10th December 2019 @ 7pm

Goals of the course

A guide to developing and publishing interactive client-side web applications and publications.

Course will provide

- guide to developing client-side web applications from scratch
- guide to publishing web apps for public interaction and usage
- best practices and guidelines for development
- fundamentals of web application development
- intro to advanced options for client-side development

Course Resources - part I

Website

Course website is available at https://csteach424.github.io

- timetable
- course overview
- course blog
- weekly assignments & coursework
- bibliography
- links & resources
- notes & material

No Sakai

Course Resources - part 2

GitHub

- course repositories available at https://github.com/csteach424
 - weekly notes
 - examples
 - source code (where applicable)

Trello group

- group for weekly assignments, DEV week posts, &c.
- Trello group 'COMP 324/424 Fall 2019 @ LUC'
 - https://trello.com/csteach424

Slack group

- group for class communication, weekly discussions, questions, &c.
- Slack group 'COMP 324/424 Fall 2019 @ LUC'
 - https://csteach424.slack.com

Group projects

- add project details to course's Trello group, COMP 324/424 Fall 2019 @ LUC
 - Week I Project Details
 - https://trello.com/b/2gepsyfx/week-1-project-details
- create channels on Slack for group communication
 - please add me to the private channel
- start working on an idea for your project
- plan weekly development up to and including DEV Week

Intro to Client-side web design

- allows us to design and develop online resources and publications for users
 - both static and interactive
- restrict publication to content
 - text, images, video, audio...
- develop and publish interactive resources and applications
- client-side scripting allows us to offer
 - interactive content within our webpages and web apps
- interaction is enabled via code that is downloaded and compiled, in effect, by the browser
- such interaction might include
 - a simple mouse rollover or similar touch event
 - user moving mouse over a menu
 - simple but effective way of interacting

Client-side and server-side - Part I

Client-side

- scripts and processes are run on the user's machine, normally via a browser
 - source code and app is transferred to the user's machine for processing
- code is run directly in the browser
- predominant languages include HTML, CSS, and JavaScript (JS)
 - HTML = HyperText Markup Language
 - CSS = Cascading Style Sheets
 - many compilers and transpilers now available to ease this development
 e.g. Go to JavaScript...
- reacts to user input
- code is often visible to the user (source can be read in developer mode etc...)
- in general, cannot store data beyond a page refresh
- HTML5 and local web APIs are changing this...
- in general, cannot read files directly from a server
 - HTTP requests required
- single page apps create rendered page for the user

Client-side and server-side - Part 2

Server-side

- code is run on a server
 - languages such as PHP, Ruby, Python, Java, C#...
 - in effect, any code that can run and respond to HTTP requests can also run a server
- enables storage of persistent data
 - data such as user accounts, preferences...
- code is not directly visible to the user
- responds to HTTP requests for a given URL
- can render the view for the user on the server side

and so on...

Getting started

- basic building blocks include HTML, CSS, and JS
- many tools available to work with these technologies
- three primary tools help with this type of development
- web browser
 - such as Chrome, Edge (IE?), Firefox, Opera, Safari...
- editor
 - such as Atom, Sublime, Microsoft's Visual Studio Code...
- version control
 - Git, (Mercurial, Subversion)
 - GitHub, Bitbucket...

Getting started - Web Browsers

- choose your favourite
 - Chrome, Firefox, Safari, Edge...
 - not IE
- developer specific tools
 - Chrome etc view source, developer tools, JS console
 - Firefox also includes excellent developer tools
 - Firebug
- cross-browser extension for web developers
 - Web Developer

Getting started - Editors

Many different choices including

Linux, OS X, and Windows


- Atom
- Sublime
- Visual Studio Code

OS X specific

- BBEdit
 - TextWrangler

and so on.

Video - Atom I.0



Source - YouTube - Introducing Atom 1.0

HTML - Intro

- acronym for HyperText Markup Language
- simple way to structure visual components of a website or web application
- HTML also uses keywords, or element tags
 - follow a defined syntax
- helps us to create web pages and web applications
- web browsers, such as Chrome or Firefox, may render for viewing
- an error can stop a web page from rendering
 - more likely it will simply cause incorrect page rendering
- interested in understanding the core of web page designing
 - understand at least the basics of using HTML

HTML - structure of **HTML**

basic HTML tag defines the entire HTML document

HTML - Element syntax - part I

Constructed using elements and attributes, which are embedded within an HTML document.

Elements should adhere to the following,

- start with an opening element tag, and close with a matching closing tag
 - names may use characters in the range **0-9**, **a-z**, **A-Z**
- content is, effectively, everything between opening and closing element tags
- elements may contain empty or void content
- empty elements should be closed in the opening tag
- most elements permit attributes within the opening tag

HTML - Element syntax - part 2

An element's start tag adheres to a structured pattern, which may be as follows,

- I. a < character
- 2. tag name
- 3. optional attributes, which are separated by a space character
- 4. optional space characters (one or more...)
- 5. optional / character, indicating a **void** element
- 6. a > character

For example,

```
<!-- opening element tag -->
<div>
<!-- void element -->
<br />
```

HTML - Element syntax - part 3

An element's end tag also adheres to a pattern, again exactly as defined as following,

- I. a < character
- 2. a / character
- 3. element's tag name (i.e. name used in matching start tag)
- 4. optional space characters (one or more...)
- 5. a > character

For example,

```
<!-- element's matching end tag --> </div>
```

NB: void elements, such as

, do *not* specify end tags.

HTML - Element syntax - part 4

- HTML, XHTML, can be written to follow the patterns and layouts of XML
- HTML elements can also be nested with a parent, child, sibling...
 - relationship within the overall tree data structure for the document
- as the HTML page is loaded by a web browser
 - the HTML DOM (document object model) is created
- basically a tree of objects that constitutes the underlying structure
 - the rendered HTML page
- DOM gives us an API (application programming interface)
 - a known way of accessing, manipulating the underlying elements, attributes, and content
- DOM very useful for JavaScript manipulation

Example - DOM structure & JavaScript

traverse DOM tree with JavaScript generator

HTML - attribute syntax - part I

- HTML attributes follow the same design pattern as XML
- provide additional information to the parent element
- placed in the opening tag of the element
- follow the standard syntax of name and value pairs
- many different permitted legal attributes in HTML
- four common names that are permitted within most HTML elements
 - class, id, style, title

HTML - attribute syntax - part 2

Four common names permitted within most HTML elements

- class
 - specifies a classname for an element
- id
 - specifies a unique ID for an element
- style
 - specifies an inline style for an element
- title
 - specifies extra information about an element
 - can be displayed as a tooltip by default

NB:

- cannot use same name for two or more attributes
 - regardless of case
 - on the same element start tag

HTML - attribute syntax - part 3

A few naming rules for attributes

- empty attribute syntax
 - <input disable>
- unquoted attribute-value syntax
 - <input value=yes>
 - value followed by /, at least one space character after the value and before /
 - i.e. usage with a void element...
- single quoted attribute-value syntax
 - <input type='checkbox'>
- double quoted attribute-value syntax
 - <input title="hello">

NB:

- further specific restrictions may apply for the above
- consult W3 Docs for further details
- above examples taken from W3 Docs Syntax Attributes Single Quoted

Example - HTML - custom attributes - part |

```
<!doctype html>
<html lang="en">
 <head>
   <meta charset="utf-8">
   <title>JS tests - DOM creation - Attributes</title>
  </head>
 <body>
   <header>
     <h3>JS tests - DOM dynamic creation - Attribute Access</h3>
   </header>
   <section id="content">
     >
       <blockquote id="berryhead" data-visible="true">
         Shine through the gloom, and point me to the skies
       </blockquote>
     </section>
   <script type="module" src="./attributes.js"></script>
  </body>
</html>
```

Example - HTML - custom attributes - part 2

```
/*
  * attributes.js
  * - basic access for custom attributes
  */

// get example blockquote nodes
let quotes = document.body.getElementsByTagName('blockquote');

// loop through quotes - freeze quotes object using Array.from to create a for (let quote of Array.from(quotes)) {
   if (quote.getAttribute('data-visible')) {
      quote.setAttribute('data-visible', 'false');
   }
}
```

example - Basic Attribute

Example - HTML - custom attributes - part 3

```
/*
 * attributes.js
 * - basic access for custom attributes
 * - add event listener for mouse click
 */

// get example blockquote nodes
let quote = document.getElementById('berryhead');

// add event listener to quotes object
quote.addEventListener('click', () => {
   if (quote.getAttribute('data-visible') === 'true') {
      quote.setAttribute('data-visible', 'false');
      quote.style.color = '#779eab';
   } else {
      quote.setAttribute('data-visible', 'true');
      quote.style.color = '#0000';
   }
});
```

- example Basic Attribute 2
- MDN Using Dynamic Styling Information

HTML - Doctype - HTML5

- DOCTYPE is a special instruction to the web browser
 - concerning the required processing mode for rendering the document's HTML
- doctype is a required part of the HTML document
- first part of our HTML document
- should always be included at the top of a HTML document, e.g.

<!DOCTYPE html>


or

<!doctype html>

- doctype we add for HTML5 rendering
- not a HTML element, simply tells the browser required HTML version for rendering

DOM Basics - intro

A brief introduction to the document object model (DOM)




Source - W3Schools - JS HTML DOM

DOM Basics - what is **DOM**?

- DOM is a platform and language independent way
 - to access and manipulate underlying structure of HTML document
- structured as a representation of a tree data structure
 - its manipulation follows this same, standard principle
- DOM tree is constructed using a set of nodes
 - tree is designed as a hierarchical representation of the underlying document
- each node on our tree is an element within our HTML document
- inherent hierarchical order originates with the root element
 - root sits at the top of our tree
 - descends down following lineage from node to node
- each node is a child to its parent
 - we can find many siblings per node as well
- root at the top of the tree...

Image - HTML DOM



DOM Basics - useful elements

element tag	usage & description
<html></html>	container element for a HTML document
<head></head>	contains metadata and document information
<body></body>	contains main content rendered as the HTML document
<header></header>	page header
<nav></nav>	navigation, stores and defines a set of links for internal or external navigation
<main></main>	defined primary content area of document
<footer></footer>	page footer
<section></section>	a section of a page or document
<article></article>	suitable for organising and containing independent content
<aside></aside>	defines content aside from the content which contains this element
<figure></figure>	logical grouping of image and caption
	image - can be local or remote using url in src attribute
<figcaption></figcaption>	image caption
<h1>, <h2></h2></h1>	headings from 1 to 6 (1 = largest)
<a>	anchor - link to another anchor, document, site
	paragraph
<dl></dl>	unordered, ordered, definition lists
<	list item, used with ,
<dt></dt>	definition term, used with <dl></dl>
<dd></dd>	definition description, used with <d1></d1>
	standard table with rows, columns

element tag	usage & description
>	table row, used with
	table heading, used with and child to
	table cell, used with and child to
<div></div>	non-semantic container for content, similar concept to <section></section>
	group inline elements in a HTML document
<canvas></canvas>	HTML5 element for drawing on the HTML page
<video></video>	HTML5 element for embedding video playback
<audio></audio>	HTML5 element for embedding audio playback

NB: <div> and can be used as identifiers when there is no other suitable element to define parts of a HTML5 document. e.g. if there is no defined or significant semantic meaning...

DOM Basics - sample

```
<!DOCTYPE html>
<html>
  <head>
    <base href="media/images/">
   <meta charset="UTF-8">
    <!-- week 3 - demo 1 -->
    <title>Week 3 - Demo 1</title>
  </head>
  <body>
    <header>
      <h1>Ancient Egypt</h1>
    </header>
    <nav>...</nav>
    <main>
      <section>
        >
          Welcome to the Ancient Egypt information site.
        <figure>
          <img src="philae-demo2.jpg" alt="philae temple" width="333px"</pre>
          height="200px">
          <figcaption>Ptolemaic temple at Philae, Egypt</figcaption>
        </figure>
      </section>
      <aside>
        Temple at Philae in Egypt is Ptolemaic era of Egyptian history.
      </aside>
    </main>
    <footer>
      foot of the page...
    </footer>
  </body>
</html>
```

■ Demo - DOM Basics - Sample

DOM Basics - index.html page

index.html usage and structure

- basic index.html page for loading web apps
- app will start with the index.html document
 - html pages saved as .html or .htm
 - .html more common...
- index.html acts as a kickstart
 - for loading and rendering the app
 - loads other app resources CSS, JS...
- consistent elements in the HTML DOM
 - <html>, <head>, and <body>
- HTML5 apps will add
 - <header>, <main>, and <footer> (when required)
 - many other elements for building the app...

Demos

- Basic Attribute
- Basic Attribute 2
- DOM Basics Sample

Resources

- Jaffe, Jim., Application Foundations For The Open Web Platform. W3C. 10.14.2014. http://www.w3.org/blog/2014/10/application-foundations-for-the-open-web-platform/
- MDN Using Dynamic Styling Information
- The Unicode Consortium
- Unicode Information
- Unicode examples
- W3 Docs for further details