```
\boldsymbol{x}
                                                                                  triv
                                                                                  box
                                                                                  unbox
                                                                                  \Lambda(X <: A).t
                                                                                  [A]t
                                                                                  \lambda(x:A).t
                                                                                  t_1 t_2
                                                                                  (t_1, t_2)
                                                                                  \mathsf{fst}\;t
                                                                                  \mathsf{snd}\; t
                                                                                  \mathsf{succ}\ t
                                                                                  case t of t_3 \rightarrow t_1, t_4 \rightarrow t_2
                                                                                  t :: t'
                                                                                                                                              S
                                                                                  (t)
  K
                                                                     ::=
  A,\ B,\ C,\ D,\ E,\ S,\ U
                                                                                  X
                                                                                  \mathsf{List}\,A
                                                                                  \forall (X <: A).B
                                                                                  SL
                                                                                  Unit
                                                                                  Nat
                                                                                  \begin{array}{c} A_1 \rightarrow A_2 \\ A_1 \times A_2 \end{array}
                                                                                                                                              S
  Γ
                                                                                 \begin{array}{l} \Gamma, X <: A \\ \Gamma, x : A \end{array}
\Gamma \vdash A : \star
                                                                             \frac{\Gamma_1 \vdash A : \star}{\Gamma_1, X <: A, \Gamma_2 \vdash X : \star}
                                                                                                                         K_{\text{-}UNIT}
                                                                                         \overline{\Gamma \vdash \mathsf{Unit} : \star}
                                                                                                                         K_{-}NAT
                                                                                          \overline{\Gamma \vdash \mathsf{Nat} : \star}
```

::=

termvar, x, y, z, f typevar, X, Y, Z index, i, j, kt, c, v, s, n

$$\frac{\Gamma \vdash R : \star}{\Gamma \vdash L \text{ist } A : \star} \quad \text{K\_LIST}$$

$$\frac{\Gamma \vdash A : \star}{\Gamma \vdash L \text{ist } A : \star} \quad \text{K\_LIST}$$

$$\frac{\Gamma \vdash A : \star}{\Gamma \vdash A \to B : \star} \quad \text{K\_ARROW}$$

$$\frac{\Gamma \vdash A : \star}{\Gamma \vdash A \times B : \star} \quad \text{K\_PROD}$$

$$\frac{\Gamma, X <: A \vdash B : \star}{\Gamma \vdash \forall (X <: A).B : \star} \quad \text{K\_FORALL}$$

 $\Gamma \operatorname{Ok}$ 

$$\frac{\Gamma \text{ Ok} \quad \Gamma \vdash A : \star}{(\Gamma, X <: A) \text{ Ok}} \quad \text{OK\_TYPEVAR}$$

$$\frac{\Gamma \text{ Ok} \quad \Gamma \vdash A : \star}{(\Gamma, x : A) \text{ Ok}} \quad \text{OK\_VAR}$$

 $\Gamma \vdash A \mathrel{<:} B$ 

$$\frac{\Gamma \text{ Ok}}{\Gamma \vdash A <: A} \quad \text{S_REFL}$$

$$\frac{\Gamma \vdash A <: B \quad \Gamma \vdash B <: C}{\Gamma \vdash A <: C} \quad \text{S_TRANS}$$

$$\frac{X <: A \in \Gamma \quad \Gamma \text{ Ok}}{\Gamma \vdash X <: A} \quad \text{S_DVAR}$$

$$\frac{\Gamma \text{ Ok}}{\Gamma \vdash A <: T} \quad \text{S_DATS}$$

$$\frac{\Gamma \text{ Ok}}{\Gamma \vdash \text{ Nat} <: \text{SL}} \quad \text{S_DATS}$$

$$\frac{\Gamma \text{ Ok}}{\Gamma \vdash \text{ Unit} <: \text{SL}} \quad \text{S_DATS}$$

$$\frac{\Gamma \text{ Ok}}{\Gamma \vdash \text{ Unit} <: \text{SL}} \quad \text{S_DATS}$$

$$\frac{\Gamma \vdash A <: \text{SL}}{\Gamma \vdash \text{ Unit} <: \text{SL}} \quad \text{S_DATS}$$

$$\frac{\Gamma \vdash A <: \text{SL}}{\Gamma \vdash \text{ Init} \land A <: \text{SL}} \quad \text{S_DATS}$$

$$\frac{\Gamma \vdash A <: \text{SL}}{\Gamma \vdash (A \to B) <: \text{SL}} \quad \text{S_DATS}$$

$$\frac{\Gamma \vdash A <: \text{SL}}{\Gamma \vdash (A \to B) <: \text{SL}} \quad \text{S_DATS}$$

$$\frac{\Gamma \vdash A <: \text{SL}}{\Gamma \vdash (A \to B) <: \text{SL}} \quad \text{S_DATS}$$

$$\frac{\Gamma \vdash A <: \text{SL}}{\Gamma \vdash (A \to B) <: \text{SL}} \quad \text{S_DATS}$$

$$\frac{\Gamma \vdash A <: \text{SL}}{\Gamma \vdash (A \to B) <: \text{SL}} \quad \text{S_DATS}$$

$$\frac{\Gamma \vdash A <: B}{\Gamma \vdash (\text{List } A) <: (\text{List } B)} \quad \text{S_DATS}$$

$$\frac{\Gamma \vdash A_1 <: A_2 \quad \Gamma \vdash B_1 <: B_2}{\Gamma \vdash (A_1 \times B_1) <: (A_2 \times B_2)} \quad \text{S_DATS}$$

$$\frac{\Gamma \vdash A_2 <: A_1 \quad \Gamma \vdash B_1 <: B_2}{\Gamma \vdash (A_1 \to B_1) <: (A_2 \to B_2)} \quad \text{S_DATS}$$

$$\frac{\Gamma, X <: A \vdash B_1 <: B_2}{\Gamma \vdash (\forall (X <: A).B_1) <: (\forall (X <: A).B_2)} \quad \text{S\_FORALL}$$

## $\Gamma \vdash A \sim B$

## $\Gamma \vdash A \sqsubseteq B$

$$\overline{\Gamma \vdash A \sqsubseteq ?} \quad P_{-}U$$

$$\overline{\Gamma \vdash A \sqsubseteq A} \quad P_{-}REFL$$

$$\frac{\Gamma \vdash A \sqsubseteq C \quad \Gamma \vdash B \sqsubseteq D}{\Gamma \vdash (A \to B) \sqsubseteq (C \to D)} \quad P_{-}ARROW$$

$$\frac{\Gamma \vdash A \sqsubseteq C \quad \Gamma \vdash B \sqsubseteq D}{\Gamma \vdash (A \times B) \sqsubseteq (C \times D)} \quad P_{-}PROD$$

$$\frac{\Gamma \vdash A \sqsubseteq B}{\Gamma \vdash (\mathsf{List} A) \sqsubseteq (\mathsf{List} B)} \quad P_{-}LIST$$

$$\frac{\Gamma \vdash A \sqsubseteq A' \quad \Gamma \vdash A \lessdot A' \quad \Gamma, X \lessdot A \vdash B \sqsubseteq D}{\Gamma \vdash (\forall (X \lessdot A).B) \sqsubseteq (\forall (X \lessdot A).D)} \quad P_{-}FORALL$$

## $\Gamma \vdash t : A$

$$\frac{x:A\in\Gamma\quad\Gamma\,\mathrm{Ok}}{\Gamma\vdash x:A}\quad \mathrm{T\_VARP}$$
 
$$\overline{\Gamma\vdash \mathrm{box}:\forall(X<:\mathrm{SL}).(X\to?)}\quad \mathrm{T\_Box}$$
 
$$\overline{\Gamma\vdash \mathrm{unbox}:\forall(X<:\mathrm{SL}).(?\to X)}\quad \mathrm{T\_UNBOX}$$
 
$$\frac{\Gamma\,\mathrm{Ok}}{\Gamma\vdash \mathrm{triv}:\mathrm{Unit}}\quad \mathrm{T\_UNITP}$$
 
$$\frac{\Gamma\,\mathrm{Ok}}{\Gamma\vdash 0:\mathrm{Nat}}\quad \mathrm{T\_ZEROP}$$
 
$$\underline{\Gamma\vdash t:A\quad \mathrm{nat}(A)=\mathrm{Nat}}\quad \mathrm{T\_SUCC}$$

$$\begin{array}{c} \Gamma \vdash t : C \quad \mathrm{nat}(C) = \mathrm{Nat} \\ \Gamma \vdash t_1 : A \quad \Gamma, x : \mathrm{Nat} \vdash t_2 : A \\ \hline \Gamma \vdash \mathrm{case} \ t \ \mathrm{of} \ 0 \to t_1, (\mathrm{succ} \ x) \to t_2 : A \\ \hline \\ \frac{\Gamma \operatorname{Ok} \quad \Gamma \vdash A : \star}{\Gamma \vdash [] : \forall (X <: \top). \operatorname{List} X} \quad T_{-}\mathrm{EMPTY} \\ \hline \\ \frac{\Gamma \vdash t_1 : A_1 \quad \Gamma \vdash t_2 : \operatorname{List} A_2 \quad \Gamma \vdash A_1 \sim A_2}{\Gamma \vdash t_1 : t_2 : \operatorname{List} A_2} \quad T_{-}\mathrm{CONS} \\ \hline \\ \frac{\Gamma \vdash t_1 : A_1 \quad \Gamma \vdash t_2 : A_2}{\Gamma \vdash (t_1, t_2) : A_1 \times A_2} \quad T_{-}\mathrm{PAIR} \\ \hline \\ \frac{\Gamma \vdash t_1 : A_1 \quad \Gamma \vdash t_2 : A_2}{\Gamma \vdash (t_1, t_2) : A_1 \times A_2} \quad T_{-}\mathrm{PAIR} \\ \hline \\ \frac{\Gamma \vdash t_1 : A_1 \quad \Gamma \vdash t_2 : A_2}{\Gamma \vdash \lambda (x : A).t : A \to B} \quad T_{-}\mathrm{LAM} \\ \hline \\ \frac{\Gamma \vdash t_1 : A_1 \quad \Gamma \vdash t_2 : A_2}{\Gamma \vdash \lambda (x : A).t : \forall (X <: A).B} \quad T_{-}\mathrm{LAM} \\ \hline \\ \frac{\Gamma \vdash t_1 : \forall (X <: B).C \quad \Gamma \vdash A <: B}{\Gamma \vdash t_1 : A \quad \Gamma \vdash A <: B} \quad T_{-}\mathrm{TypeApp} \\ \hline \\ \frac{\Gamma \vdash t_1 : A \quad \Gamma \vdash A <: B}{\Gamma \vdash t_1 : B \quad \Gamma, x : A, y : \operatorname{List} A \vdash t_2 : B} \quad T_{-}\mathrm{SuB} \\ \hline \\ \frac{\Gamma \vdash t_1 : C \quad \operatorname{Isit}(C) = \operatorname{List} A}{\Gamma \vdash t_1 : B \quad \Gamma, x : A, y : \operatorname{List} A \vdash t_2 : B} \quad T_{-}\mathrm{LCASE} \\ \hline \\ \frac{\Gamma \vdash t_1 : C \quad \operatorname{fun}(C) = A_1 \to B_1}{\Gamma \vdash t_2 : A_2 \quad \Gamma \vdash A_2 \sim A_1} \quad T_{-}\mathrm{App} \\ \hline \\ \frac{\Gamma \vdash t_1 : C \quad \operatorname{fun}(C) = A_1 \to B_1}{\Gamma \vdash t_1 : t_2 : B_2} \quad T_{-}\mathrm{App} \\ \hline \\ \frac{\Gamma \vdash t_1 : B \quad \operatorname{prod}(B) = A_1 \times A_2}{\Gamma \vdash \operatorname{fist} t : A_1} \quad T_{-}\mathrm{FST} \\ \hline \\ \frac{\Gamma \vdash t_1 : B \quad \operatorname{prod}(B) = A_1 \times A_2}{\Gamma \vdash \operatorname{snd} t : A_2} \quad T_{-}\mathrm{SND} \\ \hline \end{array}$$

 $\Gamma \vdash t_1 \Rightarrow t_2 : A$  Cast insertion

$$\frac{x:A\in\Gamma}{\Gamma\vdash x\Rightarrow x:A} \quad \text{CI\_VAR}$$
 
$$\overline{\Gamma\vdash \text{box}\Rightarrow \text{box}:\forall(X<:\text{SL}).(X\to?)} \quad \text{CI\_BOX}$$
 
$$\overline{\Gamma\vdash \text{unbox}\Rightarrow \text{unbox}:\forall(X<:\text{SL}).(?\to X)} \quad \text{CI\_UNBOX}$$
 
$$\overline{\Gamma\vdash 0\Rightarrow 0:\text{Nat}} \quad \text{CI\_ZERO}$$
 
$$\overline{\Gamma\vdash \text{triv}\Rightarrow \text{triv}:\text{Unit}} \quad \text{CI\_TRIV}$$
 
$$\underline{\Gamma\vdash t_1\Rightarrow t_2:?}$$
 
$$\overline{\Gamma\vdash \text{succ}\ t_1\Rightarrow \text{succ}\ (\text{unbox}_{\text{Nat}}\ t_2):\text{Nat}} \quad \text{CI\_SUCCU}$$
 
$$\underline{\Gamma\vdash t_1\Rightarrow t_2:\text{Nat}} \quad \underline{\Gamma\vdash t_1\Rightarrow t_2:\text{Nat}} \quad \text{CI\_SUCCU}$$

$$\begin{array}{c} \Gamma \vdash t \Rightarrow t':? \\ \Gamma \vdash t_1 \Rightarrow t'_1 : A \quad \Gamma, x: \mathrm{Nat} \vdash t_2 \Rightarrow t'_2 : A \\ \hline \Gamma \vdash (\mathrm{case} \ t \ o \ f \ o \ b \ t_1, (\mathrm{succ} \ x) \Rightarrow t_2) \Rightarrow (\mathrm{case} \ (\mathrm{unbox_{Nat}} \ t') \ o \ f \ o \ b \ t'_1, (\mathrm{succ} \ x) \Rightarrow t'_2) : A \\ \hline \Gamma \vdash t \Rightarrow t': \mathrm{Nat} \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : A \quad \Gamma, x: \mathrm{Nat} \vdash t_2 \Rightarrow t'_2 : A \\ \hline \Gamma \vdash (\mathrm{case} \ t \ o \ f \ o \ b \ t_1, (\mathrm{succ} \ x) \Rightarrow t_2) \Rightarrow (\mathrm{case} \ t' \ o \ f \ o \ b \ t'_1, (\mathrm{succ} \ x) \Rightarrow t'_2) : A \\ \hline \Gamma \vdash (\mathrm{case} \ t \ o \ f \ o \ b \ t_1, (\mathrm{succ} \ x) \Rightarrow t_2) \Rightarrow (\mathrm{case} \ t' \ o \ f \ o \ b \ t'_1, (\mathrm{succ} \ x) \Rightarrow t'_2) : A \\ \hline \Gamma \vdash (\mathrm{case} \ t \ o \ f \ o \ b \ t_1, (\mathrm{succ} \ x) \Rightarrow t'_2) \Rightarrow (\mathrm{case} \ t' \ o \ f \ o \ b \ t'_1, (\mathrm{succ} \ x) \Rightarrow t'_2) : A \\ \hline \Gamma \vdash t_1 \Rightarrow t_2 : A_1 \quad \Gamma \vdash t_2 \Rightarrow t_1 : A_2 \\ \hline \Gamma \vdash t_1 \Rightarrow t_2 : A_1 \times A_2 \\ \hline \Gamma \vdash t_1 \Rightarrow t_2 : A_1 \times A_2 \\ \hline \Gamma \vdash t_1 \Rightarrow t_2 : A_1 \times A_2 \\ \hline \Gamma \vdash t_1 \Rightarrow t_1 \Rightarrow t_2 : A_1 \times A_2 \\ \hline \Gamma \vdash t_1 \Rightarrow t_1 \Rightarrow t_2 : A_1 \times A_2 \\ \hline \Gamma \vdash t_1 \Rightarrow t_1 \Rightarrow t_2 : A_1 \times A_2 \\ \hline \Gamma \vdash t_1 \Rightarrow t_1 \Rightarrow t_1 \Rightarrow t_2 \Rightarrow t'_2 : t \text{ist} A_1 \quad \Gamma \vdash t_2 \Rightarrow t'_2 : t \text{ist} A_2 \quad \Gamma \vdash \Delta_1 \Rightarrow t_2 : A_2 \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : A \quad \Gamma \vdash t_2 \Rightarrow t'_2 : t \text{ist} A_2 \quad \Gamma \vdash A_1 \Rightarrow A_2 \quad \text{caster}(A_1, A_2) = c \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : A \quad \Gamma \vdash t_2 \Rightarrow t'_2 : t \text{ist} A_2 \quad \Gamma \vdash A_1 \Rightarrow A_2 \quad \text{caster}(A_1, A_2) = c \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : B \quad \Gamma, x : 2, y : \text{List} A_2 \quad \Gamma \vdash A_1 \Rightarrow t'_2 : B \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : B \quad \Gamma, x : 2, y : \text{List} A_2 \quad t_2 \Rightarrow t'_2 : B \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : B \quad \Gamma, x : 2, y : \text{List} A_2 \vdash b_2 \Rightarrow t'_2 : B \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : B \quad \Gamma, x : 2, y : \text{List} A \vdash b_2 \Rightarrow t'_2 : B \\ \hline \Gamma \vdash t_1 \Rightarrow t_1 : t_1 \Rightarrow t'_1 : A_1 \Rightarrow b_2 : A_2 \quad \text{CILCASE} \\ \hline \Gamma \vdash t_1 \Rightarrow t_2 : t'_2 : A_2 \quad \text{caster}(A_2, T) \Rightarrow c \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : A_1 \Rightarrow b_1 \Rightarrow \lambda t_2 \quad \text{CILAM} \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : A_1 \Rightarrow B \quad \Gamma \vdash A_2 \Rightarrow A_1 \quad \text{caster}(A_2, A_1) \Rightarrow c \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : A_1 \Rightarrow B \quad \Gamma \vdash A_2 \Rightarrow A_1 \quad \text{caster}(A_2, A_1) \Rightarrow c \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : A_1 \Rightarrow B \quad \Gamma \vdash A_2 \Rightarrow A_1 \quad \text{caster}(A_2, A_1) \Rightarrow c \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : A_1 \Rightarrow b : A_2 \Rightarrow A_1 \quad \text{caster}(A_2, A_1) \Rightarrow c \\ \hline \Gamma \vdash t_1 \Rightarrow t'_1 : A_1 \Rightarrow B \quad \Gamma \vdash A_2 \Rightarrow A_1 \quad \text{caster}(A_2, A_1) \Rightarrow c \\ \hline \Gamma \vdash t_1 \Rightarrow t$$

Definition rules: 78 good 0 bad Definition rule clauses: 149 good 0 bad