```
termvar, \, x, \, y, \, z, \, f
  typevar, X, Y, Z
  index,\;i,\;j,\;k
  t, c, v, s, n
                                                         ::=
                                                                     \boldsymbol{x}
                                                                     triv
                                                                     box
                                                                     unbox
                                                                     \Lambda(X <: A).t
                                                                     [A]t
                                                                     \lambda(x:A).t
                                                                     t_1 t_2
                                                                    (t_1, t_2)
                                                                     \mathsf{fst}\;t
                                                                     \mathsf{snd}\; t
                                                                     \mathsf{succ}\ t
                                                                    case t of t_3 \rightarrow t_1, t_4 \rightarrow t_2
                                                                     t :: t'
                                                                                                                       S
                                                                     (t)
  K
                                                          ::=
  A, B, C, D, E, S, U
                                                                    \top
                                                                    \mathbb{S}
                                                                    X
                                                                    \mathsf{List}\,A
                                                                    \forall (X <: A).B
                                                                    Unit
                                                                     Nat
                                                                    A_1 \to A_2 \\ A_1 \times A_2
                                                                                                                       S
 Γ
                                                                    \begin{array}{l} \Gamma, X <: A \\ \Gamma, x : A \end{array}
\Gamma \vdash A : \star
                                                                \frac{\Gamma_1 \vdash A : \star}{\Gamma_1, X <: A, \Gamma_2 \vdash X : \star}
                                                                                                   K_{\text{-}TOP}
                                                                               \overline{\Gamma \vdash \mathbb{S} : \star}
                                                                                                   K\_{\rm SL}
```

 $\Gamma \operatorname{Ok}$ 

$$\frac{\Gamma \text{ Ok} \quad \text{OK\_EMPTY}}{\Gamma \text{ Ok} \quad \Gamma \vdash A : \star} \quad \text{OK\_TYPEVAR}$$

$$\frac{\Gamma \text{ Ok} \quad \Gamma \vdash A : \star}{(\Gamma, x : A) \text{ Ok}} \quad \text{OK\_VAR}$$

 $\Gamma \vdash A \sim B$ 

$$\frac{\Gamma \vdash A : \star}{\Gamma \vdash A \sim A} \quad \text{C_Refl}$$

$$\frac{\Gamma \vdash A \lesssim \mathbb{S}}{\Gamma \vdash A \sim ?} \quad \text{C_Box}$$

$$\frac{\Gamma \vdash A \lesssim \mathbb{S}}{\Gamma \vdash ? \sim A} \quad \text{C_Unbox}$$

$$\frac{\Gamma \vdash A \sim B}{\Gamma \vdash (\text{List } A) \sim (\text{List } B)} \quad \text{C_List}$$

$$\frac{\Gamma \vdash A_2 \sim A_1 \quad \Gamma \vdash B_1 \sim B_2}{\Gamma \vdash (A_1 \rightarrow B_1) \sim (A_2 \rightarrow B_2)} \quad \text{C_Arrow}$$

$$\frac{\Gamma \vdash A_1 \sim A_2 \quad \Gamma \vdash B_1 \sim B_2}{\Gamma \vdash (A_1 \times B_1) \sim (A_2 \times B_2)} \quad \text{C_Prod}$$

$$\frac{\Gamma \vdash A_1 \sim A_2 \quad \Gamma \vdash B_1 \sim B_2}{\Gamma \vdash (A_1 \times B_1) \sim (A_2 \times B_2)} \quad \text{C_Prod}$$

$$\frac{\Gamma, X <: A \vdash B_1 \sim B_2}{\Gamma \vdash (\forall (X <: A).B_1) \sim (\forall (X <: A).B_2)} \quad \text{C_Forall}$$

 $A \sqsubseteq B$ 

$$\frac{\Gamma \vdash A \lesssim \mathbb{S}}{A \sqsubseteq ?} \quad P_{-}U$$

$$\frac{A \sqsubseteq A}{A \sqsubseteq A} \quad P_{-}REFL$$

$$\frac{A \sqsubseteq C \quad B \sqsubseteq D}{(A \to B) \sqsubseteq (C \to D)} \quad P_{-}ARROW$$

$$\frac{A \sqsubseteq C \quad B \sqsubseteq D}{(A \times B) \sqsubseteq (C \times D)} \quad \text{P\_PROD}$$

$$\frac{A \sqsubseteq B}{(\mathsf{List}\,A) \sqsubseteq (\mathsf{List}\,B)} \quad \text{P\_LIST}$$

$$\frac{B_1 \sqsubseteq B_2}{(\forall (X <: A).B_1) \sqsubseteq (\forall (X <: A).B_2)} \quad \text{P\_FORALL}$$

 $t \sqsubseteq t'$ 

$$\begin{array}{c|c} \hline t \sqsubseteq t \\ \hline (succ \ t_1) \sqsubseteq (succ \ t_2) \\ \hline \end{array} ] & \text{TP\_SUCC} \\ \hline \\ \frac{t_1 \sqsubseteq t_4 \quad t_2 \sqsubseteq t_5 \quad t_3 \sqsubseteq t_6}{(case \ t_1 \ of \ 0 \to t_2, (succ \ x) \to t_3) \sqsubseteq (case \ t_4 \ of \ 0 \to t_5, (succ \ x) \to t_6)} \\ \hline \\ \frac{t_1 \sqsubseteq t_3 \quad t_2 \sqsubseteq t_4}{(t_1, t_2) \sqsubseteq (t_3, t_4)} \quad \text{TP\_PAIR} \\ \hline \\ \frac{t_1 \sqsubseteq t_2}{(fst \ t_1) \sqsubseteq (fst \ t_2)} \quad \text{TP\_FST} \\ \hline \\ \frac{t_1 \sqsubseteq t_2}{(snd \ t_1) \sqsubseteq (snd \ t_2)} \quad \text{TP\_SND} \\ \hline \\ \frac{t_1 \sqsubseteq t_3 \quad t_2 \sqsubseteq t_4}{(t_1 :: t_2) \sqsubseteq (t_3 :: t_4)} \quad \text{TP\_CONS} \\ \hline \\ \frac{t_1 \sqsubseteq t_3 \quad t_2 \sqsubseteq t_4}{(t_1 :: t_2) \sqsubseteq (t_3 :: t_4)} \quad \text{TP\_CONS} \\ \hline \\ \frac{t_1 \sqsubseteq t_4 \quad t_2 \sqsubseteq t_5 \quad t_3 \sqsubseteq t_6}{(case \ t_1 \ of \ \| \to t_2, (x :: y) \to t_3) \sqsubseteq (case \ t_4 \ of \ 0 \to t_5, (x :: y) \to t_6)} \\ \hline \\ \frac{t_1 \sqsubseteq t_2 \quad A_1 \sqsubseteq A_2}{(\lambda(x :: A_1).t_1) \sqsubseteq (\lambda(x :: A_2).t_2)} \quad \text{TP\_FUN} \\ \hline \\ \frac{t_1 \sqsubseteq t_3 \quad t_2 \sqsubseteq t_4}{(t_1 \ t_2) \sqsubseteq (t_3 \ t_4)} \quad \text{TP\_APP} \\ \hline \\ \frac{t_1 \sqsubseteq t_2 \quad A_1 \sqsubseteq A_2}{(\Lambda(X <: A_1).t_1) \sqsubseteq (\Lambda(X <: A_2).t_2)} \quad \text{TP\_TFUN} \\ \hline \\ \frac{t_1 \sqsubseteq t_2 \quad A_1 \sqsubseteq A_2}{(\Lambda(X <: A_1).t_1) \sqsubseteq (\Lambda(X <: A_2).t_2)} \quad \text{TP\_TFUN} \\ \hline \\ \frac{t_1 \sqsubseteq t_2 \quad A \sqsubseteq B}{[A]t_1 \sqsubseteq [B]t_2} \quad \text{TP\_TAPP} \\ \hline \end{array}$$

 $\Gamma \vdash A \lesssim B$ 

$$\frac{\Gamma \vdash A : \star}{\Gamma \vdash A \lesssim A} \quad \text{S_REFL}$$

$$\frac{X <: A' \in \Gamma \quad \Gamma \vdash A' \sim A}{\Gamma \vdash X \lesssim A} \quad \text{S_VAR}$$

$$\frac{\Gamma \vdash A : \star}{\Gamma \vdash A \lesssim \top} \quad \text{S_TOP}$$

$$\frac{\Gamma \vdash A \lesssim \mathbb{S}}{\Gamma \vdash A \lesssim ?} \quad \text{S_Box}$$

$$\frac{\Gamma \vdash A \lesssim \mathbb{S}}{\Gamma \vdash ? \lesssim A} \quad \text{S\_UNBOX}$$

$$\frac{\Gamma \text{ Ok}}{\Gamma \vdash ? \lesssim \mathbb{S}} \quad \text{S\_USL}$$

$$\frac{\Gamma \text{ Ok}}{\Gamma \vdash \text{Nat} \lesssim \mathbb{S}} \quad \text{S\_NATSL}$$

$$\frac{\Gamma \text{ Ok}}{\Gamma \vdash \text{Unit} \lesssim \mathbb{S}} \quad \text{S\_UNITSL}$$

$$\frac{\Gamma \vdash A \lesssim \mathbb{S}}{\Gamma \vdash \text{List} A \lesssim \mathbb{S}} \quad \text{S\_LISTSL}$$

$$\frac{\Gamma \vdash A \lesssim \mathbb{S}}{\Gamma \vdash A \to B \lesssim \mathbb{S}} \quad \text{S\_ARROWSL}$$

$$\frac{\Gamma \vdash A \lesssim \mathbb{S}}{\Gamma \vdash A \times B \lesssim \mathbb{S}} \quad \text{S\_PRODSL}$$

$$\frac{\Gamma \vdash A \lesssim \mathbb{S}}{\Gamma \vdash (\text{List }A) \lesssim (\text{List }B)} \quad \text{S\_LIST}$$

$$\frac{\Gamma \vdash A_1 \lesssim A_2 \quad \Gamma \vdash B_1 \lesssim B_2}{\Gamma \vdash (A_1 \times B_1) \lesssim (A_2 \times B_2)} \quad \text{S\_PROD}$$

$$\frac{\Gamma \vdash A_2 \lesssim A_1 \quad \Gamma \vdash B_1 \lesssim B_2}{\Gamma \vdash (A_1 \to B_1) \lesssim (A_2 \to B_2)} \quad \text{S\_ARROW}$$

$$\frac{\Gamma, X \leqslant A \vdash B_1 \lesssim B_2}{\Gamma \vdash (\forall (X \leqslant : A).B_1) \lesssim (\forall (X \leqslant : A).B_2)} \quad \text{S\_FORALL}$$

 $\Gamma \vdash t : A$ 

$$\frac{x:A\in\Gamma\ \Gamma\ \text{Ok}}{\Gamma\vdash x:A} \quad \text{$T$-VARP$}$$
 
$$\frac{\Gamma\ \text{Ok}}{\Gamma\vdash \text{box}:\forall(X<:\mathbb{S}).(X\to?)} \quad \text{$T$-Box$}$$
 
$$\frac{\Gamma\ \text{Ok}}{\Gamma\vdash \text{unbox}:\forall(X<:\mathbb{S}).(?\to X)} \quad \text{$T$-UNBOX$}$$
 
$$\frac{\Gamma\ \text{Ok}}{\Gamma\vdash \text{triv}:\text{Unit}} \quad \text{$T$-UNITP$}$$
 
$$\frac{\Gamma\ \text{Ok}}{\Gamma\vdash 0:\text{Nat}} \quad \text{$T$-ZEROP$}$$
 
$$\frac{\Gamma\vdash t:A \quad \text{nat}(A)=\text{Nat}}{\Gamma\vdash \text{succ}\ t:\text{Nat}} \quad \text{$T$-SUCC$}$$
 
$$\frac{\Gamma\vdash t:C \quad \text{nat}(C)=\text{Nat}\quad \Gamma\vdash A_1\sim A}{\Gamma\vdash t_1:A_1\quad \Gamma,x:\text{Nat}\vdash t_2:A_2\quad \Gamma\vdash A_2\sim A} \quad \text{$T$-NCASE$}$$
 
$$\Gamma\vdash \text{case}\ t \text{ of } 0\to t_1, (\text{succ}\ x)\to t_2:A$$
 
$$\frac{\Gamma\ \text{Ok}}{\Gamma\vdash []:\forall(X<:\top).\text{List}\ X} \quad \text{$T$-EMPTY$}$$

6

0 bad

Definition rule clauses: 191 good