## Попова Наталья М8О-405Б-20 В-16

12 сентября 2023 г. 19:35

1. Линеаризовать систему и построить структурную схему линеаризованной системы.

а) 
$$\sin \ddot{x} + \dot{x} x = t g^2 + \dot{g}$$
, опорная траектория  $x^*(t) = 16t$ ,  $g^*(t) = 16$ ;

6) 
$$\ddot{x} x^{46} + \ddot{x} \sin \dot{x} + \arctan x^{46} = -g \dot{x}^2 + e^{\dot{g}}$$
,

опорная траектория 
$$x * (t) = 1$$
,  $g * (t) = t \ln \frac{\pi}{4}$ .

a) 
$$F = \sin i + x^2 + tg^2 - g = 0$$

Tyent haranone yendend by dyn: 
$$x(0) = z_0$$
,  $\dot{z}(0) = \dot{z}_0$ 

$$a_z(t) = \left(\frac{\partial F}{\partial \ddot{z}}\right) = (\cos \dot{z}) = \cos 0 = 1 \qquad b_z(t) = \left(\frac{\partial F}{\partial \dot{g}}\right) = 1$$

$$a_{i}(t) = \left(\frac{\partial \Gamma}{\partial \ddot{x}}\right) = (\cos \ddot{x}) = \cos 0 = 4$$

$$f_1(t) = -\left(\frac{3}{3}\right) = 1$$

$$a_1(t) = \left(\frac{\partial F}{\partial \dot{x}}\right) = (x) = 16t$$

$$b_0(t) = \left(\frac{\partial F}{\partial g}\right)_{\star} = (ata) = 32t$$

$$a_o(t) = \left(\frac{\partial F}{\partial x}\right) = (\dot{z}) = 16$$


$$\Delta \dot{z} + 16t \Delta \dot{z} + 16\Delta \dot{z} = \Delta \dot{g} + 32t \Delta \dot{g}$$

$$\Delta x(0) = \lambda_0 - \mathcal{X}^*(0) = \lambda_0$$

$$\Delta \dot{x}(0) = \dot{x}_0 - \dot{x}^*(0) = \dot{x}_0 - 16$$

## Структурная схеша:

$$\Delta \ddot{x} = \Delta \dot{g} + 32 \pm \Delta g - 16 \pm \Delta \ddot{z} - 16 \Delta z$$



Tyent haranonae custine by 
$$\exists y \bar{x} (0) = x_0, \dot{x}(0) = \dot{x}_0, \dot{x}(0) = \dot{x}_0$$

$$a_3(t) = \left(\frac{\partial F}{\partial \dot{x}}\right)_{\star} = \left(x^{16}\right)_{\star} = 1$$

$$6_1(t) = \left(\frac{\partial F}{\partial \dot{q}}\right)_{x} = (e\dot{q}) = \frac{\pi}{4}$$

$$\alpha_{z}(t) = \left(\frac{\partial F}{\partial \ddot{z}}\right)_{x} = \left(y_{n} \ddot{z}\right)_{x} = 0$$

$$b_0(t) = -\left(\frac{\partial F}{\partial g}\right)_{x} = (\dot{x}^2) = 0$$

$$a_1(t) = \left(\frac{\partial F}{\partial \dot{x}}\right)_{\dot{x}} = \left(\dot{x}\cos\dot{x} + 2g\dot{x}\right)_{\dot{x}} = 0$$

$$\alpha_{0}(z) = \left(\frac{\partial F}{\partial x}\right)_{x} = \left(\frac{16\ddot{z}}{z}\dot{x}^{15} + \frac{1}{1+x^{32}} \cdot 16 \cdot x^{15}\right) = \frac{16}{2} = 8$$

$$\Delta \ddot{x} + 8\Delta x = \frac{\pi}{4}\Delta g$$

$$\Delta x (0) = \chi_{0} - \chi^{4}(0) = \chi_{0}$$

$$\Delta \dot{x} (0) = \dot{\chi}_{0} - \dot{x}^{4}(0) = \dot{x}_{0}$$

$$\Delta \ddot{x} (0) = \ddot{\chi}_{0} - \ddot{x}^{4}(0) = \dot{x}_{0}$$

$$\Delta \ddot{y} (0) = \ddot{\chi}_{0} - \ddot{x}^{4}(0) = \dot{x}_{0}$$

$$\Delta \ddot{y} = \frac{\pi}{4}\Delta g - 8\Delta x$$

$$\Delta \ddot{x} = \frac{\pi}{4}\Delta g - 8\Delta x$$

$$\Delta \ddot{y} = \frac{\pi}{4}\Delta x$$

$$\Delta \ddot{y} = \frac{\pi} \Delta x$$

$$\Delta \ddot{y} = \frac{\pi}{4}\Delta x$$

$$\Delta \ddot{y} = \frac{\pi}{4}\Delta x$$

$$\Delta \ddot{y} = \frac{\pi$$