

Shell Size Frequencies

Version 2.0

DATE:	LOCATION:	LOCATION:			
OBSERVER:	SPECIES CO	SPECIES CODE:			
MEASUREMENT: mm	METHOD: S	METHOD: Shell(s) from KFM transect area			
Hallada a faranca 2000 (M)					
Haliotis rufescens 9002 (X)					
Haliotis corrugata 9003 (T)					
Haliotis fulgens 9004 (Z)					
Haliotis assimilis 9012 (Thread)					
Haliotis sorenseni 9013 (white)					
O = Old shell, growth on the inside	e or dull anacrious lag	yer			
F = Fresh Shell, new fresh shinny	nacreous layer with n	o growth on the ins	side of the shell.		
Note, fresh shells must look very fres	sh.				
1	46	91	136	181	
2	47	92	137	182	
3 4	48	93	138	183	
	49	94	139	184	
5	50	95	140	185	
6	51	96	141	186	
7	52	97	142	187	
8	53	98	143	188	
9	54	99	144	189	
10	55	100	145	190	
11	56	101	146	191	
12	57	102	147	192	
13	58	103	148	193	
14	59	104	149	194	
15	60	105	150	195	
16	61	106	151	196	
17	62	107	152	197	
18	63	108	153	198	
19	64	109	154	199	
<u>20</u> 21	65 66	110	155	200	
22	66	111	156	201 202	
23	67	112	157		
23 24	68 69	113 114	158 159	203 204	
25	70	115	160	205	
26	70 71	116	161	206	
27	72	117	162	207	
28	73	118	163	208	
29	74	119	164	209	
30		120	165	210	
31	75 76	121	166	211	
32	77	122	167	212	
33		123	168	213	
34		124	169	214	
35	80	125	170	215	
36	81	126	171	216	
37	82	127	172	217	
38	83	128	173	218	
39	84	129	174	219	
40	85	130	175	220	
41	86	131	176	221	
42	87	132	177	222	
43	88	133	178	223	
44	89	134	179	224	
45	90	135	180	225	
·-	00	100	100		

COMMENTS: