

Part I: Homeostasis

1. List three behaviors and three physiological mechanisms that occur in humans to cool the body when it is overheated. **(2 pts)**

(a) Behaviors: Take off clothing, seek shade or cool places, and drink or enter cold water.

(b) Physiological mechanisms: Sweating, radiating heat by thermal radiation, and vasodilation which brings more blood to the surface of the skin.

2. Using a physiological example (hormone secretion, blood pressure regulation, etc.), draw a schematic that demonstrates a negative feed-back mechanism. Use your textbook and/or the internet to help you. **(1 pt)**

3. Can set points ever be changed? (Hint: What happens to set temperature during a fever?) **(1 pt)**

Yes, in the case of the fever your body is changing the set point intentionally in order to fight the fever as an immune reaction.

4. Prostaglandin, a type of hormone, influences the temperature-control center in the hypothalamus. Interestingly, bacterial infections increase prostaglandin synthesis. **(1.5 pts)**

(a) What effect do you think prostaglandin has on set temperature? **(0.5 pt)**

Prostaglandins are locally-acting vasodilators and inhibit the aggregation of blood platelets that plays a role in vasodilation.

(b) Which basic component of the feedback loop (as shown in Figure 1) for body temperature control does prostaglandin affect? **(0.5 pt)**

Prostaglandins would be considered an effector as it is actually causing the change that produces an effect.

(c) What effect does acetaminophen (Tylenol, a fever-reducing or antipyretic drug) have on prostaglandin synthesis? **(0.5 pt)**

Acetaminophen is generally considered to be a weak inhibitor of the synthesis of prostaglandins.

- Graham, G. G., & Scott, K. F. (2005). Mechanism of action of paracetamol. American journal of therapeutics, 12(1), 46-55.

5. For each of the following feedback mechanisms, indicate whether it is an example of a negative or a positive feedback loop. Explain your reasoning. Although some of the examples are not physiological processes, the basic principles are the same. **(3 pts)**

(a) A snowball rolling down a hill becomes larger and larger, making it roll faster and become larger still. **(1 pt)**

Positive, the more it moves the larger it gets which makes it more likely to move and gain more snow and wouldn't stop unless influenced by something else.

(b) You are determined to earn an A in Biology. You decide to seek help from a tutor. The tutor is helpful, but very expensive. In order to pay the tutor, you must start working nights. Working reduces your study time, and your grades fall in the course. Thus, you spend more time with the tutor, meaning you have to earn more money. As a result of working more, your grades in the course fall even more. You decide to spend even more time with the tutor. **(1 pt)**

Negative feedback, your grade falls depending on time, but the tutor is requiring more time not related to school work and you eventually won't have any time.

(c) A decrease in the set-point concentration for thyroid hormones results in a greater inhibitory signal from the thyroid gland (effector). **(1 pt)**

Negative, a decrease in hormones results in a reduced production of hormones which will continue until it no longer has an effect.

Part II: Resting and Active Heart Rates

6. Create a whole class data table using Google Sheets. Insert the data table, make sure it's formatted properly, and include a descriptive table title. **(1 pt)**

Table 1: Average resting/active heart rate and recovery time between various groups with different normal activity habits, from most active to least. N = 10, 5, 3

	Hummingbirds	Butterflies	Tech Guru
Resting HR (BPM)	61.8	77.4	69.0
Active HR (BPM)	110.2	138.6	77.7
Δ HR (BPM)	48.4	61.2	8.7
Recovery (s)	324	672	61.8

7. What do you hypothesize regarding recovery times between the high and low activity groups? State the null and alternative hypotheses. **(0.5 pt)**

Hypothesis: The more active groups will have a faster recovery time.

Null: There will be no significant difference between groups.

Alternative: The less active group will have faster recovery times.

8. Use the appropriate statistical test to determine if there is a significant difference in recovery times between athletes and non-athletes. What test did you use? What are the results? Include the test statistic and p value. **(1 pt)**

```
from scipy.stats import ttest_ind

hummingbirds = [360, 480, 360, 600, 240, 240,
120, 360, 240]
butterflies = [840, 240, 960, 720, 600]
stat, p = ttest_ind(hummingbirds, butterflies)
print('stat=%.3f, p=%.3f' % (stat, p))
if p > 0.05:
    print('Probably the same distribution')
else:
    print('Probably different distributions')
```

stat=-3.063, p=0.010

Probably different distributions based off usage of the *student's t-test* statistical analysis, which tests whether two independent samples are significantly different.

9. Create a graph that shows a comparison between the heart rates of active students and non-active students for each of the time intervals measured. Represent the 95% confidence intervals around each of the mean heart rates and include a descriptive figure caption. (1 pt)




Figure 1: Mean resting (0 min), active (5 min), and recovery (every 2 min after active) heart rates among groups of varying daily activity levels outlined in Table 1.

Some confidence intervals omitted due to lack of data at those recovery times

Sample calculation to find 95% confidence interval: [5.48751231 -5.48751231]

```
import statsmodels.stats.api as sms
```

```
import numpy as np
```

```
data=[58,78,57,64,60,56,56,68,68,53]
```

```
ci=sms.DescrStatsW(data).tconfint_mean()
```

```
avg=np.mean(data)
```

```
print(np.subtract((avg), ci))
```

10. Why does heart rate return back to normal BPM quickly after exercise ends?
(1 pt)

Rapid transport of oxygen is no longer needed; it would be a waste and would over stress the heart to continue.

Part III: Meditation and Neuroscience

11. Based on Box 4, explain one way that mindfulness meditation may reduce stress? (1 pt)

It is possible that mindfulness meditation reduces stress by improving self-regulation, which enhances neuroplasticity and leads to health benefits.

12. Is there a connection between meditation and heart rate? (1 pt)

The paper does not mention any correlation between heart rates and meditation, but does mention heart rate variability in Zen meditators. Based on previous knowledge I have heard heart rate can be affected by rate of breath, so it's possible types of mediation might.

13. Now, take your resting heart rate and record your BPM: 80

As a class you will participate in Day 1 of Waking Up. When the audio ends, take your resting heart rate (BPM) again: 78

Was there a difference? (1 pt)

Not a significant difference.

14. Create a whole class data table using Google Sheets. Create a graph that shows a comparison between the average heart rates before and after the guided meditation. Represent the 95% confidence intervals for each of the mean heart rates and include a descriptive figure caption. **(1 pt)**



Figure 2: Mean heart rate for individuals in class (N=19) before and a Some confidence intervals omitted due to lack of data at those recovery times after mediation session.

15. Use the appropriate statistical test to determine if there is a significant difference in recovery times between athletes and non-athletes. What test did you use? What are the results? Include the test statistic and p value. **(1 pt)**

stat=0.366, p=0.717 Probably the same distribution, based off usage of the *student's t-test* statistical analysis.