

Introducing Cloud Natural Language API

Overview

Cloud Natural Language API lets you extract information about people, places, events, (and more) mentioned in text documents, news articles, or blog posts. You can use it to understand sentiment about your product on social media, or parse intent from customer conversations happening in a call center or a messaging app. You can even upload text documents for analysis.

Cloud Natural Language API features

Syntax Analysis: Extract tokens and sentences, identify parts of speech (PoS) and create dependency parse trees for each sentence.

Entity Recognition: Identify entities and label by types such as person, organization, location, events, products and media.

Sentiment Analysis: Understand the overall sentiment expressed in a block of text.

Content Classification: Classify documents in predefined 700+ categories.

Multi-Language: Enables you to easily analyze text in multiple languages including English, Spanish, Japanese, Chinese (Simplified and Traditional), French, German, Italian, Korean and Portuguese.

Integrated REST API: Access via REST API. Text can be uploaded in the request or integrated with [Cloud Storage](#).

In this lab you'll use the analyze-entities method to ask the Cloud Natural Language API to extract "entities" (e.g. people, places, and events) from a snippet of text.

1- Create an API Key

First, you will set an environment variable with your PROJECT_ID which you will use throughout this codelab:

```
> export GOOGLE_CLOUD_PROJECT=$(gcloud config get-value core/project)
```

Next, create a new service account to access the Natural Language API:

```
> gcloud iam service-accounts create my-natlang-sa \
  --display-name "my natural language service account"
```

Then, create credentials to log in as your new service account. Create these credentials and save it as a JSON file "~/key.json" by using the following command:

```
> gcloud iam service-accounts keys create ~/key.json \
  --iam-account my-natlang-sa@${GOOGLE_CLOUD_PROJECT}.iam.gserviceaccount.com
```

Finally, set the GOOGLE_APPLICATION_CREDENTIALS environment variable. The environment variable should be set to the full path of the credentials JSON file you created, which you can see in the output from the previous command:

```
> export GOOGLE_APPLICATION_CREDENTIALS="/home/USER/key.json"
```

2- Make an Entity Analysis Request

Now you'll try out the Natural Language API's entity analysis with the following sentence:

Michelangelo Caravaggio, Italian painter, is known for 'The Calling of Saint Matthew'

Run the following gcloud command:

```
> gcloud ml language analyze-entities --content="Michelangelo Caravaggio, Italian painter, is known for 'The Calling of Saint Matthew'." > result.json
```

Run the below command to preview the output of the result.json file.

```
> cat result.json
```

```
cloud_user_p_4126e6f6@cloudshell:~ (playground-s-11-38dd5a0b)$ gcloud ml language analyze-entities --content="Michelangelo Caravaggio, Italian painter, is known for 'The Calling of Saint Matthew'." > result.json
API [language.googleapis.com] not enabled on project [858118545139]. Would you like to enable and retry (this will take a few minutes)? (y/N)? y

Enabling service [language.googleapis.com] on project [858118545139]...
Operation "operations/acet.p2-858118545139-e14a766d-8637-457f-bc39-421326feafe7" finished successfully.
cloud_user_p_4126e6f6@cloudshell:~ (playground-s-11-38dd5a0b)$ cat result.json
{
  "entities": [
    {
      "mentions": [
        {
          "text": {
            "beginOffset": 0,
            "content": "Michelangelo Caravaggio"
          },
          "type": "PROPER"
        },
        {
          "text": {
            "beginOffset": 33,
            "content": "painter"
          },
          "type": "COMMON"
        }
      ],
      "metadata": {
        "mid": "/m/020bq",
        "wikipedia_url": "https://en.wikipedia.org/wiki/Caravaggio"
      },
      "name": "Michelangelo Caravaggio",
      "salience": 0.82904766,
      "type": "PERSON"
    },
    {
      "mentions": [
        {
          "text": {
            "beginOffset": 25,
```

You should see a response similar to the following in the **result.json** file:

```

{
  "entities": [
    {
      "name": "Michelangelo Caravaggio",
      "type": "PERSON",
      "metadata": {
        "wikipedia_url": "http://en.wikipedia.org/wiki/Caravaggio",
        "mid": "/m/020bg"
      },
      "salience": 0.83047235,
      "mentions": [
        {
          "text": {
            "content": "Michelangelo Caravaggio",
            "beginOffset": 0
          },
          "type": "PROPER"
        },
        {
          "text": {
            "content": "painter",
            "beginOffset": 33
          },
          "type": "COMMON"
        }
      ]
    },
    {
      "name": "Italian",
      "type": "LOCATION",
      "metadata": {
        "mid": "/m/03rjj",
        "wikipedia_url": "http://en.wikipedia.org/wiki/Italy"
      },
      "salience": 0.13870546,
      "mentions": [
        {
          "text": {
            "content": "Italian",
            "beginOffset": 25
          },
          "type": "PROPER"
        }
      ]
    },
    {
      "name": "The Calling of Saint Matthew",
      "type": "EVENT",
      "metadata": {
        "mid": "/m/085_p7",
        "wikipedia_url": "http://en.wikipedia.org/wiki/The_Calling_of_St_Matthew_(Caravaggio)"
      },
      "salience": 0.030822212,
      "mentions": [
        {
          "text": {
            "content": "The Calling of Saint Matthew",
            "beginOffset": 69
          },
          "type": "PROPER"
        }
      ]
    }
  ],
  "language": "en"
}

```