

Draft design of a hospital building *

Alberto Paoluzzi

July 2, 2015

Contents

1	The hospital meta-modeling	1
1.1	Project illustration and testing	1
1.2	Sub-projects definition and indexing	2
2	Hospital structure	6
2.1	Data sources	10
3	Model input	11
A	Code utilities	15
A.1	Reference grid	16

Abstract

This module follows the concept and the preliminary building program of a hospital of medium size, given in module `hospital`, using as source the document [AM13] of the World Health Organisation.

1 The hospital meta-modeling

1.1 Project illustration and testing

Hospital draft design

"test/py/hospital2/test01.py" 1 ≡

*This document is part of the *Linear Algebraic Representation with CoChains* (LAR-CC) framework [CL13]. July 2, 2015

```

""" An hospital draft design """
from pyplasm import *

""" import modules from larcc/lib """
sys.path.insert(0, 'lib/py/')
from hospital import metric
from iot3d import polyline2lar
from larstruct import Struct,t,s,struct2lar,evalStruct
from architectural import lar2lines
from lar2psm import MKPOLIS,EXPLODE
from mapper import larTranslate,larScale,vcode
from bool import MKTRIANGLES
import largrid

⟨ Coding utilities 15a ⟩
⟨ Storey input 10a ⟩
⟨ Structural frame 5a ⟩
⟨ Storey structure 6a ⟩
⟨ Floor visualization 9b ⟩
⟨ Sub-project indexing 2a ⟩
⟨ SVG files printing 5b ⟩
◊

```

1.2 Sub-projects definition and indexing

```

⟨ Sub-project indexing 2a ⟩ ≡
""" Project definitions """
⟨ Project 1 definition 2b ⟩
⟨ Project 2 definition 2c ⟩
⟨ Project 3 definition 3a ⟩
⟨ Project 4 definition 3b ⟩
⟨ Project 5 definition 3c ⟩
⟨ Project 6 definition 3d ⟩
⟨ Project 7 definition 4a ⟩
⟨ Project 8 definition 4b ⟩
⟨ Project 9 definition 4c ⟩
⟨ Project 10 definition 4d ⟩
◊

```

Macro referenced in 1.

Project 1 definition

```

⟨ Project 1 definition 2b ⟩ ≡
""" Project definition """
Project_1 = Struct([RadioDiagnosticImaging, EmergencyDepartment, Endoscopy,
                    StructuralFrame], "Emergency")

```

```

Vp1,FVp1,EVp1 = struct2lar(Project_1)
VIEW(STRUCT([SOLIDIFY(STRUCT(MKPOLS((Vp1,EVp1)))), COLOR(CYAN)(STRUCT(MKPOLS((V0,EV0)))), 
COLOR(RED)(STRUCT(MKPOLS((metric(Vs),EVs)))) ]))
◊

```

Macro referenced in [2a](#).

Project 2 definition

```

⟨ Project 2 definition 2c ⟩ ≡
    """ Project definition """
    Project_2 = Struct([OutPatientDepartment10, OutPatientDepartment20, RenalDialysis,
                        ChemotherapyUnit,PhysicalMedicineDept, StructuralFrame], "OutPatient")
    Vp2,FVp2,EVp2 = struct2lar(Project_2)
    VIEW(STRUCT([SOLIDIFY(STRUCT(MKPOLS((Vp2,EVp2)))), COLOR(CYAN)(STRUCT(MKPOLS((V0,EV0)))), 
COLOR(RED)(STRUCT(MKPOLS((Vp,EVp)))) ]))
◊

```

Macro referenced in [2a](#).

Project 3 definition

```

⟨ Project 3 definition 3a ⟩ ≡
    """ Project definition """
    Project_3 = Struct([MainEntrance, MedicalWaste, StructuralFrame], "InputOutput")
    Vp3,FVp3,EVp3 = struct2lar(Project_3)
    VIEW(STRUCT([SOLIDIFY(STRUCT(MKPOLS((Vp3,EVp3)))), COLOR(CYAN)(STRUCT(MKPOLS((V0,EV0)))), 
COLOR(RED)(STRUCT(MKPOLS((metric(Vs),EVs)))) ]))
◊

```

Macro referenced in [2a](#).

Project 4 definition

```

⟨ Project 4 definition 3b ⟩ ≡
    """ Project definition """
    Project_4 = Struct([CentralStores, StaffDining, CSSD, HouseKeeping,
                        CentralStaffChanging11, CentralStaffChanging21, StructuralFrame], "StaffServices")
    Vp4,FVp4,EVp4 = struct2lar(Project_4)
    VIEW(STRUCT([ COLOR(MAGENTA)(STRUCT(MKPOLS((Vm,EVm)))), STRUCT(MKPOLS((Vp4,EVp4))), 
COLOR(RED)(STRUCT(MKPOLS((metric(Vs),EVs)))) ]))
◊

```

Macro referenced in [2a](#).

Project 5 definition

```
<Project 5 definition 3c> ≡
    """ Project definition """
    Project_5 = Struct([Pharmacy, CentralWorkshop, Laundry, StructuralFrame], "PatientServices")
    Vp5,FVp5,EvP5 = struct2lar(Project_5)
    VIEW(STRUCT([SOLIDIFY(STRUCT(MKPOLS((Vp5,EvP5)))), COLOR(MAGENTA)(STRUCT(MKPOLS((Vm,Evm)))), COLOR(RED)(STRUCT(MKPOLS((metric(Vs),EvS)))) ]))
    ◇
```

Macro referenced in [2a](#).

Project 6 definition

```
<Project 6 definition 3d> ≡
    """ Project definition """
    Project_6 = Struct([MainLaboratories, StructuralFrame], "Laboratories")
    Vp6,FVp6,EvP6 = struct2lar(Project_6)
    VIEW(STRUCT([SOLIDIFY(STRUCT(MKPOLS((Vp6,EvP6)))), COLOR(MAGENTA)(STRUCT(MKPOLS((Vm,EvM)))), COLOR(RED)(STRUCT(MKPOLS((metric(Vs),EvS)))) ]))
    ◇
```

Macro referenced in [2a](#).

Project 7 definition

```
<Project 7 definition 4a> ≡
    """ Project definition """
    Project_7 = Struct([AdministrationSuite11, MedicalLibrary, MedicalRecords,
                        AdministrationSuite21, MeetingRooms, DataCenter, ServerRoom, StructuralFrame],
                        "Administration")
    Vp7,FVp7,EvP7 = struct2lar(Project_7)
    VIEW(STRUCT([ COLOR(MAGENTA)(STRUCT(MKPOLS((Vm,EvM)))), STRUCT(MKPOLS((Vp7,EvP7))), COLOR(RED)(STRUCT(MKPOLS((metric(Vs),EvS)))) ]))
    ◇
```

Macro referenced in [2a](#).

Project 8 definition

```
<Project 8 definition 4b> ≡
    """ Project definition """
    Project_8 = Struct([Surgery, CatheterizationLab, CoronaryCareUnit, StructuralFrame],
                        "Surgery")
    Vp8,FVp8,EvP8 = struct2lar(Project_8)
    VIEW(STRUCT([ STRUCT([SOLIDIFY(STRUCT(MKPOLS((V,Ev)))) for V,FV,Ev in evalStruct(Project_8)]),
                  COLOR(ORANGE)(STRUCT(MKPOLS((V1,Ev1)))), COLOR(RED)(STRUCT(MKPOLS((metric(Vs),EvS)))) ]))
    ◇
```

Macro referenced in [2a](#).

Project 9 definition

$\langle \text{Project 9 definition 4c} \rangle \equiv$

```
""" Project definition """
Project_9 = Struct([DeliveryAndNicu, IntensiveCareUnit, StructuralFrame], "Delivery")
Vp9,FVp9,EVp9 = struct2lar(Project_9)
VIEW(STRUCT([ STRUCT([SOLIDIFY(STRUCT(MKPOLS((V, EV)))) for V,FV,EV in evalStruct(Project_9)]),
    COLOR(ORANGE)(STRUCT(MKPOLS((V1, EV1)))), COLOR(RED)(STRUCT(MKPOLS((metric(Vs), EVs)))) ]))
◊
```

Macro referenced in [2a](#).

Project 10 definition

$\langle \text{Project 10 definition 4d} \rangle \equiv$

```
""" Project definition """
Project_10a = Struct([SurgicalWard1, StructuralFrame], "floor2Ward")
Project_10b = Struct([GeneralWard1, SurgicalWard2, StructuralFrame], "floor3Ward")
Project_10c = Struct([PediatricWard1, PediatricWard2, StructuralFrame], "floor4Ward")
Project_10d = Struct([GeneralWard2, GeneralWard3, StructuralFrame], "floor5Ward")
Vp10a,FVp10a,EVp10a = struct2lar(Project_10a)
Vp10b,FVp10b,EVp10b = struct2lar(Project_10b)
Vp10c,FVp10c,EVp10c = struct2lar(Project_10c)
Vp10d,FVp10d,EVp10d = struct2lar(Project_10d)
VIEW(STRUCT([COLOR(YELLOW)(STRUCT(MKPOLS((V2, EV2)))), STRUCT(MKPOLS((Vp10a, EVp10a))), COLOR(RED)(STRUCT(MKPOLS((metric(Vs), EVs)))) ]))
VIEW(STRUCT([COLOR(YELLOW)(STRUCT(MKPOLS((V3, EV3)))), STRUCT(MKPOLS((Vp10b, EVp10b))), COLOR(RED)(STRUCT(MKPOLS((metric(Vs), EVs)))) ]))
VIEW(STRUCT([COLOR(YELLOW)(STRUCT(MKPOLS((V4, EV4)))), STRUCT(MKPOLS((Vp10c, EVp10d))), COLOR(RED)(STRUCT(MKPOLS((metric(Vs), EVs)))) ]))
VIEW(STRUCT([COLOR(YELLOW)(STRUCT(MKPOLS((V5, EV5)))), STRUCT(MKPOLS((Vp10d, EVp10c))), COLOR(RED)(STRUCT(MKPOLS((metric(Vs), EVs)))) ]))
◊
```

Macro referenced in [2a](#).

$\langle \text{Structural frame 5a} \rangle \equiv$

```
""" Structural frame """
Xs = range(11); Ys = range(15)
gridPoints = set(AA(tuple)(CART([Xs, Ys])).difference(AA(tuple)(CART([[4,5,6],[5,6,7]])+[[3,1
Vp, _,EVp,FVp] = largrid.larCuboids([1,1],True)
Vp = larTranslate([-1./40,-1./40])(larScale([1./20,1./20])(Vp))
Pillar = Struct([(Vp,FVp,EVp)], "Pillar")
structuralFrame = Struct([Struct([t(*point),Pillar]) for point in gridPoints], "StructuralFrame")
Vs,FVs,EVs = struct2lar(structuralFrame)
StructuralFrame = Struct([(metric(Vs),FVs,EVs)], "StructuralFrame" )
VIEW(STRUCT(MKPOLS((metric(Vs), EVs))))
```

Macro referenced in 1.

```
<SVG files printing 5b> ≡
    """ SVG files printing """
    def printProject(path,struct):
        filename = struct.__name__()
        theFile = open(path+filename+".svg", "w")
        print >> theFile, '<?xml version="1.0" encoding="utf-8"?>'
        print >> theFile, '<!-- Generator: Adobe Illustrator 16.0.0, SVG Export Plug-In .+' \
            ' SVG Version: 6.00 Build 0) -->'
        print >> theFile, '<!DOCTYPE svg PUBLIC "-//W3C//DTD SVG 1.1//EN" '+ \
            '"http://www.w3.org/Graphics/SVG/1.1/DTD/svg11.dtd">'
        print >> theFile, '<svg version="1.1" id="Layer_1" xmlns="http://www.w3.org/2000/svg" '+ \
            ' xmlns:xlink="http://www.w3.org/1999/xlink" x="0px" y="0px" width="595.28px" '+ \
            ' height="841.89px" viewBox="0 0 59.528 84.189" '+ \
            ' enable-background="new 0 0 59.528 84.189" xml:space="preserve">'

        V,FV,EV = struct2lar(struct)
        for v1,v2 in EV:
            [x1,y1],[x2,y2] = V[v1],V[v2]
            print >> theFile, '<line fill="none" stroke="#000000" stroke-miterlimit="10" '+ \
                ' x1="'+str(x1)+'" y1="'+str(y1)+'" x2="'+str(x2)+'" y2="'+str(y2)+'"/>'

        print >> theFile, '</svg>'
        theFile.close()

Projects = [Project_1, Project_2, Project_3, Project_4, Project_5, Project_6, Project_7,
            Project_8, Project_9, Project_10a, Project_10b, Project_10c, Project_10d]

for project in Projects:
    printProject("./",project)
    ◇
```

Macro referenced in 1.

2 Hospital structure

```
<Storey structure 6a> ≡
    """ Storey structure """
    <Ground floor structure 6b>
    <Mezzanine floor structure 7a>
    <First floor structure 7b>
    <Second floor structure 8a>
    <Third floor structure 8b>
    <Fourth floor structure 8c>
    <Fifth floor structure 9a>
    ◇
```

Macro referenced in 1.

Ground floor structure

```
( Ground floor structure 6b ) ≡
    """Ground floor """
    Ground = [OpenCourt10, RadioDiagnosticImaging,
              ServiceCore10, ServiceCore20, EmergencyDepartment, Endoscopy,
              OutPatientDepartment10, OutPatientDepartment20, RenalDialysis,
              OpenCourt20, ChemotherapyUnit, Service, PhysicalMedicineDept,
              MainEntrance, Unknown, Corridor0, Corridor0a, Corridor0b]

    Ground_names = ["OpenCourt10", "RadioDiagnosticImaging",
                    "ServiceCore10", "ServiceCore20", "EmergencyDepartment", "Endoscopy",
                    "OutPatientDepartment10", "OutPatientDepartment20", "RenalDialysis",
                    "OpenCourt20", "ChemotherapyUnit", "Service", "PhysicalMedicineDept",
                    "MainEntrance", "Unknown", "Corridor0", "Corridor0a", "Corridor0b"]

    for struct,name in zip(Ground,Ground_names): struct.set_name(name)
    Ground_floor = Struct(Ground, "Ground_floor", "level")
    ◇
```

Macro referenced in 6a.

Mezzanine floor structure

```
( Mezzanine floor structure 7a ) ≡
    """Mezzanine floor """
    Mezzanine = [MedicalWaste, CentralStores,
                 StaffDining, CSSD, HouseKeeping, CentralStaffChanging11,
                 CentralStaffChanging21, OpenCourt11, Pharmacy, CentralWorkshop, Laundry,
                 AdministrationSuite11, MainLaboratories, MedicalLibrary, MedicalRecords,
                 AdministrationSuite21, MeetingRooms, DataCenter, ServerRoom, PublicCore,
                 ServiceCore11, ServiceCore21, Corridor1, GroundRoof]

    Mezzanine_names = ["MedicalWaste", "CentralStores",
                       "StaffDining", "CSSD", "HouseKeeping", "CentralStaffChanging11",
                       "CentralStaffChanging21", "OpenCourt11", "Pharmacy", "CentralWorkshop", "Laundry",
                       "AdministrationSuite11", "MainLaboratories", "MedicalLibrary", "MedicalRecords",
                       "AdministrationSuite21", "MeetingRooms", "DataCenter", "ServerRoom", "PublicCore",
                       "ServiceCore11", "ServiceCore21", "Corridor1", "GroundRoof"]

    for struct,name in zip(Mezzanine,Mezzanine_names): struct.set_name(name)
    Mezzanine_floor = Struct(Mezzanine, "Mezzanine_floor", "level")
    ◇
```

Macro referenced in 6a.

First floor structure

```
(First floor structure 7b) ≡
    """First floor """
    First = [OpenCourt3, Surgery, CatheterizationLab,
              ServiceCore32, CoronaryCareUnit, DeliveryAndNicu, ServiceCore31,
              IntensiveCareUnit, ServiceCore33, PublicCore3, Corridor3, MezzanineRoof]

    First_names = [ "OpenCourt3", "Surgery", "CatheterizationLab",
                   "ServiceCore32", "CoronaryCareUnit", "DeliveryAndNicu", "ServiceCore31",
                   "IntensiveCareUnit", "ServiceCore33", "PublicCore3", "Corridor3", "MezzanineRoof"]

    for struct,name in zip(First,First_names): struct.set_name(name)
    First_floor = Struct(First, "First_floor", "level")
    ◇
```

Macro referenced in [6a](#).

Second floor structure

```
(Second floor structure 8a) ≡
    """Second floor """
    Second = [ ObstetricGynecologicWard, SurgicalWard1,
               PublicCore4, Filter1, Filter2,
               ServiceCore14, ServiceCore24, FirstRoof, Corridor4a, Corridor4b,
               Corridor4b1, Corridor4b2, Corridor4c, Corridor4c1, Corridor4c2]

    Second_names = [ "ObstetricGynecologicWard", "SurgicalWard1",
                     "PublicCore4", "Filter1", "Filter2",
                     "ServiceCore14", "ServiceCore24", "FirstRoof", "Corridor4a", "Corridor4b",
                     "Corridor4b1", "Corridor4b2", "Corridor4c", "Corridor4c1", "Corridor4c2"]

    for struct,name in zip(Second,Second_names): struct.set_name(name)
    Second_floor = Struct(Second, "Second_floor", "level")
    ◇
```

Macro referenced in [6a](#).

Third floor structure

```
(Third floor structure 8b) ≡
    """Third floor """
    Third = [GeneralWard1, SurgicalWard2, PublicCore4, ServiceCore14, ServiceCore24,
             Filter1, Filter2, Corridor4a, Corridor4b, Corridor4b1, Corridor4b2, Corridor4c,
             Corridor4c1, Corridor4c2]

    Third_names = [ "GeneralWard1", "SurgicalWard2", "PublicCore4", "ServiceCore14",
```

```

"ServiceCore24", "Filter1", "Filter2", "Corridor4a", "Corridor4b", "Corridor4b1",
"Corridor4b2", "Corridor4c", "Corridor4c1", "Corridor4c2"]

for struct,name in zip(Third,Third_names): struct.set_name(name)
Third_floor = Struct(Third, "Third_floor", "level")
◊

```

Macro referenced in 6a.

Fourth floor structure

```

⟨Fourth floor structure 8c⟩ ≡
    """Fourth floor """
    Fourth = [PediatricWard1, PediatricWard2, PublicCore4, ServiceCore14, ServiceCore24,
              Filter1, Filter2, Corridor4a, Corridor4b, Corridor4b1, Corridor4b2, Corridor4c,
              Corridor4c1, Corridor4c2]

    Fourth_names = [ "PediatricWard1", "PediatricWard2", "PublicCore4", "ServiceCore14",
                     "ServiceCore24", "Filter1", "Filter2", "Corridor4a", "Corridor4b", "Corridor4b1",
                     "Corridor4b2", "Corridor4c", "Corridor4c1", "Corridor4c2"]

    for struct,name in zip(Fourth,Fourth_names): struct.set_name(name)
    Fourth_floor = Struct(Fourth, "Fourth_floor", "level")
    ◊

```

Macro referenced in 6a.

Fifth floor structure

```

⟨Fifth floor structure 9a⟩ ≡
    """Fifth floor """
    Fifth = [GeneralWard2, GeneralWard3, PublicCore4, ServiceCore14, ServiceCore24,
              Filter1, Filter2, Corridor4a, Corridor4b, Corridor4b1, Corridor4b2, Corridor4c,
              Corridor4c1, Corridor4c2]

    Fifth_names = [ "GeneralWard2", "GeneralWard3", "PublicCore4", "ServiceCore14",
                     "ServiceCore24", "Filter1", "Filter2", "Corridor4a", "Corridor4b", "Corridor4b1",
                     "Corridor4b2", "Corridor4c", "Corridor4c1", "Corridor4c2"]

    for struct,name in zip(Fifth,Fifth_names): struct.set_name(name)
    Fifth_floor = Struct(Fifth, "Fifth_floor", "level")
    ◊

```

Macro referenced in 6a.

⟨Floor visualization 9b⟩ ≡

```

"""Floor visualization """
V0,FV0,EV0 = struct2lar(Ground_floor)
Vm,FVm,EVm = struct2lar(Mezzanine_floor)
V1,FV1,EV1 = struct2lar(First_floor)
V2,FV2,EV2 = struct2lar(Second_floor)
V3,FV3,EV3 = struct2lar(Third_floor)
V4,FV4,EV4 = struct2lar(Fourth_floor)
V5,FV5,EV5 = struct2lar(Fifth_floor)

VIEW(STRUCT(MKPOLS((V0,EV0))))
VIEW(STRUCT(MKPOLS((Vm,EvM))))
VIEW(STRUCT(MKPOLS((V1,EV1))))
VIEW(STRUCT(MKPOLS((V2,EV2))))
VIEW(STRUCT(MKPOLS((V3,EV3))))
VIEW(STRUCT(MKPOLS((V4,EV4))))
VIEW(STRUCT(MKPOLS((V5,EV5))))
◊

```

Macro referenced in 1.

2.1 Data sources

The starting point of the modelling developed here is the paper [AM13], about Hospital Planning and Design, downloadable from [here](#), and in particular the two images shown in Figure 1 and relative to the functional zoning of floors, and providing an axonometric view of the vertical organisation of the hospital.




Figure 1: Two images of the example model for hospital planning and design used in this module: (a) functional zoning of the mezzanine floor; (b) axonometric view of the vertical design organisation.

3 Model input

```
⟨ Storey input 10a ⟩ ≡
    """ Storey input """
    ⟨ Ground floor 10b ⟩
    ⟨ Mezzanine floor 11 ⟩
    ⟨ First floor 12a ⟩
    ⟨ Second floor 12b ⟩
    ⟨ Third floor 13a ⟩
    ⟨ Fourth floor 13b ⟩
    ⟨ Fifth floor 14a ⟩
    ◇
```

Macro referenced in 1.

Ground floor input

```
⟨ Ground floor 10b ⟩ ≡
    """ Ground floor """
    OpenCourt10 = mpoly2struct([TRANS([[3,3,4,4,6,6,6.65,6.65],[4,8,8,7.8,7.8,8,8,4]])])
    RadioDiagnosticImaging = mpoly2struct([TRANS([[7,7,9,10,10,8.7],[4,8,8,8,4,4]])])
    ServiceCore10 = mpoly2struct([TRANS([[1.15, 1.15, 1.3,2.55, 2.55,2], [2.85, 3.7,3.7,3.7, 2.85,2.85]]])
    ServiceCore20 = mpoly2struct([TRANS([[7,7,8.7,8.8,8.8],[2.8,3.7,3.7,3.7,2.8]])])
    EmergencyDepartment = mpoly2struct([TRANS([[4.7,4.7,7,7,8.8,8.8,9.65,9.65],[0,3.7,3.7, 2.8,2.85]]])
    Endoscopy = mpoly2struct([TRANS([[3,3,3,4.4,4.4],[0,2.5,3.7,3.7,0]])])
    OutPatientDepartment10 = mpoly2struct([TRANS([[4./7.5, 4./7.5,1.15,1.15,2,2,3,3], [0,3.7,3.7,2.85]]])
    OutPatientDepartment20 = mpoly2struct([TRANS([[0,0,2.65,2.65,1.3],[4,5.85,5.85,4,4]])])
    RenalDialysis = mpoly2struct([TRANS([[0,0,1,2.65,2.65],[5.85,8,8,8,5.85]])])
    OpenCourt20 = mpoly2struct([TRANS([[2,2,2,2,4,4,4,4],[10,11,11.35,12,12,11.35,11,10]])])
    ChemotherapyUnit = mpoly2struct([TRANS([[0,0,4.5,4.5,4,4,2,2,1], [11.35,14,14,11.35,11.35,12,11,11,10]]])
    Service = mpoly2struct([TRANS([[0,0,1,1,2,2,2,1],[8.35,10,10,9,9,8.5, 8.35,8.35]])])
    PhysicalMedicineDept = mpoly2struct([TRANS([[2,2,1,1,0,0, 1,2,2,4,4,4.5,4.5,4,4],[8.5,9,9,10,11,11,10,10,10,10,10,10,10,10,10]]])
    MainEntrance = mpoly2struct([TRANS([[4,4,4,4.5,4.75,4.75,6.65,6.65,6,6],[8.4,8.5,9,9,9,11,11,10,10,10,10,10,10,10,10,10]]])
    Unknown = mpoly2struct([TRANS([[7.25,7.25, 6.65,6.65,6.65,10,10,9,8.2],[8.35,8.5,8.5,9,11,11,10,10,10,10,10,10,10,10,10,10]]])
    #Mortuary = mpoly2struct([TRANS([[[],[]]])))
    Corridor0 = mpoly2struct([[4.0],[4.4,3.7],[3,3.7],[3,2.5],[2,2.5],[2,2.85],[2.55,2.85],[2.55,2.85]])
    Corridor0a = mpoly2struct([TRANS([[1, 1, 2, 2], [11, 11.35, 11.35, 11]])])
    Corridor0b = mpoly2struct([TRANS([[4.5, 4.5, 4, 4, 4.5, 4.5, 4.75,4.75, 4.75],[9, 11, 11, 11, 11, 11, 11, 11]]))
    ◇
```

Macro referenced in 10a.

Mezzanine floor input

```
⟨ Mezzanine floor 11 ⟩ ≡
```

```

""" Mezzanine floor """
MedicalWaste = mpoly2struct([TRANS([[4./7.5,4./7.5,.8,1.25,1.25],[0,1.5,1.5,1.5,0]]])
CentralStores = mpoly2struct([TRANS([[1.25,1.25,.8,.8,3.7,3.7,2.55,2.55,2.2,2.2],[0,1.5,1.5,2.2,2.2,2.2,2,0]]])
StaffDining = mpoly2struct([TRANS([[3.95,3.95,6.7,6.7,6.95,6.95],[0,3.7,3.7,2.2,2,0]]])
CSSD = mpoly2struct([TRANS([[6.95,6.95,6.95,8.8,8.8,9.65,9.65],[0,2,2.65,2.65,2,2,0]]])
HouseKeeping = mpoly2struct([TRANS([[8.8,8.8,8.8,8.8,9.65,9.65],[2,2.65,2.8,3.7,3.7,2]]])
CentralStaffChanging11 = mpoly2struct([TRANS([[4./7.5,4./7.5,1.15,1.15],[2.85,3.7,3.7,2.85]]])
CentralStaffChanging21 = mpoly2struct([TRANS([[2.55,2.55,3.7,3.7],[2.85,3.7,3.7,2.85]]])
OpenCourt11 = mpoly2struct([TRANS([[3,3,7,7,7],[4,8,8,6,4]]])
Pharmacy = mpoly2struct([TRANS([[0,0,2.65,2.65,1.3],[4,6.45,6.45,4,4]]])
CentralWorkshop = mpoly2struct([TRANS([[0,0,1,2.65,2.65],[6.45,8,8,8,6.45]]])
Laundry = mpoly2struct([TRANS([[7,7,10,10,8.7],[4,6,6,4,4]]])
AdministrationSuite11 = mpoly2struct([TRANS([[7,7,9,10,10],[6,8,8,8,6]]])
MainLaboratories = mpoly2struct([TRANS([[1,1,0,0,2,2,5,5,4,4,4],[8.3,8.4,8.4,11,11,10,10,9,9,8.3]]])
MedicalLibrary = mpoly2struct([TRANS([[6.7,6.7,8,8,7.75],[9.7,11,11,9.7,9.7]]])
MedicalRecords = mpoly2struct([TRANS([[8,8,8.85,8.85,8.85],[8.3,9.7,11,11,9.75,8.3]]])
AdministrationSuite21 = mpoly2struct([TRANS([[8.85,8.85,10,10,9,9],[8.3,9.75,9.75,8.4,8.4,8.3]]])
MeetingRooms = mpoly2struct([TRANS([[6,6,6,6.7,6.7,7.75,7.75,7.45,7,7],[8.3,8.4,9,9,9.7,9.7,8,8]]])
DataCenter = mpoly2struct([TRANS([[7,7,7.45,7.45],[8.3,8.7,8.7,8.3]]])
ServerRoom = mpoly2struct([TRANS([[7.45,7.45,7.75,7.75],[8.3,8.7,8.7,8.3]]])
PublicCore = mpoly2struct([TRANS([[4,4,5,6,6],[8.4,9,9,9,8.4]]])
ServiceCore11 = mpoly2struct([TRANS([[1.15,1.15,1.3,2.55,2.55],[2.85,3.7,3.7,3.7,2.85]]])
ServiceCore21 = mpoly2struct([TRANS([[7,7,8.7,8.8,8.8],[2.8,3.7,3.7,3.7,2.8]]])
Corridor1 = mpoly2struct([[2.0],[2.0,0.65],[2.55,0.65],[2.55,0.35],[3.7,0.35],[3.7,2.65],[0.8,2.65],[0.8,1.5],[0.5333,1.5],[0.5333,2.85],[1.15,2.85],[2.55,2.85],[3.7,2.85],[3.7,3.7],[2.55,3.7],[1.3,3.7],[1.3,4],[2.65,4],[2.65,6.45],[2.65,8],[1.8],[1.8,3],[4,8.3],[4,8.4],[6,8.4],[6,8.3],[7,8.3],[7,4.5,8.3],[7.75,8.3],[7.75,8.7],[7.75,9.7],[8,9.7],[8,8.3],[8.85,8.3],[9,8.3],[9,8],[7,8],[3,8],[3,4],[7,4],[8.7,4],[8.7,3.7],[7,3.7],[7,2.8],[8.8,2.8],[8.8,2.65],[6.95,2.65],[6.95,2],[6.7,2],[6.7,3.7],[3.95,3.7],[3.95,0]]])
GroundRoof = mpoly2struct([TRANS([[4,4,2,2,1,1,0,0,4.75,4.75],[10,12,12,11,11,11.35,11.35,14,14]]))

```

◊

Macro referenced in 10a.

First floor input

```

⟨ First floor 12a ⟩ ≡
""" First floor """
OpenCourt3 = mpoly2struct([TRANS([[3.,3.,7.,7.],[4.,8.,8.,4.]]])
Surgery = mpoly2struct([TRANS([[4.15,4.15,7.,7.,8.8,8.8,9.65,9.65],[0,3.7,3.7,2.8,2.8,3.7,3.7,2.8]]])
CatheterizationLab = mpoly2struct([TRANS([[3,3,4.15,4.15],[0,3.7,3.7,0]]])
ServiceCore32 = mpoly2struct([TRANS([[7.,7.,8.7,8.8,8.8],[2.8,3.7,3.7,3.7,2.8]]])
CoronaryCareUnit = mpoly2struct([TRANS([[7.,7.,8.3,9.,10.,10.,8.7],[4.,8.,8.,8.,8.,4.,4.]]])
DeliveryAndNicu = mpoly2struct([TRANS([[0,0,1.7,2.65,2.65,1.3],[4.,8.,8.,8.,4.,4.]]])
ServiceCore31 = mpoly2struct([TRANS([[1.15,1.15,1.3,2.65,2.65],[2.85,3.7,3.7,3.7,2.85]]])
IntensiveCareUnit = mpoly2struct([TRANS([[4./7.5,4./7.5,1.15,1.15,2.65,2.65,1.95,1.95],[0.,1.95,1.95,1.95,1.95,1.95,1.95,1.95]]))

```

```

ServiceCore33 = mpoly2struct([TRANS([[1.95,1.95,2.65, 2.65],[0,.6,.6,0]]])
PublicCore3 = mpoly2struct([TRANS([[1.7,1.7,4.,4.,6.,6.,8.3,8.3,7,3,2.65], [8,8.4,8.4,9,9,8.4,8
Corridor3 = mpoly2struct([TRANS([[2.65,2.65,2.65,2.65,1.3,1.3,2.65,2.65,3.0,3.0,7.0,8.7,8.7, 7
MezzanineRoof = mpoly2struct([TRANS([[1,1,0,0,2,2,4.75,4.75,10,10,9,9,8.3,8.3, 6,6,4,4 ,1.7,1.7
◊

```

Macro referenced in 10a.

Second floor input

$\langle \text{Second floor 12b} \rangle \equiv$

$\langle \text{Ward sections 14b} \rangle$

```

""" Second floor """
PublicCore4 = mpoly2struct([TRANS([[1.7,1.7,4,4,6,6,8.3,8.3, 8,7+2./3, 7, 3, 2+1./3,2], [8,8.4
Filter1 = mpoly2struct([TRANS([[1,1,1.35,1.35,1.15], [3.7,4,4,3.7,3.7]])])
Filter2 = mpoly2struct([TRANS([[8.65,8.65,9,9,8.8], [3.7,4,4,3.7,3.7]])])
ServiceCore14 = mpoly2struct([TRANS([[1.15, 1.15, 1.35,2.55, 2.55], [2.8, 3.7,3.7, 3.7, 2.8]]])
ServiceCore24 = mpoly2struct([TRANS([[7,7,8.65,8.8,8.8], [2.8,3.7,3.7,3.7,2.8]])])
FirstRoof = mpoly2struct([TRANS([[4./7.5, 4./7.5,1.15,1.15,2.55,2.55,7,7,8.8,8.8,9.65,9.65], [
Corridor4a = mpoly2struct([[1.35,3.7],[1.35,4],[2,4],[2.3333,4],[3,4],[7,4],[7.6667,4],[8,4], [
Corridor4b = mpoly2struct([[1.4,4.0],[1,4.25],[1,4.5],[1,4.75],[1,5.0],[1,5.25],[1,5.5], [1,5.7
Corridor4b1 = mpoly2struct([[1.3,4.3],[1.3,4.6],[1.3,4.9],[1.3,5.3],[1.3,5.7],[1.5,5.7],[1.7,5
Corridor4b2 = mpoly2struct([[1.3,6.3],[1.3,6.7],[1.3,7.1],[1.3,7.4],[1.3,7.7],[1.7,7.7],[1.7,7
Corridor4c = mpoly2struct([[8,4.0],[8,4.25],[8,4.5],[8,4.75],[8,5.0],[8,5.25],[8,5.5], [8,5.7
Corridor4c1 = mpoly2struct([[8.3,4.3],[8.3,4.6],[8.3,4.9],[8.3,5.3],[8.3,5.7],[8.5,5.7],[8.7,5
Corridor4c2 = mpoly2struct([[8.3,6.3],[8.3,6.7],[8.3,7.1],[8.3,7.4],[8.3,7.7],[8.7,7.7],[8.7,7

ObstetricGinecologicWard = Struct([t(0,4), Ward], 'ObstetricGinecologicWard')
SurgicalWard1 = Struct([t(7,4), Ward], 'SurgicalWard1')

V,FV,EV = struct2lar(ObstetricGinecologicWard)
ObstetricGinecologicWard = Struct( [(metric(V),FV,EV)], "ObstetricGinecologicWard" )
V,FV,EV = struct2lar(SurgicalWard1)
SurgicalWard1 = Struct( [(metric(V),FV,EV)], "SurgicalWard1" )
◊

```

Macro referenced in 10a.

Third floor input

$\langle \text{Third floor 13a} \rangle \equiv$

```

""" Third floor """
GeneralWard1 = Struct([t(0,4), Ward])
SurgicalWard2 = Struct([t(7,4), Ward])

```

```

V,FV,EV = struct2lar(GeneralWard1)
GeneralWard1 = Struct( [(metric(V),FV,EV)], "GeneralWard1" )
V,FV,EV = struct2lar(SurgicalWard2)
SurgicalWard2 = Struct( [(metric(V),FV,EV)], "SurgicalWard2" )
◊

```

Macro referenced in 10a.

Fourth floor input

```

⟨Fourth floor 13b⟩ ≡
    """ Fourth floor """
    PediatricWard1 = Struct([t(0,4), Ward])
    PediatricWard2 = Struct([t(7,4), Ward])

    V,FV,EV = struct2lar(PediatricWard1)
    PediatricWard1 = Struct( [(metric(V),FV,EV)], "PediatricWard1" )
    V,FV,EV = struct2lar(PediatricWard2)
    PediatricWard2 = Struct( [(metric(V),FV,EV)], "PediatricWard2" )
    ◊

```

Macro referenced in 10a.

Fifth floor input

```

⟨Fifth floor 14a⟩ ≡
    """ Fifth floor """
    GeneralWard2 = Struct([t(0,4), Ward])
    GeneralWard3 = Struct([t(7,4), Ward])

    V,FV,EV = struct2lar(GeneralWard2)
    GeneralWard2 = Struct( [(metric(V),FV,EV)], "GeneralWard2" )
    V,FV,EV = struct2lar(GeneralWard3)
    GeneralWard3 = Struct( [(metric(V),FV,EV)], "GeneralWard3" )
    ◊

```

Macro referenced in 10a.

Ward sections Here input by polylines and structure modeling are freely mixed. Just notice that the affine maps included in structures are given in grid coordinates. This fact does not permit an immediate transformation in Cartesian coordinates using the `metric` function.

⟨Ward sections 14b⟩ ≡

```

""" Ward sections """
Room = poly2struct([TRANS([[0,0,1,1,2./3,2./3],[0,0.5,0.5,0.25,0.25,0]])])
RestRoom = poly2struct([TRANS([[2./3,2./3,1,1],[0,0.25,0.25,0]])])
Nursing1 = poly2struct([TRANS([[0,0,.2,.2],[0,.4,.4,.0]])])
Nursing2 = poly2struct([TRANS([[.2,.2,.4,.4],[0,.4,.4,.0]])])
Nursing3 = poly2struct([TRANS([[0,0,.4,.4],[.4,.8,.8,.4]])])
Nursing4 = poly2struct([TRANS([[0,0,.4,.4],[.8,1.1,1.1,.8]])])
Nursing5 = poly2struct([TRANS([[0,0,.4,.4],[1.1,1.4,1.4,1.1]])])

room = Struct([Room], "Room")
restRoom = Struct([RestRoom], "RestRoom")
nursing1 = Struct([Nursing1], "Nursing1")
nursing2 = Struct([Nursing2], "Nursing2")
nursing3 = Struct([Nursing3], "Nursing3")
nursing4 = Struct([Nursing4], "Nursing4")
nursing5 = Struct([Nursing5], "Nursing5")

service1 = Struct([nursing1,nursing2,nursing3,nursing4,nursing5], "Service1")
service2 = Struct([t(0,1.4),s(1,-1),service1], "Service2")
wardServices = Struct([t(1.3,.3),service2,t(0,2),service1], "WardServices")
theRoom = Struct([room,restRoom], "TheRoom")
twoRooms = Struct([theRoom,t(0,1),s(1,-1),theRoom], "TwoRooms")
halfWard = Struct(4*[twoRooms,t(0,1)], "HalfWard")
Ward = Struct([halfWard, wardServices, t(3,0),s(-1,1), halfWard], "Ward")

#Vw,FVw,Evw = struct2lar(Ward)
#theWard = Struct( [(metric(Vw),FVw,Evw)], "theWard" )
◊

```

Macro referenced in 12b.

A Code utilities

Coding utilities

```

⟨ Coding utilities 15a ⟩ ≡
    """ Coding utilities """
    ⟨ Filter functions 15b ⟩
    ⟨ Reference grid 16 ⟩
    ⟨ From grid to metric coordinates 17 ⟩
    ⟨ Mapping a grid frame to a Cartesian one 18 ⟩
    ⟨ From array indices to grid coordinates 19 ⟩
    ◊

```

Macro referenced in 1.

Filter functions

```
(Filter functions 15b) ≡
    """ Filter functions """
    DEBUG = True
    def poly2struct(polylines, name="Name", category="Department"):
        larModel = polyline2lar(polylines)
        return Struct( [larModel], name, category )

    def mpoly2struct(polylines, name="Name", category="Department"):
        larModel = polyline2lar(AA(metric)(polylines))
        return Struct( [larModel], name, category )
    ◇
```

Macro referenced in 15a.

A.1 Reference grid

Looking at the images of Figure 1, it is easy to notice the presence of a very regular structural frame, providing in the following a reference grid for the numeric input of the geometry of the departments and floors of the hospital model. Some images with evidenced (in blue) the structural frame grid are shown in Figure ??.

It may be useful to underline that the grid step in the y direction (from top to bottom of the drawings) is constant and equal to $8.4m$, whereas the grid in the x direction (from left to right of the drawings) alternates the $[7.5, 9.5, 7.5]m$ pattern with the step-size used in the other direction ($8.4m$). the above numeric patterns are actually derived by the architect from the layout of the inpatient wards.

Notice also that both grid directions, and of course the structural frame of the building, are aligned with the *inpatient wards*, that supply one the main ideas of the design concept as a whole.

Reference grid The reference grid is defined as `structuralGrid` in the script below, where `PROD` is the `pyplasm` primitive for Cartesian product of geometric values. The global variable `YMAX` is used in this module to compute (in the `metric` function) a proper coordinate transformation of the model from the reference frame used in the 2D hospital drawings (origin at top-left point, y pointing downwards—see Figure 2) to the standard righthand reference frame (origin at bottom-left point, y pointing upwards—see Figure 3).

```
(Reference grid 16) ≡
    """ Reference grid """
    X = [0]+[7.5,9.5,7.5]+4*[8.4]+[7.5,9.5,7.5]+[0]
    Y = [0]+14*[8.4]+[0]
    xgrid = QUOTE(X[1:-1])
    ygrid = QUOTE(Y[1:-1])
```




Figure 2: The zooming of two floor plans, with evidenced the structural grid (in blue):
(a) first floor; (b) second floor.

```

structuralGrid = PROD([xgrid,ygrid])
YMAX = SUM(Y)
◊

```

Macro referenced in 15a.




Figure 3: The reference grid used in the model construction. The intersections of grid lines have integer coordinates.

From grid to metric coordinates The actual transformation of vertices of geometric data is executed by applying the (partial) function `metric` to a list of 2D points, as shown by the example below.

```

⟨ From grid to metric coordinates 17 ⟩ ≡
    """ From grid to metric coordinates """
    def grid2coords(X,Y):
        xMeasures = list(cumsum(X))
        yMeasures = list(cumsum(Y))
        def grid2coords0(point):
            x,y = point[0:2]
            xint,yint = int(x), int(y)
            xdec,ydec = float(x-xint), float(y-yint)
            xcoord = xMeasures[xint] + xdec*X[xint+1]
            ycoord = yMeasures[yint] + ydec*Y[yint+1]
            if len(point)==2: return [xcoord, ycoord]
            else: return [xcoord, ycoord, point[2]]
        return grid2coords0

    def coordMaps(YMAX):
        def coordMaps0(polyline):

```

```

polyline = AA(grid2coords(X,Y))(polyline)
polyline = vmap(YMAX)(polyline)
return [eval(vcode(point)) for point in polyline]
return coordMaps0

metric = coordMaps(YMAX)
◊

```

Macro referenced in 15a.

Example A simple example of transformation from grid to metric coordinates is given here:

```

polyline = metric([[3,4],[3,8],[4,8],[4,7.8],[6,7.8],[6,8],[6.65,8],[6.65,4]])
>>> [[24.5,84.0],[24.5,50.4],[32.9,50.4],[32.9,52.08],[49.7,52.08],[49.7,50.4],
      [55.16,50.4],[55.16,84.0]]

```

Mapping the grid frame to a Cartesian right-hand frame

\langle Mapping a grid frame to a Cartesian one 18 $\rangle \equiv$

```

""" Mapping the grid frame to a Cartesian right-hand frame """
def vmap(YMAX):
    def vmap0(V):
        if len(V[0])==3: W = [[x,YMAX-y,z] for x,y,z in V]
        else: W = [[x,YMAX-y] for x,y in V]
        return W
    return vmap0

def embed(z):
    def embed0(p):
        return p+[z]
    return embed0
◊

```

Macro referenced in 15a.

From array indices to grid coordinates The reference grid, as the Cartesian product of two subsets of adjacent integers, will be used both to strongly simplify the input of data, and to assign to such coordinate numbers a more interesting meaning. For example the open space in the middle of the building will so defined as the 2D box with extreme points of integer coordinates (3,4) and (7,11). Therefore the whole building will be contained in the 2D interval $[0, 10] \times [0, 14]$ in “grid coordinates”.

\langle From array indices to grid coordinates 19 $\rangle \equiv$

```

""" From array indices to grid coordinates """
def index2coords(theArray):
    return CONS(AA(T([1,2]))(CAT((theArray).tolist())))
◊

```

Macro referenced in 15a.

References

- [AM13] Adham R. Ismail Abdel-Moneim, *Hospital planning and medical equipment design*, Future Healthcare – The opportunities of new technology (Oslo, Norway), 38th World Hospital Congress, 18–20 June 2013.
- [CL13] CVD-Lab, *Linear algebraic representation*, Tech. Report 13-00, Roma Tre University, October 2013.