one_stationary_noiseless_no_gps Experiment Report

Matthew Swartwout

August 10, 2016

This is a summary of the data from the one_stationary_noiseless_no_gps experiment.

Shown below is the summary of the error of all robots combined for both x and y coordinates, and also the error in total distance.

```
summary(continuous$x_error)
```

```
##      Min.   1st Qu.    Median      Mean   3rd Qu.      Max.
## 1.456e-05 1.392e-04 2.643e-04 2.641e-04 3.892e-04 5.138e-04
```

```
summary(continuous$y_error)
```

```
##      Min.   1st Qu.    Median      Mean   3rd Qu.      Max.
## 4.172e-10 1.259e-08 3.025e-08 3.605e-08 5.681e-08 9.527e-08
```

```
summary(continuous$yaw_error)
```

```
##      Min.   1st Qu.    Median      Mean   3rd Qu.      Max.
## 5.951e-05 1.240e-04 1.757e-04 1.899e-04 2.538e-04 3.642e-04
```

```
summary(continuous$horizontal_error)
```

```
##      Min.   1st Qu.    Median      Mean   3rd Qu.      Max.
## 1.456e-05 1.392e-04 2.643e-04 2.641e-04 3.892e-04 5.138e-04
```

```
summary(discrete$x_error)
```

```
##      Min.   1st Qu.    Median      Mean   3rd Qu.      Max.
## 1.456e-05 1.392e-04 2.643e-04 2.641e-04 3.892e-04 5.138e-04
```

```
summary(discrete$y_error)
```

```
##      Min.   1st Qu.    Median      Mean   3rd Qu.      Max.
## 4.173e-10 1.259e-08 3.025e-08 3.605e-08 5.681e-08 9.526e-08
```

```
summary(discrete$yaw_error)
```

```
##      Min.   1st Qu.    Median      Mean   3rd Qu.      Max.
## 5.951e-05 1.240e-04 1.757e-04 1.899e-04 2.538e-04 3.642e-04
```

```
summary(discrete$horizontal_error)
```

```
##      Min.   1st Qu.    Median      Mean   3rd Qu.      Max.
## 1.456e-05 1.392e-04 2.643e-04 2.641e-04 3.892e-04 5.138e-04
```

```
if (params$robot >= 2) {
    summary(external_data_averages)
}
```

Shown below are plots representing the robot's motion and error over time.

```
plot(gazebo$x_position, gazebo$y_position,
     main = "Ground truth visited locations of robots")
```

## Ground truth visited locations of robots



```r
hist(gazebo$dist_from_origin,
     main = "Distance from origin vs. time")
```

Distance from origin vs. time


```r
hist(continuous$x_error,
     main = "Continuous x_error")
```

Continuous x_error


```
hist(continuous$y_error,
     main = "Continuous y_error")
```

Continuous y_error


```
hist(continuous$horizontal_error,
     main = "Continuous total distance error")
```

Continuous total distance error

continuous$horizontal_error

```r
hist(discrete$x_error,
     main = "Discrete x_error")
```

Discrete x_error


discrete$x_error

```r
hist(discrete$y_error,
     main = "Discrete y_error")
```

Discrete y_error


```
hist (discrete$horizontal_error,
      main = "Discrete total distance error")
```

Discrete total distance error


```
figure_dir <- "/home/matt/thesis/writing/r_figures/"
filename = paste0(figure_dir, params$experiment, "_continuous_error.pdf")
```

```r
pdf(filename)
plot(continuous$horizontal_error, main="Continuous Filter Error", sub=paste0("For ", params$experiment,

dev.off()
```

```
## pdf
##   2
```

```r
filename = paste0(figure_dir, params$experiment, "_discrete_error.pdf")
pdf(filename)
plot(discrete$horizontal_error, main="Discrete Filter Error", sub=paste0("For ", params$experiment, " E
dev.off()
```

```
## pdf
##   2
```

```r
if (params$experiment == "one_stationary_noiseless") {
    gazebo$horizontal_error <- sqrt(gazebo$x_position ^ 2 + gazebo$y_position ^ 2)
    pdf(paste0(figure_dir, "gazebo_odom_drift.pdf"))

    plot(gazebo$horizontal_error, main="Gazebo Odometry Drift for Stationary Robot with Noiseless Odomet
    dev.off()
}
```

```r
table_dir <- "/home/matt/thesis/writing/autogenerated_tables/"

out_file <- paste0(table_dir, params$experiment, "_continuous_summary.tex")
tex_label <- paste0("tab:", params$experiment, "_continuous_summary")
stargazer(continuous,
          out=out_file,
          table.placement="h",
          label=tex_label,
          title=gsub("_", "-", paste0("Continuous Filter Estimate for ", params$experiment, " Experiment
          digits.extra = 20)
```

```
##
## % Table created by stargazer v.5.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard
## % Date and time: Wed, Aug 10, 2016 - 04:38:08 PM
## \begin{table}[h] \centering
##   \caption{Continuous Filter Estimate for one-stationary-noiseless-no-gps Experiment}
##   \label{tab:one_stationary_noiseless_no_gps_continuous_summary}
## \begin{tabular}{@{\extracolsep{5pt}}lccccc}
## \\[-1.8ex]\hline
## \hline \\[-1.8ex]
## Statistic & \multicolumn{1}{c}{N} & \multicolumn{1}{c}{Mean} & \multicolumn{1}{c}{St. Dev.} & \multic
## \hline \\[-1.8ex]
## x\_position & 493 & 0.000 & 0.000 & $-$0 & 0 \\
## y\_position & 493 & $-$0.000 & 0.000 & $-$0 & 0 \\
## yaw & 493 & 0.000 & 0.000 & $-$0 & 0 \\
## x\_variance & 493 & 1.541 & 0.846 & 0.081 & 3.002 \\
## y\_variance & 493 & 1.541 & 0.846 & 0.081 & 3.002 \\
## yaw\_variance & 493 & 1.847 & 1.014 & 0.097 & 3.599 \\
## yaw\_error & 493 & 0.0002 & 0.0001 & 0.0001 & 0.0004 \\
## x\_error & 493 & 0.0003 & 0.0001 & 0.00001 & 0.001 \\
## y\_error & 493 & 0.00000004 & 0.00000003 & 0.000 & 0.0000001 \\
## horizontal\_error & 493 & 0.0003 & 0.0001 & 0.00001 & 0.001 \\
```

```
## \hline \\[-1.8ex]
## \end{tabular}
## \end{table}
```

```r
out_file <- paste0(table_dir, params$experiment, "_discrete_summary.tex")
tex_label <- paste0("tab:", params$experiment, "_discrete_summary")
stargazer(discrete,
          out=out_file,
          table.placement="h",
          label=tex_label,
          title=gsub("_", "-", paste0("Discrete Filter Estimate for ", params$experiment, " Experiment"),
          digits.extra = 20)
```

```
##
## % Table created by stargazer v.5.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvard
## % Date and time: Wed, Aug 10, 2016 - 04:38:08 PM
## \begin{table}[h] \centering
##   \caption{Discrete Filter Estimate for one-stationary-noiseless-no-gps Experiment}
##   \label{tab:one_stationary_noiseless_no_gps_discrete_summary}
## \begin{tabular}{@{\extracolsep{5pt}}lccccc}
## \\[-1.8ex]\hline
## \hline \\[-1.8ex]
## Statistic & \multicolumn{1}{c}{N} & \multicolumn{1}{c}{Mean} & \multicolumn{1}{c}{St. Dev.} & \multic
## \hline \\[-1.8ex]
## x\_position & 493 & $-$0.000 & 0.000 & $-$0 & 0 \\
## y\_position & 493 & $-$0.000 & 0.000 & $-$0 & 0 \\
## yaw & 493 & $-$0.000 & 0.000 & $-$0 & 0 \\
## x\_variance & 493 & 1.541 & 0.846 & 0.081 & 3.001 \\
## y\_variance & 493 & 1.541 & 0.846 & 0.081 & 3.001 \\
## yaw\_variance & 493 & 1.847 & 1.014 & 0.097 & 3.598 \\
## x\_error & 493 & 0.0003 & 0.0001 & 0.00001 & 0.001 \\
## y\_error & 493 & 0.00000004 & 0.00000003 & 0.000 & 0.0000001 \\
## horizontal\_error & 493 & 0.0003 & 0.0001 & 0.00001 & 0.001 \\
## yaw\_error & 493 & 0.0002 & 0.0001 & 0.0001 & 0.0004 \\
## \hline \\[-1.8ex]
## \end{tabular}
## \end{table}
```

```r
if (params$experiment == "one_stationary_noiseless") {
    stargazer(gazebo,
              out=paste0(table_dir, "gazebo_stationary_noiseless_summary.tex"),
              table.placement="h",
              label="tab:gazebo_stationary_noiseless_summary",
              title="Ground Truth Noiseless Odometry for Stationary Robot located at Origin",
              digits.extra = 20)
}
```