two_stationary Experiment Report

Matthew Swartwout

August 15, 2016

This is a summary of the data from the two_stationary experiment.

Shown below is the summary of the error of all robots combined for both x and y coordinates, and also the error in total distance.

```
summary(continuous$x_error)
        Min.
               1st Qu.
                           Median
                                       Mean
                                               3rd Qu.
## 1.351e-05 1.371e-04 2.604e-04 2.615e-04 3.860e-04 5.105e-04
summary(continuous$y_error)
##
        Min.
               1st Qu.
                           Median
                                       Mean
                                              3rd Qu.
                                                            Max.
## 4.383e-10 9.601e-09 3.392e-08 4.433e-08 7.164e-08 1.480e-07
summary(continuous$yaw_error)
##
        Min.
               1st Qu.
                           Median
                                       Mean
                                               3rd Qu.
                                                            Max.
## 1.162e-05 1.356e-04 2.584e-04 2.469e-04 3.532e-04 5.029e-04
summary(continuous$horizontal_error)
##
        Min.
               1st Qu.
                           Median
                                               3rd Qu.
                                       Mean
                                                            Max.
## 1.351e-05 1.371e-04 2.604e-04 2.615e-04 3.860e-04 5.105e-04
summary(discrete$x_error)
##
               1st Qu.
                           Median
                                       Mean
## 0.0000135 0.3148000 0.3994000 0.4711000 0.7363000 0.9262000
summary(discrete$y_error)
      Min. 1st Qu. Median
                               Mean 3rd Qu.
                                               Max.
## -1.2640 -0.7247 -0.5019 -0.5222 -0.1483
                                             0.0000
summary(discrete$yaw_error)
         Min.
                 1st Qu.
                              Median
                                                    3rd Qu.
                                           Mean
## -4.052e-05
              1.455e-05 4.579e-05
                                      4.752e-05
                                                 7.218e-05
                                                             1.902e-04
summary(discrete$horizontal_error)
##
        Min.
               1st Qu.
                           Median
                                       Mean
                                               3rd Qu.
## 0.0000135 0.3480000 0.7982000 0.7230000 0.8275000 1.5670000
if (params$robot >= 2) {
    summary(external_data_averages)
}
##
        Length Class Mode
## [1,] 1
               -none- numeric
## [2,] 1
               -none- numeric
```

Shown below are plots representing the robot's motion and error over time.




Ground truth visited locations of robots



hist(gazebo\$dist_from_origin,
 main = "Distance from origin vs. time")

Distance from origin vs. time




```
hist(continuous$x_error,
    main = "Continuous x_error")
```

Continuous x_error




hist(continuous\$y_error,
 main = "Continuous y_error")

Continuous y_error




Continuous total distance error




hist(discrete\$x_error,
 main = "Discrete x_error")

Discrete x_error






Discrete y_error



hist (discrete\$horizontal_error,
 main = "Discrete total distance error")

Discrete total distance error



```
figure_dir <- "/home/matt/thesis/writing/r_figures/"</pre>
filename = pasteO(figure_dir, params$experiment, "_continuous_error.pdf")
pdf(filename)
plot(continuous $horizontal_error, main="Continuous Filter Error", sub=paste0("For ", params $experiment,
dev.off()
## pdf
##
filename = paste0(figure_dir, params$experiment, "_discrete_error.pdf")
plot(discrete$horizontal error, main="Discrete Filter Error", sub=paste0("For ", params$experiment, " E
dev.off()
## pdf
##
if (params$experiment == "one_stationary_noiseless") {
   gazebo$horizontal_error <- sqrt(gazebo$x_position ^ 2 + gazebo$y_position ^ 2)</pre>
   pdf(pasteO(figure_dir, "gazebo_odom_drift.pdf"))
   plot(gazebo$horizontal_error, main="Gazebo Odometry Drift for Stationary Robot with Noiseless Odome
   dev.off()
}
table_dir <- "/home/matt/thesis/writing/autogenerated_tables/"
out file <- paste0(table dir, params$experiment, " continuous summary.tex")
tex_label <- paste0("tab:", params$experiment, "_continuous_summary")</pre>
stargazer(continuous,
          out=out_file,
          table.placement="h",
          label=tex label,
          title=gsub("_", "-", paste0("Continuous Filter Estimate for ", params$experiment, " Experimen
          digits.extra = 20)
##
## % Table created by stargazer v.5.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvar
## % Date and time: Mon, Aug 15, 2016 - 04:28:03 PM
## \begin{table}[h] \centering
     \caption{Continuous Filter Estimate for two-stationary Experiment}
##
     \label{tab:two_stationary_continuous_summary}
## \begin{tabular}{@{\extracolsep{5pt}}lccccc}
## \\[-1.8ex]\hline
## \hline \\[-1.8ex]
## Statistic & \multicolumn{1}{c}{N} & \multicolumn{1}{c}{Mean} & \multicolumn{1}{c}{St. Dev.} & \multi
## \hline \\[-1.8ex]
## x\_position & 1,007 & 0.993 & 1.000 & $-$0 & 2 \\
## y\_position & 1,007 & 0.000 & 0.000 & $-$0 & 0 \\
## yaw & 1,007 & 0.000 & 0.000 & $-$0 & 0 \\
## x\_variance & 1,007 & 1.521 & 0.840 & 0.067 & 2.982 \\
## y\_variance & 1,007 & 1.521 & 0.840 & 0.067 & 2.982 \\
## yaw\_variance & 1,007 & 1.824 & 1.007 & 0.081 & 3.574 \\
## yaw\_error & 1,007 & 0.0002 & 0.0001 & 0.0001 & 0.001 \\
## x\_error & 1,007 & 0.0003 & 0.0001 & 0.0001 & 0.001 \\
```

```
## y\_error & 1,007 & 0.00000004 & 0.00000004 & 0.000 & 0.0000001 \\
## horizontal\_error & 1,007 & 0.0003 & 0.0001 & 0.00001 & 0.001 \\
## \hline \\[-1.8ex]
## \end{tabular}
## \end{table}
out_file <- paste0(table_dir, params$experiment, "_discrete_summary.tex")</pre>
tex_label <- paste0("tab:", params$experiment, "_discrete_summary")</pre>
stargazer(discrete,
          out=out file,
          table.placement="h",
          label=tex_label,
          title=gsub("_", "-", paste0("Discrete Filter Estimate for ", params$experiment, " Experiment"
          digits.extra = 20)
##
## % Table created by stargazer v.5.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvar
## % Date and time: Mon, Aug 15, 2016 - 04:28:03 PM
## \begin{table}[h] \centering
     \caption{Discrete Filter Estimate for two-stationary Experiment}
##
     \label{tab:two_stationary_discrete_summary}
## \begin{tabular}{@{\extracolsep{5pt}}lccccc}
## \\[-1.8ex]\hline
## \hline \\[-1.8ex]
## Statistic & \multicolumn{1}{c}{N} & \multicolumn{1}{c}{Mean} & \multicolumn{1}{c}{St. Dev.} & \multi
## \hline \\[-1.8ex]
## x\_position & 1,007 & 0.522 & 1.027 & $-$0.896 & 1.970 \\
## y\ position & 1,007 & 0.522 & 0.408 & $-$0.000 & 1.264 \\
## yaw & 1,007 & 0.0002 & 0.0001 & $-$0.000 & 0.0005 \\
## x\ variance & 1,007 & 0.522 & 0.590 & 0.002 & 1.652 \\
## y\_variance & 1,007 & 0.522 & 0.590 & 0.002 & 1.652 \\
## yaw\_variance & 1,007 & 0.379 & 0.171 & 0.088 & 0.689 \\
## x\_error & 1,007 & 0.471 & 0.283 & 0.00001 & 0.926 \\
## y\_error & 1,007 & $-$0.522 & 0.408 & $-$1.264 & 0.000 \\
## horizontal\_error & 1,007 & 0.723 & 0.467 & 0.00001 & 1.567 \\
## yaw\_error & 1,007 & 0.00005 & 0.00004 & $-$0.00004 & 0.0002 \\
## \hline \\[-1.8ex]
## \end{tabular}
## \end{table}
if (params$experiment == "one_stationary_noiseless") {
    stargazer(gazebo,
              out=paste0(table_dir, "gazebo_stationary_noiseless_summary.tex"),
              table.placement="h",
              label="tab:gazebo_stationary_noiseless_summary",
              title="Ground Truth Noiseless Odometry for Stationary Robot located at Origin",
              digits.extra = 20)
```