two_stationary_no_gps Experiment Report

Matthew Swartwout

August 10, 2016


This is a summary of the data from the two_stationary_no_gps experiment.

Shown below is the summary of the error of all robots combined for both x and y coordinates, and also the error in total distance.

```
summary(continuous$x_error)
        Min.
               1st Qu.
                           Median
                                       Mean
                                               3rd Qu.
## 0.0000140 0.0001395 0.0002644 0.0002653 0.0003910 0.0005188
summary(continuous$y_error)
##
        Min.
               1st Qu.
                           Median
                                       Mean
                                               3rd Qu.
                                                            Max.
## 8.479e-10 1.557e-08 3.306e-08 3.875e-08 5.906e-08 1.052e-07
summary(continuous$yaw_error)
##
        Min.
               1st Qu.
                           Median
                                       Mean
                                               3rd Qu.
                                                            Max.
## 6.688e-05 1.265e-04 1.740e-04 1.829e-04 2.307e-04 3.224e-04
summary(continuous$horizontal_error)
##
        Min.
               1st Qu.
                           Median
                                               3rd Qu.
                                       Mean
                                                            Max.
## 0.0000140 0.0001395 0.0002644 0.0002653 0.0003910 0.0005188
summary(discrete$x_error)
##
        Min.
               1st Qu.
                           Median
                                       Mean
                                               3rd Qu.
## 1.544e-05 2.686e-04 3.016e-02 1.549e-02 3.041e-02 3.066e-02
summary(discrete$y_error)
         Min.
                  1st Qu.
                              Median
                                            Mean
                                                    3rd Qu.
                                                                   Max.
## -2.668e-03 -2.668e-03 -2.667e-03 -1.347e-03
                                                 3.600e-08
summary(discrete$yaw_error)
        Min.
               1st Qu.
                           Median
                                       Mean
                                               3rd Qu.
## 6.688e-05 1.265e-04 1.740e-04 1.829e-04 2.307e-04 3.224e-04
summary(discrete$horizontal_error)
##
        Min.
               1st Qu.
                           Median
                                       Mean
                                               3rd Qu.
## 1.544e-05 2.686e-04 3.028e-02 1.555e-02 3.053e-02 3.078e-02
if (params$robot >= 2) {
    summary(external_data_averages)
}
##
        Length Class Mode
## [1,] 1
               -none- numeric
## [2,] 1
               -none- numeric
```


Shown below are plots representing the robot's motion and error over time.

Ground truth visited locations of robots



hist(gazebo\$dist_from_origin,
 main = "Distance from origin vs. time")

Distance from origin vs. time




```
hist(continuous$x_error,
    main = "Continuous x_error")
```

Continuous x_error




hist(continuous\$y_error,
 main = "Continuous y_error")

Continuous y_error





Continuous total distance error




hist(discrete\$x_error,
 main = "Discrete x_error")

Discrete x_error






Discrete y_error



hist (discrete\$horizontal_error,
 main = "Discrete total distance error")

Discrete total distance error



```
figure_dir <- "/home/matt/thesis/writing/r_figures/"</pre>
filename = pasteO(figure_dir, params$experiment, "_continuous_error.pdf")
pdf(filename)
plot(continuous $horizontal_error, main="Continuous Filter Error", sub=paste0("For ", params $experiment,
dev.off()
## pdf
##
filename = paste0(figure_dir, params$experiment, "_discrete_error.pdf")
plot(discrete$horizontal error, main="Discrete Filter Error", sub=paste0("For ", params$experiment, " E
dev.off()
## pdf
##
if (params$experiment == "one_stationary_noiseless") {
   gazebo$horizontal_error <- sqrt(gazebo$x_position ^ 2 + gazebo$y_position ^ 2)</pre>
   pdf(pasteO(figure_dir, "gazebo_odom_drift.pdf"))
   plot(gazebo$horizontal_error, main="Gazebo Odometry Drift for Stationary Robot with Noiseless Odome
   dev.off()
}
table_dir <- "/home/matt/thesis/writing/autogenerated_tables/"
out file <- paste0(table dir, params$experiment, " continuous summary.tex")
tex_label <- paste0("tab:", params$experiment, "_continuous_summary")</pre>
stargazer(continuous,
          out=out_file,
          table.placement="h",
          label=tex label,
          title=gsub("_", "-", paste0("Continuous Filter Estimate for ", params$experiment, " Experimen
          digits.extra = 20)
##
## % Table created by stargazer v.5.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvar
## % Date and time: Wed, Aug 10, 2016 - 04:40:34 PM
## \begin{table}[h] \centering
     \caption{Continuous Filter Estimate for two-stationary-no-gps Experiment}
##
     \label{tab:two_stationary_no_gps_continuous_summary}
## \begin{tabular}{@{\extracolsep{5pt}}lccccc}
## \\[-1.8ex]\hline
## \hline \\[-1.8ex]
## Statistic & \multicolumn{1}{c}{N} & \multicolumn{1}{c}{Mean} & \multicolumn{1}{c}{St. Dev.} & \multi
## \hline \\[-1.8ex]
## x\_position & 1,008 & 1.010 & 1.000 & $-$0 & 2 \\
## y\_position & 1,008 & $-$0.000 & 0.000 & $-$0 & 0 \\
## yaw & 1,008 & 0.000 & 0.000 & $-$0 & 0 \\
## x\_variance & 1,008 & 1.545 & 0.851 & 0.073 & 3.034 \\
## y\_variance & 1,008 & 1.545 & 0.851 & 0.073 & 3.034 \\
## yaw\_variance & 1,008 & 1.852 & 1.020 & 0.087 & 3.638 \\
## yaw\_error & 1,008 & 0.0002 & 0.0001 & 0.0001 & 0.0003 \\
## x\_error & 1,008 & 0.0003 & 0.0001 & 0.0001 & 0.001 \\
```

```
## y\_error & 1,008 & 0.00000004 & 0.00000003 & 0.000 & 0.0000001 \\
## horizontal\ error & 1,008 & 0.0003 & 0.0001 & 0.0001 & 0.001 \\
## \hline \\[-1.8ex]
## \end{tabular}
## \end{table}
out_file <- paste0(table_dir, params$experiment, "_discrete_summary.tex")</pre>
tex_label <- paste0("tab:", params$experiment, "_discrete_summary")</pre>
stargazer(discrete,
          out=out file,
          table.placement="h",
          label=tex_label,
          title=gsub("_", "-", paste0("Discrete Filter Estimate for ", params$experiment, " Experiment"
          digits.extra = 20)
##
## % Table created by stargazer v.5.2 by Marek Hlavac, Harvard University. E-mail: hlavac at fas.harvar
## % Date and time: Wed, Aug 10, 2016 - 04:40:34 PM
## \begin{table}[h] \centering
     \caption{Discrete Filter Estimate for two-stationary-no-gps Experiment}
##
     \label{tab:two_stationary_no_gps_discrete_summary}
## \begin{tabular}{@{\extracolsep{5pt}}lccccc}
## \\[-1.8ex]\hline
## \hline \\[-1.8ex]
## Statistic & \multicolumn{1}{c}{N} & \multicolumn{1}{c}{Mean} & \multicolumn{1}{c}{St. Dev.} & \multi
## \hline \\[-1.8ex]
## x\ position & 1,008 & 0.995 & 0.985 & $-$0.000 & 1.970 \\
## y\ position & 1,008 & 0.001 & 0.001 & $-$0.000 & 0.003 \\
## yaw & 1,008 & $-$0.000 & 0.000 & $-$0 & 0 \\
## x\ variance & 1,008 & 0.773 & 0.980 & 0.002 & 3.026 \\
## y\_variance & 1,008 & 0.773 & 0.980 & 0.002 & 3.026 \\
## yaw\_variance & 1,008 & 1.859 & 1.020 & 0.100 & 3.628 \\
## x\_error & 1,008 & 0.015 & 0.00002 & 0.031 \\
## y\_error & 1,008 & $-$0.001 & 0.001 & $-$0.003 & 0.0000001 \\
## horizontal\_error & 1,008 & 0.016 & 0.015 & 0.0002 & 0.031 \\
## yaw\_error & 1,008 & 0.0002 & 0.0001 & 0.0001 & 0.0003 \\
## \hline \\[-1.8ex]
## \end{tabular}
## \end{table}
if (params$experiment == "one_stationary_noiseless") {
    stargazer(gazebo,
              out=paste0(table_dir, "gazebo_stationary_noiseless_summary.tex"),
              table.placement="h",
              label="tab:gazebo_stationary_noiseless_summary",
              title="Ground Truth Noiseless Odometry for Stationary Robot located at Origin",
              digits.extra = 20)
```