



 Patient Name
 : Mr SURENDRA SINGH
 Bill Date
 : Feb 10, 2023, 04:33 PM

 DOB/Age/Gender
 : 26 Y/Male
 Sample Collected
 : Feb 10, 2023, 04:33 PM

 Patient ID / UHID
 : 2870306/OF2870306
 Sample Received
 : Feb 11, 2023, 01:44 PM

 Referred By
 : Dr.
 Report Date
 : Feb 11, 2023, 02:43 PM

Sample Type : Whole blood EDTA Barcode No : HT067222
Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description Value(s) Unit(s) Reference Range

HEMATOLOGY REPORT Vital Screening Package Complete Blood Count (CBC)

RBC PARAMETERS Hemoglobin 16.1 g/dL 13.0 - 17.0 Method: colorimetric **RBC Count** 5 10^6/µl 4.5 - 5.5Method: Electrical impedance % **PCV** 49.2 40 - 50 Method: Calculated MCV 99.4 fl 83 - 101 Method: Calculated **MCH** 32.6 27 - 32 pg Method: Calculated **MCHC** 32.8 g/dL 31.5 - 34.5 Method: Calculated RDW (CV) 13.7 % 11.6 - 14.0 Method: Calculated RDW-SD 48.5 fl 35.1 - 43.9 Method: Calculated **WBC PARAMETERS** 8.1 10^3/µl 4 - 10 Method: Electrical impedance and microscopy **DIFFERENTIAL LEUCOCYTE COUNT** 40-80 Neutrophils 53.6 % 38.6 % 20-40 Lymphocytes 5.7 % 2-10 Monocytes Eosinophils 2 % 1-6 Basophils 0.1 % <2 Absolute leukocyte counts Method: Calculated Neutrophils* 4.34 10^3/µI 2 - 7 Lymphocytes* 3.13 10^3/µl 1 - 3 Monocytes* 0.46 10^3/µl 0.2 - 1.0Eosinophils* 0.16 10^3/µl 0.02 - 0.5Basophils* 0.01 10^3/µl 0.02 - 0.5**PLATELET PARAMETERS** 254 10^3/µl 150 - 410 Platelet Count Method: Electrical impedance and microscopy 9.3 - 12.1 Mean Platelet Volume (MPV) 11.1 fL











Redcliffe Lifetech Pvt. Ltd. (Unit of Redcliffe Lifetech Inc, USA) F82, GROUND FLOOR PATEL NAGAR CITY CENTER OPPOSITE OSHO MEDITATION CENTER LASHKAR GWALIOR





 Patient Name
 : Mr SURENDRA SINGH
 Bill Date
 : Feb 10, 2023, 04:33 PM

 DOB/Age/Gender
 : 26 Y/Male
 Sample Collected
 : Feb 10, 2023, 04:33 PM

 Patient ID / UHID
 : 2870306/OF2870306
 Sample Received
 : Feb 11, 2023, 01:44 PM

Referred By : Dr. Report Date : Feb 11, 2023, 02:43 PM

Sample Type : Whole blood EDTA Barcode No : HT067222
Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description	Value(s)	Unit(s)	Reference Range
Method : Calculated			
PCT Method : Calculated	0.3	%	0.17 - 0.32
PDW Method : Calculated	15.2	fL	8.3 - 25.0
P-LCR Method : Calculated	33.4	%	18 - 50
P-LCC Method : Calculated	85	%	44 - 140
Mentzer Index Method : Calculated	19.88	%	

Interpretation:

CBC provides information about red cells, white cells and platelets. Results are useful in the diagnosis of anemia, infections, leukemias, clotting disorders and many other medical conditions.











Redcliffe Lifetech Pvt. Ltd. (Unit of Redcliffe Lifetech Inc, USA) F82, GROUND FLOOR PATEL NAGAR CITY CENTER OPPOSITE OSHO MEDITATION CENTER LASHKAR GWALIOR





Patient Name : Mr SURENDRA SINGH Bill Date : Feb 10, 2023, 04:33 PM DOB/Age/Gender : 26 Y/Male Sample Collected : Feb 10, 2023, 04:33 PM

Sample Type : Whole blood EDTA Barcode No : HT067222
Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description Value(s) Unit(s) Reference Range

HEMATOLOGY REPORT

Vital Screening Package

Erythrocyte Sedimentation Rate (ESR)

ESR - Erythrocyte Sedimentation Rate 04 mm/hr 0 - 10

Method : MODIFIED WESTERGREN

Interpretation:

Indicates presence and intensity of an inflammatory process; never diagnostic of a specific disease. ESR is increased in chronic inflammatory diseases, especially collagen and vascular diseases. Decreased ESR is seen in congestive heart failure, cachexia and after high dose of adrenal steroids











Redcliffe Lifetech Pvt. Ltd. (Unit of Redcliffe Lifetech Inc, USA) F82, GROUND FLOOR PATEL NAGAR CITY CENTER OPPOSITE OSHO MEDITATION CENTER LASHKAR GWALIOR





 Patient Name
 : Mr SURENDRA SINGH
 Bill Date
 : Feb 10, 2023, 04:33 PM

 DOB/Age/Gender
 : 26 Y/Male
 Sample Collected
 : Feb 10, 2023, 04:33 PM

 Patient ID / UHID
 : 2870306/OF2870306
 Sample Received
 : Feb 11, 2023, 01:44 PM

 Referred By
 : Dr.
 Report Date
 : Feb 11, 2023, 02:52 PM

Sample Type : Serum Barcode No : BH217085
Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description	Value(s)	Unit(s)	Reference Range	
	BIOCHEMISTRY	REPORT		
	Vital Screening	Package		
	Liver Function T	est (LFT)		
BILIRUBIN TOTAL	1.1	mg/dL	0.2 - 1.2	
Method : Photometric				
BILIRUBIN DIRECT	0.5	mg/dL	0.0 - 0.5	
Method : Diazo Reaction				
BILIRUBIN INDIRECT	0.6	mg/dL	0.1 - 1.0	
Method : Calculation (T Bil - D Bil)				
SGOT/AST	33	U/L	5 - 34	
Method : IFCC without P5P				
SGPT/ALT	35	U/L	0 to 55	
Method : IFCC without P5P				
SGOT/SGPT Ratio	0.94	-	-	
ALKALINE PHOSPHATASE	59	U/L	40 - 150	
Method: IFCC				
TOTAL PROTEIN	7.6	g/dL	6.4 - 8.3	
Method : Biuret		-		
ALBUMIN	5	gm/dL	3.8 - 5.0	
Method: BCG				
GLOBULIN	2.6	g/dL	2.3 - 3.5	
Method : Calculation (T.P - Albumin)				
ALBUMIN: GLOBULIN RATIO	1.92	-	1.0 - 2.1	
Method : Calculation (Albumin/Globulin)				
GAMMA GLUTAMYL TRANSFERASE (GGT) Method : Photometric	19	U/L	12 - 64	

Interpretation:

The liver filters and processes blood as it circulates through the body. It metabolizes nutrients, detoxifies harmful substances, makes blood clotting proteins, and performs many other vital functions. The cells in the liver contain proteins called enzymes that drive these chemical reactions. When liver cells are damaged or destroyed, the enzymes in the cells leak out into the blood, where they can be measured by blood tests Liver tests check the blood for two main liver enzymes. Aspartate aminotransferase (AST),SGOT: The AST enzyme is also found in muscles and many other tissues besides the liver. Alanine aminotransferase (ALT), SGPT: ALT is almost exclusively found in the liver. If ALT and AST are found together in elevated amounts in the blood, liver damage is most likely present. Alkaline Phosphatase and GGT: Another of the liver's key functions is the production of bile, which helps digest fat. Bile flows through the liver in a system of small tubes (ducts), and is eventually stored in the gallbladder, under the liver. When bile flow is slow or blocked, blood levels of certain liver enzymes rise: Alkaline phosphatase Gamma-utamyl transpeptidase (GGT) Liver tests may check for any or all of these enzymes in the blood. Alkaline phosphatase is by far the most commonly tested of the three. If alkaline phosphatase and GGT are elevated, a problem with bile flow is most likely present. Bile flow problems can be due to a problem in the liver, the gallbladder, or the tubes connecting them. Proteins are important building blocks of all cells and tissues. Proteins are necessary for your body's growth, development, and health. Blood contains two classes of protein, albumin and globulin. Albumin proteins keep fluid from leaking out of blood vessels. Globulin proteins play an important role in your immune system. Low total protein may indicate: 1.bleeding 2.liver disorder 3.malnutrition 4.agammaglobulinemia High Protein levels 'Hyperproteinemia: May be seen in dehydration due to inadequate water intake or to excessive w





© 928-909-0609





Redcliffe Lifetech Pvt. Ltd. (Unit of Redcliffe Lifetech Inc, USA) F82, GROUND FLOOR PATEL NAGAR CITY CENTER OPPOSITE OSHO MEDITATION CENTER LASHKAR GWALIOR





 Patient Name
 : Mr SURENDRA SINGH
 Bill Date
 : Feb 10, 2023, 04:33 PM

 DOB/Age/Gender
 : 26 Y/Male
 Sample Collected
 : Feb 10, 2023, 04:33 PM

 Patient ID / UHID
 : 2870306/OF2870306
 Sample Received
 : Feb 11, 2023, 01:44 PM

 Referred By
 : Dr.
 Report Date
 : Feb 11, 2023, 02:52 PM

Sample Type : Serum Barcode No : BH217085
Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description	Value(s)	Unit(s)	Reference Range				
BIOCHEMISTRY REPORT							
Vital Screening Package <u>Kidney Function Test (KFT)</u>							
							BLOOD UREA Method : Urease
CREATININE Method : Photometric	0.89	mg/dL	0.72 - 1.25				
BUN Method : Urease	11.21	mg/dL	8.9 - 20.6				
BUN/CREATININE RATIO	12.6						
UREA / CREATININE RATIO	26.97						
URIC ACID Method : Uricase	6.3	mg/dL	3.5 - 7.2				
CALCIUM Serum Method : Arsenazo III	9.1	mg/dL	8.4 - 10.2				
PHOSPHORUS Method : Photometric	3.8	mg/dL	2.3 - 4.7				
SODIUM Method : Potentiometric	142.4	mmol/L	136 - 145				
POTASSIUM Method : Potentiometric	3.89	mmol/L	3.5 - 5.1				
CHLORIDE Method : Photometric	102.6	mmol/L	98 - 107				

Interpretation:

SUMMARY:-

Kidney function tests is a collective term for a variety of individual tests and proceduresthat can be done toevaluate how well the kidneys are functioning. Many conditions can affect the ability of the kidneys to carryout their vital functions. Somelead to a rapid (acute) decline in kidney functionothers lead to a gradual (chronic) declineinfunction. Both result in a buildup of toxic waste subst done on urine samples, as well as on blood samples. A number of symptoms may indicate a problem with your kidneys. These include: high blood pressure, blood in urine frequent urges to urinate, difficulty beginning urination, painful urination, swelling in the hands and feet due to a buildup of fluids in the body. A single symptom may not mean something serious. However, when occurring simultaneously, these symptoms suggest that your kidneys are not working properly. Kidney function tests can help determine the reason. Electrolytes (sodium, potassium, and chloride) are present in the human body and the balancing act of the electrolytes in our bodies is essential for normal function of our cells and organs. There has to be a balance. Ionized calcium this test if you have signs of kidney or parathyroid disease. The test may also be done to monitor progress and treatment of these diseases.







ccsupport@redcliffelabs.com

www.redcliffelabs.com

Redcliffe Lifetech Pvt. Ltd. (Unit of Redcliffe Lifetech Inc, USA) F82, GROUND FLOOR PATEL NAGAR CITY CENTER OPPOSITE OSHO MEDITATION CENTER LASHKAR GWALIOR





Bill Date Patient Name : Mr SURENDRA SINGH : Feb 10, 2023, 04:33 PM DOB/Age/Gender : 26 Y/Male Sample Collected: Feb 10, 2023, 04:33 PM Patient ID / UHID : 2870306/OF2870306 Sample Received: Feb 11, 2023, 01:44 PM Referred By : Dr. Report Date : Feb 11, 2023, 02:52 PM

Sample Type Barcode No : BH217085 : Serum Client : SHIV PATHOLOGY GWALIOR Report Status : Final Report

Test Description Value(s) Unit(s) Reference Range

BIOCHEMISTRY REPORT

Vital Screening Package								
<u>Lipid Profile</u>								
TOTAL CHOLESTEROL Method : Enzymatic - Cholesterol Oxidase	145	mg/dL	Desirable: <200 Borderline: 200-239 High: >240					
TRIGLYCERIDES Method : Colorimetric - Lip/Glycerol Kinase	105	mg/dL	Normal : <150 Borderline : 150-199 High : 200-499 Very high : >500					
HDL CHOLESTEROL Method : Accelerator Selective Detergent	44	mg/dL	>40					
NON HDL CHOLESTEROL Method : Calculated	101	mg/dL	<130					
LDL CHOLESTEROL Method : Calculated	80	mg/dL	Optimal <100 Near optimal/above optimal 100-129 Borderline high 130-159 High 160-189 Very high >190					
V.L.D.L CHOLESTEROL Method : Calculated	21	mg/dL	< 30					
CHOL/HDL Ratio Method : Calculated	3.3	-	3.5 - 5.0					
HDL/ LDL RATIO Method : Calculated	0.55	-	Desirable: 0.5 - 3.0 Borderline: 3.1 - 6.0 High: > 6.0					
LDL/HDL Ratio Method : Calculated	1.82	-						

Interpretation:

NATIONAL LIPID ASSOCIATION

Lipid level assessments must be made following 9 to 12 hours of fasting, otherwise assay results might lead to erroneous interpretation. NCEP recommends of 3 different samples to be drawn at intervals of 1 week for harmonizing biological variables that might be encountered in single assays

200-499

TOTAL CHOLESTEROL TRIGLYCERIDE in LDL CHOLESTEROL in NON HDL CHOLESTEROL RECOMMENDATIONS (NLA-2014) in mg/dL mg/dL mg/dL in mg/dL <200 <150 <100 <130 Optimal 130 - 159 Above Optimal 100-129 Borderline High 200-239 150-199 130-159 160 - 189

>=240



High

Very High









Redcliffe Lifetech Pvt. Ltd. (Unit of Redcliffe Lifetech Inc, USA) F82, GROUND FLOOR PATEL NAGAR CITY CENTER OPPOSITE OSHO MEDITATION CENTER LASHKAR GWALIOR

160-189

190 - 219

CONDITIONS OF REPORTING

- 1. It is Presumed that specimen belongs to patient named or identified, such verification being carried out at the point of generation of said specimen
- 2. A test might not be performed due to following reason:
- Specimen Quantity not sufficient (Inadequate collection/spillage during transit)
- Specimen Quality not acceptable (Hemolysis/clotted/lipemic.)
- Incorrect sample type
- Test cancelled either on request of patient or doctor

In any of the above case a fresh specimen will be required for testing and reporting

- 3. The results of the tests may vary from lab to lab; time to time for the same patient
- 4. The reported results are dependent on individual assay methods, equipment, method sensitivity, specificity and quality of the specimen received
- 5. Partial representation of report is not allowed
- 6. The reported tests are for the notification of the referring doctor, only to assist him/her in the diagnosis and management of the patient
- 7. If Sample collection date is not stated on test requisition form, the current date will be printed by default as the date of collection.
- 8. Report with status "Preliminary" means one or more test are yet to be reported
- 9. This report is not valid for Medico Legal Purpose
- 10. Applicable Jurisdiction will be of "Delhi" for any dispute/claim concerning the test(s) & results of the test (s)