

Practice Midterm 1

Compute the following integrals

1. $\int \frac{e^x}{e^{2x} + 2e^x + 1} dx$

2. $\int_{28}^{65} \frac{1}{\sqrt[3]{x^2 - 2x + 1}} dx$

3. $\int x^7 (x^4 - 1)^{2012} dx$

4. $\int x e^{x^2} \sec^2(e^{x^2}) + \tan(x) dx$

Let R be the region bounded by $y = x^3$, $y = 0$, $x = 1$.

1. Set up the integral to find the volume rotated about $y = 1$ using discs/washers.
2. Find the volume rotated about $y = 1$ using shells.

Find the area of the triangle with the given vertices

$$(0, 5), \quad (2, -2) \quad (5, 1)$$

1. With respect to y
2. With respect to x

Find

$$\lim_{x \rightarrow 0} \frac{\int_{x^2}^{x^3} \cos(t^2) dt}{x}.$$

Find an expression for the area under the graph of $f(x)$ as a limit, where $f(x) = x \cos(x)$ and $0 \leq x \leq \pi/2$

Use Midpoint Rule with $n = 4$ to approximate the area of the region bounded above by $y = \sqrt{x^2 + 1}$ and bounded below by $y = 1 - x^2$ for $0 \leq x \leq 1$.

A tomato is thrown vertically upward from ground level toward the ceiling of a tall barn. The ceiling height is 20 meters. With what velocity must the tomato be thrown so that it *just reaches* the ceiling? Assume acceleration due to gravity is 10m/s^2 .