

Your Name

--

Your Signature

--

Student ID #

--	--	--	--	--	--	--

Quiz Section

--	--

Professor's Name

--

TA's Name

--

- This exam is closed book. You may use one $8.5'' \times 11''$ sheet of handwritten notes (both sides OK). Do not share notes. No photocopied materials are allowed.
- Give your answers in exact form (for example $\frac{\pi}{3}$ or $5\sqrt{3}$).
- **No calculators** of any kind are allowed.
- In order to receive credit, you must **show all of your work**. If you do not indicate the way in which you solved a problem, you may get little or no credit for it, even if your answer is correct.
- You may use any of the 20 integrals in the table on p. 495 of the text (p. 484 if you have the 6th edition of Stewart) without deriving them. **Show your work in evaluating any other integrals, even if they are on your note sheet.**
- Place

a box around your answer

 to each question.
- If you need more room, use the backs of the pages and indicate that you have done so.
- Raise your hand if you have a question.
- This exam has 10 pages, plus this cover sheet. Please make sure that your exam is complete.

Question	Points	Score
1	10	
2	10	
3	10	
4	10	
5	10	

Question	Points	Score
6	10	
7	10	
8	10	
9	10	
10	10	
Total	100	

1. (10 total points) Evaluate the following definite integrals.

(a) (5 points) $\int_0^{\pi/10} \sin^2(5x) \cos^3(5x) dx$

(b) (5 points) $\int_1^3 \frac{x^2}{x^2 - 2x + 5} dx$

2. (10 total points) Evaluate the following indefinite integrals.

(a) (5 points) $\int \frac{dx}{x^2 \sqrt{4+x^2}}$

(b) (5 points) $\int \frac{x^{1/4} + 1}{x(x^{1/4} - 2)^2} dx$

3. (10 points) Determine whether the following improper integral converges and, if so, evaluate it. Justify your answer.


$$\int_1^{\infty} \frac{e^{-\sqrt{x}}}{\sqrt{x}} dx$$

4. (10 points) The position $s(t)$ of an object moving along a straight line is given by the formula


$$s(t) = \int_{t^2}^t e^{\sin x} dx.$$

Find a formula for the acceleration $a(t)$ of the object as a function of time t .



5. (10 points) In the graph below, the line is tangent to the curve $y = x^3 - 3x^2 - 6x + 8$ at the point on the y-axis. Find the area enclosed between the curve and the line as shown in the figure.



6. (10 points) A manufacturer drills a round hole of radius r through the center of a metal sphere of radius R . Find the volume of the remaining metal “bead.”



7. (10 points)



A tank (shown in the figure on the left) is 16 feet high, with an open rectangular top of width 3 feet and length 4 feet. Each horizontal cross-section of the tank is a rectangle of fixed width 3 feet and length that changes with height. The figure on the right shows the front face of the tank, which has the shape of the function $y = x^4$ for $-2 \leq x \leq 2$.

Initially, there is fluid in the tank up to a height of 1 foot. The fluid weighs 15 lb/ft^3 . How much work does it take to empty the tank by pumping all of the fluid to the top of the tank?

8. (10 total points)

- (a) (4 points) Write a definite integral for the arclength L of the graph of $y = x^2$ from $x = 1$ to $x = 3$.
DO NOT EVALUATE THE INTEGRAL.

- (b) (6 points) Use Simpson's Rule with $n = 4$ subintervals to approximate the definite integral in part (a). Give your answer in exact form.

9. (10 points) Find the solution of the initial value problem

$$\frac{dy}{dt} = t \sin(t) \cos^2(y), \quad y(0) = \frac{\pi}{4}.$$

Give your answer in the form $y = f(t)$.

10. (10 total points) An advertising company introduces a new product to Seattle. Let $P = P(t)$ be the number of people *in thousands* who are aware of this new product at time t in days. Seattle has a total population of 700 thousand. Initially, no one has heard of the product.
- (a) (3 points) Set up a differential equation for P if it increases at a rate proportional to the number of people in Seattle still unaware of the product. Also state the initial condition for P .
- (b) (5 points) After 20 days, 140 thousand people have heard of the product. Solve the differential equation for $P(t)$, and also determine the exact value of any constants in your solution.
- (c) (2 points) How long does it take before half the population has heard of the product? Give your answer in exact form.