Prof. Dr. Angelika Steger Prof. Dr. Emo Welzl Prof. Dr. Peter Widmayer

Algorithms Lab

Exercise 1 – Odd Route

An odd person devised an odd game, where the objective boils down to the following: given a directed graph with non-negative weights on edges, find the shortest odd path between two vertices. A path is called odd if it contains an odd number of edges and its total weight is odd.

Note the following:

- "Shortest" is meant in terms of the total weight of the path.
- The graph can have loops and parallel edges.
- The path does not need to be simple, i.e., it can have repeating vertices and edges.

Input The first line of the input contains the number of test cases $1 \le t \le 50$. t test cases follow. Each of them describes a graph G, starting with a line containing $1 \le n \le 10^5, 0 \le m \le 2 \cdot 10^5$, the number of vertices and edges of G. The next line contains two vertices $0 \le s, t < n$. The next m lines describe edges of G: each of them contains numbers $0 \le s_i, t_i < n, 1 \le w_i \le 10^3$ denoting the source, target and weight of the i-th edge.

All numbers on a single line are single-space separated and there are no leading or trailing spaces.

Output For every testcase you should output a single line with the total weight of the shortest odd path from s to t in G. If such a path does not exist, output no on a single line.

Sample Output

Points There are two test sets, for a total of 100 points:

- 1. For the first test set, worth 60 points, you may assume $n \le 250$.
- 2. There are no additional restrictions for the second test set, worth 40 points.

| 2 | no |
|-------|----|
| 2 1 | 5 |
| 0 1 | |
| 0 1 2 | |
| 3 4 | |
| 0 2 | |

0 1 1 1 0 2

Sample Input

0 2 2

0 2 11