MiWaves MRT Analyses Results

1. Primary Aims Analysis (Part 1) with Proximal Cannabis Use Outcome

Frequencies of Baseline Covariates

Firstly, there are two baseline records for three IDs. For these three IDs, the second baseline record is retained. The two baseline submissions are likely due to the survey timing out and participants re-submitting.

1.) CANN_IMPORTANCE_BL: "Right now, how important is it to you to cut back your cannabis use?" Response: 0-10 likert scale: 0=Not at all, 10=Very

Other options:

- CANN_LIKELY_BL: "Right now, how likely are you to cut back your use of cannabis or cannabis products?" Response: scale of 0=Not at all 10=Very
- CANN_CONF_BL: "How confident are you that you could cut back your use of cannabis or cannabis products if you wanted to?" Response: scale of 0=Not at all 10=Very
- 2.) CANNHOURS_BL: "During the past month, how many hours, on an average day, did you use cannabis?" Response: Drop down selection 0-24
- 3.) CANNWAKE_BL: "During the past month, how soon did you typically use any cannabis products after you woke up for the day?" Response: 1=Within 5 minutes, 2=6-30 minutes, 3=31 minutes to almost 1 hour, 4=1 to almost 2 hours, 5=2 to almost 4 hours, 6=4 or more hours

Other options:

- CANNDAYS_BL: "How many days in the past month have you used cannabis?" Response: Drop down selection 0-31
- CANNMONTH_BL: "In the past month, how many times per day did you use cannabis?" Response: Drop down selection 0-24

Note: If $CANNDAYS_BL>0$, then displays $CANNHOURS_BL$, $CANNWAKE_BL$, $CANNMONTH_BL$, $CANN_IMPORTANCE_BL$, $CANN_LIKELY_BL$, and $CANN_CONF_BL$.

Table 1: Frequency of baseline variable cannabis importance (N = 120EAs)

| cann_importance_bl | count | percent |
|--------------------|-------|---------|
| 0 | 4 | 3.3 |
| 1 | 5 | 4.2 |
| 2 | 13 | 10.8 |
| 3 | 11 | 9.2 |
| 4 | 18 | 15.0 |
| 5 | 24 | 20.0 |

| 6 | 13 | 10.8 |
|----|----|------|
| 7 | 17 | 14.2 |
| 8 | 11 | 9.2 |
| 9 | 1 | 0.8 |
| 10 | 3 | 2.5 |

Table 2: Frequency of baseline dichotomized variable high cannabis importance $\left(N=120EAs\right)$

| high_cann_importance_bl | count | percent |
|-------------------------|-------|---------|
| 0 | 51 | 42.5 |
| 1 | 69 | 57.5 |

Table 3: Frequency of baseline variable cannabis likely (N=120EAs)

| cann_likely_bl | count | percent |
|----------------|-------|---------|
| 0 | 5 | 4.2 |
| 1 | 15 | 12.5 |
| 2 | 15 | 12.5 |
| 3 | 19 | 15.8 |
| 4 | 13 | 10.8 |
| 5 | 22 | 18.3 |
| 6 | 12 | 10.0 |
| 7 | 7 | 5.8 |
| 8 | 9 | 7.5 |
| 9 | 1 | 0.8 |
| 10 | 2 | 1.7 |

Table 4: Frequency of baseline variable cannabis confidence (N = 120EAs)

| cann_conf_bl | count | percent |
|--------------|-------|---------|
| 0 | 3 | 2.5 |
| 1 | 1 | 0.8 |
| 2 | 4 | 3.3 |
| 3 | 10 | 8.3 |
| 4 | 14 | 11.7 |
| 5 | 17 | 14.2 |
| 6 | 13 | 10.8 |
| 7 | 17 | 14.2 |
| 8 | 21 | 17.5 |
| 9 | 9 | 7.5 |
| 10 | 11 | 9.2 |


Table 5: Frequency of baseline variable cannabis hours (N=120EAs)


| cannhours_bl | count | percent |
|--------------|-------|---------|
| 0 | 2 | 1.7 |
| 1 | 16 | 13.3 |
| 2 | 34 | 28.3 |
| 3 | 28 | 23.3 |
| 4 | 13 | 10.8 |
| 5 | 8 | 6.7 |
| 6 | 8 | 6.7 |
| 7 | 1 | 0.8 |
| 8 | 2 | 1.7 |
| 10 | 2 | 1.7 |
| 11 | 1 | 0.8 |
| 13 | 1 | 0.8 |
| 14 | 1 | 0.8 |
| 17 | 1 | 0.8 |
| 24 | 2 | 1.7 |

Table 6: Frequency of baseline variable cannabis after waking (N=120EAs)

| $cannwake_bl$ | count | percent |
|----------------|-------|---------|
| 0 | 10 | 8.3 |
| 1 | 4 | 3.3 |
| 3 | 18 | 15.0 |
| 4 | 6 | 5.0 |
| 5 | 13 | 10.8 |
| 6 | 69 | 57.5 |


Distribution of Self-Reported Proportion of Waking Hours with Cannabis Use by Baseline Candidate Moderators






Yes Message


No Message




Trajectory of Cannabis Use Over Time



Overall Distribution of Proximal Outcome





Preliminary Causal Excursion Effect Estimates

Research Question 1: Examine whether, on average, there is a proximal effect of delivering an intervention message on proximal cannabis use

Proximal outcome $(Y_{i,t+1})$: Proportion of waking hours with self-reported cannabis use (0-1, treated as continuous)

Treatment indicator $(A_{i,t})$: Binary (1=Yes message, 0=No message)

Covariates:

- time of day binary (AM=0, PM=1),
- day of the week binary (weekday=1, weekend [Fri-Sun]=0),
- prior cannabis use proportion of waking hours averaged over past 4 decision points (i.e., approximately 48 hours),
- prior intervention engagement score that ranges from 0-3 averaged over past 6 decision points (i.e., approximately 72 hours),
- baseline motivation to change importance of cutting back cannabis use on a scale from 0 (Not at all) to 10 (Very) at time of baseline survey,
- baseline cannabis use self-reported average hours of cannabis use in prior day (range: 0-24), during the past month, and
- baseline time to cannabis use self-reported time to cannabis use, since awaking (1=Within 5 minutes, 2=6-30 minutes, 3=31 minutes to almost 1 hour, 4=1 to almost 2 hours, 5=2 to almost 4 hours, 6=4 or more hours), during the past month.

Research Question 2: Explore whether the effect of the intervention message on proximal cannabis use varies by each of the candidate moderators listed below.

Candidate Moderators:

- 1. timeofday: time of day binary (AM=0, PM=1),
- 2. interact_A_message: interaction type A message vs. no message binary (interaction type A message=1, no message=0),
- 2.2. interact_B_message: interaction type B message vs. no message binary (interaction type B message=1, no message=0),
- 2.3. interact_C_message: interaction type C message vs. no message binary (interaction type C message=1, no message=0),
- 3. prop_awakeuse_prior: prior cannabis use operationalized the same as the proximal outcome, at the prior decision point,
- 3.2. cov_prop_awakeuse_48hrs: prior cannabis use over the past 4 decision points,
- 4. wks_since_interv_start: time since under treatment (i.e., since intervention start) in weeks,
- 4.2 after_day15 [a]: time since under treatment (i.e., since intervention start) dichotomized (0=before and including day 15, 1=after day 15),
- 5. week_day_binary: day of the week binary (weekday=1, weekend [Fri-Sun]=0),

- 6. prior_interv_engag: prior intervention engagement operationalized the same as the proximal outcome, at the prior decision point,
- 6.2. cov_interv_engag_72hrs: over past 6 decision points,
- 7. prior_sent_message: prior delivery of a message binary (yes message=1, no message=0), at the prior decision point,
- 7.2. prior sent messages 48hrs: number of messages sent over past 4 decision points,
- 8. short message: short message vs. no message binary (short message=1, no message=0),
- 8.2. long_message: long message vs. no message binary (long message=1, no message=0),
- 9. male sex: baseline demographic of male biological sex (0=female,1=male),
- 10. white_race: baseline demographic of white race (0=not white, 1=white),
- 11. hispanic_ethn: baseline demographic of hispanic or latino ethnicity (0=not hispanic or latino, 1=hispanic or latino),
- 12. canndays_bl: baseline cannabis use severity that is the number of days used cannabis in past month (range: 0-31), which reflects cannabis use frequency,
 - 12.2. $dsmsc_tot_bl$: baseline cannabis use severity that is the count of number of symptoms endorsed (range: 0-11), which reflects diagnostic severity,
- 13. cann_importance_bl: baseline motivation to change that is the importance of cutting back cannabis use on a scale from 0 (Not at all) to 10 (Very) at time of baseline survey,
- 13.2. $high_cann_importance_bl$ [a]: baseline motivation to change binary (0=low motivation to change [score>=5]),
- 13.3. cann_likely_bl [a]: baseline likelihood to change that is how likely one is to cut back cannabis use on a scale from 0 (Not at all) to 10 (Very) at the time of baseline survey,
- 13.4. cann_conf_bl [a]: baseline confidence to change that is how confident one is to cut back cannabis use on a scale from 0 (Not at all) to 10 (Very) at the time of baseline survey,
- 13.5. cann_importance_bl [a]: baseline motivation to change on a scale from 0 (Not at all) to 10 (Very) at the time of baseline survey, when restricting to within week 1 (days 1-7),
- 13.6. cann_importance_bl [a]: baseline motivation to change on a scale from 0 (Not at all) to 10 (Very) at the time of baseline survey, when restricting to within week 2 (days 8-14),
- 13.7. cann_importance_bl [a]: baseline motivation to change on a scale from 0 (Not at all) to 10 (Very) at the time of baseline survey, when restricting to within week 3 (days 15-21),
- 13.8. cann_importance_bl [a]: baseline motivation to change on a scale from 0 (Not at all) to 10 (Very) at the time of baseline survey, when restricting to within week 4 onwards (days 22-30),
- 14. $phq2_tot_bl$: baseline mental health, which is the sum across two item scale PHQ-2 ("Over the last two weeks, how often have you been bothered by any of the following problems? Little interest or pleasure in doing things" and "Over the last two weeks, how often have you been bothered by any of the following problems? Feeling down, depressed, or hopeless" with response values of 0=Not at all, 1= Several days, 2=More than half the days, and 3=Nearly every day).

Notes: All continuous candidate moderators are mean-centered.

[a] This candidate moderator was included after the list of moderators was formalized.

| Term | Estimate | 95% LCL | 95% UCL | StdErr | Wald | df1 | df2 | p-value |
|---------------------------------------|----------|---------|---------|--------|-------|-----|-----|---------|
| Main Effect Model (no covars) | | | | | | | | |
| Intercept | 0.009 | -0.008 | 0.026 | 0.009 | 1.078 | 1 | 118 | 0.301 |
| Main Effect Model (with covars) | | | | | | | | |
| Intercept | 0.009 | -0.003 | 0.020 | 0.006 | 2.283 | 1 | 111 | 0.134 |
| Moderation Effect Model 1 | | | | | | | | |
| Intercept | 0.008 | -0.005 | 0.022 | 0.007 | 1.501 | 1 | 110 | 0.223 |
| timeofdayPM | 0.001 | -0.021 | 0.022 | 0.011 | 0.007 | 1 | 110 | 0.934 |
| Moderation Effect Model 2 | 0.019 | 0.005 | 0.020 | 0.000 | 1 097 | 1 | 111 | 0.179 |
| Intercept | 0.012 | -0.005 | 0.029 | 0.009 | 1.837 | 1 | 111 | 0.178 |
| Moderation Effect Model 2.2 Intercept | 0.011 | -0.006 | 0.027 | 0.008 | 1.554 | 1 | 111 | 0.215 |
| Moderation Effect Model 2.3 | 0.011 | -0.000 | 0.021 | 0.008 | 1.004 | 1 | 111 | 0.219 |
| Intercept | 0.001 | -0.015 | 0.018 | 0.008 | 0.031 | 1 | 111 | 0.861 |
| Moderation Effect Model 3 | 0.001 | 0.019 | 0.010 | 0.000 | 0.001 | | 111 | 0.001 |
| Intercept | 0.013 | -0.008 | 0.033 | 0.010 | 1.494 | 1 | 110 | 0.224 |
| prop_awakeuse_prior | 0.023 | -0.041 | 0.088 | 0.032 | 0.521 | 1 | 110 | 0.472 |
| Moderation Effect Model 3.2 | | | | | | | | |
| Intercept | 0.009 | -0.003 | 0.020 | 0.006 | 2.318 | 1 | 110 | 0.131 |
| $cov_prop_awakeuse_48hrs$ | 0.046 | -0.018 | 0.109 | 0.032 | 2.040 | 1 | 110 | 0.156 |
| Moderation Effect Model 4 | | | | | | | | |
| Intercept | 0.015 | -0.015 | 0.045 | 0.015 | 0.991 | 1 | 109 | 0.322 |
| wks_since_interv_start | -0.003 | -0.013 | 0.007 | 0.005 | 0.267 | 1 | 109 | 0.606 |
| Moderation Effect Model 4.2 | | | | | | | | |
| Intercept | 0.012 | -0.005 | 0.029 | 0.009 | 1.872 | 1 | 109 | 0.174 |
| after_day151 | -0.007 | -0.029 | 0.015 | 0.011 | 0.375 | 1 | 109 | 0.542 |
| Moderation Effect Model 5 | 0.009 | -0.010 | 0.028 | 0.010 | 0.973 | 1 | 110 | 0.326 |
| Intercept week_day_binary1 | -0.009 | -0.010 | 0.028 | 0.010 | 0.009 | 1 1 | 110 | 0.326 |
| Moderation Effect Model 6 | -0.001 | -0.020 | 0.020 | 0.010 | 0.005 | 1 | 110 | 0.520 |
| Intercept | 0.009 | -0.003 | 0.020 | 0.006 | 2.259 | 1 | 110 | 0.136 |
| prior interv engag | -0.003 | -0.017 | 0.010 | 0.007 | 0.240 | 1 | 110 | 0.625 |
| Moderation Effect Model 6.2 | | | | | | | | |
| Intercept | 0.009 | -0.003 | 0.020 | 0.006 | 2.284 | 1 | 110 | 0.134 |
| cov_interv_engag_72hrs | -0.002 | -0.028 | 0.023 | 0.013 | 0.025 | 1 | 110 | 0.874 |
| Moderation Effect Model 7 | | | | | | | | |
| Intercept | 0.008 | -0.006 | 0.022 | 0.007 | 1.176 | 1 | 109 | 0.281 |
| prior_sent_message | 0.001 | -0.022 | 0.024 | 0.012 | 0.007 | 1 | 109 | 0.935 |
| Moderation Effect Model 7.2 | | | | | | | | |
| Intercept | 0.006 | -0.008 | 0.020 | 0.007 | 0.791 | 1 | 109 | 0.376 |
| prior_sent_messages_48hrs | 0.003 | -0.011 | 0.017 | 0.007 | 0.187 | 1 | 109 | 0.666 |
| Moderation Effect Model 8 | 0.000 | 0.000 | 0.004 | 0.000 | 1 205 | 1 | 111 | 0.940 |
| Intercept M. J. G. C. M. J. L. C. | 0.009 | -0.006 | 0.024 | 0.008 | 1.395 | 1 | 111 | 0.240 |
| Moderation Effect Model 8.2 Intercept | 0.007 | -0.006 | 0.021 | 0.007 | 1.130 | 1 | 111 | 0.290 |
| Moderation Effect Model 9 | 0.007 | -0.000 | 0.021 | 0.007 | 1.130 | 1 | 111 | 0.290 |
| Intercept | 0.007 | -0.006 | 0.021 | 0.007 | 1.084 | 1 | 109 | 0.300 |
| male_sex1 | 0.007 | -0.020 | 0.021 | 0.007 | 0.088 | 1 | 109 | 0.768 |
| Moderation Effect Model 10 | 0.000 | 0.020 | 0.021 | 5.512 | 2.000 | _ | 100 | 000 |
| Intercept | -0.002 | -0.025 | 0.022 | 0.012 | 0.020 | 1 | 109 | 0.888 |
| white_race1 | 0.014 | -0.013 | 0.041 | 0.014 | 1.063 | 1 | 109 | 0.305 |
| | | | | | | | | |

(continued)

| Term | Estimate | 95% LCL | 95% UCL | StdErr | Wald | df1 | df2 | p-value |
|------------------------------------|----------|---------|---------|--------|-------|-----|-----|---------|
| Moderation Effect Model 11 | | | | | | | | |
| Intercept | 0.007 | -0.006 | 0.019 | 0.006 | 1.193 | 1 | 109 | 0.277 |
| hispanic_ethn1 | 0.011 | -0.020 | 0.042 | 0.016 | 0.530 | 1 | 109 | 0.468 |
| Moderation Effect Model 12 | | | | | | | | |
| Intercept | 0.009 | -0.003 | 0.020 | 0.006 | 2.266 | 1 | 109 | 0.135 |
| canndays_bl | 0.000 | -0.001 | 0.001 | 0.001 | 0.124 | 1 | 109 | 0.726 |
| Moderation Effect Model 12.2 | | | | | | | | |
| Intercept | 0.009 | -0.003 | 0.020 | 0.006 | 2.310 | 1 | 109 | 0.131 |
| $dsmsc_tot_bl$ | 0.001 | -0.003 | 0.006 | 0.003 | 0.349 | 1 | 109 | 0.556 |
| Moderation Effect Model 13 | | | | | | | | |
| Intercept | 0.009 | -0.003 | 0.020 | 0.006 | 2.349 | 1 | 110 | 0.128 |
| $cann_importance_bl$ | -0.005 | -0.010 | -0.001 | 0.002 | 4.858 | 1 | 110 | 0.030 |
| $Intercept + cann_importance_bl$ | 0.003 | -0.007 | 0.014 | 0.006 | 0.302 | 2 | 110 | 0.740 |
| Moderation Effect Model 13.2 | | | | | | | | |
| Intercept | 0.019 | 0.000 | 0.037 | 0.009 | 4.124 | 1 | 109 | 0.045 |
| $high_cann_importance_bl1$ | -0.017 | -0.040 | 0.006 | 0.012 | 2.226 | 1 | 109 | 0.139 |
| Moderation Effect Model 13.3 | | | | | | | | |
| Intercept | 0.009 | -0.003 | 0.020 | 0.006 | 2.299 | 1 | 109 | 0.132 |
| cann_likely_bl | -0.003 | -0.008 | 0.001 | 0.002 | 1.901 | 1 | 109 | 0.171 |
| Moderation Effect Model 13.4 | | | | | | | | |
| Intercept | 0.009 | -0.003 | 0.020 | 0.006 | 2.278 | 1 | 109 | 0.134 |
| cann_conf_bl | 0.001 | -0.003 | 0.006 | 0.002 | 0.285 | 1 | 109 | 0.594 |
| Moderation Effect Model 13.5 | | | | | | | | |
| Intercept | 0.012 | -0.014 | 0.039 | 0.013 | 0.883 | 1 | 109 | 0.350 |
| cann_importance_bl | -0.008 | -0.018 | 0.002 | 0.005 | 2.772 | 1 | 109 | 0.099 |
| Intercept + cann_importance_bl | 0.004 | -0.021 | 0.029 | 0.014 | 0.082 | 2 | 109 | 0.921 |
| Moderation Effect Model 13.6 | | | | | | | | |
| Intercept | 0.005 | -0.018 | 0.027 | 0.011 | 0.186 | 1 | 108 | 0.667 |
| cann_importance_bl | -0.012 | -0.022 | -0.002 | 0.005 | 5.270 | 1 | 108 | 0.024 |
| $Intercept + cann_importance_bl$ | -0.007 | -0.029 | 0.015 | 0.012 | 0.330 | 2 | 108 | 0.720 |
| Moderation Effect Model 13.7 | | | | | | | | |
| Intercept | 0.022 | 0.000 | 0.044 | 0.011 | 4.053 | 1 | 107 | 0.047 |
| cann_importance_bl | 0.001 | -0.008 | 0.010 | 0.005 | 0.095 | 1 | 107 | 0.758 |
| $Intercept + cann_importance_bl$ | 0.023 | 0.002 | 0.045 | 0.012 | 3.669 | 2 | 107 | 0.029 |
| Moderation Effect Model 13.8 | | | | | | | | |
| Intercept | -0.002 | -0.023 | 0.018 | 0.010 | 0.054 | 1 | 103 | 0.816 |
| cann_importance_bl | -0.002 | -0.010 | 0.006 | 0.004 | 0.208 | 1 | 103 | 0.649 |
| $Intercept + cann_importance_bl$ | -0.004 | -0.024 | 0.016 | 0.011 | 0.138 | 2 | 103 | 0.871 |
| Moderation Effect Model 14 | | | | | | | | |
| Intercept | 0.009 | -0.003 | 0.020 | 0.006 | 2.314 | 1 | 109 | 0.131 |
| phq2_tot_bl | -0.001 | -0.006 | 0.004 | 0.003 | 0.266 | 1 | 109 | 0.607 |

Notes: Standard errors are not yet adjusted to account for RL uncertainty. Moderation Effect Models include the covariates: time of day, day of week, prior cannabis use, prior intervention engagement, baseline motivation to change, baseline cannabis use, and baseline time to cannabis use.

2. Primary Aims Analysis (Part 2) with Proximal Intervention Engagement Outcome

Initial Diagnostics

First, let us examine the app_use_flag to see whether this solely captures browsing aside from EMA completion.

Table 8: Crosstabulation of app use flag variable and indicator for EMA completed (N=7038DPs)

| app_use_flag_l | $completed_ema_l$ | count | percent |
|----------------|---------------------|-------|---------|
| FALSE | 0 | 1404 | 19.9 |
| FALSE | 1 | 5060 | 71.9 |
| TRUE | 0 | 101 | 1.4 |
| TRUE | 1 | 473 | 6.7 |

Preliminary Causal Excursion Effect Estimates

Research Question 3: Investigate whether, on average, there is a proximal effect of delivering an intervention message on proximal intervention engagement.

Proximal outcome $(Y_{i,t+1})$: Intervention engagement (discrete: 0-3, treated as continuous)

Treatment indicator $(A_{i,t})$: Binary (1=Yes message, 0=No message)

Covariates:

- time of day binary (AM=0, PM=1),
- day of the week binary (weekday=1, weekend [Fri-Sun]=0),
- prior intervention engagement score that ranges from 0-3 averaged over past 6 decision points (i.e., approximately 72 hours),
- prior human-touch engagement binary (1=yes, 0=no) for any email, text, or phone call made by study staff (after 72 hours, 120 hours, and 168 hours [1 week]) over past 4 decision points (i.e., approximately 48 hours).

Research Question 4: Explore whether the effect of the intervention message on proximal intervention engagement differs by each of the candidate moderators listed below.

Candidate Moderators:

- 1. timeofday: time of day binary (AM=0, PM=1),
- 2. prior_interv_engag: prior intervention engagement operationalized the same as the proximal outcome, at the prior decision point,
- 2.2. cov_interv_engag_72hrs: over past 6 decision points,
- 3. prop_awakeuse_prior: prior cannabis use operationalized the same as the proximal outcome, at the prior decision point,
- 3.2. cov prop awakeuse 48hrs: prior cannabis use over the past 4 decision points,
- 4. wks since interv start: time since under treatment (i.e., since intervention start) in weeks,

- 5. week day binary: day of the week binary (weekday=1, weekend [Fri-Sun]=0),
- 6. prior_sent_message: prior delivery of a message binary (yes message=1, no message=0), at the prior decision point,
- 6.2. prior_sent_messages_48hrs: number of messages sent over past 4 decision points,
- 7. interact_A_message: interaction type A message vs. no message binary (interaction type A message=1, no message=0),
- 7.2. interact_B_message: interaction type B message vs. no message binary (interaction type B message=1, no message=0),
- 7.3. *interact_C_message*: interaction type C message vs. no message binary (interaction type C message=1, no message=0),
- 8. short_message: short message vs. no message binary (short message=1, no message=0),
- 8.2. long_message: long message vs. no message binary (long message=1, no message=0),
- 9. cov_humtch_binary_48hrs: prior human-touch engagement binary (1=yes, 0=no) for any email, text, or phone call made by study staff (after 72 hours, 120 hours, and 168 hours [1 week]) over past 4 decision points (i.e., approximately 48 hours),
- 10. male_sex: baseline demographic of male biological sex (0=female,1=male),
- 11. white_race: baseline demographic of white race (0=not white, 1=white),
- 12. hispanic_ethn: baseline demographic of hispanic or latino ethnicity (0=not hispanic or latino, 1=hispanic or latino),
- 13. *canndays_bl*: baseline cannabis use severity that is the number of days used cannabis in past month (range: 0-31), which reflects cannabis use frequency,
- 13.2. dsmsc_tot_bl: baseline cannabis use severity that is the count of number of symptoms endorsed (range: 0-11), which reflects diagnostic severity,
- 14. cann_importance_bl: baseline motivation to change that is the importance of cutting back cannabis use on a scale from 0 (Not at all) to 10 (Very) at time of baseline survey, and
 - 14.2. high_cann_importance_bl [a]: baseline motivation to change binary (0=low motivation to change [score<5], 1=high motivation to change [score>=5]),
 - 14.3. cann_likely_bl [a]: baseline likelihood to change that is how likely one is to cut back cannabis use on a scale from 0 (Not at all) to 10 (Very) at the time of baseline survey,
- 14.4. cann_conf_bl [a]: baseline confidence to change that is how confident one is to cut back cannabis use on a scale from 0 (Not at all) to 10 (Very) at the time of baseline survey,
- 15. $phq2_tot_bl$: baseline mental health, which is the sum across two item scale PHQ-2 ("Over the last two weeks, how often have you been bothered by any of the following problems? Little interest or pleasure in doing things" and "Over the last two weeks, how often have you been bothered by any of the following problems? Feeling down, depressed, or hopeless" with response values of 0=Not at all, 1= Several days, 2=More than half the days, and 3=Nearly every day).

Notes: All continuous candidate moderators are mean-centered.

[a] This candidate moderator was included after the list of moderators was formalized.

| Term | Estimate | 95% LCL | 95% UCL | StdErr | Wald | df1 | df2 | p-value |
|-------------------------------------|-----------------|------------------|---------------|------------------|---------------|-----|------------|------------------|
| Main Effect Model (no covars) | | | | | | | | |
| Intercept | -0.007 | -0.057 | 0.042 | 0.025 | 0.085 | 1 | 118 | 0.771 |
| Main Effect Model (with covars) | | | | | | | | |
| Intercept | -0.005 | -0.054 | 0.043 | 0.024 | 0.044 | 1 | 114 | 0.834 |
| Moderation Effect Model 1 | 0.015 | 0.050 | 0.000 | 0.004 | 0.100 | 1 | 110 | 0.050 |
| Intercept timeofdayPM | 0.015 -0.045 | -0.052 -0.124 | 0.083 0.034 | 0.034 0.040 | 0.199 1.293 | 1 1 | 113 113 | $0.656 \\ 0.258$ |
| Moderation Effect Model 2 | -0.045 | -0.124 | 0.054 | 0.040 | 1.233 | 1 | 113 | 0.256 |
| Intercept | -0.008 | -0.056 | 0.040 | 0.024 | 0.109 | 1 | 113 | 0.742 |
| prior_interv_engag | 0.005 | -0.050 | 0.040 | 0.024 | 0.036 | 1 | 113 | 0.850 |
| Moderation Effect Model 2.2 | 0.000 | 0.00- | 0.00- | 0.0_0 | 0.000 | _ | | 0.000 |
| Intercept | -0.005 | -0.054 | 0.043 | 0.024 | 0.044 | 1 | 113 | 0.834 |
| cov_interv_engag_72hrs | 0.006 | -0.095 | 0.107 | 0.051 | 0.015 | 1 | 113 | 0.901 |
| Moderation Effect Model 3 | | | | | | | | |
| Intercept | -0.005 | -0.058 | 0.048 | 0.027 | 0.034 | 1 | 112 | 0.854 |
| prop_awakeuse_prior | 0.048 | -0.086 | 0.183 | 0.068 | 0.508 | 1 | 112 | 0.478 |
| Moderation Effect Model 3.2 | | | | | | | | |
| Intercept | -0.005 | -0.053 | 0.043 | 0.024 | 0.047 | 1 | 112 | 0.829 |
| $cov_prop_awakeuse_48hrs$ | 0.085 | -0.138 | 0.307 | 0.112 | 0.570 | 1 | 112 | 0.452 |
| Moderation Effect Model 4 | | | | | | | | |
| Intercept | 0.060 | -0.055 | 0.175 | 0.058 | 1.063 | 1 | 112 | 0.305 |
| $wks_since_interv_start$ | -0.026 | -0.067 | 0.015 | 0.021 | 1.552 | 1 | 112 | 0.215 |
| Moderation Effect Model 5 | | | | | | | | |
| Intercept | -0.060 | -0.134 | 0.015 | 0.038 | 2.520 | 1 | 113 | 0.115 |
| week_day_binary1 | 0.091 | -0.006 | 0.187 | 0.049 | 3.482 | 1 | 113 | 0.065 |
| Moderation Effect Model 6 | | | | | 4.450 | | 100 | |
| Intercept | 0.008 | -0.006 | 0.022 | 0.007 | 1.176 | 1 | 109 | 0.281 |
| prior_sent_message | 0.001 | -0.022 | 0.024 | 0.012 | 0.007 | 1 | 109 | 0.935 |
| Moderation Effect Model 6.2 | 0.015 | 0.044 | 0.072 | 0.020 | 0.051 | 1 | 110 | 0.617 |
| Intercept prior sent messages 48hrs | 0.015 | -0.044 -0.087 | 0.073 0.021 | $0.030 \\ 0.027$ | 0.251 1.478 | 1 1 | 112 112 | 0.017 0.227 |
| Moderation Effect Model 7 | -0.055 | -0.001 | 0.021 | 0.021 | 1.410 | 1 | 112 | 0.221 |
| Intercept | -0.009 | -0.081 | 0.063 | 0.036 | 0.066 | 1 | 114 | 0.798 |
| Moderation Effect Model 7.2 | -0.003 | -0.001 | 0.003 | 0.050 | 0.000 | 1 | 114 | 0.130 |
| Intercept | -0.039 | -0.106 | 0.028 | 0.034 | 1.335 | 1 | 114 | 0.250 |
| Moderation Effect Model 7.3 | -0.000 | -0.100 | 0.020 | 0.004 | 1.000 | 1 | 111 | 0.200 |
| Intercept | 0.033 | -0.039 | 0.105 | 0.036 | 0.800 | 1 | 114 | 0.373 |
| Moderation Effect Model 8 | 0.000 | -0.000 | 0.100 | 0.050 | 0.000 | 1 | 114 | 0.515 |
| Intercept | -0.006 | -0.071 | 0.060 | 0.033 | 0.030 | 1 | 114 | 0.864 |
| Moderation Effect Model 8.2 | -0.000 | -0.011 | 0.000 | 0.000 | 0.000 | 1 | 117 | 0.004 |
| Intercept | -0.005 | -0.060 | 0.051 | 0.028 | 0.029 | 1 | 114 | 0.865 |
| Moderation Effect Model 9 | 0.000 | 0.000 | 0.001 | 0.020 | 0.020 | 1 | 111 | 0.000 |
| Intercept | -0.004 | -0.053 | 0.045 | 0.025 | 0.032 | 1 | 113 | 0.859 |
| cov_humtch_binary_48hrs | -0.131 | -1.125 | 0.864 | 0.502 | 0.068 | 1 | 113 | 0.795 |
| Moderation Effect Model 10 | | | | | | | | |
| Intercept | 0.012 | -0.053 | 0.077 | 0.033 | 0.129 | 1 | 112 | 0.720 |
| $male_sex1$ | -0.038 | -0.135 | 0.059 | 0.049 | 0.598 | 1 | 112 | 0.441 |
| | | | | | | | | |

(continued)

| Term | Estimate | $95\%~\mathrm{LCL}$ | 95% UCL | StdErr | Wald | df1 | df2 | p-value |
|--------------------------------|----------|---------------------|---------|-------------------------|-------|-----|-----|---------|
| Moderation Effect Model 11 | | | | | | | | |
| Intercept | -0.039 | -0.148 | 0.070 | 0.055 | 0.513 | 1 | 112 | 0.475 |
| white_race1 | 0.045 | -0.076 | 0.166 | 0.061 | 0.542 | 1 | 112 | 0.463 |
| Moderation Effect Model 12 | | | | | | | | |
| Intercept | -0.008 | -0.062 | 0.045 | 0.027 | 0.098 | 1 | 112 | 0.755 |
| hispanic_ethn1 | 0.017 | -0.104 | 0.138 | 0.061 | 0.076 | 1 | 112 | 0.783 |
| Moderation Effect Model 13 | | | | | | | | |
| Intercept | -0.005 | -0.053 | 0.044 | 0.024 | 0.036 | 1 | 112 | 0.849 |
| canndays_bl | 0.003 | -0.004 | 0.009 | 0.003 | 0.766 | 1 | 112 | 0.383 |
| Moderation Effect Model 13.2 | | | | | | | | |
| Intercept | -0.005 | -0.053 | 0.042 | 0.024 | 0.050 | 1 | 112 | 0.824 |
| $dsmsc_tot_bl$ | 0.017 | -0.001 | 0.034 | 0.009 | 3.538 | 1 | 112 | 0.063 |
| Moderation Effect Model 14 | | | | | | | | |
| Intercept | -0.006 | -0.054 | 0.043 | 0.024 | 0.051 | 1 | 112 | 0.822 |
| cann_importance_bl | -0.003 | -0.023 | 0.017 | 0.010 | 0.101 | 1 | 112 | 0.751 |
| Moderation Effect Model 14.2 | | | | | | | | |
| Intercept | 0.011 | -0.054 | 0.076 | 0.033 | 0.108 | 1 | 112 | 0.743 |
| high_cann_importance_bl1 | -0.028 | -0.123 | 0.068 | 0.048 | 0.333 | 1 | 112 | 0.565 |
| Moderation Effect Model 14.3 | | | | | | | | |
| Intercept | -0.005 | -0.053 | 0.042 | 0.024 | 0.050 | 1 | 112 | 0.824 |
| cann_likely_bl | -0.021 | -0.040 | -0.002 | 0.010 | 4.626 | 1 | 112 | 0.034 |
| $Intercept + cann_likely_bl$ | -0.026 | -0.073 | 0.020 | 0.026 | 0.976 | 2 | 112 | 0.380 |
| Moderation Effect Model 14.4 | | | | | | | | |
| Intercept | -0.005 | -0.053 | 0.043 | 0.024 | 0.040 | 1 | 112 | 0.842 |
| cann_conf_bl | -0.017 | -0.033 | -0.001 | 0.008 | 4.333 | 1 | 112 | 0.040 |
| $Intercept + cann_conf_bl$ | -0.022 | -0.068 | 0.025 | 0.026 | 0.681 | 2 | 112 | 0.508 |
| Moderation Effect Model 15 | | | | | | | | |
| Intercept | -0.005 | -0.053 | 0.043 | 0.024 | 0.043 | 1 | 112 | 0.836 |
| $phq2_tot_bl$ | 0.023 | -0.005 | 0.051 | 0.014 | 2.594 | 1 | 112 | 0.110 |

Notes: Standard errors are not yet adjusted to account for RL uncertainty. Model with covariates adjusts for the following: time of day, day of week, prior intervention engagement, and prior human-touch engagement.

Next, we examine the results for proximal intervention enagement when not restricting the sample to decision points with a completed ${\rm EMA}$.

| Term | Estimate | 95% LCL | 95% UCL | StdErr | Wald | df1 | df2 | p-value |
|-------------------------------------|----------------|------------------|------------------|------------------|----------------|--------|------------|---------------|
| Main Effect Model (no covars) | | | | | | | | |
| Intercept | -0.035 | -0.083 | 0.013 | 0.024 | 2.071 | 1 | 118 | 0.153 |
| Main Effect Model (with covars) | | | | | | | | |
| Intercept | -0.030 | -0.075 | 0.015 | 0.023 | 1.739 | 1 | 114 | 0.190 |
| Moderation Effect Model 1 | | | | | | | | |
| Intercept | -0.017 | -0.080 | 0.047 | 0.032 | 0.275 | 1 | 113 | 0.601 |
| timeofdayPM | -0.026 | -0.109 | 0.057 | 0.042 | 0.396 | 1 | 113 | 0.531 |
| Moderation Effect Model 2 | 0.002 | 0.100 | 0.005 | 0.055 | 0.200 | 1 | 110 | 0.191 |
| Intercept prior_interv_engag | -0.083 0.028 | -0.192 -0.023 | 0.025 0.079 | $0.055 \\ 0.026$ | 2.320 1.166 | 1 1 | 113 113 | 0.131 0.282 |
| Moderation Effect Model 2.2 | 0.026 | -0.025 | 0.019 | 0.020 | 1.100 | 1 | 110 | 0.202 |
| Intercept | -0.089 | -0.217 | 0.039 | 0.065 | 1.884 | 1 | 113 | 0.173 |
| cov_interv_engag_72hrs | 0.034 | -0.034 | 0.102 | 0.034 | 1.000 | 1 | 113 | 0.319 |
| Moderation Effect Model 3 | | | | | | | | |
| Intercept | -0.020 | -0.083 | 0.043 | 0.032 | 0.406 | 1 | 112 | 0.525 |
| prop_awakeuse_prior | 0.109 | -0.026 | 0.244 | 0.068 | 2.581 | 1 | 112 | 0.111 |
| Moderation Effect Model 3.2 | | | | | | | | |
| Intercept | -0.056 | -0.125 | 0.013 | 0.035 | 2.625 | 1 | 112 | 0.108 |
| cov_prop_awakeuse_48hrs | 0.182 | -0.042 | 0.406 | 0.113 | 2.590 | 1 | 112 | 0.110 |
| Moderation Effect Model 4 | | | | | | | | |
| Intercept | 0.039 | -0.065 | 0.143 | 0.053 | 0.545 | 1 | 112 | 0.462 |
| wks_since_interv_start | -0.026 | -0.062 | 0.010 | 0.018 | 2.055 | 1 | 112 | 0.154 |
| Moderation Effect Model 5 | 0.000 | 0.105 | 0.000 | 0.000 | 0.041 | - | 110 | 0.004 |
| Intercept week_day_binary1 | -0.063 0.056 | -0.135 -0.035 | $0.009 \\ 0.147$ | 0.036 0.046 | 3.041 1.471 | 1 1 | 113 113 | 0.084 0.228 |
| Ţ, | 0.030 | -0.055 | 0.147 | 0.040 | 1.4/1 | 1 | 113 | 0.228 |
| Moderation Effect Model 6 Intercept | -0.009 | -0.081 | 0.063 | 0.036 | 0.066 | 1 | 114 | 0.798 |
| Moderation Effect Model 6.2 | -0.003 | -0.001 | 0.003 | 0.030 | 0.000 | 1 | 114 | 0.190 |
| Intercept | 0.080 | -0.042 | 0.201 | 0.061 | 1.682 | 1 | 112 | 0.197 |
| prior_sent_messages_48hrs | -0.042 | -0.096 | 0.201 | 0.001 | 2.336 | 1 | 112 | 0.129 |
| Moderation Effect Model 7 | | | | | | | | |
| Intercept | -0.030 | -0.092 | 0.031 | 0.031 | 0.956 | 1 | 114 | 0.330 |
| Moderation Effect Model 7.2 | | | | | | | | |
| Intercept | -0.066 | -0.132 | 0.001 | 0.034 | 3.822 | 1 | 114 | 0.053 |
| Moderation Effect Model 7.3 | | | | | | | | |
| Intercept | 0.010 | -0.054 | 0.075 | 0.032 | 0.105 | 1 | 114 | 0.746 |
| Moderation Effect Model 8 | | | | | | | | |
| Intercept | -0.038 | -0.096 | 0.019 | 0.029 | 1.781 | 1 | 114 | 0.185 |
| Moderation Effect Model 8.2 | | | | | | | | |
| Intercept | -0.020 | -0.076 | 0.036 | 0.028 | 0.504 | 1 | 114 | 0.479 |
| Moderation Effect Model 9 | | | | | | | | |
| Intercept | -0.031 | -0.077 | 0.015 | 0.023 | 1.805 | 1 | 113 | 0.182 |
| $cov_humtch_binary_48hrs$ | 0.048 | -0.135 | 0.232 | 0.092 | 0.274 | 1 | 113 | 0.601 |
| Moderation Effect Model 10 | | | | | | | | |
| Intercept | -0.011 | -0.071 | 0.049 | 0.030 | 0.131 | 1 | 112 | 0.718 |
| $male_sex1$ | -0.041 | -0.131 | 0.049 | 0.045 | 0.823 | 1 | 112 | 0.366 |
| Moderation Effect Model 11 | | | | | | | | |

(continued)

| Term | Estimate | $95\%~\mathrm{LCL}$ | 95% UCL | StdErr | Wald | df1 | df2 | p-value |
|--------------------------------|----------|---------------------|---------|-------------------------|-------|-----|-----|---------|
| Intercept | -0.024 | -0.122 | 0.074 | 0.049 | 0.231 | 1 | 112 | 0.632 |
| white_race1 | -0.009 | -0.118 | 0.101 | 0.055 | 0.024 | 1 | 112 | 0.876 |
| Moderation Effect Model 12 | | | | | | | | |
| Intercept | -0.026 | -0.077 | 0.025 | 0.026 | 1.038 | 1 | 112 | 0.311 |
| hispanic_ethn1 | -0.020 | -0.114 | 0.073 | 0.047 | 0.188 | 1 | 112 | 0.665 |
| Moderation Effect Model 13 | | | | | | | | |
| Intercept | -0.121 | -0.292 | 0.049 | 0.086 | 1.988 | 1 | 112 | 0.161 |
| canndays_bl | 0.004 | -0.003 | 0.010 | 0.003 | 1.292 | 1 | 112 | 0.258 |
| Moderation Effect Model 13.2 | | | | | | | | |
| Intercept | -0.112 | -0.199 | -0.026 | 0.044 | 6.585 | 1 | 112 | 0.012 |
| $dsmsc_tot_bl$ | 0.018 | 0.001 | 0.035 | 0.009 | 4.182 | 1 | 112 | 0.043 |
| $Intercept + dsmsc_tot_bl$ | -0.094 | -0.158 | -0.030 | 0.036 | 6.691 | 2 | 112 | 0.002 |
| Moderation Effect Model 14 | | | | | | | | |
| Intercept | 0.006 | -0.077 | 0.089 | 0.042 | 0.022 | 1 | 112 | 0.881 |
| $cann_importance_bl$ | -0.007 | -0.024 | 0.010 | 0.009 | 0.757 | 1 | 112 | 0.386 |
| Moderation Effect Model 14.2 | | | | | | | | |
| Intercept | -0.013 | -0.077 | 0.050 | 0.032 | 0.175 | 1 | 112 | 0.677 |
| $high_cann_importance_bl1$ | -0.029 | -0.118 | 0.061 | 0.045 | 0.398 | 1 | 112 | 0.529 |
| Moderation Effect Model 14.3 | | | | | | | | |
| Intercept | 0.070 | -0.002 | 0.141 | 0.036 | 3.730 | 1 | 112 | 0.056 |
| cann_likely_bl | -0.024 | -0.041 | -0.008 | 0.008 | 8.422 | 1 | 112 | 0.004 |
| $Intercept + cann_likely_bl$ | 0.045 | -0.007 | 0.097 | 0.030 | 2.310 | 2 | 112 | 0.104 |
| Moderation Effect Model 14.4 | | | | | | | | |
| Intercept | 0.072 | -0.028 | 0.171 | 0.050 | 2.039 | 1 | 112 | 0.156 |
| cann_conf_bl | -0.017 | -0.032 | -0.002 | 0.008 | 4.828 | 1 | 112 | 0.030 |
| $Intercept + cann_conf_bl$ | 0.055 | -0.021 | 0.131 | 0.043 | 1.598 | 2 | 112 | 0.207 |
| Moderation Effect Model 15 | | | | | | | | |
| Intercept | -0.089 | -0.160 | -0.018 | 0.036 | 6.220 | 1 | 112 | 0.014 |
| $phq2_tot_bl$ | 0.026 | 0.001 | 0.051 | 0.012 | 4.320 | 1 | 112 | 0.040 |
| $Intercept + phq2_tot_bl$ | -0.064 | -0.111 | -0.016 | 0.027 | 5.471 | 2 | 112 | 0.005 |

Notes: Standard errors are not yet adjusted to account for RL uncertainty. Model with covariates adjusts for the following: time of day, day of week, prior intervention engagement, and prior human-touch engagement.

3. Draft Interpretation Sentences

Motivation Score Effect Moderation for Proximal Cannabis Use

The effect moderation model is specified as follows:

$$Y_{i,t+1}|Z = \beta_0 + \beta_1 I(A_{it} - 0.5) + \beta_2 M c_i + \beta_3 (I(A_{it} - 0.5) * M c_i) + \epsilon$$

where Z reflects the matrix of precision covariates and the action probabilities, denoted by A_{it} , are centered. We also grand mean center the candidate moderator of motivation score, denoted by Mc_i .

```
E(Y_{i,t+1}|Z, A_{it} = 0) = \beta_0 + \beta_2 M c_i + \epsilon

E(Y_{i,t+1}|Z, A_{it} = 1) = \beta_0 + \beta_1 + \beta_2 M c_i + \beta_3 M c_i + \epsilon

E(Y_{i,t+1}|Z, A_{it} = 1) = (\beta_0 + \beta_1) + (\beta_2 + \beta_3) M c_i + \epsilon
```

Next, let us examine the estimates and plug in the corresponding values to the simple slopes representation of the interaction effect.

```
##
## Call:
   wcls(data = df, id = "id", outcome = "prop_awakeuse", treatment = "actioni",
##
##
        rand_prob = "probi", moderator_formula = ~cann_importance_bl,
##
        control_formula = ~cov_prop_awakeuse_48hrs + cov_interv_engag_72hrs +
##
            timeofday + week_day_binary + cann_importance_bl + cannhours_bl +
##
            cannwake_bl)
##
## Coefficients:
##
                               (Intercept)
                                                           {\tt cov\_prop\_awakeuse\_48hrs}
##
                              0.1794963082
                                                                        0.9588130560
##
                  cov_interv_engag_72hrs
                                                                         timeofdayPM
##
                              0.0011925969
                                                                        0.0965680495
##
                         week_day_binary1
                                                                 cann_importance_bl
                             -0.0023794299
##
                                                                       -0.0004387147
##
                              cannhours_bl
                                                                         cannwake_bl
##
                              0.0005208128
                                                                       -0.0027551361
##
                         I(actioni - 0.5) cann_importance_bl:I(actioni - 0.5)
##
                              0.0086471773
                                                                       -0.0052578510
##
## Degrees of Freedom: 5289 Total (i.e. Null); Residual
##
## Scale is fixed.
##
## Correlation: Structure = independence
## Number of clusters:
                                   Maximum cluster size: 59
                             120
P(Y_{i,t+1}|Z, A_{it} = 0) = \hat{\beta}_0 + \hat{\beta}_2 M c_i
P(Y_{i,t+1}|Z, A_{it} = 0) = 0.1794963082 + -0.0004387147Mc_i
P(Y_{i,t+1}|Z, A_{it} = 1) = (\hat{\beta}_0 + \hat{\beta}_1) + (\hat{\beta}_2 + \hat{\beta}_3)Mc_i
P(Y_{i,t+1}|Z,A_{it}=1) = (0.1794963082 + 0.0086471773) + (-0.0004387147 + (-0.0052578510))Mc_i
P(Y_{i,t+1}|Z, A_{it} = 1) = (0.1881435) + (-0.005696566)Mc_i
```

Next, since motivation score is continuous to better understand the effect moderation, we plug in -1 SD, mean and +1 SD from the mean of motivation to change and compute the difference in slopes, that is, $\beta_2 + \beta_3 Mc$. The results are shown in plot below with three grey vertical lines at +/- 1 SD and the mean.

```
## $call
##
  wcls(data = df, id = "id", outcome = "prop_awakeuse", treatment = "actioni",
       rand prob = "probi", moderator formula = ~cann importance bl,
       control_formula = ~cov_prop_awakeuse_48hrs + cov_interv_engag_72hrs +
##
##
           timeofday + week_day_binary + cann_importance_bl + cannhours_bl +
##
           cannwake_bl)
##
  $causal_excursion_effect
##
                                               Estimate
                                                             95% LCL
                                                                           95% UCL
##
                                           0.008647177 -0.002533827
                                                                      0.0198281816
##
  (Intercept)
  cann_importance_bl
                                          -0.005257851 -0.009985553 -0.0005301493
  (Intercept) - 2.28*cann_importance_bl
                                           0.020635078 0.007013313
                                                                      0.0342568425
  (Intercept) + 0.001*cann_importance_bl
                                           0.008641919 -0.001257830
                                                                      0.0185416686
  (Intercept) + 2.28*cann_importance_bl
                                          -0.003340723 -0.017219686
                                                                     0.0105382398
##
                                                                            p-value
##
                                               StdErr
                                                           Wald df1 df2
## (Intercept)
                                          0.005641942 2.349046
                                                                  1 110 0.128230781
## cann_importance_bl
                                          0.002385601 4.857590
                                                                  1 110 0.029607957
## (Intercept) - 2.28*cann_importance_bl
                                          0.007763209 7.065285
                                                                  2 110 0.001297976
## (Intercept) + 0.001*cann_importance_bl 0.005641987 2.346153
                                                                  2 110 0.100510662
## (Intercept) + 2.28*cann importance bl 0.007909789 0.178382
                                                                  2 110 0.836864269
```

