



1243 - Exploring the End of Cosmic Reionization

Cycle: 1, Proposal Category: GTO

INVESTIGATORS

<i>Name</i>	<i>Institution</i>	<i>E-Mail</i>
Prof. Simon J. Lilly (PI) (ESA Member)	Eidgenossische Technische Hochschule (ETH)	simon.lilly@phys.ethz.ch
Dr. Daichi Kashino (CoI) (ESA Member)	Eidgenossische Technische Hochschule (ETH)	kashinod@phys.ethz.ch
Prof. Robert Andrew Simcoe (CoI) (US Admin CoI)	Massachusetts Institute of Technology	simcoe@space.mit.edu
Dr. Rongmon Bordoloi (CoI)	North Carolina State University	rongmon.bordoloi@gmail.com

OBSERVATIONS

<i>Folder</i>	<i>Observation</i>	<i>Label</i>	<i>Observing Template</i>	<i>Science Target</i>
NIRCam LW WFSS and SW imaging				
	1	J0100+2802	NIRCam Wide Field Slitless Spectroscopy	(1) J0100+2802
	2	J1148+5251	NIRCam Wide Field Slitless Spectroscopy	(2) J1148+5251
	3	J1030+0524	NIRCam Wide Field Slitless Spectroscopy	(3) J1030+0524
	4	J1120+0641	NIRCam Wide Field Slitless Spectroscopy	(4) J1120+0641
	5	J159-02	NIRCam Wide Field Slitless Spectroscopy	(5) J159-02
	6	J0148+0600	NIRCam Wide Field Slitless Spectroscopy	(6) J0148+0600

ABSTRACT

Our program is motivated to explore the evolution of the intergalactic medium and of circumgalactic environments at the tail end of reionization, and thereby to better understand the reionization process. In particular, we aim (1) to measure the correlation between HI Lyman alpha opacity (measured from high resolution ground-based quasar spectra) and the galaxy overdensity to understand the cause of the large variation in optical depth at $z > 5.7$, (2) to identify the host systems of metal absorption systems at $z > 5$ in the quasar spectra to investigate the chemical enrichment and the ionization state of the gas in and around young galaxies, and (3) to characterize the nature of the quasar host galaxies and the surrounding large-

scale environment, and to measure their central black hole masses and via an accurate measurement of the systemic redshift, the size of the ionized near-zone.

We will use 110 hrs of GTO time to obtain deep NIRCам LW grism spectroscopy in the F356W filter (with corresponding direct images) and deep NIRCам SW direct images in F115W and F200W of 3×5 arcmin² mosaic fields centered on six luminous quasars at $z > 6$, to achieve these science goals. The R~1000 slitless spectroscopy will yield a complete census of emission-line selected galaxies at $5.3 < z < 7.0$ with [OIII]4959,5007+Hbeta (the [OIII] doublet giving an unambiguous line identification) and at $3.7 < z < 5.1$ with Halpha. We expect to measure redshifts and line fluxes down to a continuum flux of at least $m \sim 26.5$ ABmag at 3.5um. This will yield an average of at least 20 [OIII]- and 100 Halpha-detected galaxies per field in these two redshift intervals. The broad-band images in the F356W, F200W and F115W filters will provide characterization of these galaxies in terms of their masses and star formation rates, being similar to the popular BzK diagnostic at $z \sim 2$.

OBSERVING DESCRIPTION

We will use 110 hrs of GTO time to carry out deep NIRCам Wide-Field Slitless Spectroscopy (WFSS) in roughly 3×5 arcmin² mosaicked fields that are centered on a sample of six luminous quasars at $z > 6$. The program consists of the spectroscopy using the R-grism and F356W filters, and simultaneous deep imaging in two SW filters (F115W and F200W). We aim to spectroscopically detect strong emission lines Hbeta+[OIII]4959,5007 for star-forming galaxies at $5.3 < z < 7.0$, and Halpha at $3.7 < z < 5.1$. We expect to measure redshifts and fluxes down to $m \sim 26.5$ in F356W, assuming a rest-frame equivalent width (EW) of 400 Angstrom. Recent observations of Halpha/[OIII] EWs of high- z ($z > 4$) galaxies justify the assumption of strong lines. The broad-band images in the two SW filters plus LW direct images in F356W will yield a tool, like the popular BzK diagnostic used at $z \sim 2$, to characterize rest-frame optical SEDs, from which stellar masses, star formation rates, and stellar populations could be estimated for the spectroscopic targets and for further fainter sources that not spectroscopically detected.

The LW grism observations all use the F356W filter and the Grism R in both Modules A and B. The mosaic is built up by four overlapping pointings (resulting in four visits per field) that are designed to give a certain minimum exposure time (7473 sec) across the whole field, and to give four times this exposure time in a central area of about 40×40 arcsec² which will be centered on the target quasar. We will get two reversed grism spectra for all sources in a central strip of width 70 arcsec covered by both Modules. In the rest of the survey areas, we will have only a single dispersion direction. Spectral confusion will be solved with the detection of two or three strong emission lines (Hbeta+[OIII]4959,5007). Note that the continuum spectra are not primarily important for our goal and the good spectral resolution of NIRCам can help to associate a detection of multiple emission lines to a detection on the direct images.

JWST Proposal 1243 (Created: Friday, June 21, 2019 at 1:00:32 PM Eastern Standard Time) - Overview

The SW imaging observations using the F115W and F200W filters will be conducted in parallel to the LW spectroscopy with filter exchange in the middle of the LW exposures. The minimum exposure time is 3736 sec for each SW image, half the exposure time for the LW grism. The direct imaging in LW F356W (for source identification) will be conducted at the end of the exposure series to have three images to fully cover the out-of-field region of the spectroscopic field-of-view. The exposure time of each LW image is 526 sec.

We employ the DEEP8 readout pattern for all exposures. The dithering pattern is fixed to the 3-point INTERMODULE, with 4-point sub-pixel positions. As a result, we will acquire 24 spectroscopic frames (12 SW images per filter) for each pointing (visit). For each field (all six fields), the science exposure time is expected to be 9.75 (58.5) hrs, and the total charged time will be 18.1 (108.5) hrs.

Proposal 1243 - Targets - Exploring the End of Cosmic Reionization

#	Name	Target Coordinates	Targ. Coord. Corrections	Miscellaneous
(1)	J0100+2802	RA: 01 00 13.0160 (15.0542333d) Dec: +28 02 25.80 (28.04050d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Redshift 6.3528 <i>m_UV</i> =17.69 4 OI absorption systems <i>z</i> =5.8, 5.95, 6.11, 6.15 MgII absorption systems <i>z</i> =4.22, 4.35, 4.52, 4.64, 5.34, 6.11, 6.14 Category=Galaxy Description=[Quasars]		
(2)	J1148+5251	RA: 11 48 16.6000 (177.0691667d) Dec: +52 51 50.00 (52.86389d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Redshift 6.4189 <i>m_UV</i> =19.2 Absorption systems: CIV=4.8, 4.8, 4.9, 5.0, 5.5, 5.7, 5.7, 6.0 Category=Galaxy Description=[Quasars]		
(3)	J1030+0524	RA: 10 30 27.0910 (157.6128792d) Dec: +05 24 55.10 (5.41531d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Redshift 6.308 <i>m_UV</i> =19.8 Absorption systems: OI at <i>z</i> =6.0, 6.1, 6.2, 6.3 Category=Galaxy Description=[Quasars]		
(4)	J1120+0641	RA: 11 20 1.4800 (170.0061667d) Dec: +06 41 24.30 (6.69008d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> Redshift 7.0842 <i>m_UV</i> =20.38 Note: the target itself is out of the range of F356W. Category=Galaxy Description=[Quasars]		
(5)	J159-02	RA: 10 36 54.1900 (159.2257917d) Dec: -02 32 37.94 (-2.54387d) Equinox: J2000 <i>Comments: Redshift 6.35</i> This is a recently-identified quasar at <i>z</i> =6.35. Moderately luminous (<i>m_UV</i> =19.9) MgII absorption lines are identified at <i>z</i> =4.3, 6.1, 6.2. Category=Galaxy Description=[Quasars]		

Proposal 1243 - Targets - Exploring the End of Cosmic Reionization

(6)	J0148+0600	RA: 01 48 37.6390 (27.1568292d) Dec: +06 00 20.01 (6.00556d) Equinox: J2000
<i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i>		
<i>Redshift 5.98</i>		
<i>This is a luminous quasar at 5.98, which displays the unusually deep and long Gunn-Peterson trough at z~5.7.</i>		
<i>Category=Galaxy</i>		
<i>Description=[Quasars]</i>		

Proposal 1243 - Observation 1 - Exploring the End of Cosmic Reionization

Observation	Proposal 1243, Observation 1: J0100+2802											Fri Jun 21 18:00:32 GMT 2019
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0100+2802 (Obs 1)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 1:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 1:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 1:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 1:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(1)	J0100+2802	RA: 01 00 13.0160 (15.0542333d) Dec: +28 02 25.80 (28.04050d) Equinox: J2000 <i>Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.</i> <i>Redshift 6.3528</i> <i>m_UV=17.69</i> <i>4 OI absorption systems z=5.8, 5.95, 6.11, 6.15</i> <i>MgII absorption systems z=4.22, 4.35, 4.52, 4.64, 5.34, 6.11, 6.14</i> <i>Category=Galaxy</i> <i>Description=[Quasars]</i>									
Template	Module		Subarray					Grism (Long Wavelength)				
	ALL		FULL					GRISMR				
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift	Column shift		Tile Order		
	2	2	45.0		72.0		0.0	-1.2		DEFAULT		
Dithers	#	Primary Dither Type				Primary Dithers			Subpixel Positions			
	1	INTRAMODULEX				3			4-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	10	1	1	526.102	24763	GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F115W	F356W	SHALLOW4	6	1	12	3736.396	24763	GRISMR	Grism (Long Wavelength)	12
	2	F200W	F356W	SHALLOW4	6	1	12	3736.396	24763	GRISMR	Grism (Long Wavelength)	12
	3	F200W	F356W	SHALLOW4	10	1	2	1052.203	24763		Out of Field	2

Proposal 1243 - Observation 1 - Exploring the End of Cosmic Reionization

Special Requirements	Group Visits within 53.0 Days Aperture PA Range 60 to 65 Degrees (V3 60.0 to 65.0) Aperture PA Range 230 to 245 Degrees (V3 230.0 to 245.0) Visits Same PA Offset 4.0 arcsec, -3.5 arcsec
----------------------	---

Proposal 1243 - Observation 2 - Exploring the End of Cosmic Reionization

Observation	Proposal 1243, Observation 2: J1148+5251												Fri Jun 21 18:00:32 GMT 2019
	Diagnostic Status: Warning												
	Observing Template: NIRCam Wide Field Slitless Spectroscopy												
Diagnostics	(J1148+5251 (Obs 2)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.												
	(Visit 2:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
	(Visit 2:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
	(Visit 2:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
	(Visit 2:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous			
	(2)	J1148+5251	RA: 11 48 16.6000 (177.0691667d) Dec: +52 51 50.00 (52.86389d) Equinox: J2000										
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.												
	Redshift 6.4189 m_UV=19.2 Absorption systems:CIV=4.8, 4.8, 4.9, 5.0, 5.5, 5.7, 5.7, 6.0 Category=Galaxy Description=[Quasars]												
Template	Module		Subarray					Grism (Long Wavelength)					
	ALL		FULL					GRISMR					
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift		Column shift		Tile Order		
	2	2	45.0		72.0		0.0		-1.2		DEFAULT		
Dithers	#	Primary Dither Type				Primary Dithers				Subpixel Positions			
	1	INTRAMODULEX				3				4-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F200W	F356W	SHALLOW4	10	1	1	526.102	24763	GRISMR	Direct Image	1	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F115W	F356W	SHALLOW4	6	1	12	3736.396	24763	GRISMR	Grism (Long Wavelength)	12	
	2	F200W	F356W	SHALLOW4	6	1	12	3736.396	24763	GRISMR	Grism (Long Wavelength)	12	
	3	F200W	F356W	SHALLOW4	10	1	2	1052.203	24763		Out of Field	2	

Proposal 1243 - Observation 2 - Exploring the End of Cosmic Reionization

Special Requirements	Group Visits within 53.0 Days Aperture PA Range 220 to 280 Degrees (V3 220.0 to 280.0) Visits Same PA Offset 4.0 arcsec, -3.5 arcsec
----------------------	---

Proposal 1243 - Observation 3 - Exploring the End of Cosmic Reionization

Observation	Proposal 1243, Observation 3: J1030+0524											Fri Jun 21 18:00:32 GMT 2019
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J1030+0524 (Obs 3)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 3:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 3:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 3:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 3:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(3)	J1030+0524	RA: 10 30 27.0910 (157.6128792d) Dec: +05 24 55.10 (5.41531d) Equinox: J2000									
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.											
	Redshift 6.308											
	m_UV=19.8											
	Absorption systems: OI at z=6.0, 6.1, 6.2, 6.3											
Template	Category=Galaxy											
	Description=[Quasars]											
Template	Module				Subarray				Grism (Long Wavelength)			
	ALL				FULL				GRISMR			
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift	Column shift		Tile Order		
	2	2	45.0		72.0		0.0	-1.2		DEFAULT		
Dithers	#	Primary Dither Type				Primary Dithers				Subpixel Positions		
	1	INTRAMODULEX				3				4-Point		
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	10	1	1	526.102	24763	GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F115W	F356W	SHALLOW4	6	1	12	3736.396	24763	GRISMR	Grism (Long Wavelength)	12
	2	F200W	F356W	SHALLOW4	6	1	12	3736.396	24763	GRISMR	Grism (Long Wavelength)	12
	3	F200W	F356W	SHALLOW4	10	1	2	1052.203	24763		Out of Field	2

Proposal 1243 - Observation 3 - Exploring the End of Cosmic Reionization

Special Requirements	Group Visits within 53.0 Days Aperture PA Range 105 to 110 Degrees (V3 105.0 to 110.0) Visits Same PA Offset 4.0 arcsec, -3.5 arcsec
----------------------	---

Proposal 1243 - Observation 4 - Exploring the End of Cosmic Reionization

Observation	Proposal 1243, Observation 4: J1120+0641											Fri Jun 21 18:00:32 GMT 2019
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
	Comments: NIRCam obsevatons in this field will be used fos pre-imaging and sample selection for a NIRSpec MSA observation in GTO time (GTO 1222; PI Chris J. Willott).											
Diagnostics	(J1120+0641 (Obs 4)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 4:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 4:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 4:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 4:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(4)	J1120+0641	RA: 11 20 1.4800 (170.0061667d) Dec: +06 41 24.30 (6.69008d) Equinox: J2000									
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.											
	Redshift 7.0842 m_UV=20.38 Note: the target itself is out of the range of F356W. Category=Galaxy Description=[Quasars]											
Template	Module				Subarray				Grism (Long Wavelength)			
	ALL				FULL				GRISMR			
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift		Column shift		Tile Order	
	2	2	45.0		72.0		0.0		-1.2		DEFAULT	
Dithers	#	Primary Dither Type				Primary Dithers				Subpixel Positions		
	1	INTRAMODULEX				3				4-Point		
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	10	1	1	526.102	24763	GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F115W	F356W	SHALLOW4	6	1	12	3736.396	24763	GRISMR	Grism (Long Wavelength)	12
	2	F200W	F356W	SHALLOW4	6	1	12	3736.396	24763	GRISMR	Grism (Long Wavelength)	12
	3	F200W	F356W	SHALLOW4	10	1	2	1052.203	24763		Out of Field	2

Proposal 1243 - Observation 4 - Exploring the End of Cosmic Reionization

Special Requirements	Group Visits within 53.0 Days Aperture PA Range 290 to 300 Degrees (V3 290.0 to 300.0) Visits Same PA Offset 4.0 arcsec, -3.5 arcsec
----------------------	---

Proposal 1243 - Observation 5 - Exploring the End of Cosmic Reionization

Observation	Proposal 1243, Observation 5: J159-02												Fri Jun 21 18:00:32 GMT 2019
	Diagnostic Status: Warning												
	Observing Template: NIRCam Wide Field Slitless Spectroscopy												
Diagnostics	(J159-02 (Obs 5)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.												
	(Visit 5:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
	(Visit 5:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
	(Visit 5:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
	(Visit 5:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.												
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections				Miscellaneous		
	(5)	J159-02	RA: 10 36 54.1900 (159.2257917d) Dec: -02 32 37.94 (-2.54387d) Equinox: J2000										
	Comments: Redshift 6.35												
	This is a recently-identified quasar at z=6.35. Moderately luminous (m_UV=19.9) MgII absorption lines are identified at z=4.3, 6.1, 6.2.												
	Category=Galaxy Description=[Quasars]												
Template	Module				Subarray				Grism (Long Wavelength)				
	ALL				FULL				GRISMR				
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift	Column shift		Tile Order			
	2	2	45.0		72.0		0.0	-1.2		DEFAULT			
Dithers	#	Primary Dither Type				Primary Dithers				Subpixel Positions			
	1	INTRAMODULEX				3				4-Point			
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F200W	F356W	SHALLOW4	10	1	1	526.102	24763	GRISMR	Direct Image	1	
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	Grism (Long Wavelength)	Exposure Type	Total Dithers	
	1	F115W	F356W	SHALLOW4	6	1	12	3736.396	24763	GRISMR	Grism (Long Wavelength)	12	
	2	F200W	F356W	SHALLOW4	6	1	12	3736.396	24763	GRISMR	Grism (Long Wavelength)	12	
	3	F200W	F356W	SHALLOW4	10	1	2	1052.203	24763		Out of Field	2	

Proposal 1243 - Observation 5 - Exploring the End of Cosmic Reionization

Special Requirements	Group Visits within 53.0 Days Aperture PA Range 105 to 110 Degrees (V3 105.0 to 110.0) Visits Same PA Offset 4.0 arcsec, -3.5 arcsec
----------------------	---

Proposal 1243 - Observation 6 - Exploring the End of Cosmic Reionization

Observation	Proposal 1243, Observation 6: J0148+0600											Fri Jun 21 18:00:32 GMT 2019
	Diagnostic Status: Warning											
	Observing Template: NIRCam Wide Field Slitless Spectroscopy											
Diagnostics	(J0148+0600 (Obs 6)) Warning (Form): Use of only one of GRISMR or GRISMC may result in spectral overlap from multiple sources that can't be corrected. Users should address this issue in their proposal text.											
	(Visit 6:1) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 6:2) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 6:3) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
	(Visit 6:4) Warning (Form): Overheads are provisional until the Visit Planner has been run.											
Fixed Targets	#	Name	Target Coordinates				Targ. Coord. Corrections			Miscellaneous		
	(6)	J0148+0600	RA: 01 48 37.6390 (27.1568292d) Dec: +06 00 20.01 (6.00556d) Equinox: J2000									
	Comments: This object was generated by the targetselector and retrieved from the SIMBAD database.											
	Redshift 5.98 This is a luminous quasar at 5.98, which displays the unusually deep and long Gunn-Peterson trough at z~5.7.											
	Category=Galaxy Description=[Quasars]											
Template	Module		Subarray					Grism (Long Wavelength)				
	ALL		FULL					GRISMR				
Mosaic	Rows	Columns	Row Overlap %		Column Overlap %		Row shift		Column shift		Tile Order	
	2	2	45.0		72.0		0.0		-1.2		DEFAULT	
Dithers	#	Primary Dither Type				Primary Dithers				Subpixel Positions		
	1	INTRAMODULEX				3				4-Point		
Direct Image	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F200W	F356W	SHALLOW4	10	1	1	526.102	24763	GRISMR	Direct Image	1
Spectral Elements	#	Short Filter	Long Filter	Readout Pattern	Groups/Int	Integrations/Exp	Total Integrations	Total Exposure Time	ETC Wkbk.Calc ID	Grism (Long Wavelength)	Exposure Type	Total Dithers
	1	F115W	F356W	SHALLOW4	6	1	12	3736.396	24763	GRISMR	Grism (Long Wavelength)	12
	2	F200W	F356W	SHALLOW4	6	1	12	3736.396	24763	GRISMR	Grism (Long Wavelength)	12
	3	F200W	F356W	SHALLOW4	10	1	2	1052.203	24763		Out of Field	2

Proposal 1243 - Observation 6 - Exploring the End of Cosmic Reionization

Special Requirements	Group Visits within 53.0 Days Aperture PA Range 66 to 70 Degrees (V3 66.0 to 70.0) Visits Same PA Offset 4.0 arcsec, -3.5 arcsec
----------------------	---