

Bachelor These **Titel**

von

Vorname Nachname

zur Erlangung des Grades

Bachelor of Science

in Angewandte Informatik

an der Hochschule Konstanz Technik, Wissenschaft und Gestaltung,

Matrikel-Nummer: Matrikelnummer

Abgabedatum: 30ter Juni 2020

Betreuer:
 Betreuer
 Betreuer

Eine elektronische Version dieser Thesis ist Verfügbar auf https://WRITEAURLHERE.

Ehrenwörtliche Erklärung

Hiermit erkläre ich, David Wolpers, geboren am 21.03.1997 in Nürnberg,

(1) dass ich meine Bachelorarbeit mit dem Titel:

Hier muss der Titel der Bachelorarbeit hin

in der Fakultät Informatik unter Anleitung von Professor xy (und Betreuer xy) selbständig und ohne fremde Hilfe angefertigt habe und keine anderen als die angeführten Hilfen benutzt habe;

- (2) dass ich die Übernahme wörtlicher Zitate, von Tabellen, Zeichnungen, Bildern und Programmen aus der Literatur oder anderen Quellen (Internet) sowie die Verwendung der Gedanken anderer Autoren an den entsprechenden Stellen innerhalb der Arbeit gekennzeichnet habe.
- (3) dass die eingereichten Abgabe-Exemplare in Papierform und im PDF-Format vollständig übereinstimmen.

Ich bin mir bewusst, dass eine falsche Erklärung rechtliche Folgen haben wird.

Konstanz, 14.06.20 _____(Unterschrift!!)

Abstract

Abstract...

Inhaltsverzeichnis

ΑI	obild	ungsverzeichnis	ix
Та	belle	nverzeichnis	χi
Qı	uellc	odeverzeichnis x	iii
ΑI	okürz	ungsverzeichnis	ΚV
1	Intro	oduction	1
	1.1	Document Structure	1
	1.2	Bibliography	2
	1.3	Cover and Title Page	3
	1.4	Chapters	3
	1.5		4
		1.5.1	4
	1.6	Fonts and Colors	4

Abbildungsverzeichnis

Tabellenverzeichnis

Quellcodeverzeichnis

Abkürzungsverzeichnis

API Application Programming Interface

REST Representational State Transfer

HATEOAS Hypermedia As The Engine Of Application State

SOAP Simple Object Access Protocol

1

Introduction

This document is intended to be both an example of the HTWG Konstanz LATEX template for reports and theses, as well as a short introduction to its use. It is not intended to be a general introduction to LATEX itself, and we will assume the reader to be familiar with the basics of creating and compiling documents.

1.1. Document Structure

Since a report, and especially a thesis, might be a substantial document, it is convenient to break it up into smaller pieces. In this template we therefore give every chapter its own file. The chapters (and appendices) are gathered together in report.tex, which is the master file describing the overall structure of the document. report.tex starts with the line

\documentclass{htwg-report}

which loads the HTWG Konstanz report template. The template is based on the LATEX book document class and stored in tudelft-report.cls. The document class accepts several comma-separated options. The default language is English, but this can be changed to Dutch (e.g., for bachelor theses) by specifying the dutch option:

\documentclass[german] {htwg-report}

¹We recommend http://en.wikibooks.org/wiki/LaTeX as a reference and a starting point for new users.

2 1. Introduction

Furthermore, hyperlinks are shown in blue, which is convenient when reader the report on a computer, but can be expensive when printing. They can be turned black with the print option. This will also turn the headers black instead of cyan.

If the document becomes large, it is easy to miss warnings about the layout in the LATEX output. In order to locate problem areas, add the draft option to the \documentclass line. This will display a vertical bar in the margins next to the paragraphs that require attention. Finally, the nativefonts option can be used to override the automatic font selection (see below).

This template has the option to automatically generate a cover page with the \makecover command. See the next section for a detailed description.

The contents of the report are included between the \begin{document} and \end commands, and split into three parts by

- 1. \frontmatter, which uses Roman numerals for the page numbers and is used for the title page and the table of contents;
- \mainmatter, which uses Arabic numerals for the page numbers and is the style for the chapters;
- 3. \appendix, which uses letters for the chapter numbers, starting with 'A'.

The title page is defined in a separate file, e.g., title.tex, and included verbatim with \input{title}.² Additionally, it is possible to include a preface, containing, for example, the acknowledgements. An example can be found in preface.tex. The table of contents is generated automatically with the \tableofcontents command. Chapters are included after \mainmatter and appendices after \appendix. For example, \input{chapter-1} includes chapter-1.tex, which contains this introduction.

1.2. Bibliography

The bibliography, finally, is generated automatically with

1 \printbibliography[heading=bibintoc]

from bib/report.bib. The bibliography style is specified in htwg-report.cls. As an example, we cite the paper by Nobel Prize winner Andre Geim and his pet hamster [**Geim2001**]. If you need to use a different style, change

²Note that it is not necessary to specify the file extension.

```
1 %% BIB
2 \RequirePackage[
3 backend=biber,
4 style=alphabetic,
5 sorting=ynt
6 ]{biblatex}
7 \DefineBibliographyStrings{english}{%
   bibliography = {References},
9 }
```

As compiler, use biber to compile and generate the bibliography.

1.3. Cover and Title Page

This template will automatically generate a cover page if you issue the \makecover command. However, before generating the cover, you need to provide the information to put on it. This can be done with the following commands:

```
1 %% 'reporttype' add background elements to the cover / front page
2 %% possible values are:
3 %% bachelor --> B S C
4 %% master --> M S C
5 %% other --> none
6 \reporttype{bachelor}
7
8 \reporttypetext{Bachelor Thesis}
```

1.4. Chapters

Each chapter has its own file. For example, the LaTEX source of this chapter can be found in chapter-1.tex. A chapter starts with the command

```
\chapter{Chapter title}
```

This starts a new page, prints the chapter number and title and adds a link in the table of contents. If the title is very long, it may be desirable to use a shorter version in the page headers and the table of contents. This can be achieved by specifying the short title in brackets:

4 1. Introduction

\chapter[Short title] {Very long title with many words which could not possibly fit on one line}

Unnumbered chapters, such as the preface, can be created with \chapter*{Chapter title}. Such a chapter will not show up in the table of contents or in the page header. To create a table of contents entry anyway, add

```
\addcontentsline{toc}{chapter}{Chapter title}
```

after the \chapter command. To print the chapter title in the page header, add

```
\setheader{Chapter title}
```

Chapters are subdivided into sections, subsections, subsubsections, and, optionally, paragraphs and subparagraphs. All can have a title, but only sections and subsections are numbered. As with chapters, the numbering can be turned off by using \section*{...} instead of \section{...}, and similarly for the subsection.

1.5. \section{...}

1.5.1. \subsection{...}

\subsubsection{...}

\paragraph{...} Lorem ipsum dolor sit amet, consectetur adipisicing elit, sed do eiusmod tempor incididunt ut labore et dolore magna aliqua. Ut enim ad minim veniam, quis nostrud exercitation ullamco laboris nisi ut aliquip ex ea commodo consequat. Duis aute irure dolor in reprehenderit in voluptate velit esse cillum dolore eu fugiat nulla pariatur. Excepteur sint occaecat cupidatat non proident, sunt in culpa qui officia deserunt mollit anim id est laborum.

1.6. Fonts and Colors

If you want to use the HTWG house style font Swiss 721 it is necessary to put the font as .ttf file under fonts. As fallback font Arial is used. For more informations to the HT-WG house style font see https://www.htwg-konstanz.de/hochschule/einrichtungen/stabsstelle-kommunikation/corporate-design-logo/.