PS20

January 26, 2023

1 Mini-project #2 (RNN exercise)

1.1 Task: Weather prediction

1.2 Jena climate dataset

This dataset is prepared by Max Planck Institute for Biogeochemistry. It is measured in Jena, Germany, from Jan. 10 2009 to December 31 2016.

1.3 Loading Jena climate dataset

```
[1]: import pandas as pd

[2]: data = pd.read_csv('jena_climate_2009_2016.csv')
    data.info()
```

<class 'pandas.core.frame.DataFrame'>
RangeIndex: 420551 entries, 0 to 420550

Data columns (total 15 columns):

#	Column	Non-Null Count	Dtype
0	Date Time	420551 non-null	object
1	p (mbar)	420551 non-null	float64
2	T (degC)	420551 non-null	float64
3	Tpot (K)	420551 non-null	float64
4	Tdew (degC)	420551 non-null	float64
5	rh (%)	420551 non-null	float64
6	VPmax (mbar)	420551 non-null	float64
7	VPact (mbar)	420551 non-null	float64
8	<pre>VPdef (mbar)</pre>	420551 non-null	float64
9	sh (g/kg)	420551 non-null	float64
10	H2OC (mmol/mol)	420551 non-null	float64
11	rho (g/m**3)	420551 non-null	float64
12	wv (m/s)	420551 non-null	float64
13	max. wv (m/s)	420551 non-null	float64
14	wd (deg)	420551 non-null	float64

dtypes: float64(14), object(1)

memory usage: 48.1+ MB

1.3.1 Temperatures

T (degC): Temperature in Celsius Tpot (K): Temperature in Kelvin

1.3.2 Others

4

1309.00

0.32


```
p (mbar): The pascal SI derived unit of pressure
    Tdew (degC): Temperature in Celsius relative to humidity ( )
    rh (%): Relative humidity is a measure of how saturated the air is with waver vapor ( )
    VPmax (mbar): Saturation vapor pressure (
                                              )
    VPact (mbar): Vapor pressure ( )
    VPdef (mbar): Vapor pressure deficit
    sh (g/kg): Specific humidity ( )
    H2OC (mmol/mol): Water vapor concentration (
    rho (g/m**3): Airtight
    wv (m/s): Wind speed
    max. wv (m/s): Maximimum wind speed
    wd (deg): Wind direction in degrees
[3]: # Look up the first five examples
     data.head(5)
[3]:
                   Date Time
                               p (mbar)
                                           T (degC)
                                                      Tpot (K)
                                                                 Tdew (degC)
                                                                               rh (%)
        01.01.2009 00:10:00
                                              -8.02
                                                                       -8.90
                                  996.52
                                                        265.40
                                                                                 93.3
     1 01.01.2009 00:20:00
                                  996.57
                                              -8.41
                                                        265.01
                                                                       -9.28
                                                                                 93.4
     2 01.01.2009 00:30:00
                                                                                 93.9
                                  996.53
                                              -8.51
                                                        264.91
                                                                       -9.31
     3 01.01.2009 00:40:00
                                  996.51
                                              -8.31
                                                        265.12
                                                                       -9.07
                                                                                 94.2
     4 01.01.2009 00:50:00
                                  996.51
                                              -8.27
                                                        265.15
                                                                       -9.04
                                                                                 94.1
        VPmax (mbar)
                                                                   H2OC (mmol/mol)
                        VPact (mbar)
                                       VPdef (mbar)
                                                       sh (g/kg)
                 3.33
     0
                                 3.11
                                                0.22
                                                            1.94
                                                                               3.12
     1
                 3.23
                                 3.02
                                                0.21
                                                            1.89
                                                                               3.03
     2
                 3.21
                                 3.01
                                                0.20
                                                            1.88
                                                                               3.02
     3
                 3.26
                                 3.07
                                                0.19
                                                            1.92
                                                                               3.08
     4
                 3.27
                                 3.08
                                                0.19
                                                                               3.09
                                                            1.92
        rho (g/m**3)
                        wv (m/s)
                                   max. wv (m/s)
                                                   wd (deg)
     0
              1307.75
                            1.03
                                             1.75
                                                       152.3
     1
              1309.80
                            0.72
                                             1.50
                                                       136.1
     2
              1310.24
                            0.19
                                             0.63
                                                       171.6
     3
              1309.19
                            0.34
                                             0.50
                                                       198.0
```

0.63

214.3

1.4 Data visualization: Temperature in celsius

```
[4]: T_data = data['T (degC)']
     date_time = pd.to_datetime(data['Date Time'],format='%d.%m.%Y %H:%M:%S')
[5]: print(T_data)
     print(date_time)
    0
             -8.02
    1
             -8.41
    2
             -8.51
    3
             -8.31
    4
             -8.27
    420546
             -4.05
    420547
             -3.35
    420548
             -3.16
    420549
             -4.23
    420550
             -4.82
    Name: T (degC), Length: 420551, dtype: float64
             2009-01-01 00:10:00
    1
             2009-01-01 00:20:00
    2
             2009-01-01 00:30:00
    3
             2009-01-01 00:40:00
    4
             2009-01-01 00:50:00
    420546
             2016-12-31 23:20:00
    420547
             2016-12-31 23:30:00
    420548
             2016-12-31 23:40:00
    420549
             2016-12-31 23:50:00
    420550
             2017-01-01 00:00:00
    Name: Date Time, Length: 420551, dtype: datetime64[ns]
[6]: import matplotlib.pyplot as plt
     plt.figure(figsize=(10,3), dpi=150)
     plt.plot(date_time, T_data)
     plt.title('Temperature in Celsius')
     plt.show()
```



1.5 Correlation analysis

We employ Pearson correlation defined as:

$$\rho_{ij} := \frac{\mathsf{Cov}(x_i, x_j)}{\sqrt{\mathsf{Var}(x_i)\mathsf{Var}(x_j)}}.$$

It is in between -1 and 1.

```
[7]: data.corr()
```

```
[7]:
                                                      Tdew (degC)
                      p (mbar)
                                 T (degC)
                                            Tpot (K)
                                                                      rh (%)
     p (mbar)
                       1.000000 -0.045375 -0.124718
                                                        -0.066755 -0.018352
     T (degC)
                      -0.045375
                                 1.000000
                                            0.996827
                                                         0.895708 -0.572416
     Tpot (K)
                      -0.124718
                                 0.996827
                                            1.000000
                                                         0.894911 -0.567127
     Tdew (degC)
                      -0.066755
                                 0.895708
                                            0.894911
                                                         1.000000 -0.156615
     rh (%)
                      -0.018352 -0.572416 -0.567127
                                                        -0.156615 1.000000
     VPmax (mbar)
                      -0.031546
                                 0.951113
                                            0.947293
                                                         0.799271 -0.615842
     VPact (mbar)
                      -0.054370
                                 0.867673
                                            0.866205
                                                         0.968344 -0.151494
     VPdef (mbar)
                      -0.003401
                                 0.761744
                                            0.756962
                                                         0.435752 -0.843835
     sh (g/kg)
                      -0.069762
                                 0.866755
                                            0.866533
                                                         0.967599 -0.150841
    H2OC (mmol/mol) -0.069804 0.867177
                                            0.866955
                                                         0.968044 -0.150969
    rho (g/m**3)
                      0.307640 -0.963410 -0.981345
                                                        -0.885232 0.514282
     wv (m/s)
                      -0.005701 -0.004689 -0.004195
                                                        -0.008718 -0.005020
    max. wv (m/s)
                                                        -0.009091 -0.009921
                     -0.007760 -0.002871 -0.002224
     wd (deg)
                      -0.063258 0.038732
                                            0.043599
                                                         0.049877 -0.015912
                       VPmax (mbar)
                                     VPact (mbar)
                                                    VPdef (mbar)
                                                                   sh (g/kg)
     p (mbar)
                          -0.031546
                                         -0.054370
                                                        -0.003401
                                                                   -0.069762
     T (degC)
                           0.951113
                                          0.867673
                                                        0.761744
                                                                    0.866755
     Tpot (K)
                           0.947293
                                          0.866205
                                                        0.756962
                                                                    0.866533
     Tdew (degC)
                           0.799271
                                         0.968344
                                                        0.435752
                                                                    0.967599
     rh (%)
                          -0.615842
                                        -0.151494
                                                       -0.843835
                                                                   -0.150841
     VPmax (mbar)
                           1.000000
                                          0.824865
                                                        0.875588
                                                                    0.824460
     VPact (mbar)
                           0.824865
                                          1.000000
                                                        0.449154
                                                                    0.999851
```

```
VPdef (mbar)
                      0.875588
                                     0.449154
                                                    1.000000
                                                               0.448641
sh (g/kg)
                                     0.999851
                                                    0.448641
                                                               1.000000
                      0.824460
H2OC (mmol/mol)
                      0.824493
                                     0.999856
                                                    0.448689
                                                               0.999997
rho (g/m**3)
                     -0.901536
                                    -0.850241
                                                   -0.698290
                                                              -0.853325
wv (m/s)
                     -0.004018
                                    -0.009600
                                                    0.001852
                                                              -0.009479
max. wv (m/s)
                     -0.002213
                                    -0.010316
                                                    0.005317
                                                              -0.010163
wd (deg)
                                     0.018418
                     -0.009583
                                                   -0.030881
                                                               0.019376
                                                             max. wv (m/s)
                 H2OC (mmol/mol)
                                    rho (g/m**3)
                                                  wv (m/s)
p (mbar)
                        -0.069804
                                        0.307640 -0.005701
                                                                  -0.007760
T (degC)
                         0.867177
                                       -0.963410 -0.004689
                                                                  -0.002871
Tpot (K)
                         0.866955
                                       -0.981345 -0.004195
                                                                  -0.002224
Tdew (degC)
                         0.968044
                                       -0.885232 -0.008718
                                                                  -0.009091
                                                                  -0.009921
rh (%)
                        -0.150969
                                        0.514282 -0.005020
VPmax (mbar)
                                       -0.901536 -0.004018
                                                                  -0.002213
                         0.824493
VPact (mbar)
                         0.999856
                                       -0.850241 -0.009600
                                                                  -0.010316
VPdef (mbar)
                         0.448689
                                       -0.698290 0.001852
                                                                  0.005317
sh (g/kg)
                         0.999997
                                       -0.853325 -0.009479
                                                                  -0.010163
H2OC (mmol/mol)
                         1.000000
                                       -0.853769 -0.009477
                                                                  -0.010158
rho (g/m**3)
                        -0.853769
                                        1.000000
                                                  0.003240
                                                                   0.001086
wv (m/s)
                        -0.009477
                                        0.003240
                                                  1.000000
                                                                   0.948477
max. wv (m/s)
                        -0.010158
                                        0.001086 0.948477
                                                                   1.000000
wd (deg)
                         0.019607
                                       -0.058072 -0.015322
                                                                  -0.014471
                  wd (deg)
p (mbar)
                 -0.063258
T (degC)
                  0.038732
Tpot (K)
                  0.043599
Tdew (degC)
                  0.049877
rh (%)
                 -0.015912
VPmax (mbar)
                 -0.009583
VPact (mbar)
                  0.018418
VPdef (mbar)
                 -0.030881
sh (g/kg)
                  0.019376
H2OC (mmol/mol)
                  0.019607
rho (g/m**3)
                 -0.058072
wv (m/s)
                 -0.015322
max. wv (m/s)
                 -0.014471
wd (deg)
                  1.000000
```

1.6 Statistics of data

[8]: data.describe()


```
[8]: p (mbar) T (degC) Tpot (K) Tdew (degC) \
count 420551.000000 420551.000000 420551.000000
mean 989.212776 9.450147 283.492743 4.955854
```

```
8.358481
                             8.423365
                                             8.504471
                                                             6.730674
std
          913.600000
                           -23.010000
                                           250.600000
                                                           -25.010000
min
25%
           984.200000
                             3.360000
                                           277.430000
                                                             0.240000
50%
          989.580000
                             9.420000
                                           283.470000
                                                             5.220000
75%
          994.720000
                            15.470000
                                           289.530000
                                                            10.070000
         1015.350000
                            37.280000
                                           311.340000
                                                            23.110000
max
               rh (%)
                        VPmax (mbar)
                                         VPact (mbar)
                                                         VPdef (mbar)
       420551.000000
                       420551.000000
                                        420551.000000
                                                        420551.000000
count
           76.008259
                            13.576251
                                                             4.042412
mean
                                             9.533756
std
            16.476175
                             7.739020
                                             4.184164
                                                             4.896851
           12.950000
                             0.950000
                                             0.790000
                                                             0.00000
min
25%
           65.210000
                             7.780000
                                             6.210000
                                                             0.870000
50%
           79.300000
                            11.820000
                                             8.860000
                                                             2.190000
75%
           89.400000
                            17.600000
                                            12.350000
                                                             5.300000
           100.000000
                                            28.320000
max
                            63.770000
                                                            46.010000
                                           rho (g/m**3)
                                                               wv (m/s)
            sh (g/kg)
                       H2OC (mmol/mol)
       420551.000000
                          420551.000000
                                          420551.000000
                                                          420551.000000
count
                                            1216.062748
                                                               1.702224
mean
             6.022408
                               9.640223
std
             2.656139
                               4.235395
                                              39.975208
                                                              65.446714
                                                           -9999.000000
            0.500000
                               0.800000
                                            1059.450000
min
25%
                               6.290000
                                            1187.490000
                                                               0.990000
             3.920000
50%
             5.590000
                               8.960000
                                            1213.790000
                                                               1.760000
75%
                                            1242.770000
             7.800000
                              12.490000
                                                               2.860000
            18.130000
                              28.820000
                                            1393.540000
                                                              28.490000
max
       max. wv (m/s)
                             wd (deg)
count
       420551.000000
                       420551.000000
                           174.743738
             3.056555
mean
std
            69.016932
                            86.681693
        -9999.000000
                             0.00000
min
25%
             1.760000
                           124.900000
50%
             2.960000
                           198.100000
75%
             4.740000
                           234.100000
           23.500000
                           360.000000
max
```

1.7 Missing entries in wind speed (m/s)

```
[9]: import matplotlib.pyplot as plt

plt.figure(figsize=(10,3), dpi=150)
wv = data['wv (m/s)']
plt.plot(date_time, wv)
plt.title('Wind speed (m/s)')
plt.show()
```



1.8 Data preprocessing

Wind speed (and maximum wind speed) is set to -9999.00 for missing entries. Let us fill up the missing entries with the mean.

```
[10]: wv = data['wv (m/s)']
    wv_missing_idx = (wv == -9999.00)
    wv_mean = wv[~wv_missing_idx].mean()
    wv[wv_missing_idx] = wv_mean
```

C:\Users\chsuh\AppData\Local\Temp/ipykernel_24380/832945953.py:4:
SettingWithCopyWarning:

A value is trying to be set on a copy of a slice from a DataFrame

See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy wv[wv_missing_idx] = wv_mean

```
[11]: max_wv = data['max. wv (m/s)']
missing_idx = (max_wv == -9999.00)
max_wv_mean = max_wv[~missing_idx].mean()
max_wv[missing_idx] = max_wv_mean
```

C:\Users\chsuh\AppData\Local\Temp/ipykernel_24380/1423667913.py:4:
SettingWithCopyWarning:


A value is trying to be set on a copy of a slice from a DataFrame


See the caveats in the documentation: https://pandas.pydata.org/pandas-docs/stable/user_guide/indexing.html#returning-a-view-versus-a-copy max_wv[missing_idx] = max_wv_mean

```
[12]: import matplotlib.pyplot as plt
plt.figure(figsize=(10,3), dpi=150)
```

```
plt.plot(date_time, wv)
plt.title('Wind speed (m/s)')
plt.show()

plt.figure(figsize=(10,3), dpi=150)
plt.plot(date_time, max_wv)
plt.title('Maximum wind speed (m/s)')
plt.show()
```





1.9 Check if missing entries are properly filled up

[13]: data.describe() [13]: p (mbar) T (degC) Tpot (K) Tdew (degC) 420551.000000 420551.000000 420551.000000 420551.000000 count 989.212776 9.450147 283.492743 4.955854 mean 8.358481 8.423365 8.504471 6.730674 std min 913.600000 -23.010000 250.600000 -25.010000

```
25%
           984.200000
                             3.360000
                                           277.430000
                                                             0.240000
50%
           989.580000
                             9.420000
                                           283.470000
                                                             5.220000
75%
           994.720000
                            15.470000
                                           289.530000
                                                            10.070000
         1015.350000
                            37.280000
                                           311.340000
                                                            23.110000
max
               rh (%)
                        VPmax (mbar)
                                         VPact (mbar)
                                                         VPdef (mbar)
       420551.000000
                       420551.000000
                                        420551.000000
                                                        420551.000000
count
           76.008259
                            13.576251
                                             9.533756
                                                             4.042412
mean
            16.476175
                             7.739020
                                             4.184164
                                                             4.896851
std
min
            12.950000
                             0.950000
                                             0.790000
                                                             0.000000
25%
            65.210000
                             7.780000
                                             6.210000
                                                             0.870000
50%
           79.300000
                            11.820000
                                             8.860000
                                                             2.190000
75%
           89.400000
                            17.600000
                                            12.350000
                                                             5.300000
           100.000000
                            63.770000
                                            28.320000
                                                            46.010000
max
            sh (g/kg)
                       H2OC (mmol/mol)
                                           rho (g/m**3)
                                                               wv (m/s)
       420551.000000
                          420551.000000
                                          420551.000000
                                                          420551.000000
count
mean
             6.022408
                               9.640223
                                            1216.062748
                                                               2.130282
std
             2.656139
                               4.235395
                                              39.975208
                                                               1.542271
                               0.800000
                                                               0.00000
min
             0.500000
                                            1059.450000
25%
             3.920000
                               6.290000
                                            1187.490000
                                                               0.990000
50%
             5.590000
                               8.960000
                                            1213.790000
                                                               1.760000
75%
             7.800000
                              12.490000
                                            1242.770000
                                                               2.860000
                                            1393.540000
max
            18.130000
                              28.820000
                                                              28.490000
       max. wv (m/s)
                             wd (deg)
count
       420551.000000
                       420551.000000
                           174.743738
mean
             3.532242
std
             2.340355
                            86.681693
             0.000000
                             0.00000
min
25%
             1.760000
                           124.900000
50%
             2.960000
                           198.100000
75%
             4.740000
                           234.100000
max
            23.500000
                           360.000000
```

1.10 Remove date_time column

```
[14]: data.pop('Date Time')
data
```

```
[14]:
               p (mbar)
                                                                rh (%)
                          T (degC)
                                      Tpot (K)
                                                 Tdew (degC)
                                                                         VPmax (mbar)
                                                                                        \
                  996.52
                              -8.02
                                        265.40
                                                        -8.90
                                                                                  3.33
      0
                                                                 93.30
      1
                  996.57
                              -8.41
                                        265.01
                                                        -9.28
                                                                 93.40
                                                                                  3.23
      2
                  996.53
                              -8.51
                                        264.91
                                                        -9.31
                                                                 93.90
                                                                                  3.21
      3
                  996.51
                              -8.31
                                        265.12
                                                        -9.07
                                                                 94.20
                                                                                  3.26
      4
                              -8.27
                                                        -9.04
                                                                                  3.27
                  996.51
                                        265.15
                                                                 94.10
```

420546 420547 420548 420549 420550	1000.07 999.93 999.82 999.81 999.82	-4.05 -3.35 -3.16 -4.23 -4.82	269.1 269.8 270.0 268.9 268.3	1 -8 1 -8 4 -8	3.13 3.06 3.21 3.53 3.42	73.10 69.71 67.91 71.80 75.70	4.52 4.77 4.84 4.46 4.27	
	VPact (mbar)	VPdef	(mbar)	sh (g/kg)	H20C	(mmol/mol)	rho (g/m**3)	\
0	3.11		0.22	1.94		3.12	1307.75	
1	3.02		0.21	1.89		3.03	1309.80	
2	3.01		0.20	1.88		3.02	1310.24	
3	3.07		0.19	1.92		3.08	1309.19	
4	3.08		0.19	1.92		3.09	1309.00	
•••	•••	•••		•••		•••	•••	
420546	3.30		1.22	2.06		3.30	1292.98	
420547	3.32		1.44	2.07		3.32	1289.44	
420548	3.28		1.55	2.05		3.28	1288.39	
420549	3.20		1.26	1.99		3.20	1293.56	
420550	3.23		1.04	2.01		3.23	1296.38	
	(()	(/>1	(1)				
0	wv (m/s) ma 1.03	x. wv (m	/s) wa .75	152.3				
1	0.72		.50	136.1				
2	0.19		.63	171.6				
3	0.34		.50	198.0				
4	0.32		.63	214.3				
				211.0				
420546	0.67	1	.52	240.0				
420547	1.14		.92	234.3				
420548	1.08		.00	215.2				
420549	1.49		.16	225.8				
420550	1.23		.96	184.9				

[420551 rows x 14 columns]