### Questions

Hui Sun

July 28, 2025

**Problem 0.1.** To see whether a polynomial is irreducible over  $\mathbb{Q}$ , is it sufficient to test whether  $f \mod p$  is irreducible over any prime p?

For example,  $x^5 - 5x^3 + 1$ .

*Proof.* Yes. The converse is not true, consider the minimal polynomial for  $\sqrt{2} + \sqrt{3}$ .

**Problem 0.2.** In the above example, how do we know that the Galois group contains an element of order 5? (It is clear why it contains a transposition because there exists complex roots).

*Proof.* This is because the Galois group G acts transitively on the set of roots, by the Orbit stabilizer theorem, we know

$$|G| = |\mathsf{Orbit}(\alpha)| \cdot |\mathsf{Stab}(\alpha)| = 5 \cdot |\mathsf{Stab}(\alpha)|$$

i.e., 5 divides |G|. By Cauchy's theorem, there exists an element of order 5 in G, i.e., a 5-cycle.

**Problem 0.3.** The Galois action on the set of roots implies for any root r of the irreducible polynomial (where G is the splitting field of), we must have

$$Orbit(r) = \{ \text{ set of all roots} \}$$

Proof. Yes, by defiition of a transitive action.

**Problem 0.4.** Is it true that if I, J are ideals of a ring R, then

$$\frac{R}{I} \otimes_R \frac{R}{J} = \frac{R}{(I+J)}$$

in the case where  $R = \mathbb{Q}[x]$ , and I, J are irreducible polynomials, we have

$$\frac{R}{(f)} \otimes_R \frac{R}{(g)} = \frac{R}{(f) + (g)} = \frac{R}{\gcd(f, g)}$$

**Problem 0.5.** Fall 2014 Q2,  $\text{Hom}_{R}(M, N)$ .

Problem 0.6.  $\mathbb{Z}/55\mathbb{Z}$ .

*Proof.* We have  $n_{11} = 1$ , and we can write G as a semidirect product

$$G = \frac{\mathbb{Z}}{11\mathbb{Z}} \rtimes_{\theta} \frac{\mathbb{Z}}{5\mathbb{Z}}$$

where  $\theta: \frac{\mathbb{Z}}{5\mathbb{Z}} \to \left(\frac{\mathbb{Z}}{11\mathbb{Z}}\right)^{\times}$ . We know  $\theta(1)$  needs to be sent to an element of order 5, which includes 3, 4.

$$G = \langle g, h : g^{11} = h^5 = e, hgh^{-1} = g^3 \rangle$$

and

$$G = \langle g, h : g^{11} = h^5 = e, hgh^{-1} = g^4 \rangle$$

**Problem 0.7.** Is cyclotomic extension cyclic.

*Proof.* No, consider  $\mathbb{Q}(\zeta_8)$ , then the Galois group is  $\mathbb{Z}/2\mathbb{Z} \times \mathbb{Z}/2\mathbb{Z}$ .

**Problem 0.8.** If an intermediate field extension of a Galois extension has order  $a, k \subset E \subset K$  has [E:k]=a, then the subgroup that fixes E has index a.

**Problem 0.9.** Find all intermediate fields when the Galois group is  $\mathbb{Q}(\zeta_9)$ .

**Problem 0.10.** Find all the intermediate fields when the Galois group is  $D_8$ .

**Problem 0.11.** S2013-Q6(b)(c), S2016-Q3

Problem 0.12. Solvable by radicals, f2014-Q1 (polynomial), f2006-Q2 (field)

Problem 0.13. F2010-Q3

**Problem 0.14.** Review orbit-stabilizer theorem.

**Problem 0.15.** Map  $S_4$  onto  $S_3$  first for the irreducible rep.

*Proof.* Can only do it for the 2 dimensional irred character.

**Problem 0.16.** Relationship between abelianization and z(G). Why is  $p^3$  nonabelian group has [G,G]=p.

*Proof.* Find the smallest normal subgroup H such that G/H is abelian. The smallest in this case is Z(G).  $\square$ 

**Problem 0.17.** Irreducible rep of a cyclic group over  $\mathbb{R}$  is  $\leq 2$ .

Proof.  $\Box$ 

Problem 0.18. Schur's lemma on simple modules over a semisimple ring.

$$\operatorname{End}_A(S) \cong \mathbb{C}$$

where S is a simple module. also like, irreducible, simple.

Problem 0.19. S2003-Q3, S2011-Q4

Problem 0.20. Isomorphism class of groups of order 360, page 238 aluffi.

**Problem 0.21.** Can I write all free R-modules as  $R^n$ 

**Problem 0.22.** columns of the character table, sums of squares is |G|/[(c)]?

**Problem 0.23.**  $\frac{K[t]}{(f(t))}$  is simple? is equal to  $k(\alpha)$  for some  $\alpha$  s.t.  $f(\alpha)=0$ .

**Problem 0.24.** since ext  $k(\alpha)$  always factors over k? is  $k(\alpha)$  be the splitting field for all  $\alpha$  s.t.  $f(\alpha) = 0$  is a root? no. nononono.

Problem 0.25. Theorem 5.1

**Problem 0.26.**  $x^4 + 1$  is reducible over all  $\mathbb{F}_p$  for any p

**Problem 0.27.** relationship between  $D_n$ ,  $A_n$ , galois

**Problem 0.28.** Degree *p* irred polynomial, what is the degree of the splitting field? *p*!?

# Chapter 1

# Aluffi

Chapter VII: Fields. Section 1: 5, 11, 14, 23 not done yet: 5

#### **Chapter 2**

#### **Random Facts**

**Proposition 2.1.** If  $R \subset F$  is a subring of a field, then R is an integal domain. Moreover, if  $k \subset R \subset F$  where F/k is an algebraic extension, then R is a subfield.

**Proposition 2.2.**  $\mathbb{F}_4$  embeds into  $\mathbb{F}_{16}$ , more generally, if the order allows (as a vector space over  $\mathbb{F}_2$ ), then it embeds.

**Proposition 2.3.**  $\mathbb{F}_8/\mathbb{F}_2$  is a Galois extension and the Galois group is generated by the Frobenius transformation  $\sigma: a \mapsto a^2$ ,  $\{e, \sigma, \sigma^2\}$ .

Recall the equivalent defin of Galois: let  $k \subset E$  be a field extension, if  $[E:k] = |\operatorname{Aut}_k(E)|$ , then the extension is Galois.

**Proposition 2.4.** You tend to forget Cayley-Hamilton. Let p be the characteristic polynomial of some linear transformation T, then

$$p(T) = 0$$

**Proposition 2.5.** Let  $I, J \subset R$  be ideals, then

$$J + I \subset R/I$$

is also an ideal. For example, one could use this to show that if R is Noetherian, then R/I is also Noetherian