**Table 3. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Family Income (in Dollars) and Age, in the United States, 2015-2016

Family income in dollars and age	Sample size		nergy	Pro	otein		arbo- drate		otal gars		etary ber		otal at		urated at	unsat	ono- curated at	unsat	oly- turated fat
(years)		kcal	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)
\$0 - \$24,999:																			
2 - 5	196	1518	(42.9)	54.2	(2.02)	201	(6.2)	93	(3.5)	11.9	(0.66)	57.4	(1.78)	20.0	(0.64)	19.1	(0.77)	13.2	(0.67)
6 - 11	258	1838	(72.5)	65.1	(2.43)	241	(10.8)	106	(6.0)	13.3	(0.69)	70.5	(2.85)	24.3	(1.10)	23.1	(0.85)	16.5	(0.88)
12 - 19	285	2012	(71.7)	73.9	(2.84)	251	(10.6)	109	(5.4)	14.4	(0.69)	81.0	(3.24)	27.7	(1.31)	27.2	(1.12)	18.8	(0.81)
20 and over	1430	2021	(31.9)	77.1	(1.79)	242	(4.3)	108	(3.3)	15.9	(0.51)	78.3	(1.91)	25.7	(0.74)	27.3	(0.61)	18.1	(0.49)
2 and over	2169	1977	(21.9)	74.6	(1.46)	241	(3.6)	107	(2.8)	15.3	(0.40)	76.8	(1.16)	25.5	(0.46)	26.5	(0.39)	17.8	(0.31)
\$25,000 - \$74,999:																			
2 - 5	261	1494	(40.8)	54.7	(1.67)	197	(6.2)	94	(3.8)	11.8	(0.48)	56.3	(2.06)	20.4	(0.80)	19.0	(0.84)	11.8	(0.48)
6 - 11	451	1846	(34.5)	65.9	(1.79)	240	(3.9)	111	(3.0)	13.7	(0.53)	71.7	(2.19)	25.1	(0.87)	24.4	(0.93)	15.7	(0.41)
12 - 19	513	1956	(61.8)	70.1	(2.44)	249	(7.5)	112	(3.9)	14.7	(0.46)	77.2	(3.09)	27.1	(1.42)	26.0	(0.99)	17.0	(0.59)
20 and over	1973	2133	(32.1)	82.3	(1.47)	247	(4.0)	109	(2.6)	16.5	(0.44)	85.9	(2.00)	28.5	(0.83)	30.0	(0.69)	19.5	(0.44)
2 and over	3198	2059	(25.7)	78.3	(1.28)	244	(2.7)	108	(1.9)	15.9	(0.38)	82.4	(1.70)	27.7	(0.70)	28.6	(0.62)	18.5	(0.34)
\$75,000 and higher:																			
2 - 5	166	1409	(30.8)	50.1	(1.26)	185	(5.5)	89	(2.9)	11.1	(0.45)	54.6	(1.57)	19.4	(0.67)	19.0	(0.68)	11.4	(0.42)
6 - 11	278	2002	(62.4)	69.2	(2.23)	259	(10.9)	114	(5.5)	15.2	(0.77)	79.2	(2.08)	29.1	(0.91)	26.5	(0.75)	16.5	(0.65)
12 - 19	306	2143	(103.0)	78.5	(4.91)	273	(13.0)	121	(7.4)	15.5	(0.62)	84.0	(4.16)	29.2	(1.50)	28.7	(1.51)	18.4	(1.02)
20 and over	1206	2156	(38.9)	87.0	(1.88)	243	(5.7)	102	(3.8)	18.9	(0.55)	87.3	(2.26)	27.9	(0.73)	31.0	(0.82)	20.6	(0.76)
2 and over	1956	2104	(32.7)	82.5	(1.79)	245	(4.5)	105	(3.3)	17.8	(0.51)	84.6	(1.89)	27.8	(0.65)	29.8	(0.69)	19.5	(0.62)
All Individuals <sup>1</sup> :																			
2 - 5	665	1467	(23.5)	52.8	(1.01)	193	(3.7)	92	(1.9)	11.6	(0.29)	55.8	(1.09)	19.9	(0.29)	19.0	(0.50)	12.0	(0.33)
6 - 11	1040	1907	(28.2)	67.0	(1.38)	248	(4.5)	111	(2.5)	14.3	(0.41)	74.4	(1.43)	26.5	(0.65)	25.0	(0.59)	16.2	(0.29)
12 - 19	1196	2031	(52.0)	74.0	(2.27)	258	(6.5)	114	(4.0)	14.9	(0.32)	80.3	(2.33)	27.9	(0.95)	27.2	(0.81)	17.8	(0.45)
20 and over	5017	2105	(20.6)	82.5	(1.20)	244	(2.4)	106	(1.6)	17.3	(0.39)	84.1	(1.12)	27.5	(0.47)	29.6	(0.39)	19.4	(0.30)
2 and over	7918	2048	(18.3)	78.8	(1.09)	243	(1.9)	106	(1.5)	16.5	(0.35)	81.4	(1.03)	27.1	(0.42)	28.4	(0.37)	18.6	(0.26)

Table 3. Nutrient Intakes from Food and Beverages:Mean Amounts Consumed per Individual,<br/>by Family Income (in Dollars) and Age, in the United States, 2015-2016 (continued)

Family income in dollars and age		oles- erol	Re	tinol		min A AE)		pha- otene		eta- otene		crypto- thin	Lyo	copene		tein +	Th	iamin
(years)	mg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	mg	(SE)
\$0 - \$24,999:																		
2 - 5	183	(14.2)	406	(22.1)	486	(22.9)	124	(25.8)	861	(92.9)	68	(8.3)	3292	(664.1)	850	(95.8)	1.30	(0.051)
6 - 11	201	(11.9)	469	(25.0)	571	(26.5)	224	(24.1)	1077	(141.1)	77	(12.9)	3744	(278.7)	871	(193.4)	1.59	(0.066)
12 - 19	253	(14.3)	452	(47.0)	547	(53.9)	191	(36.4)	1031	(124.6)	53	(5.9)	4851	(397.3)	890	(193.3)	1.63	(0.076)
20 and over	292	(14.1)	390	(21.7)	572	(27.4)	368	(33.8)	1971	(112.0)	85	(9.0)	4516	(361.1)	1394	(85.7)	1.50	(0.034)
2 and over	275	(11.1)	403	(19.3)	565	(23.6)	326	(24.4)	1744	(86.6)	80	(7.0)	4419	(290.8)	1272	(71.8)	1.51	(0.032)
\$25,000 - \$74,999:																		
2 - 5	190	(10.2)	476	(29.5)	557	(30.7)	186	(34.2)	846	(88.0)	75	(8.6)	3247	(438.9)	626	(45.6)	1.25	(0.048)
6 - 11	226	(10.4)	465	(21.0)	563	(22.3)	231	(36.4)	1033	(92.6)	85	(9.3)	4506	(519.0)	673	(46.6)	1.47	(0.037)
12 - 19	227	(11.5)	470	(34.3)	573	(41.4)	250	(55.5)	1092	(122.5)	58	(2.8)	4670	(357.1)	807	(79.0)	1.58	(0.061)
20 and over	321	(8.9)	428	(13.0)	608	(16.2)	366	(46.5)	1945	(126.8)	78	(6.2)	5063	(510.9)	1391	(75.9)	1.56	(0.027)
2 and over	297	(7.0)	438	(12.3)	598	(15.7)	334	(38.9)	1726	(110.2)	76	(4.8)	4886	(403.0)	1233	(63.8)	1.54	(0.021)
\$75,000 and higher:																		
2 - 5	177	(13.1)	404	(22.7)	547	(28.5)	390*	(142.9)	1501	(349.6)	72	(17.7)	3540	(692.2)	633	(73.8)	1.10	(0.031)
6 - 11	237	(13.4)	541	(35.1)	719	(48.0)	510	(98.4)	1863	(282.8)	56	(9.5)	4406	(654.5)	865	(77.9)	1.61	(0.078)
12 - 19	252	(25.0)	480	(39.7)	608	(41.3)	248	(28.8)	1382	(144.8)	65	(8.5)	4682	(819.7)	892	(74.3)	1.74	(0.081)
20 and over	286	(8.4)	438	(21.8)	684	(35.0)	517	(105.7)	2652	(276.4)	101	(8.9)	5534	(295.5)	1958	(166.1)	1.65	(0.036)
2 and over	272	(6.9)	450	(16.7)	672	(26.5)	479	(82.1)	2379	(222.3)	91	(8.0)	5235	(291.9)	1671	(138.1)	1.63	(0.030)
All Individuals <sup>1</sup> :																		
2 - 5	182	(8.4)	429	(16.3)	542	(19.7)	282	(69.5)	1185	(179.7)	71	(6.6)	3288	(317.9)	718	(51.5)	1.21	(0.025)
6 - 11	225	(8.3)	492	(18.9)	622	(25.8)	339	(43.4)	1365	(148.2)	72	(5.9)	4306	(424.5)	785	(60.0)	1.55	(0.041)
12 - 19	245	(10.3)	469	(28.1)	580	(30.7)	228	(29.2)	1194	(98.9)	59	(3.0)	4692	(265.0)	911	(72.7)	1.65	(0.051)
20 and over	300	(6.3)	423	(10.6)	629	(13.0)	420	(41.2)	2233	(110.0)	89	(5.8)	5092	(233.4)	1599	(83.4)	1.58	(0.020)
2 and over	282	(5.2)	434	(9.5)	619	(11.1)	385	(33.5)	1996	(98.7)	84	(4.8)	4892	(215.4)	1413	(73.2)	1.57	(0.018)

Table 3. Nutrient Intakes from Food and Beverages:Mean Amounts Consumed per Individual,<br/>by Family Income (in Dollars) and Age, in the United States, 2015-2016 (continued)

Family income in dollars and age	Ribo- flavin	N	iacin	Vitamir	n B6		olic cid		ood late		olate FE)	Ch	oline	Vitar	nin B12		dded nin B12
(years)	mg (SI	E) mg	(SE)	mg	(SE)	μg	(SE)	μg	(SE)	μg	(SE)	mg	(SE)	μg	(SE)	μg	(SE)
\$0 - \$24,999:																	
2 - 5	1.68 (0.049	) 17.8	(0.65)	1.51 (0.	.069)	184	(14.7)	135	(7.6)	448	(27.7)	211	(11.5)	3.84	(0.241)	1.06	(0.182)
6 - 11	1.92 (0.083	3) 21.0	(0.86)	1.61 (0.	.089)	210	(13.2)	154	(10.2)	511	(24.9)	230	(10.7)	4.36	(0.296)	1.14	(0.170)
12 - 19	1.93 (0.099	24.2	(0.86)	1.80 (0.	.081)	218	(14.6)	169	(6.6)	541	(28.6)	269	(14.0)	4.84	(0.250)	1.10	(0.209)
20 and over	2.01 (0.06)	24.9	(0.68)	2.07 (0.	.073)	159	(5.0)	212	(7.7)	482	(9.7)	325	(10.0)	4.98	(0.472)	1.15	(0.136)
2 and over	1.97 (0.052	2) 24.1	(0.53)	1.98 (0.	.054)	170	(5.3)	199	(6.7)	488	(9.9)	306	(8.2)	4.85	(0.370)	1.14	(0.089)
\$25,000 - \$74,999:																	
2 - 5	1.74 (0.06)	16.6	(0.71)	1.48 (0.	.067)	178	(14.3)	130	(5.6)	432	(24.8)	223	(8.0)	4.12	(0.215)	1.03	(0.140)
6 - 11	1.83 (0.043	3) 20.7	(0.42)	1.63 (0.	.053)	207	(11.4)	143	(4.9)	495	(19.7)	247	(8.2)	4.48	(0.203)	1.13	(0.143)
12 - 19	1.90 (0.086	5) 23.1	(0.95)	1.87 (0.	.086)	222	(12.9)	158	(5.7)	534	(23.4)	251	(9.6)	4.88	(0.338)	1.48	(0.201)
20 and over	2.18 (0.04)	25.8	(0.59)	2.10 (0.	.074)	167	(5.1)	211	(3.9)	494	(10.8)	345	(6.3)	4.84	(0.155)	1.02	(0.113)
2 and over	2.10 (0.046	5) 24.6	(0.54)	2.01 (0.	.058)	176	(4.5)	196	(3.2)	495	(8.6)	321	(5.1)	4.78	(0.121)	1.08	(0.090)
\$75,000 and higher:																	
2 - 5	1.62 (0.064	14.2	(0.36)	1.16 (0.	.047)	143	(13.7)	122	(4.8)	365	(24.5)	203	(10.9)	3.54	(0.202)	0.70	(0.083)
6 - 11	2.08 (0.11)	5) 20.9	(1.12)	1.64 (0.	.095)	202	(12.5)	161	(7.1)	504	(24.1)	256	(12.8)	4.47	(0.281)	1.02	(0.116)
12 - 19	2.09 (0.12)	26.0	(1.56)	1.92 (0.	.124)	219	(14.9)	180	(9.4)	553	(30.7)	282	(23.1)	5.13	(0.357)	1.33	(0.155)
20 and over	2.28 (0.042	27.8	(0.78)	2.27 (0.	.076)	185	(7.6)	240	(6.1)	554	(16.0)	344	(7.3)	5.26	(0.186)	1.30	(0.144)
2 and over	2.21 (0.039	26.3	(0.67)	2.12 (0.	.060)	188	(6.0)	220	(5.7)	540	(13.4)	322	(6.6)	5.09	(0.158)	1.25	(0.107)
All Individuals <sup>1</sup> :																	
2 - 5	1.67 (0.039	) 16.0	(0.33)	1.38 (0.	.030)	166	(7.6)	127	(3.5)	409	(12.5)	212	(7.5)	3.81	(0.136)	0.91	(0.068)
6 - 11	1.94 (0.054	20.7	(0.51)	1.62 (0.	.051)	204	(6.2)	153	(4.5)	499	(12.4)	247	(7.6)	4.42	(0.150)	1.07	(0.092)
12 - 19	1.98 (0.076	5) 24.4	(0.72)	1.87 (0.	.062)	221	(10.0)	169	(3.5)	544	(19.0)	268	(9.9)	4.95	(0.208)	1.34	(0.114)
20 and over	2.17 (0.040	26.2	(0.53)	2.15 (0.	.051)	172	(4.2)	222	(4.4)	514	(10.0)	339	(4.6)	4.97	(0.123)	1.13	(0.088)
2 and over	2.10 (0.03	25.0	(0.43)	2.03 (0.	.040)	180	(3.6)	206	(4.1)	511	(8.3)	317	(4.2)	4.86	(0.105)	1.14	(0.068)

**Table 3. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Family Income (in Dollars) and Age, in the United States, 2015-2016 (continued)

Family income in dollars and age	Vita	min C	Vita	min D	(al	min E pha- pherol)	Ad Vitar	ded nin E	Vita	ımin K	Cal	cium	Phos	phorus	Magı	nesium
(years)	mg	(SE)	μg	(SE)	mg	(SE)	mg	(SE)	μg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)
<b>\$0 - \$24,999:</b>																
2 - 5	91.0	(4.63)	5.6	(0.27)	5.9	(0.25)	0.6	(0.16)	60.4	(6.69)	845	(21.2)	1024	(29.8)	192	(7.0)
6 - 11	77.4	(7.32)	5.9	(0.44)	6.5	(0.24)	0.3*	(0.09)	66.4	(8.18)	964	(48.0)	1189	(44.6)	220	(9.7)
12 - 19	67.4	(6.12)	4.9	(0.52)	7.9	(0.47)	0.4*	(0.27)	86.6	(9.43)	965	(75.1)	1300	(64.0)	244	(13.7)
20 and over	79.6	(4.27)	4.2	(0.24)	8.3	(0.30)	0.9	(0.19)	110.1	(4.33)	881	(21.0)	1293	(29.6)	279	(4.6)
2 and over	78.9	(3.77)	4.5	(0.20)	8.0	(0.23)	0.8	(0.14)	101.5	(3.36)	894	(20.6)	1270	(26.0)	266	(4.1)
\$25,000 - \$74,999:																
2 - 5	73.5	(8.28)	6.4	(0.42)	5.8	(0.33)	0.6*	(0.20)	46.9	(3.44)	980	(35.0)	1102	(30.6)	203	(8.4)
6 - 11	61.7	(4.66)	5.2	(0.24)	6.9	(0.18)	0.4	(0.10)	57.0	(2.61)	937	(31.7)	1214	(34.6)	224	(6.8)
12 - 19	61.4	(2.63)	4.8	(0.39)	7.4	(0.42)	0.6*	(0.18)	66.4	(4.83)	968	(44.5)	1261	(48.7)	237	(9.7)
20 and over	71.9	(2.87)	4.5	(0.15)	8.7	(0.27)	0.8	(0.12)	106.7	(3.24)	963	(28.9)	1383	(26.4)	297	(6.9)
2 and over	70.1	(2.21)	4.7	(0.15)	8.3	(0.25)	0.7	(0.11)	95.4	(3.04)	962	(27.3)	1342	(23.5)	280	(6.7)
\$75,000 and higher:																
2 - 5	59.3	(6.94)	5.4	(0.34)	5.7	(0.20)	0.6	(0.15)	48.5	(5.68)	884	(35.1)	1010	(33.4)	182	(4.7)
6 - 11	62.9	(6.43)	5.7	(0.47)	7.9	(0.29)	0.8	(0.17)	67.4	(3.93)	1101	(49.9)	1346	(61.4)	244	(10.8)
12 - 19	68.1	(6.55)	5.1	(0.44)	8.3	(0.58)	0.8*	(0.35)	77.8	(5.32)	1048	(58.4)	1377	(77.9)	267	(13.1)
20 and over	86.6	(4.62)	5.2	(0.40)	10.6	(0.47)	1.4	(0.20)	145.0	(10.20)	988	(23.5)	1460	(29.5)	335	(6.7)
2 and over	81.0	(4.54)	5.2	(0.34)	9.8	(0.41)	1.3	(0.19)	125.5	(8.64)	1000	(20.7)	1418	(27.3)	311	(6.6)
All Individuals <sup>1</sup> :																
2 - 5	72.2	(5.26)	5.8	(0.23)	5.8	(0.19)	0.6	(0.11)	51.6	(2.65)	909	(19.2)	1048	(23.1)	193	(4.4)
6 - 11	65.9	(4.58)	5.5	(0.24)	7.2	(0.14)	0.5	(0.09)	62.9	(2.64)	1005	(31.5)	1260	(31.8)	231	(5.2)
12 - 19	65.7	(3.24)	4.9	(0.32)	7.8	(0.24)	0.6	(0.15)	76.3	(4.14)	993	(41.6)	1310	(42.0)	250	(7.8)
20 and over	79.6	(2.56)	4.7	(0.15)	9.2	(0.26)	1.0	(0.12)	120.9	(4.68)	949	(19.0)	1385	(21.2)	307	(5.3)
2 and over	76.6	(2.41)	4.8	(0.15)	8.8	(0.23)	0.9	(0.10)	107.8	(4.23)	956	(19.1)	1349	(20.4)	289	(5.0)

Table 3. Nutrient Intakes from Food and Beverages:Mean Amounts Consumed per Individual,<br/>by Family Income (in Dollars) and Age, in the United States, 2015-2016 (continued)

Family income in dollars					_												_	
and age	Iı	ron	Z	inc	Co	pper	Sele	enium	Pota	assium	So	dium	Ca	ffeine	Theol	oromine	Alo	cohol
(years)	mg	(SE)	mg	(SE)	mg	(SE)	μg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)	mg	(SE)	g	(SE)
\$0 - \$24,999:																		
2 - 5	11.9	(0.81)	7.9	(0.29)	0.7	(0.03)	76.0	(2.85)	1922	(63.8)	2281	(73.6)	7.4	(1.30)	30.2	(4.50)		
6 - 11	14.7	(0.99)	9.8	(0.45)	0.9	(0.03)	91.6	(2.35)	2063	(80.8)	2951	(103.2)	14.4	(3.57)	49.8	(7.78)		
12 - 19	14.8	(0.80)	10.7	(0.54)	1.0	(0.07)	108.7	(4.63)	2174	(87.8)	3495	(114.4)	46.7	(11.00)	47.4	(10.70)		
20 and over	13.3	(0.32)	10.3	(0.24)	1.1	(0.03)	110.3	(3.69)	2438	(44.1)	3347	(62.2)	144.8	(8.98)	29.5	(2.43)	8.9	(1.16)
2 and over	13.4	(0.33)	10.2	(0.22)	1.1	(0.02)	106.8	(2.80)	2353	(43.0)	3270	(51.0)	117.0	(8.10)	32.9	(2.47)		
\$25,000 - \$74,999:																		
2 - 5	11.3	(0.46)	8.4	(0.42)	0.8	(0.04)	76.0	(3.44)	1944	(60.8)	2249	(76.9)	6.9	(1.20)	24.9	(2.73)		
6 - 11	13.8	(0.39)	10.1	(0.30)	0.9	(0.03)	95.9	(3.61)	2030	(51.2)	3015	(60.8)	16.8	(2.27)	43.9	(3.81)		
12 - 19	14.9	(0.80)	10.6	(0.56)	0.9	(0.03)	99.7	(3.62)	2121	(56.2)	3226	(97.3)	49.7	(11.83)	52.6	(6.42)		
20 and over	14.0	(0.29)	11.3	(0.28)	1.2	(0.02)	115.9	(2.26)	2562	(45.7)	3566	(74.9)	177.1	(10.95)	33.2	(2.06)	10.1	(0.98)
2 and over	13.9	(0.22)	11.0	(0.26)	1.1	(0.02)	110.6	(2.02)	2442	(41.5)	3420	(55.0)	142.2	(9.75)	35.8	(1.68)		
\$75,000 and higher:																		
2 - 5	9.5	(0.38)	7.1	(0.27)	0.7	(0.02)	72.9	(3.05)	1741	(43.0)	2103	(61.5)	4.0	(0.54)	36.3	(7.37)		
6 - 11	14.3	(0.62)	10.0	(0.41)	1.0	(0.04)	102.4	(5.31)	2159	(78.3)	3150	(92.0)	11.4	(1.21)	66.6	(6.08)		
12 - 19	15.4	(0.92)	11.5	(0.73)	1.0	(0.04)	114.9	(6.63)	2274	(125.6)	3471	(181.3)	41.0	(4.29)	54.2	(7.61)		
20 and over	14.5	(0.31)	11.9	(0.29)	1.4	(0.03)	120.0	(3.64)	2827	(49.9)	3676	(62.2)	181.8	(7.69)	35.3	(2.00)	11.2	(0.91)
2 and over	14.4	(0.28)	11.4	(0.27)	1.3	(0.03)	115.5	(3.35)	2650	(45.6)	3527	(54.4)	141.4	(4.96)	40.4	(2.25)		
All Individuals <sup>1</sup> :																		
2 - 5	10.8	(0.31)	7.8	(0.19)	0.7	(0.02)	74.5	(1.61)	1866	(38.9)	2212	(43.4)	6.2	(0.76)	30.2	(2.22)		
6 - 11	14.1	(0.37)	10.0	(0.23)	0.9	(0.02)	97.6	(2.45)	2094	(45.7)	3050	(45.0)	13.9	(1.28)	54.9	(3.89)		
12 - 19	15.0	(0.57)	10.9	(0.44)	1.0	(0.03)	107.4	(2.96)	2186	(57.3)	3367	(82.3)	44.9	(6.36)	52.0	(5.72)		
20 and over	14.0	(0.18)	11.2	(0.18)	1.2	(0.02)	115.5	(1.95)	2633	(38.6)	3536	(40.0)	171.5	(6.17)	32.5	(0.88)	9.9	(0.62)
2 and over	14.0	(0.17)	10.9	(0.18)	1.2	(0.02)	111.0	(1.71)	2502	(35.7)	3410	(33.6)	136.6	(5.03)	36.3	(1.28)		

**Table 3. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Family Income (in Dollars) and Age, in the United States, 2015-2016 (continued)

Family income in dollars and age	SFA 4:0 g (SE)			FA 5:0		FA 3:0		0FA 0:0		FA 2:0		FA 4:0		FA 6:0		FA 8:0
(years)		(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)
\$0 - \$24,999:																
2 - 5	0.44	(0.022)	0.31	(0.017)	0.29	(0.029)	0.46	(0.029)	0.68	(0.058)	1.83	(0.098)	10.79	(0.360)	4.54	(0.127)
6 - 11	0.43	(0.028)	0.30	(0.020)	0.27	(0.018)	0.47	(0.026)	0.79	(0.087)	2.05	(0.106)	13.60	(0.669)	5.68	(0.281)
12 - 19	0.55	(0.048)	0.35	(0.028)	0.28	(0.024)	0.55	(0.047)	0.93	(0.111)	2.43	(0.180)	15.19	(0.660)	6.49	(0.317)
20 and over		(0.016)	0.30	(0.012)	0.26	(0.012)	0.49	(0.019)	0.85	(0.047)	2.14	(0.077)	14.11	(0.412)	6.19	(0.173)
2 and over	0.47	(0.014)	0.31	(0.009)	0.27	(0.008)	0.49	(0.014)	0.84	(0.027)	2.14	(0.051)	13.98	(0.267)	6.08	(0.117)
\$25,000 - \$74,999:																
2 - 5	0.48	(0.021)	0.33	(0.017)	0.30	(0.028)	0.50	(0.028)	0.77	(0.063)	1.98	(0.091)	10.68	(0.421)	4.56	(0.180)
6 - 11	0.49	(0.032)	0.33	(0.020)	0.27	(0.015)	0.51	(0.028)	0.83	(0.060)	2.16	(0.106)	13.76	(0.526)	5.88	(0.192)
12 - 19	0.56	(0.043)	0.36	(0.027)	0.32	(0.037)	0.59	(0.051)	1.08	(0.201)	2.49	(0.182)	14.43	(0.613)	6.38	(0.340)
20 and over	0.55	(0.024)	0.35	(0.014)	0.30	(0.012)	0.58	(0.022)	0.99	(0.050)	2.47	(0.094)	15.43	(0.431)	6.82	(0.197)
2 and over	0.55	(0.023)	0.35	(0.013)	0.30	(0.011)	0.57	(0.020)	0.98	(0.042)	2.42	(0.084)	14.95	(0.352)	6.58	(0.161)
\$75,000 and higher:																
2 - 5	0.47	(0.036)	0.30	(0.020)	0.23	(0.013)	0.44	(0.027)	0.61	(0.038)	1.80	(0.105)	10.35	(0.326)	4.49	(0.176)
6 - 11	0.63	(0.042)	0.42	(0.024)	0.37	(0.033)	0.66	(0.037)	1.30	(0.218)	2.75	(0.127)	15.16	(0.464)	6.74	(0.236)
12 - 19	0.56	(0.032)	0.36	(0.023)	0.31	(0.022)	0.59	(0.034)	1.13	(0.092)	2.55	(0.144)	15.84	(0.824)	6.83	(0.419)
20 and over	0.52	(0.021)	0.33	(0.012)	0.31	(0.011)	0.57	(0.017)	1.10	(0.075)	2.41	(0.070)	15.03	(0.389)	6.58	(0.192)
2 and over	0.53	(0.018)	0.34	(0.010)	0.31	(0.011)	0.57	(0.016)	1.10	(0.068)	2.43	(0.066)	14.91	(0.335)	6.52	(0.167)
All Individuals <sup>1</sup> :																
2 - 5	0.46	(0.011)	0.31	(0.007)	0.27	(0.014)	0.47	(0.013)	0.68	(0.038)	1.87	(0.036)	10.59	(0.184)	4.53	(0.073)
6 - 11	0.53	(0.024)	0.36	(0.014)	0.31	(0.015)	0.56	(0.021)	1.01	(0.090)	2.36	(0.080)	14.27	(0.385)	6.18	(0.150)
12 - 19	0.55	(0.026)	0.36	(0.016)	0.31	(0.017)	0.58	(0.027)	1.06	(0.096)	2.48	(0.107)	15.07	(0.486)	6.54	(0.247)
20 and over	0.52	(0.018)	0.33	(0.010)	0.29	(0.007)	0.55	(0.014)	1.00	(0.031)	2.36	(0.055)	14.89	(0.237)	6.54	(0.124)
2 and over	0.52	(0.016)	0.34	(0.009)	0.30	(0.006)	0.55	(0.013)	0.99	(0.030)	2.35	(0.052)	14.63	(0.204)	6.41	(0.110)

**Table 3. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Family Income (in Dollars) and Age, in the United States, 2015-2016 (continued)

Family income in dollars and age		IFA 6:1		1FA 8:1		1FA 0:1		IFA 2:1		PFA 8:2		PFA 8:3		PFA 8:4
(years)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)	g	(SE)
\$0 - \$24,999:														
2 - 5	0.74	(0.052)	17.82	(0.729)	0.19	(0.011)	0.01	(0.001)	11.80	(0.621)	1.21	(0.061)	#	
6 - 11	0.93	(0.042)	21.50	(0.810)	0.24	(0.011)	0.02	(0.003)	14.80	(0.795)	1.44	(0.089)	0.01	(0.001)
12 - 19	1.09	(0.037)	25.26	(1.053)	0.28	(0.009)	0.04	(0.010)	16.76	(0.727)	1.64	(0.084)	0.01	(0.003)
20 and over	1.10	(0.029)	25.44	(0.557)	0.29	(0.007)	0.02	(0.002)	15.93	(0.431)	1.74	(0.052)	0.01	(0.002)
2 and over	1.06	(0.019)	24.68	(0.356)	0.28	(0.005)	0.02	(0.001)	15.69	(0.273)	1.67	(0.039)	0.01	(0.002)
\$25,000 - \$74,999:														
2 - 5	0.68	(0.043)	17.72	(0.777)	0.20	(0.017)	0.02	(0.002)	10.53	(0.428)	1.03	(0.043)	#	
6 - 11	0.92	(0.043)	22.72	(0.856)	0.26	(0.010)	0.02	(0.002)	14.08	(0.380)	1.31	(0.038)	0.01	(0.001)
12 - 19	1.03	(0.041)	24.21	(0.927)	0.26	(0.012)	0.02	(0.002)	15.15	(0.516)	1.48	(0.072)	0.01	(0.001)
20 and over	1.22	(0.033)	27.91	(0.637)	0.31	(0.008)	0.03	(0.002)	17.18	(0.390)	1.84	(0.056)	0.01	(0.001)
2 and over	1.15	(0.027)	26.59	(0.573)	0.30	(0.007)	0.03	(0.002)	16.38	(0.304)	1.72	(0.037)	0.01	(0.001)
\$75,000 and higher:														
2 - 5	0.69	(0.045)	17.74	(0.638)	0.17	(0.009)	0.01	(0.002)	10.25	(0.386)	0.98	(0.045)	#	
6 - 11	1.00	(0.043)	24.65	(0.710)	0.28	(0.021)	0.02	(0.003)	14.86	(0.619)	1.37	(0.031)	0.01	(0.001)
12 - 19	1.08	(0.096)	26.74	(1.392)	0.35	(0.042)	0.02	(0.002)	16.50	(0.907)	1.58	(0.111)	0.01	(0.003)
20 and over	1.17	(0.030)	28.93	(0.772)	0.34	(0.016)	0.04	(0.004)	18.19	(0.667)	1.94	(0.090)	0.01	(0.002)
2 and over	1.12	(0.025)	27.74	(0.642)	0.33	(0.013)	0.03	(0.003)	17.30	(0.549)	1.80	(0.073)	0.01	(0.002)
All Individuals <sup>1</sup> :														
2 - 5	0.70	(0.027)	17.71	(0.467)	0.19	(0.006)	0.01	(0.001)	10.71	(0.293)	1.05	(0.033)	#	
6 - 11	0.96	(0.028)	23.28	(0.548)	0.26	(0.008)	0.02	(0.001)	14.54	(0.275)	1.36	(0.024)	0.01	(0.001)
12 - 19	1.07	(0.043)	25.35	(0.747)	0.30	(0.017)	0.03	(0.002)	15.92	(0.396)	1.54	(0.053)	0.01	(0.001)
20 and over	1.17	(0.019)	27.52	(0.364)	0.32	(0.006)	0.03	(0.002)	17.10	(0.261)	1.84	(0.036)	0.01	(0.001)
2 and over	1.11	(0.016)	26.44	(0.344)	0.30	(0.005)	0.03	(0.001)	16.43	(0.226)	1.72	(0.031)	0.01	(0.001)

**Table 3. Nutrient Intakes from Food and Beverages:** Mean Amounts Consumed per Individual, by Family Income (in Dollars) and Age, in the United States, 2015-2016 (continued)

Family income in dollars	D	PFA	D	PFA	D	FA	D	FA
		та 0:4		7FA 0:5		2:5		га 2:6
and age	20		2		2.		2.	
(years)	g	(SE)	g	(SE)	g	(SE)	g	(SE)
\$0 - \$24,999:								
2 - 5	0.09	(0.008)	0.01	(0.002)	0.01	(0.001)	0.02	(0.005)
6 - 11	0.11	(0.005)	0.01	(0.002)	0.02	(0.001)	0.02	(0.003)
12 - 19	0.14	(0.006)	0.02	(0.004)	0.02	(0.002)	0.04	(0.007)
20 and over	0.15	(0.007)	0.03	(0.007)	0.02	(0.001)	0.06	(0.010)
2 and over	0.15	(0.005)	0.02	(0.005)	0.02	(0.001)	0.05	(0.008)
\$25,000 - \$74,999:								
2 - 5	0.09	(0.006)	0.01	(0.003)	0.01	(0.001)	0.02	(0.004)
6 - 11	0.12	(0.006)	0.01	(0.002)	0.02	(0.001)	0.03	(0.004)
12 - 19	0.12	(0.005)	0.01	(0.002)	0.02	(0.001)	0.03	(0.004)
20 and over	0.17	(0.005)	0.02	(0.002)	0.02	(0.001)	0.05	(0.003)
2 and over	0.16	(0.004)	0.02	(0.001)	0.02	(0.001)	0.05	(0.002)
\$75,000 and higher:								
2 - 5	0.08	(0.006)	0.01	(0.001)	0.01	(0.001)	0.02	(0.005)
6 - 11	0.12	(0.010)	0.02	(0.004)	0.02	(0.002)	0.03	(0.007)
12 - 19	0.13	(0.014)	0.02	(0.004)	0.02	(0.002)	0.03	(0.008)
20 and over	0.15	(0.005)	0.04	(0.007)	0.03	(0.003)	0.08	(0.013)
2 and over	0.14	(0.004)	0.03	(0.006)	0.02	(0.002)	0.06	(0.011)
All Individuals <sup>1</sup> :								
2 - 5	0.09	(0.004)	0.01	(0.001)	0.01	(#)	0.02	(0.003)
6 - 11	0.12	(0.006)	0.01	(0.002)	0.02	(0.001)	0.03	(0.004)
12 - 19	0.13	(0.005)	0.02	(0.002)	0.02	(0.001)	0.03	(0.004)
20 and over	0.16	(0.003)	0.03	(0.003)	0.02	(0.001)	0.06	(0.005)
2 and over	0.15	(0.003)	0.02	(0.003)	0.02	(0.001)	0.05	(0.005)

## **Symbol Legend**

\* Indicates an estimate that may be less statistically reliable than estimates that are not flagged. The rules for flagging estimated means are as follows:

Mean: An estimated mean is flagged when based on a sample size of less than 30 times the variance inflation factor (VIF), where the VIF represents a broadly calculated average design effect, or when the relative standard error is greater than 30 percent. The VIF used in this table is 2.41.

# Indicates a non-zero value too small to report.

#### **Footnotes**

<sup>1</sup> Includes persons of all income levels or with unknown family income.

### **Abbreviations**

SE = standard error; RAE = retinol activity equivalents; DFE = dietary folate equivalents. SFA = saturated fatty acid; MFA = monounsaturated fatty acid; PFA = polyunsaturated fatty acid.

# Notes Applicable to All Tables in Series: What We Eat in America, NHANES 2015-2016

Sample weights designed for dietary analysis were used to allow estimates representative of the U. S. population for the years of collection.

The statistics in this table are estimated from Day 1 dietary recall interviews conducted in the *What We Eat in America*, National Health and Nutrition Examination Survey (NHANES) 2015-2016. The 24-hour dietary recalls were conducted in-person, by trained interviewers, using the USDA 5-step Automated Multiple-Pass Method. Food intakes were coded and nutrient values were determined using the USDA Food and Nutrient Database for Dietary Studies 2015-2016 <a href="https://www.ars.usda.gov/nea/bhnrc/fsrg">www.ars.usda.gov/nea/bhnrc/fsrg</a>.

Intakes of nutrients and other dietary components are based on the consumption of food and beverages, including water, and do not include intake from supplements or medications.

The table includes data from individuals 2 years and over. Breast-fed children were excluded because breast milk was not quantified in dietary recall interviews.

Although alcohol data are collected for all individuals, estimates are not presented for age groups under 20 years due to extreme variability and/or inadequate sample size.

### **Suggested Citation**

U.S. Department of Agriculture, Agricultural Research Service. 2018. Nutrient Intakes from Food and Beverages: Mean Amounts Consumed per Individual, by Family Income (in Dollars) and Age, What We Eat in America, NHANES 2015-2016.