

Bid Document

| Bid Details | |
|--|-----------------------|
| Bid End Date/Time | 27-07-2020 11:00:00 |
| Bid Opening Date/Time | 27-07-2020 11:30:00 |
| Bid Life Cycle (From Publish Date) | 90 (Days) |
| Bid Offer Validity (From End Date) | 30 (Days) |
| Ministry/State Name | Ministry Of Defence |
| Department Name | Department Of Defence |
| Organisation Name | Indian Army |
| Office Name | ***** |
| Total Quantity | 4 |
| Item Category | Induction Heater |
| MSE Exemption for Years of Experience and Turnover | No |
| Startup Exemption for Years of Experience and Turnover | No |
| Bid to RA enabled | No |
| Inspection Required | No |

EMD Detail

| | |
|----------|----|
| Required | No |
|----------|----|

ePBG Detail

| | |
|----------|----|
| Required | No |
|----------|----|

Splitting

Bid splitting not applied.

Induction Heater (4 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|---------------|--------------------|---------------------------------|---|
| ITEM | Item | Induction Heater | * |
| Type | Type | Single Element Induction Heater | Single Element Induction Heater, Double Element |

| | | | |
|--|--|----------------------------------|---|
| | | | Induction Heater |
| Material | Top Plate Material of induction Heater | Toughed Glass | Toughed Glass, Ceramic Glass, Crystal Glass |
| | Material of Induction Coil | Copper | Copper, Aluminium |
| | Top Portion Material of Main Body | ABS | * |
| | Bottom Portion Material of Main Body | ABS | ABS, polypropylene |
| | Inner Material of induction Heater | Bakelite | * |
| Shape , Design , Colour | Shape of Cooktop | Square | Square, Rectangular, Round |
| | Cooling Fan Diameter(in Inch) | 5 | 5, 6, 7, 8 |
| | Power Plug Top Rating | 6A | 6A, 10A, 16A |
| | Colour of induction Heater | White | * |
| Functional Arrangement on Induction Features of Induction Heater | Functional Arrangement on Induction Features of Induction Heater | Built-in Induction Cooktop Units | Built-in Induction Cooktop Units, digital control panel with LED Display, Automatic pan detection, Temperature Setting, Timer Setting, Power Setting, Auto-off program cooks food safely, Timer Lock Function, Timer Preset, Rubber Footing |
| Features of Induction Heater | Features of Induction Heater | Micro Controller Based | Micro Controller Based, Heat Sink Compatible to Circuit Design |
| Dimension | Length of induction Cooktop Glass (Hint: Select '0' If Not Applicable) (In MM) | 150 | * |
| | Width of induction Cooktop Glass (Hint: Select '0' If Not Applicable) (In MM) | 18 | * |
| | Diameter of Induction Cooktop Glass (Hint: Select '0' If Not Applicable) (In MM) | 18 | * |
| | Overall Height of induction Heater (In MM) | 50 | * |
| | Overall Length of induction Heater (In MM) | 200 | * |
| | Overall Width of induction Heater (In MM) | 200 | * |
| | Minimum Cord length (Metre) | 1.5 | * |
| Function | Power Source (Watt) | 240 volt,50 Hz,single phase | * |
| | Power Consumption | 2100 | * |
| Warranty | Warranty (year) | 1 | 1, 2, 3 |

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

| S.No. | Consignee/Reporting Officer | Address | Quantity | Delivery Days |
|-------|-----------------------------|-------------|----------|---------------|
| 1 | ***** | *****SHIMLA | 4 | 15 |

Bid Specific Additional Terms and Conditions

1.Scope of supply (Bid price to include all cost components) : Supply Installation Testing Commissioning of Goods and Training of operators and providing Statutory Clearances required (if any)

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---