

Bid Number: GEM/2020/B/694111

Dated: 04-07-2020

Bid Document

Bid Document				
Bid Details				
Bid End Date/Time	18-07-2020 16:00:00			
Bid Opening Date/Time	18-07-2020 16:30:00			
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	75 (Days)			
Ministry/State Name	Ministry Of Power			
Department Name	Contracts And Materials			
Organisation Name	Ntpc Ltd			
Office Name	Western Region I Shared Services Centre			
Total Quantity	2			
Item Category	SPECTROPHOTOMETER			
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Document required from seller	OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer			
Bid to RA enabled	No			
Inspection Required	No			

EMD Detail

Required	No

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

SPECTROPHOTOMETER (2 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
LIGHT SOURCE	Light Source	Deuterium Lamp,Tungsten Halogen Lamp	Deuterium Lamp, Tungsten Halogen Lamp
	Diffraction Grating (lines/mm)	1200	1200
	Switching of Light Source	Automatic	Automatic
	Wavelength Setting And Scanning	Automatic	Automatic
TYPE	Type of Spectrophotometer	UV - VISIBLE	UV - VISIBLE
	Type of Optical System	Double Beam	Double Beam
	Monochromator Type	Scanning grating	Czerny-turner, Scanning grating
	Detector Type	Photodiode	Photodiode
	Spectral Bandwidth Type	Fixed Bandwidth	Fixed Bandwidth
OPTICAL PERFORMANCE	Source Wavelength - Minimum	190	190.0
	Source Wavelength - Maximum	1100	1100, 1500, 2000, 2500, 2700, 3000, 3200, 3300, 1650 Or higher
	Resolution	0.3	0.3
	Wavelength Accuracy (+/-)	0.3	0.3
	Bandwidth (nm)	1.5	1.5
	If variable band width, Specify the incremental step value(mm)	NA	*
	Scanning Speed (nm/min)	3600	*
	Focal length (mm)	200 to 249	200 to 249
	Photometric measurement modes	Transmittance,Absorba nce,Concentration (Wavelength, time)	Transmittance, Absorbance, Concentration (Wavelength, time)

	Photometric	0.5	0.5
	Absorbance (Max) (Abs) (+/-)		
	Photometric Absorbance Accuracy (Max) (+/-)	0.002	0.001 - 0.002 Or lower
	Photometric Transmittance (Max) (+/-)	100	100.0
	Photometric Transmittance Accuracy (Max) (+/-)	0.5	0.0 - 0.5 Or lower
	Photometric Reflectance (Max) (+/-)	0.5	0.5
	Photometric Reflectance Accuracy (Max) (+/-)	0.5	*
	Stray Light Correction	Automatic	*
	Baseline Correction	Automatic	*
GENERIC	Display	In-built display	In-built display
	Display type	LCD with Backlight	LCD with Backlight
	Display Size	10	10.0 - 30.0 Or higher
	Test result printing	Through external printer	Through external printer
	If inbuilt printer, Type of printer	N/A	Thermal printer, Dot matrix, Laser b/w, Inkjet b/w, Color laser, Color inkjet, N/A
	Suitable software for connecting PC & Printer	N/A	*
	Connectivity	RS 232	*
	Internal storage(GB)	80	80.0 - 80.0 Or higher
	Sample switching/selection	Automatic	*
	Capacity of Sample holder / Sample Carousel	2	*
	Mximum Path Length of sample	100	100.0
	Number of Cuvettes supplied-inclusive in the scope of supply	2	2
	Power Supply	230 V ± 10, 50 Hz	*
	Spares and Consumables	Yes	Yes

	inclusive in the scope of supply		
	List of Items and Quantity of each item included in the offer	-	*
OPERATING CONDITIONS	Minimum Operating Temperature	10	10.0
	Maximum Operating Temperature	35	35.0
	Operating Humidity (RH) (%) at 40 degree C	80	80.0
WARRANTY	Onsite Warranty	1	1.0
	Availability of Spares (at extra cost)	7	7.0
Certification	Availability of UL/CE Certification as per EN 61010-1:2010 Safety requirements for electrical equipment for measurement, control, and laboratory use General requirements	Yes	Yes
	Conformance to EMC/EMI as per EN 61326-1:2013 Electrical equipment for measurement, control and laboratory use	Yes	Yes
	Availability of Test Reports from Central Govt / NABL approved / ILAC acredited lab to prove conformity to the specification	No	Yes, No
	If yes test report to furnished, to the buyer on demand	N/A	*

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Amita Gokhale	413215,NTPC Limited, Solapur Super Thermal Power Project, PO Hotgi Station, At - Fatatewadi South	2	60

Bid Specific Additional Terms and Conditions

- 1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and Commissioning of Goods
- 2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 25% of total value.

This Bid is also governed by the General Terms and Conditions

---Thank You---