

Bid Number: GEM/2020/B/705491

Dated: 10-07-2020

Bid Document

Bia Document				
Bid Details				
Bid End Date/Time 20-07-2020 14:00:00				
Bid Opening Date/Time 20-07-2020 14:30:00				
Bid Life Cycle (From Publish Date)	90 (Days)			
Bid Offer Validity (From End Date)	15 (Days)			
Ministry/State Name	Uttarakhand			
Department Name Higher Education Department Uttarakhand				
Organisation Name Directorate Of Higher Education				
Office Name	Govt P G College Bageshwar			
Total Quantity 1				
Item Category Revolving Chair				
MSE Exemption for Years of Experience and Turnover	No			
Startup Exemption for Years of Experience and Turnover	No			
Bid to RA enabled	No			
Inspection Required	No			

EMD Detail

Required	l No
Negan ea	

ePBG Detail

Required	No

Splitting

Bid splitting not applied.

Revolving Chair (1 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	ABS Plasstic with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size	ABS Plasstic with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size
	Arm Material	Proypylene	Proypylene
	seat material	PU Foam covered with Fabric	PU Foam covered with Fabric
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	40	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	40	*
	Material of Fabric Back Cover / Material for Backrest	mesh fabric	mesh fabric
	Material of Fabric of Seat Cover	N.A	N.A
	GSM/Thickness of fabric ±5%(Gram/Square meter)	290 gram	*
GENERAL	Chair Type	only revolving without tilting mechanism	only revolving without tilting mechanism
	Tilt Tension Adjustment	Yes	*
	Height Adjustment ± 5(mm)	N.A	N.A
	Arm	With	With
	Type of backrest support	backrest with lumber support of polypropylene at multilevel across back	backrest with lumber support of polypropylene at multilevel across back
	Arm Type	Fixed	Fixed
	Colour of Fabric for Seat and Backrest	As per Buyer's choice	*
	Ergonomic Seat Design	Yes	Yes
	Back type	height adjustable	height adjustable
	Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame	*
	backrest has separate adjustable headrest	Yes	Yes
	Seat type	fixed	fixed

	Seat is curved	Yes	*
	Locking mechanism	Yes	*
	Type of locking	upright locking	*
	Number of arm movement	N.A	N.A
	Lumber support	N.A	N.A
DIMENSION	Overall Chair Height ±15mm	670	670
	Backrest Height ±15mm	460	460.0
	Backrest Width ±10mm	410	410.0
	Seat Height ±15 mm	420	420
	Seat Width ±10 mm	440	440
	Seat Depth ±10 mm	400	400.0
	Thickness of MS Plate Joining the under structure with Seat	0.2	0.2
	Thickness of Plywood used in Seat ±1(mm)	N.A	N.A
	Thickness of Plywood used in Backrest ± 1(mm)	N.A	N.A
	Padestal Size (Diameter in mm) +/- 10 mm	680	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	N.A	N.A
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	N.A	N.A
WARANTEE	Warrantee period in number of years	1-year	1-year
CERTIFICATION	Test reports to be furnished to buyer on demand	NO	NO
	BIFMA Certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	NO	NO
	OEM of offered	NO	NO

product is ISO 14001:2015 certified		
OEM of offered product is ISO 18001:2007 certified	NO	NO
Green guard certification	NO	NO
Aiota	-	NO

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Vijay Kumar Joshi	263642,Govt P G College Bageshwar Distt Bageshwar	1	30

Bid Specific Additional Terms and Conditions

- 1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 2. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
- 3. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

This Bid is also governed by the General Terms and Conditions

---Thank You---

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.