

RA Number: GEM/2020/RA/45071

Dated: 13-07-2020

RA Document

| N/ | A Document | | | |
|--|--|--|--|--|
| RA Details | | | | |
| RA Technical End Date/Time | 23-07-2020 18:00:00 | | | |
| RA Opening Date/Time | 23-07-2020 18:30:00 | | | |
| RA Life Cycle (From Publish Date) | 90 (Days) | | | |
| RA Offer Validity (From End Date) | 45 (Days) | | | |
| Ministry/State Name | Ministry Of Steel | | | |
| Department Name | Na | | | |
| Organisation Name | Steel Authority Of India Ltd | | | |
| Office Name | Salem Tamilnadu | | | |
| Total Quantity | 10 | | | |
| Item Category | lead acid battery | | | |
| MSE Exemption for Years of Experience and Turnover | No | | | |
| Startup Exemption for Years of Experience and Turnover | No | | | |
| Document required from seller | OEM Authorization Certificate *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer | | | |
| Inspection Required | No | | | |

EMD Detail

| Required | No |
|----------|----|

ePBG Detail

| Required | No |
|----------|----|

Splitting

RA splitting not applied.

Lead Acid Battery (10 pieces)

Technical Specifications

* As per GeM Category Specification

| Specification | Specification Name | Values | Bid Requirement (Allowed Values) |
|----------------|---|---|---|
| Generic | Types of Lead Acid of Battery | Statinary Lead-Acid Batteries (with tubular positive plates) in Monobloc Container conforming to IS:13369/1992 | Statinary Lead-Acid Batteries (with tubular positive plates) in Monobloc Container conforming to IS:13369/1992 |
| | Nominal Voltage of Battery (volts) | 12.0 Volt | 12.0 Volt |
| | Material of container | Fibre Reinforced Plastics (FRP) | Fibre Reinforced Plastics (FRP) |
| | Rated Capacity at C20 discharge (AH) | 180 | 180, 180.0 |
| | Warranty (Years) | 1 Year | 1 Year |
| | Battery Condition | Dry Charged | * |
| CONSTRUCTIONAL | Dimensions (L x W x H) (mm x mm x mm) | As per relevant IS Specifications | * |
| | Volume of Electrolyte (ml) | - | * |
| | Weight of Dry Battery (Kg) shall be as per relevant IS: Specn., corresponding Ah | Yes. | * |
| | No.of cells per Battery (No.) | 6 Cells for 12 Volt battery | * |
| Certifications | Availability of Test Reports from Central Govt./NABL/ILAC accrediated Lab showing conformity to the specifications | Yes | * |
| | Address of the Lab | - | * |
| | Name of the Lab | - | * |
| | Test Report No. | - | * |
| | Test Report Date | - | * |
| | Compulsory Registration (CRS) of BIS for safety as per IS 16046 as applicable. Secondary Cells and (Batteries containing Alkaline or other non- acid Electrolytes-Safety Requirements for | - | * |

| Portable sealed secondary cells, and for Batteries made from them for use in portable applications | |
|--|--|
| portable applications | |

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignee/Reporting Officer and Quantity

| S.No. | Consignee/Reporti ng Officer | Address | Quantity | Delivery Days | |
|-------|---------------------------------|----------------------|----------|---------------|-----|
| 1 | Jayachandran Kandasamy | 636013,Alagusamudram | 10 | 30 | N/A |

Special terms and conditions for category lead acid battery

1. Battery serial number list shall be furnish by the seller along with the supply of the battery to Buyer

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components): Only supply of Goods

This RA is also governed by the General Terms and Conditions

---Thank You---

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.