

Bid Document

Bid Details	
Bid End Date/Time	27-07-2020 10:00:00
Bid Opening Date/Time	27-07-2020 10:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Finance
Department Name	Department Of Financial Services
Organisation Name	Lic - Life Insurance Corporation Of India
Office Name	Kolhapur Divisional Office
Total Quantity	4
Item Category	Revolving Chair (PAC Only)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Revolving Chair (4 pieces) (Under PAC)

Make	methodex
Model	mmb

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Pedestal Base	, Nylon Base With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter	Glass Fibre Nylon with ABS/ NylonTwin Caster Wheels Minimum 5 Nos, of 50 mm Size, ABS Plastic with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Electro Coated with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Stainless Steel with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Aluminium Die Cast with ABS/Nylon Twin Caster Wheels Minimum 5 Nos, of 50 mm Size, Aluminium Die Cast Chrome Finish With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter, , Nylon Base With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter, Aluminium Alloy With Nylon Twin Caster Wheels Minimum Of 50-70 Diameter, Wooden Cladded With Nylon Twin Caster Wheels Minimum Of 50-70 Mm Diameter, Chrome finish with 5 wheels
	Arm Material	steel covered with polyurethane	*
	seat material	PU Foam covered with Fabric	pressed and moulded plywood with polypropylene cover, PU foam covered with mesh fabric, PU Foam covered with Fabric, PU Foam Covered With

			pure leather, PU Foam Covered With pure leatherite, Pressed and Moulded Plywood with PU Foam covered with Fabric, Pressed and Moulded Plywood with PU Foam covered with Pure Leather, Pressed and Moulded Plywood with PU Foam covered with Leatherite
	Density of PU foam used in seat KG per Cu Meter (+/- 3)	45	*
	Density of PU foam used in backrest in KG per Cu Meter (+/- 3)	45	*
	Material of Fabric Back Cover / Material for Backrest	100% polyester fabric	mesh fabric, Inner frame Upholstered with Mesh fabric and mounted on main assembly, pure leather, 100% polyester fabric, nylon with poly olefin elastomer, Leatherite, N.A, Polyester mesh with fibreglass plastic frame
	Material of Fabric of Seat Cover	100% polyester fabric	foam laminated mesh fabrics, Mesh Fabrics, pure leather, leatherite, 100% polyester fabric, N.A, Fire retardant fabric
	GSM/Thickness of fabric $\pm 5\%$ (Gram/Square meter)	N.A	*
GENERAL	Chair Type	central tilt	*
	Tilt Tension Adjustment	Yes	*
	Height Adjustment ± 5(mm)	up to 90 mm	up to 100 mm, up to 120 mm, N.A, up to 90 mm, up to 65 mm
	Arm	With	With, Without
	Type of backrest support	backrest symmetrical lumber support	backrest with lumber support of polypropylene at multilevel across back, backrest symmetrical lumber support, Backrest With Adjustable Lumber

		Support, Countered lumber supporting
Arm Type	Fixed	Adjustable, Fixed, NA
Colour of Fabric for Seat and Backrest	RED	*
Ergonomic Seat Design	No	Yes, No
Back type	push back	push back, fixed, height adjustable
Backrest is made of two pcs injection moulded frame	Backrest is made of one piece injection moulded frame	*
backrest has separate adjustable headrest	No	Yes, No
Seat type	fixed	fixed, sliding
Seat is curved	No	*
Locking mechanism	Yes	*
Type of locking	upright locking	*
Number of arm movement	N.A	2(up & down), 4(up & down end left & right), 6(Up & Down,Left & Right And Swivel), 8(Up & Down,Left & Right,Swivel And Front & Back), N.A, 6 (UP and down, front and back, swivel), 4 (UP and down, front and back)
Lumber support	integrated	integrated, external & fixed, external & adjustable, N.A, Cushioned and upholstered Lumbar Support
DIMENSION	Overall Chair Height ±15mm	920 *
	Backrest Height ±15mm	520 *
	Backrest Width ±10mm	440 *
	Seat Height ±15 mm	480 420, 450, 480, 500, 520
	Seat Width ±10 mm	440 440, 480, 500, 520, 550, 460, 360, 415
	Seat Depth ±10 mm	480 400, 460, 480, 500, 520, 550, 420, 440, 540, 360

	Thickness of MS Plate Joining the under structure with Seat	2	*
	Thickness of Plywood used in Seat ± 1(mm)	12 mm	12 mm, 15 mm, 18 mm, N.A, 65 mm
	Thickness of Plywood used in Backrest ± 1(mm)	12 mm	12 mm, 15 mm, 18 mm, N.A
	Padestal Size (Diameter in mm) +/- 10 mm	650	*
	Thickness of Polyurethane Foam Used in Seat in mm (+/- 2 mm)	70	*
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 2 MM)	70	*
WARANTEE	Warrantee period in number of years	1-year	1-year, 2-year, 3-year, 4-year, 5-year
CERTIFICATION	Test reports to be furnished to buyer on demand	YES	YES, NO
	BIFMA Certification	NO	YES, NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES, NO
	OEM of offered product is ISO 14001:2015 certified	YES	YES, NO
	OEM of offered product is ISO 18001:2007 certified	YES	YES, NO
	Green guard certification	NO	YES, NO
	Aiota	NO	YES, NO

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Smita Dattaram Gosavi	416606,LIC OF INDIA MALWAN BRANCH DIST SINDHUDURG	2	30
2	Satish Dinkar Raorane	416219,LIC OF INDIA MURGUD BRANCH NAGARPALIKA BUILDING MURGUD TAL.BHUDARGAD DIST.KOLHAPUR	2	30

Bid Specific Additional Terms and Conditions

1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---