

Bid Number: GEM/2020/B/708626

Dated: 13-07-2020

Bid Document

Bid Document		
Bid Details		
Bid End Date/Time 23-07-2020 17:00:00		
Bid Opening Date/Time	23-07-2020 17:30:00	
Bid Life Cycle (From Publish Date)	90 (Days)	
Bid Offer Validity (From End Date)	30 (Days)	
Ministry/State Name	Ministry Of Power	
Department Name	Na	
Organisation Name	N/a	
Office Name	Bhakra Beas Management Board, Chandigarh	
Total Quantity	20	
Item Category	distribution or control board enclosures (Distribution board for MCBs)	
MSE Exemption for Years of Experience and Turnover	No	
Startup Exemption for Years of Experience and Turnover	No	
Bid to RA enabled	No	
Inspection Required	No	
	-	

EMD Detail

Required	No
· ·	

ePBG Detail

I Doguirod	l No	
Required	No	
11 .		

Splitting

Bid splitting not applied.

Distribution Or Control Board Enclosures (Distribution Board For MCBs) (20 pieces)

Technical Specifications

* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Reference BIS Specification:13032	yes	*
	Suitable to accommodates specified Number of poles (number)	Single Pole MCBs as outgoing and Double pole MCB as incoming	Single Pole MCBs as outgoing and Double pole MCB as incoming, Single Pole MCBs as out going and FP MCB with 3 Protected pole as incoming, Three Pole MCBs as out going and FP MCB with 3 Protected pole as incoming
	No. of Ways (in Number)	4	4, 6, 8, 10, 12, 16, 18, 24, 36
	Metalic cover Type	MCBs are operable manually without opening of cover (Single door)	MCBs are operable manually without opening of cover (Single door), MCBs are accessible only after opening of top cover (Double door), MCBs are operated after opening the front thermoplastic door
	Enclosure category (Degree of Protection)	IP-43	IP-20, IP-43, IP-65
CONSTRUCTIONAL	MCB distribution board for indoor installation	yes	*
	Copper Bus bar Rating (ampere)	100 Amp.	100 Amp., 200 Amp.
	Minimum Sheet Thickness properly pretreated and stove enameled/Powder Coated (mm)	1.6 mm	1.6 mm, Thermoplastic Polystyrene material with 3 mm thick, Thermoplastic Polystyrene material with 4 mm thick
	Steel Mounting Rail Top Hat as per IS:11039/83 (35mmX7.5mm)	Yes	*
	Earth bar	Yes	*
	Neutral bar	Yes	*
CERTIFICATIONS	Availability of the Type Test Report from	Yes	*

Central Govt. /NABL/ILAC Accredit lab to prove conform to the specification.	nity		
Type Test Certificate No.	e -	*	
Type Test Certificate date	e -	*	
Name of Lab	-	*	7
Address of Lab	-	*	1
Test Report to be furnished to the buy on demand	Yes ver	*	

^{*} Specifications highlighted in bold are the Golden Parameters.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Hitender Singh	175019,Superintend Procurement Store & Disposal Division, Bhakra Beas Management Board, SUNDER NAGAR	20	15

Bid Specific Additional Terms and Conditions

- 1. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
- 2. Bidder Turn Over Criteria: The minimum average annual financial turnover of the bidder during the last three years, ending on 31st March of the previous financial year, should be as indicated in the bid document. Documentary evidence in the form of certified Audited Balance Sheets of relevant periods or a certificate from the Chartered Accountant / Cost Accountant indicating the turnover details for the relevant period shall be uploaded with the bid. In case the date of constitution / incorporation of the bidder is less than 3 year old, the average turnover in respect of the completed financial years after the date of constitution shall be taken into account for this criteria.

This Bid is also governed by the General Terms and Conditions

---Thank You---

^{*} Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.