

Bid Document

Bid Details	
Bid End Date/Time	02-07-2020 15:00:00
Bid Opening Date/Time	2020-07-02 15:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	70 (Days)
Ministry/State Name	Ministry Of Power
Department Name	Na
Organisation Name	Ntpc Limited
Office Name	Auraiya Gas Power Station Ntpc Limited
Total Quantity	69
Item Category	Roller Blinds
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Roller Blinds (69 square meter)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Opening style	1. Roll up / Roll down	*
	Mounting arrangement	Bracket systems – to install functional roller blind mechanism	Bracket systems – to install functional roller blind mechanism
	Types of roller blind	Blackout roller blind	Blackout roller blind
	Shading solution	Single roller blind – utilise one layer of fabric (called outer layer)	Single roller blind – utilise one layer of fabric (called outer layer)
	Operating mechanism	Pull tab on the bottom of the fabric (provides easy manipulation of the blinds without touching fabric)	Pull tab on the bottom of the fabric (provides easy manipulation of the blinds without touching fabric)
	Roller blind fitting option	Inside mount (recess fit) – on the interior of the window frame	*
	Type of bottom rail	Flat	*
	Supplier to perform Installation and commissioning	Yes	Yes
MECHANISM MATERIAL	Control unit made up of High strength reinforced plastic	ABS reinforced plastic	*
	Installation Bracket type	“ L ” brackets	*
	Installation Bracket made up of	Mild steel with white powder coated	*
	Spring made up of	Rustproof High carbon steel springs	*
	Top roller type	Aluminium pipe with groove (to fix the fabric in the groove)	*
	Head rail made up of	Aluminium exclusion rail powder coated	*
	Chain type	Endless beaded chain	*
	Chain material	4.2 mm ABS plastic bead moulded on 1.5 mm thick polyester coat	*
	Pitch of the beads	6 mm	*
	Roller tube made up of	Anodized extruded tube of high strength alloy	*
	Inner diameter(id)	38 mm (id)	*

	Wall thickness of roller tube	1 mm	*
	End plug	ABS reinforced plastic	*
	Bottom rail made up of	Aluminium extruded rail with groove	*
	Cassette made up of	Aluminium extruded rail	*
	Finish of exposed portion	As per Buyer's choice	*
	Powder coating minimum thickness	50 microns	*
	Cassette/ pelmet front side shall be matching to the fabric	Yes	*
DIMENSION (Blinds)	Width	-	*
	Length	-	*
MOTOR SPECIFICATION	Speed (Hint : select NA if not motorized)	N.A	*
	Control (Hint : select NA if not motorized)	N.A	*
	Voltage (Hint : select NA if not motorized)	N.A	*
	Maximum Power consumption (Hint : select NA if not motorized)	N.A	*
	Frequency (Hint : select NA if not motorized)	N.A	*
	Minimum Lifting capacity (Hint : select NA if not motorized)	N.A	*
	Noise (Hint : select NA if not motorized)	N.A	*
FABRIC DETAILS	Fabric material	Polyester	Polyester, Cotton, Silk, PVC, Polyester + Viscose, As per Buyer's choice
	Fabric Patterns	As per Buyer's choice	*
	Fabric Weight in GSM (± 10)	-	*
	Light blocking percentage of outer layer (in case of Single and dual roller blinds both)	-	*
	Light blocking	-	*

	percentage of inner layer (in case of dual roller blinds only) Hint : select '0' in case of Single roller blinds		
	Colour fastener to light (Rating range)	7	5 - 8
	Colour of fabric	As per Buyer's choice (To be intimated within 3 days of order. If there is delay in confirming colour of fabric, DP to be refixed for the delayed period)	*
	Agree to provide Advance sample(s) of fabric for buyer's approval before commencement of supply Hint : Applicable in case of orders placed against bid and not applicable in case of Direct Buying	Yes	*
WARRANTY	Warranty period in number of years (for mechanism only)	1	1
CERTIFICATION	ISO certified manufacturer (proof of the same to be submitted to buyer on demand if ISO certified)	No	Yes, No

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	Hari Om Gupta	206244,Auraiya Gas Power Station, NTPC Limited, P.O. Dibiyapur, District-Auraiya-206244, U.P.	69	60

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Supply Installation Testing and

Commissioning of Goods

2. Purchase preference to Micro and Small Enterprises (MSEs): Purchase preference will be given to MSEs as defined in Public Procurement Policy for Micro and Small Enterprises (MSEs) Order, 2012 dated 23.03.2012 issued by Ministry of Micro, Small and Medium Enterprises and its subsequent Orders/Notifications issued by concerned Ministry. If the bidder wants to avail the Purchase preference, the bidder must be the manufacturer of the offered product in case of bid for supply of goods. Traders are excluded from the purview of Public Procurement Policy for Micro and Small Enterprises. In respect of bid for Services, the bidder must be the Service provider of the offered Service. Relevant documentary evidence in this regard shall be uploaded along with the bid in respect of the offered product or service. If L-1 is not an MSE and MSE Seller (s) has/have quoted price within L-1+ 15% of margin of purchase preference /price band defined in relevant policy, such Seller shall be given opportunity to match L-1 price and contract will be awarded for percentage of 100% of total value.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---