

Bid Number: GEM/2020/B/699198

Dated: 06-07-2020

## **Bid Document**

Bid Document			
Bid Details			
Bid End Date/Time	21-07-2020 13:00:00		
Bid Opening Date/Time	21-07-2020 13:30:00		
Bid Life Cycle (From Publish Date)	90 (Days)		
Bid Offer Validity (From End Date)	30 (Days)		
Ministry/State Name	Ministry Of Human Resource Development		
Department Name	Department Of Higher Education		
Organisation Name	University Of Delhi		
Office Name	Satyawati College		
Total Quantity	25		
Item Category	chairs-office		
MSE Exemption for Years of Experience and Turnover	No		
Startup Exemption for Years of Experience and Turnover	No		
Bid to RA enabled	No		
Inspection Required	No		
·			

#### **EMD Detail**

Required	l No
Negan ea	

#### ePBG Detail

Required	No
----------	----

#### Splitting

Bid splitting not applied.

## Chairs-office ( 25 pieces )

## **Technical Specifications**

## \* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
MATERIAL	Type of material (other then wood) used in Polythene cane Chair	NOT APPLICABLE	NOT APPLICABLE
	Material of Fabric Back Cover	N.A	N.A
	Thickness of Plywood used in Backrest IN MM (±1 mm)	18 mm	*
	Frame Material	STAINLESS STEEL	STAINLESS STEEL
	Density of Polyurethane Foam Used in Seat ±2 (Kg/Cub M)	35 Kg/Cub.M	*
	Material of Fabric of Seat Cover	N.A	N.A
	Density of Polyurethane Foam Used in Backrest ±2(Kg/Cub M)	35 Kg/Cub.M	*
	Thickness of Plywood used in Seat ±1(mm)	20 mm	20 mm
	GSM/Thickness of Fabric ±5 (Gram per Sq Meter)	80 Gram per Sq Meter	80 Gram per Sq Meter
	Arm Material	chrome mild steel	chrome mild steel
	Thickness of Polyurethane Foam Used in Backrest IN MM (+/- 3 mm)	N.A	N.A
	Thickness of Polyurethane Foam Used in Seat IN MM (+/- 3 mm)	25 mm	25 mm
	Shoe Type	N.A	*
GENERIC	Conformity to Indian Standard IS 3499 (Part-1) Latest	No	*
	Chair Type	With Arms	With Arms
	Type of Seat and Backrest	Seat made of padded with polyurethane foam and Backrest made of Mesh with support of injection moulded	Seat made of padded with polyurethane foam and Backrest made of Mesh with support of injection moulded

		polypropylene	polypropylene
	Frame Type	Cantilever	Cantilever
	Castors	Without	Without
DIMENSION	Size of Material (mm)	14 SWG 25 mm round pipe	14 SWG 25 mm round pipe
	Chair Height ±15(mm)	750 mm	750 mm
	Seat Depth ±10(mm)	400 mm	400 mm
	Seat Width ±10 (mm)	350 mm	350 mm
	Seat Height IN MM ±5(mm)	430	430
	Backrest Width ±10(mm)	380 mm	380 mm
	Backrest Height ±10(mm)	350 mm	350 mm
	Arm Length ±5(mm)	250 mm	250 mm
	Arm Width ±2(mm)	30 mm	30 mm
COLOUR & FINISH	Colour of Fabric for Seat and Backrest	black	*
	Paint Type	chrome	chrome
	Colour of Paint	As per Buyer's choice	*
CERTIFICATION	Polythene cane conforming to Type-1 of IS 5378 /1994	NO	*
	Test reports to be furnished to buyer on demand	NO	NO
	BIFMA certification	NO	NO
	OEM of offered product is ISO 9001:2015 certified	YES	YES
	OEM of offered product is ISO 14001:2015 certified	NO	NO
	OEM of offered product is ISO 18001:2007 certified	NO	NO
WARRANTY	Warranty period in number of years	1	1

<sup>\*</sup> Specifications highlighted in bold are the Golden Parameters.

## **Additional Specification Documents**

<sup>\*</sup> Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

#### **Consignees/Reporting Officer and Quantity**

S.No.	Consignee/Reporti ng Officer	Address	Quantity	Delivery Days
1	Ashok Kumar	110052,Satyawati College, Ashok Vihar, Phase-III, Delhi-110052	25	30

# **Bid Specific Additional Terms and Conditions**

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods

This Bid is also governed by the General Terms and Conditions

---Thank You---