

### Bid Document

Bid Details	
Bid End Date/Time	22-07-2020 18:00:00
Bid Opening Date/Time	22-07-2020 18:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	80 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	Indian Army
Office Name	*****
Total Quantity	2
Item Category	HANDHELD BRUSH CUTTER / LINE TRIMMER
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

### EMD Detail

Required	No
----------	----

### ePBG Detail

Required	No
----------	----

### Splitting

Bid splitting not applied.

### HANDHELD BRUSH CUTTER / LINE TRIMMER ( 2 pieces )

### Technical Specifications

\* As per GeM Category Specification

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
PERFORMANCE	<b>Cut Width / Diameter (Maximum) in mm</b>	300 to 324	*
TYPE	<b>Type of Machine</b>	Line Trimmer with Nylon feed head attachment	Line Trimmer with Nylon feed head attachment, Brush Cutter with cutting Blade/ Circular saw attachment, Multi tool system with different types of attachments such as Nylon feed head / Blade/ Circular saw / Hedgetrimmer / Pruner / leaf blower attachments
	<b>Power Source</b>	Plug-in type Electric motor	Plug-in type Electric motor, Battery Powered Electric motor, Petrol Engine
	<b>Speed control</b>	Variable Speed	Variable Speed, Fixed Speed
	<b>Transmission</b>	Centrifugal Clutch	Centrifugal Clutch, Low Vibration Centrifugal Clutch
	<b>Tool-free changing of the attachments</b>	No	Yes, No
	<b>Castor Wheels provided to the feed head</b>	No	Yes, No
	<b>Handle Type</b>	D - Loop	D - Loop, Two D- Loops for both hands, Loop and bar, Bike Style
	<b>Type of Harness inclusive in the scope of supply</b>	Double shoulder Strap	Single Shoulder Strap, Double shoulder Strap, Backpack Harness, No Harness
SHAFT	<b>Shaft Material</b>	Stainless Steel	Aluminium, Electro Plated Steel, Stainless Steel, Plastic
	<b>Shaft Type</b>	Straight Shaft	Straight Shaft, Angled / Bent Shaft, Flexible Shaft
	Shaft configuration	Single	*
	<b>Shaft Length (mm)</b>	700 to 724	*
	Shaft Diameter	20	*

NYLON FEED HEAD ATTACHMENT	<b>Nylon feed head attachment inclusive in the scope of supply</b>	NA	Yes, No, NA
	<b>Feed head of Line Trimmer</b>	NA	Bump / Tap & go Type, NA
	<b>Number of Lines</b>	NA	Single, Double, NA
	Line (Monofilament / Nylon) inclusive in the scope of supply	NA	*
	<b>"If 'Yes', Length of the Line Provided in the Spool</b>	0	0, 6, 10, 20, 30
	<b>"Line Diameter (May indicate '0'if Not Applicable)"</b>	0	0, 2, 2.5, 3, 3.5
	Line Feed	Manual	*
CUTTER / CIRCULAR SAW ATTACHMENT	<b>Blade Cutter attachment inclusive in the scope of supply</b>	NA	Yes, No, NA
	<b>Blade Material</b>	Plastic	High Carbon Steel, Hardened Steel, Plastic, NA
	<b>Blade Type</b>	2 teeth blade	2 teeth blade, 3 tooth blade, 4 tooth blade, 8 teeth blade, Circular saw, NA
	<b>"Number of 2 teeth Blades inclusive in the scope of supply (May indicate '0'if Not Applicable)"</b>	0	0, 1, 2
	<b>Number of 3 teeth Blades inclusive in the scope of supply</b>	0	0, 1, 2
	<b>Number of 4 teeth Blades inclusive in the scope of supply</b>	0	0, 1, 2
	<b>Number of 8 teeth Blades inclusive in the scope of supply</b>	0	0, 1, 2 Or higher
	<b>Circular Saw attachment inclusive in the scope of supply</b>	NA	Yes, No, NA
	<b>"Number of Circular Saw Blades inclusive in the scope of</b>	0	0, 1, 2

	<b>supply (May indicate '0' if Not Applicable)"</b>		
	<b>Circular Saw Material</b>	NA	Tungsten Carbide Steel, High Carbon Steel, NA
	<b>Diameter of the Circular Saw (mm)</b>	NA	200, 225, 250, 275, 300, 350, 400, NA
	<b>Number of Teeth in Circular Saw</b>	0	0, 22, 30, 40, 60, 80, 120
	<b>Feed head of Blade Cutter / Circular Saw attachment</b>	NA	Bump Type / Tap & go Type, NA
HEDGE TRIMMER ATTACHMENT	<b>Hedge Trimmer attachment inclusive in the scope of supply</b>	NA	Yes, No, NA
	<b>Cutting action</b>	NA	Single action, Double action, NA
	<b>Length of Hedge Trimmer Blade (mm)</b>	200 to 230	*
	Hedge Trimmer attachment adjustment angle (Max) (degree)	NA	*
PRUNER / CHAIN SAW ATTACHMENT	<b>Pruner (Chain Saw) attachment inclusive in the scope of supply</b>	NA	Yes, No, NA
	<b>Length of Pruner (Chain Saw)(mm)</b>	200 to 230	*
	Cutter Type	Single action	*
LEAF BLOWER ATTACHMENT	<b>Leaf Blower attachment inclusive in the scope of supply</b>	NA	Yes, No, NA
	Maximum Air Speed (km/hr)	200	*
GENERIC	<b>Other Accessories incusive in the scope of supply</b>	Debris guard	Debris guard, Protection glasees, Face shield, Extension Shaft -Short (500 to 530 mm), Extension Shaft -long (970 to 1000 mm), Ear Mufflers, multi Select
	<b>Cable Length (Maximum extension cord length) inclusive in the scope of supply</b>	0	0, 10, 15, 20, 25, 30, 35, 50 Or higher

	Overall Dimensions (mm x mm x mm)	-	*
	Maximum Operating Weight	20	*
	Additional features, if any	-	*
	List of Items and Quantity of each item included in the offer	-	*
ENGINE	Make / Model of the Engine	-	*
	<b>"Engine Power Rating (Watt)"</b>	300	*
	<b>"Engine Compliant to latest CPCB norms (May Indicate 'NA' if Not Applicable)"</b>	NA	Yes, No, NA
	"Engine Fuel Tank Capacity (May Indicate '0' if Not Applicable)"	1	*
	"Sound level in dB"	100	*
PRIME MOVER	<b>Battery Chemistry</b>	NA	Li-Ion, Ni-MH, NiCd, SMF Lead Acid Battery, VRLA Battery, NA
	Battery Conforming Specification	Normal lead acid to IS: 7372 for motor vehicles	*
	<b>Availability of Test Report for Battery as per conforming specification</b>	No	Yes, No
	Voltage of each Battery	12	*
	"Number of Batteries required for operation"	1	*
	<b>"Number of Batteries supplied (Inclusive in the Scope of Supply)"</b>	0	0, 1, 2, 3, 4
	"BATTERY CAPACITY (Ah)"	0	*
	Battery Charging Time	1	*
	<b>Battery Run Time</b>	0	*
	<b>"Battery Charger inclusive in the scope of supply"</b>	NA	Yes, NO, NA
WARRANTY	<b>Warranty on Equipment</b>	1	1, 2, 3, 4, 5 Or higher

<b>"Warranty on Prime Mover (May Indicate '0' if Not Applicable)"</b>	0	0, 1, 2, 3, 4, 5 Or higher
<b>Warranty on Battery</b>	0	0, 1, 2, 3, 4, 5 Or higher

\* Specifications highlighted in bold are the Golden Parameters.

\* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement ( allowed Values) by the Buyer.

### Additional Specification Documents

### Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****HISAR	2	15

### Bid Specific Additional Terms and Conditions

1. IMPORTED PRODUCTS: In case of imported products, OEM or Authorized Seller of OEM should have a registered office in India to provide after sales service support in India. The certificate to this effect should be submitted.
2. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 5 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG). Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.
3. Availability of Service Centres: Bidder/OEM must have a Functional Service Centre in the State of each Consignee's Location in case of carry-in warranty. (Not applicable in case of goods having on-site warranty). If service center is not already there at the time of bidding, successful bidder / OEM shall have to establish one within 30 days of award of contract. Payment shall be released only after submission of documentary evidence of having Functional Service Centre.
4. Dedicated /toll Free Telephone No. for Service Support : BIDDER/OEM must have Dedicated/toll Free Telephone No. for Service Support.
5. Escalation Matrix For Service Support : Bidder/OEM must provide Escalation Matrix of Telephone Numbers for Service Support.

[This Bid is also governed by the General Terms and Conditions](#)

**---Thank You---**