

Bid Document

Bid Details	
Bid End Date/Time	28-07-2020 11:00:00
Bid Opening Date/Time	28-07-2020 11:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	30 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence
Organisation Name	Military Engineer Services
Office Name	*****
Total Quantity	4
Item Category	distribution or control board enclosures (Distribution board for MCBs)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Document required from seller	Certificate (Requested in ATC) *In case any bidder is seeking exemption from Experience / Turnover Criteria, the supporting documents to prove his eligibility for exemption must be uploaded for evaluation by the buyer
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Distribution Or Control Board Enclosures (Distribution Board For MCBs) (4 pieces)

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
GENERIC	Reference BIS Specification:13032	yes	*
	Suitable to accommodates specified Number of poles (number)	Three Pole MCBs as out going and FP MCB with 3 Protected pole as incoming	Single Pole MCBs as outgoing and Double pole MCB as incoming, Single Pole MCBs as out going and FP MCB with 3 Protected pole as incoming, Three Pole MCBs as out going and FP MCB with 3 Protected pole as incoming
	No. of Ways (in Number)	4	4, 6, 8, 10, 12, 16, 18, 24, 36
	Metalic cover Type	MCBs are operable manually without opening of cover (Single door)	MCBs are operable manually without opening of cover (Single door), MCBs are accessible only after opening of top cover (Double door), MCBs are operated after opening the front thermoplastic door
	Enclosure category (Degree of Protection)	IP-20	IP-20, IP-43, IP-65
CONSTRUCTIONAL	MCB distribution board for indoor installation	yes	*
	Copper Bus bar Rating (ampere)	100 Amp.	100 Amp., 200 Amp.
	Minimum Sheet Thickness properly pretreated and stove enameled/Powder Coated (mm)	1.6 mm	1.6 mm, Thermoplastic Polystyrene material with 3 mm thick, Thermoplastic Polystyrene material with 4 mm thick
	Steel Mounting Rail Top Hat as per IS:11039/83 (35mmX7.5mm)	Yes	*
	Earth bar	Yes	*
	Neutral bar	Yes	*
CERTIFICATIONS	Availability of the Type Test Report from Central Govt. /NABL/ILAC Accredited lab to prove conformity to the specification.	Yes	*
	Type Test Certificate No.	-	*
	Type Test Certificate date	-	*
	Name of Lab	-	*
	Address of Lab	-	*
	Test Report to be furnished to the buyer on demand	Yes	*

* Specifications highlighted in bold are the Golden Parameters.

* Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****EAST KHASI HILLS	4	15

Bid Specific Additional Terms and Conditions

1.ISO 9001: The bidder must have ISO 9001 certification.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---