

Bid Document

Bid Details	
Bid End Date/Time	23-07-2020 15:00:00
Bid Opening Date/Time	23-07-2020 15:30:00
Bid Life Cycle (From Publish Date)	90 (Days)
Bid Offer Validity (From End Date)	60 (Days)
Ministry/State Name	Ministry Of Defence
Department Name	Department Of Defence Production
Organisation Name	Hindustan Aeronautics Limited (hal)
Office Name	*****
Total Quantity	6
Item Category	Safety Footwear - BIS Specification (PAC Only)
MSE Exemption for Years of Experience and Turnover	No
Startup Exemption for Years of Experience and Turnover	No
Bid to RA enabled	No
Inspection Required	No

EMD Detail

Required	No
----------	----

ePBG Detail

Required	No
----------	----

Splitting

Bid splitting not applied.

Safety Footwear - BIS Specification (6 pairs) (Under PAC)

Make	bata
Model	6078

Technical Specifications

[* As per GeM Category Specification](#)

Specification	Specification Name	Values	Bid Requirement (Allowed Values)
SPECIFICATION	Technical Specification of the Product	Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 (Part 2): 2016, Latest along with Dte. General of Mines Safety (DGMS) approval	Personal Protective Equipment - Safety Footwear as per BIS specification No IS 15298 (Part 2): 2016, Latest along with Dte. General of Mines Safety (DGMS) approval
	Specification has been seen and Understood	Yes	*
CERTIFICATION	BIS Certification	Yes	Yes
	CM/ L No if BIS marked	5428669	*
UTILITY	Utility	Men	Men
CLASSIFICATION	Classification	Class I (Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear)	Class I (Footwear made from leather and other materials, excluding all-rubber or all-polymeric footwear)
DESIGN	Design	A (Low shoe)	A (Low shoe)
PATTERN	Pattern	Derby	*
SIZE	Size	Assorted sizes (5, 6, 7, 8, 9, 10, 11, 12 and 13) as per buyer's requirements	Assorted sizes (5, 6, 7, 8, 9, 10, 11, 12 and 13) as per buyer's requirements
MASS	Mass of one pair of Footwear (gram)	950	*
Material	Upper for Class 1 Footwear	Leather	Leather
	Surface Finish of Upper Leather for Class 1 Footwear	Full Grain Upper Leather	Full Grain Upper Leather
	Material for Class II Footwear	Not applicable	Not applicable
	Any other Polymeric Material for Class II Footwear	NA	*
	Vamp Lining	With (Classification I and Classification II Footwear)	With (Classification I and Classification II Footwear)
	Vamp Lining	Coated Fabric	Coated Fabric

	Material		
	Quarter Lining	Yes	Yes
	Quarter Lining Material	Coated Fabric	Coated Fabric
	Toe Cap	(Steel) Metallic	(Steel) Metallic
COLOUR	Colour	Black	*
	Any other Colour as per buyer's requirements	NA	*
OTHER REQUIREMENTS	Insole	Yes	Yes
	Insocks	Full Insocks Non Removable	Full Insocks Non Removable
	Tongue (For Designation I Footwear)	Full Bellow Tongue	Full Bellow Tongue
	Collar	Without	Without
LACING/ CLOSING OF SHOES	Closing (Tieing)	Laces	Laces
	Lacing of Shoes	Eyelets	Eyelets
	Eyelets (Pairs)	4 pairs	4 pairs
	Material of Eyelets	Brass Eyelets	Brass Eyelets
	Laces	Nylon	*
	Cross Section Shape of Laces	Round	*
	Breaking Load of Laces (min)	600 N	*
	Length of Laces	90 cm	*
SOLE	Sole Description/ Material	Direct Moulded Double Density Polyurethane	Direct Moulded Double Density Polyurethane
	If Any Other Material of Sole	NA	*
	Sole Design	Cleated	Cleated
	Construction	Single	Single
SLIP RESISTANT	Slip Resistant	As per clause 5.3.5.4 of IS 15298 (Part 2)- Slip resistance on ceramic tile floor with NaLS and on steel floor with glycerine	As per clause 5.3.5.4 of IS 15298 (Part 2)- Slip resistance on ceramic tile floor with NaLS and on steel floor with glycerine
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS- WHOLE FOOTWEAR	Additional Requirements for Special Applications- Whole Footwear	Penetration Resistance (Metallic anti-penetration insert), Penetration Resistance (Non-metallic anti-penetration insert), Electrical Properties-	Penetration Resistance (Metallic anti-penetration insert), Penetration Resistance (Non-metallic anti-penetration insert), Electrical Properties- Conductive Footwear,

		Conductive Footwear, Anti-static Footwear, Electrically Insulating Footwear, Heat Insulation of Sole Complex, Cold Insulation of Sole Complex, Energy absorption of seat region, Water resistance, Metatarsal protection, Ankle protection, Cut resistance	Anti-static Footwear, Electrically Insulating Footwear, Heat Insulation of Sole Complex, Cold Insulation of Sole Complex, Energy absorption of seat region, Water resistance, Metatarsal protection, Ankle protection, Cut resistance
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS (UPPER)	Water penetration and absorption	No	No
ADDITIONAL REQUIREMENTS FOR SPECIAL APPLICATIONS (OUTSOLE)	Additional Requirements for Special Applications- Outsole	Resistance to hot contact, Resistance to fuel oil	Resistance to hot contact, Resistance to fuel oil
LOGO AND MARKING	Logo/ Totem/ Emblem Marking	No	No
	Size, design, Type and Location of Logo as per buyer's requirement	NO	*
Test Report	Availability of Test Report from Designated AHSP/ NABL/ ILAC accredited or Central Government Lab to prove conformity of products to the specification	Yes	Yes
	Name of the Lab	FDDI	*
	Address of the Lab	GERMANY	*
	Test Report No	2K1908096-A	*
	Test Report Date	07-08-2019	*
	Test reports to be furnished to buyer on demand, if claimed to be available	Yes	*
ADVANCE SAMPLE	Agree to provide Advance Sample(s) for buyer's approval before commencement of supply	Yes	Yes

- * Specifications highlighted in bold are the Golden Parameters.
- * Bidders may note that In respect of non-golden Parameters, the specifications 'Values' chosen by Buyer will generally be preferred over 'Bid requirement (allowed Values) by the Buyer.

Additional Specification Documents

Consignees/Reporting Officer and Quantity

S.No.	Consignee/Reporting Officer	Address	Quantity	Delivery Days
1	*****	*****NORTH 24 PARGANAS	6	15

Bid Specific Additional Terms and Conditions

1. Scope of supply (Bid price to include all cost components) : Only supply of Goods
2. Timely Servicing / rectification of defects during warranty period: After having been notified of the defects / service requirement during warranty period, Seller has to complete the required Service / Rectification within 3 days time limit. If the Seller fails to complete service / rectification with defined time limit, a penalty of 0.5% of Unit Price of the product shall be charged as penalty for each week of delay from the seller. Seller can deposit the penalty with the Buyer directly else the Buyer shall have a right to recover all such penalty amount from the Performance Security (PBG).Cumulative Penalty cannot exceed more than 10% of the total contract value after which the Buyer shall have the right to get the service / rectification done from alternate sources at the risk and cost of the Seller besides forfeiture of PBG. Seller shall be liable to re-imburse the cost of such service / rectification to the Buyer.

[This Bid is also governed by the General Terms and Conditions](#)

---Thank You---